

研究成果の刊行に関する一覧表(平成25年度)

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Sumida T, Tsuboi H, Iizuka M, Hirota T, Asashima H, Matsumoto I.	The role of M3 muscarinic acetylcholine receptor reactive T cells in Sjogren's syndrome: A Critical Review.	J Autoimmunity		in press	
Seror R, Theander E, Brun JG, Ramos-Casals M, Valim V, Dorner T, Bootsma H, Tzioufas A, Solans Laque R, Mandl T, Gottenberg JE, Hachulla E, Moser K, Ng WF, Fauchais AL, Bombardieri S, Valesin G, Gerli R, Bartoloni E, Saraux A, Praprotnik S, Tomsic M, Sumida T, Nishiyama S, Caporali R, Kruijs AA, Vollenweider C, Ravaud P, Vitali C, Mariette X, Bowman SJ.	Validation of EULAR primary Sjogren's syndrome disease activity and patient indexes.	Ann Rheum Dis		in press	
Tsuboi H, Asashima H, Takai C, Hagiwara S, Hagiya C, Yokosawa M, Hirota T, Umehara H, Kawakami A, Nakamura H, Sano H, Tsubota K, Ogawa Y, Takamura E, Saito I, Inoue H, Nakamura S, Moriyama M, Takeuchi T, Tanaka Y, Hirata S, Mimori T, Yoshifuji H, Ohta A, Matsumoto I, Sumida T.	Primary and secondary surveys on epidemiology of Sjogren's syndrome in Japan.	Mod Rheumatol		in press	
Yokosawa M, Tsuboi H, Nasu K, Hagiya C, Hagiwara S, Ogishima H, Hirota T, Horikoshi M, Kondo Y, Sugihara M, Suzuki T, Minami M, Bukawa H, Matsumoto I, Sumida T.	Usefulness of MR imaging of the parotid glands in patients with Sjogren's syndrome.	Rheumatology (Oxford)		in press	
Tsuboi H, Hagiwara S, Asashima H, Umehara H, Kawakami A, Nakamura H, Sano H, Tsubota K, Ogawa Y, Takamura E, Saito I, Inoue H, Nakamura S, Moriyama M, Takeuchi T, Tanaka Y, Hirata S, Mimori T, Matsumoto I, Sumida T.	Validation of different sets of criteria for the diagnosis of Sjogren's syndrome in Japanese patients.	Mod Rheumatol	23(2)	219-25	2013
Narahara M, Tamaki K, Yamada R.	Application of permanents of square matrices for DNA identification in multiple-fatality cases.	BMC Genet	14	72	2013
Hamaguchi Y, Fujimoto M, Matsushita T, Kaji K, Komura K, Hasegawa M, Koderia M, Muroi E, Fujikawa K, Seishima M, Yamada H, Yamada R, Sato S, Takehara K, Kuwana M.	Common and Distinct Clinical Features in Adult Patients with Anti-Aminoacyl-tRNA Synthetase Antibodies: Heterogeneity within the Syndrome.	PLoS One	8(4)	e60442	2013
Shimane K, Kochi Y, Suzuki A, Okada Y, Ishii T, Horita T, Saito K, Okamoto A, Nishimoto N, Myouzen K, Kubo M, Hirakata M, Sumida T, Takasaki Y, Yamada R, Nakamura Y, Kamatani N, Yamamoto K.	An association analysis of HLA-DRB1 with systemic lupus erythematosus and rheumatoid arthritis in a Japanese population: effects of *09:01 allele on disease phenotypes.	Rheumatology(Oxford)	52(7)	1172-78	2013
Terao C, Yoshifuji H, Kimura A, Matsumura T, Ohmura K, Takahashi M, Shimizu M, Kawaguchi T, Chen Z, Naruse TK, Sato-Otsubo A, Ebana Y, Maejima Y, Kinoshita H, Murakami K, Kawabata D, Wada Y, Narita I, Tazaki J, Kawaguchi Y, Yamanaka H, Yurugi K, Miura Y, Maekawa T, Ogawa S, Komuro I, Nagai R, Yamada R, Tabara Y, Isobe M, Mimori T, Matsuda F.	Two susceptibility loci to Takayasu arteritis reveal a synergistic role of the IL12B and HLA-B regions in a Japanese population.	Am J Hum Genet	93(2)	289-97	2013
Yokota K, Sato K, Miyazaki T, Kitaura H, Kayama H, Miyoshi F, Araki Y, Akiyama Y, Takeda K, Mimura T.	Combination of tumor necrosis factor and interleukin 6 induces mouse osteoclast-like cells with bone-resorption activity both in vitro and in vivo.	Arthritis Rheumatol	66	121-9	2014
Yokota K, Inoue T, Akiyama Y, Kajiyama H, Asanuma FY, Arai E, Suzuki H, Mimura T.	Acute kidney injury in polyarteritis nodosa and multiple myeloma.	Intern Med	53	263-67	2014
Shimada Y, Asanuma FY, Yokota K, Yoshida Y, Kajiyama H, Sato K, Akiyama Y, Mimura T.	Pentraxin 3 is associated with disease activity but not atherosclerosis in patients with systemic lupus erythematosus.	Mod Rheumatol	24	78-85	2014
Wada TT, Araki Y, Sato K, Aizaki Y, Yokota K, Kim YT, Oda H, Kurokawa R, Mimura T.	A aberrant histone acetylation contributes to elevated interleukin-6 production in rheumatoid arthritis synovial fibroblasts.	Biochem Biophys Res Commun		in press	
Ota M, Yanagisawa M, Tachibana H, Yokota K, Araki Y, Sato K, Mimura T.	A significant induction of neutrophilic chemoattractants but not RANKL in synovialocytes stimulated with interleukin 17.	J Bone Miner Metab		in press	
Xu, M., Hou, R., Sato-Hayashizaki, A., Man, R., Zhu, C., Wakabayashi, C., Hirose, S., Adachi, T., and Tsubota, T.	Cd72c is a modifier gene that regulates Faspr-induced autoimmune disease.	J Immunol	190	5436-5445	2013
Kawano S, Lin Q, Amano H, Kaneko T, Nishikawa K, Tsurui H, Tada N, Nishimura H, Takai T, Shirai T, Takasaki Y, Hirose S.	Phenotype conversion from rheumatoid arthritis to systemic lupus erythematosus by introduction of Yaa mutation into Fc RIIb-deficient C57BL/6 mice.	Eur J Immunol	43	770-8	2013
Kaneko T, Amano H, Kawano S, Minowa-K, Ando S, Watanabe T, Nakano S, Suzuki J, Morimoto S, Tokano Y, Takasaki Y.	Increased serum concentration of BAFF/APRIL and IgA2 subclass in patients with mixed connective tissue disease complicated by interstitial lung disease.	Mod Rheumatol		in press	
Ueda Y, Yamashita H, Takahashi Y, Kaneko H, Kano T, Mimori A.	Refractory hemophagocytic syndrome in systemic lupus erythematosus successfully treated with intermittent intravenous cyclophosphamide: three case reports and literature review.	Clin Rheumatol	33(2)	281-6	2014
Yamashita H, Ueda Y, Ozaki T, Tsuchiya H, Takahashi Y, Kaneko H, Kano T, Mimori A.	Characteristics of 10 patients with paraneoplastic rheumatologic musculoskeletal manifestations.	Mod Rheumatol		in press	
Yamashita H, Kubota K, Takahashi Y, Minamimoto R, Morooka M, Kaneko H, Kano T, Mimori A.	Clinical value of 18F-fluoro-dexoxyglucose positron emission tomography/ computed tomography in patients with adult-onset Still's disease: A seven-case series and review of the literature	Mod Rheumatol		in press	

Ozaki T, Yamashita H, Kaneko S, Yori-fuji H, Takahashi H, Ueda Y, Takahashi Y, Kaneko H, Kano T, <u>Mimori A.</u>	Cytomegalovirus disease of the upper gastrointestinal tract in patients with rheumatic diseases: a case series and literature review.	Clin Rheumatol	32(11)	1683-90	2013
Yamashita H, Takahashi Y, Kaneko H, Kano T, <u>Mimori A.</u>	Thrombotic thrombocytopenic purpura with an autoantibody to ADAMTS13 complicating Sjögren's syndrome: two cases and a literature review.	Mod Rheumatol	23(2)	365-73	2013
Noto D, Sakuma H, Takahashi K, Yamada M, Yamamura T, <u>Miyake S.</u>	Development of a culture system to induce microglia-like cells from hematopoietic cells.	Neuropathol Appl Neurobiol	in press		
Chihara N, Aranami T, Oki S, Matsuoka T, Nakamura M, Kishida H, Yokoyama K, Kuroiwa Y, Hattori N, Okamoto T, Murata M, Toda T, <u>Miyake S, Yamamura T.</u>	Plasmablasts as migratory IgG-producing cells in the pathogenesis of neuromyelitis optica.	PLoS One	8	e83036	2013
Di Penta A, Chiba A, Alloza I, Wyssenbach A, Yamamura T, Villoslada P, <u>Miyake S,</u> Vandenberg K.	A trifluoromethyl analogue of celecoxib exerts beneficial effects in neuroinflammation.	PLoS One	8	e83119	2013
Araki M, Matsuoka T, Miyamoto K, Kusonoki S, Okamoto T, Murata M, <u>Miyake S,</u> Aranami T, Yamamura T.	Efficacy of the anti-IL-6 receptor antibody tocilizumab in neuromyelitis optica: A pilot study.	Neurology	in press		
Sumitomo S, Fujio K, Okamura T, Morita K, Ishigaki K, Suzukawa K, Kanaya K, Kondo K, Yamasoba T, Furukawa A, Kitahara N, Shoda H, Shibuya M, Okamoto A, <u>Yamamoto K.</u>	Transcription factor early growth response 3 is associated with the TGF- β 1 expression and the regulatory activity of CD4-positive T cells in vivo.	J Immunol	191	2351-59	2013
Sumitomo S, Fujio K, Okamura T, <u>Yamamoto K.</u>	Egr2 and Egr3 are the unique regulators for systemic autoimmunity.	JAKSTAT	2	e23952	2013
Iwasaki Y, Fujio K, Okamura T, Yanai A, Sumitomo S, Shoda H, Tamura T, Yoshida H, Charnay P, <u>Yamamoto K.</u>	Egr-2 transcription factor is required for Blimp-1-mediated IL-10 production in IL-27-stimulated CD4+ T cells.	Eur J Immunol	43	1063-73	2013
Fujio K, Okamura T, Sumitomo S, <u>Yamamoto K.</u>	Regulatory cell subsets in the control of autoantibody production related to systemic autoimmunity.	Ann Rheum Dis	72 Suppl 2	ii85-89	2013
<u>Takeuchi T</u> and Suzuki K.	CD247 variants and single nucleotide polymorphisms observed in systemic lupus erythematosus patients.	Rheumatology (Oxford)	52 (9)	1551-5	2013
Amengual O, <u>Atsumi T,</u> Oku K, Suzuki E, Horita T, Yasuda S, Koike T.	Phospholipid scramblase 1 expression is enhanced in patients with antiphospholipid syndrome.	Mod Rheumatol	23(1)	Aug-81	2013
Oku K, Amengual O, Zigon P, Horita T, Yasuda S, <u>Atsumi T.</u>	Essential role of the p38 mitogen-activated protein kinase pathway in the tissue factor gene expression by the phosphatidylserine-dependent antithrombin antibody.	Rheumatology (Oxford)	52	1775-84	2013
Kato M, <u>Atsumi T,</u> Oku K, Amengual O, Nakagawa H, Fujieda Y, Otomo K, Horita T, Yasuda S, Koike T.	The involvement of CD36 in the monocyte activation by antiphospholipid antibodies.	Lupus	22	761-71	2013
<u>Tanaka Y,</u> Hirata S, Kubo S, Fukuyo S, Hanami K, Sawamukai N, Nakano K, Nakayama S, Yamaoka K, Sawamura F, Saito K.	Discontinuation of adalimumab after achieving remission in patients with established rheumatoid arthritis: 1-year outcome of the HONOR study.	Ann Rheum Dis	in press		
Kubo S, Yamaoka K, Kondo M, Yamagata K, Zhao J, Iwata S, <u>Tanaka Y.</u>	The JAK inhibitor tofacitinib reduces the T cell stimulatory capacity of human monocyte-derived dendritic cells.	Ann Rheum Dis	in press		
<u>Tanaka Y.</u>	Next stage of RA treatment: TNF-inhibitor-free remission will be a possible treatment goal?	Ann Rheum Dis	72	ii124-7	2013
<u>Tanaka Y,</u> Yamaoka K.	A Jak inhibitor tofacitinib for the treatment of rheumatoid arthritis from basic to clinic.	Mod Rheumatol	23	415-24	2013
Iwata S, Saito K, Tokunaga M, <u>Tanaka Y.</u>	Persistent memory B cell down-regulation after 6-year remission induced by rituximab therapy in patients with systemic lupus erythematosus.	Lupus	22	538-40	2013
<u>Ohta A,</u> Nagai M, Nishina M, Tomimitsu H, Kohsaka H.	Prevalence and Incidence of Polymyositis and Dermatomyositis in Japan.	Mod Rheumatol	in press		
Inoue, K., <u>Jinnin, M.,</u> Hara, Y., Makino, K., Kajihara, I., Makino, T., Sakai, K., Fukushima, S., Inoue, Y., and Ihn, H.	Serum levels of tenascin-C in collagen diseases.	J Dermatol	40	715-19	2013
Inoue, K., <u>Jinnin, M.,</u> Yamane, K., Makino, T., Kajihara, I., Makino, K., Honda, N., Nakayama, W., Fukushima, S., and Ihn, H.	Down-regulation of miR-223 contributes to the formation of Gottron's papules in dermatomyositis via the induction of PKC δ .	Eur J Dermatol	23	160-7	2013
Makino, K., <u>Jinnin, M.,</u> Hirano, A., Yamane, K., Eto, M., Kusano, T., Honda, N., Kajihara, I., Makino, T., Sakai, K., Masuguchi, S., Fukushima, S., and Ihn, H.	The downregulation of microRNA let-7a contributes to the excessive expression of type I collagen in systemic and localized scleroderma.	J Immunol	190	3905-15	2013
Honda, N., <u>Jinnin, M.,</u> Kira-Etoh, T., Makino, K., Kajihara, I., Makino, T., Fukushima, S., Inoue, Y., Okamoto, Y., Hasegawa, M., Fujimoto, M., and Ihn, H.	miR-150 down-regulation contributes to the constitutive type I collagen overexpression in scleroderma dermal fibroblasts via the induction of integrin α 3.	Am J Pathol	182	206-16	2013
Fujimoto M, Matsushita M, Hamaguchi Y, Kaji K, Asano Y, Ogawa F, Yamaoka T, Fujikawa K, Tsukada T, Sato K, Echigo T, Hasegawa M, Takehara K.	Autoantibodies to small ubiquitin-like modifier activating enzymes in Japanese patients with dermatomyositis: Comparison with a UK Caucasian cohort.	Ann Rheum Dis	72	151-3	2013
Hamaguchi Y, <u>Fujimoto M,</u> Matsushita T, Kaji K, Komura K, Hasegawa M, Koderu M, Muroi E, Fujikawa K, Seishima M, Yamada H, Yamada R, Sato S, Takehara K, Kuwana M.	Common and distinct clinical features in adult patients with anti-aminoacyl tRNA synthetase antibodies: heterogeneity within the syndrome.	PLoS One	8	e60442	2013
Ito K, Imafuku S, Hamaguchi Y, <u>Fujimoto M,</u> Nakayama J.	Case report of anti-transcription intermediary factor-1- β antibody-positive dermatomyositis associated with gastric cancer and immunoglobulin G4-positive pulmonary inflammatory pseudotumor.	J Dermatol	40	567-9	2013

Kasuya A, Hamaguchi Y, <u>Fujimoto M</u> , Tokura Y.	TIF1 -overexpressing, highly progressive endometrial carcinoma in a patient with dermatomyositis positive for malignancy-associated anti-p155/140 autoantibody.	Acta Derm Venereol	93	715-6	2013
Ueda-Hayakawa I, Kusuyama T, Isei T, Ozaki Y, Hamaguchi Y, <u>Fujimoto M</u> , Takehara K, Okamoto H.	Cutaneous necrotizing vasculitis in a patient with dermatomyositis positive for anti-PL-7 antibody.	Eur J Dermatol	23	889-90	2013
Nakashima R, Imura Y, Hosono Y, Seto M, Murakami A, Watanabe K, Handa T, Mishima M, Hirakata M, Takeuchi T, Fujio K, Yamamoto K, Kohsaka H, Takasaki Y, Enomoto N, Suda T, Chida K, Hisata S, Nukiwa T, <u>Mimori T</u> .	The Multicenter Study of a New Assay for Simultaneous Detection of Multiple Anti-Aminoacyl-tRNA Synthetases in Myositis and Interstitial Pneumonia.	PLoS One	9	e85062	2014
Muro Y, Sugiura K, Nakashima R, <u>Mimori T</u> , Akiyama M	Low Prevalence of Anti-DFS70/LEDGF Antibodies in Patients with Dermatomyositis and Other Systemic Autoimmune Rheumatic Diseases.	J Rheumatol	40	92-93	2013
Tanizawa K, Handa T, Nakashima R, Kubo T, Hosono Y, Aihara K, Ikezoe K, Watanabe K, Taguchi Y, Hatta K, Oga T, Chin K, Nagai S, <u>Mimori T</u> , Mishima M.	The prognostic value of HRCT in myositis-associated interstitial lung disease.	Respir Med	107	745-52	2013
Ishigaki K, Maruyama J, Hagino N, Murota A, Takizawa Y, Nakashima R, <u>Mimori T</u> , Setoguchi K.	Skin ulcer is a predictive and prognostic factor of acute or subacute interstitial lung disease in dermatomyositis.	Rheumatol Int	33	2381-89	2013
Shoji T, Bando T, Fujinaga T, Chen F, Sasano H, Yukawa N, <u>Mimori T</u> , Date H	Living-donor lobar lung transplantation for rapidly progressive interstitial pneumonia associated with clinically amyopathic dermatomyositis: report of a case.	Gen Thorac Cardiovasc Surg	61	Apr-32	2013
Sugiura K, <u>Muro Y</u> , Akiyama M.	Annular erythema associated with Sjögren's syndrome preceding overlap syndrome of rheumatoid arthritis and polymyositis with anti-PL-12 autoantibodies.	Acta Derm Venereol		in press	
<u>Muro Y</u> , Sugiura K, Akiyama M.	A new ELISA for dermatomyositis autoantibodies: rapid introduction of autoantigen cDNA to recombinant assays for autoantibody measurement	Clin Dev Immunol	2013	856815	2013
<u>Muro Y</u> , Sugiura K, Akiyama M.	Low prevalence of anti-small ubiquitin-like modifier activating enzyme antibodies in dermatomyositis patients.	Autoimmunity	46	279-84	2013
<u>Muro Y</u> , Sugiura K, Akiyama M.	What autoantibody tests should become widely available to help scleroderma diagnosis and management?	Arthritis Res Ther	15	116	2013
Sugiura K, Matsumoto T, <u>Muro Y</u> , Akiyama M.	Unilaterally dominant eosinophilic fasciitis after influenza vaccination.	J Am Acad Dermatol	69	e269-70	2013
<u>Kanda T</u> .	Biology of the blood-nerve barrier and its alteration in immune mediated neuropathies.	J Neurol Neurosurg Psychiatry	84	208-12	2013
Sano Y, <u>Kanda T</u> .	Blood-neural barrier: Overview and latest progress.	Clin Exp Neuroimmunol	4	220-27	2013
Shimizu F, Omoto M, Sano Y, Mastui N, Miyashiro A, Tasaki A, Maeda T, Koga M, Kaji R, <u>Kanda T</u> .	Sera from patients with multifocal motor neuropathy disrupt the blood-nerve barrier.	J Neurol Neurosurg Psychiatry		in press	
Shimizu F, Sano Y, Tominaga O, Maeda T, Abe M, <u>Kanda T</u> .	Advanced glycation end-products disrupt the blood-brain barrier by stimulating the release of TGF- β by pericytes and VEGF and MMP-2 by endothelial cells in vitro.	Neurobiol aging	34	1902-1912	2013
Tasaki A, Shimizu F, Sano Y, Fujisawa M, Takahashi T, Haruki H, Abe M, Koga M, <u>Kanda T</u> .	Autocrine MMP-2/9 secretion increases the BBB permeability in neuromyelitis optica.	J Neurol Neurosurg Psychiatry.		in press	
Naruse H, Nagashima Y, Maekawa R, Etoh T, Hida A, <u>Shimizu J</u> , Kaida K, Shio Y.	Successful treatment of infliximab-associated immune-mediated sensory polyradiculopathy with intravenous immunoglobulin	J Clin Neurosci	20	1618-19	2013
Nakamoto F, Matsukawa T, Tanaka M, Miyagawa T, Yamamoto T, <u>Shimizu J</u> , Ikemura M, Shibahara J, Tsuji S.	Successful treatment of an unresectable inflammatory myofibroblastic tumor of the frontal bone using a cyclooxygenase-2 inhibitor and methotrexate.	Intern Med	52	623-28	2013
<u>Kohsaka H</u> .	Mechanism, diagnosis, and treatment of steroid myopathy.	Brain Nerve	65	1375-80	2013
Ohta A, Nagai M, Nishina M, Tomimitsu H, <u>Kohsaka H</u> .	Age at onset and gender distribution of systemic lupus erythematosus, polymyositis/dermatomyositis, and systemic sclerosis in Japan.	Mod Rheumatol	23	759-64	2013
Ota Y, <u>Kawaguchi Y</u> , Takagi K, Ichida H, Gono T, Hanaoka M, Higuchi T, Yamanaka H.	Ghrelin attenuates collagen production in lesional fibroblasts from patients with systemic sclerosis.	Clin Immunol	147	71-78	2013
Hanaoka M, Gono T, <u>Kawaguchi Y</u> , Uchida K, Koseki Y, Katsumata Y, Kaneko H, Takagi K, Ichida H, Nitta K, Yamanaka H.	Urinary free light chain is a potential biomarker for ISN/RPS class III/IV lupus nephritis.	Rheumatology	52	2149-57	2013
Katsumata Y, <u>Kawaguchi Y</u> , Baba S, Hattori S, Tahara K, Ito K, Iwasaki T, Yamaguchi N, Hattori H, Nagata K, Okamoto Y, Yamanaka H, Hara M.	Serum antibodies against the 70k polypeptides of the U1 ribonucleoprotein complex are associated with psychiatric syndromes in systemic lupus erythematosus: a retrospective study.	Mod Rheumatol	23	71-80	2013
Nakamura H, Horai Y, Suzuki T, Okada A, Ichinose K, Yamasaki S, Koji T, <u>Kawakami A</u> .	TLR3-mediated apoptosis and activation of phosphorylated Akt in the salivary gland epithelial cells of primary Sjögren's syndrome patients.	Rheumatol Int	33	441-50	2013
Nakamura H, Horai Y, Tokuyama A, Yoshimura S, Nakajima H, Ichinose K, Yamasaki S, Nakamura T, Hayashi T, <u>Kawakami A</u> .	HTLV-I virological and histopathological analysis in 2 cases of anti-centromere antibody-seropositive Sjögren's syndrome.	Mod Rheumatol	23	133-9	2013
Nakamura H, Iwamoto N, Horai Y, Takagi Y, Ichinose K, Kawashiri SY, Taguchi J, Hayashi T, Nakamura T, <u>Kawakami A</u> .	A case of adult T-cell leukemia presenting primary Sjögren's syndrome like symptoms.	Int J Rheum Dis	16	489-92	2013

Moriyama M, Tanaka A, Maehara T, Furukawa S, Nakashima H, <u>Nakamura S.</u>	T helper subsets in Sjögren's syndrome and IgG4-related dacryoadenitis and sialoadenitis: A critical review.	J Autoimmun	in press		
Azuma N, Katada Y, Kitano S, Sekiguchi M, Kitano M, Nishioka A, Hashimoto N, Matsui K, Iwasaki T, <u>Sano H.</u>	Correlation between salivary epidermal growth factor levels and refractory intraoral manifestations in patients with Sjögren's syndrome.	Mod Rheumatol	in press		
Kimori H., Yamamoto K., Yamachika S., Tsurumoto A., Kamikawa Y., Sasao M., Morito M., <u>Saito I.</u> , Ohshima T., Maeda N., Nakagawa Y.	Factors associated with the presence of atrophic tongue in patients with dry mouth.	Gerodontology	in press		
Yamamura Y., Yamada H., Sakurai T., Ide F., Inoue H., Muramatsu T., Mishima K., Hamada Y., <u>Saito I.</u>	Treatment of salivary gland hypofunction by transplantation with dental pulp cells.	Arch Oral Biol	58	935-42	2013
Ogawa, Y., <u>Tsubota K.</u>	Review Article. Dry eye disease and inflammation.	Inflamm. Regen.	33	238-48	2013
Kawai, M., Ogawa, Y., Shimamura, S., Ohta, S., Suzuki, T., Kawamura, N., Kuwana, M., Kawakami, Y., <u>Tsubota, K.</u>	Expression and localization of aging markers in lacrimal gland of chronic graft-versus-host disease.	Sci Rep	3	2455	2013
Yaguchi, S., Ogawa, Y., Shimamura, S., Kawakita, T., Hatou, S., Satofuka, S., Nakamura, S., Imada, T., Miyashita, H., Yoshida, S., Yaguchi, T., Ozawa, Y., Mori, T., Okamoto, S., Kawakami, Y., Ishida, S., <u>Tsubota, K.</u>	Angiotensin II type 1 receptor antagonist attenuates lacrimal gland, lung, and liver fibrosis in a murine model of chronic graft-versus-host disease.	PLoS One	8	e64724	2013
Ito K, Yamada K, Mizushima I, Azumi M, Fujii H, Mizotomi K, Matsumura M, Hayashi K, Yamagishi M, <u>Umehara H</u> , Yamaguchi Y, Nagata M, Kawano M.	Henoch-Schönlein purpura nephritis in a patient with IgG4-related disease:a possible association.	Clin Nephrol	79	246-52	2013
Chen Y, Sun W, Gao R, Su Y, <u>Umehara H</u> , Dong L, Gong F.	The role of high mobility group box chromosomal protein 1 in rheumatoid arthritis.	Rheumatology(Oxford)	52	1739-47	2013
Dong L, Chen Y, Masaki Y, Okazaki T, <u>Umehara H.</u>	Possible mechanisms of lymphoma development in Sjögren's syndrome.	Curr Immunol Rev	9	13-22	2013
Sugimoto N, Matsuzaki K, Ishibashi H, Tanaka M, Sawaki T, Fujita Y, Kawanami T, Masaki Y, Okazaki T, Sekine J, Koizumi S, Yachie A, <u>Umehara H</u> , Shido O.	Upregulation of aqaporin expression in the salivary glands of heat-acclimated rats.	Sci Rep	in press		
Stone J.H., Chan J.K.C., Deshpande V, Okazaki K, <u>Umehara H</u> , Zen Y.	IgG4-related disease.	J Rheumatol	in press		
Fujita Y, Fujii T, Mimori T, Sato T, Nakamura T, Iwao H, Nakajima A, Miki M, Sakai T, Kawanami T, Tanaka M, Masaki Y, Fukushima T, Okazaki T, <u>Umehara H.</u>	Deficient Leptin Signaling Ameliorates Systemic Lupus Erythematosus Lesions in MRL/Mp-Faslpr Mice.	J Immunol	192(3)	979-84	2013
Iizuka M, <u>Tsuboi H</u> , Asashima H, Hirota T, Kondo Y, Matsui M, Matsumoto I, Sumida T.	M3 muscarinic acetylcholine receptor reactive IL-17-producing T cells promotes development of Sjögren's syndrome like sialadenitis.	Mod Rheumatol	in press		
Hagiya C, <u>Tsuboi H</u> , Yokosawa M, Hagiwara S, Takai C, Hirota T, Asashima H, Miki H, Umeda N, Horikoshi M, Kondo Y, Sugihara M, Ogishima H, Suzuki T, Hiraoka T, Kaji Y, Matsumoto I, Ohshika T, Sumida T.	Clinicopathological features of IgG4-related disease complicated with orbital involvement.	Mod Rheumatol	in press		

研究成果の刊行に関する一覧表(平成25年度)

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	出版社名	出版年
		書籍名	出版地	ページ
住田孝之	これからの治療の展望	住田孝之、川上純	診断と治療社	2014
		シェーグレン症候群の診断と治療マニュアル 改訂第2版	東京	242-246
三村俊英, 秋山雄次, 舟久保ゆう, 佐藤浩二郎, 中嶋京一, 梶山浩, 横 田和浩, 吉田佳弘	自己抗体, リウマチ性疾患・アレルギー性疾患・免疫 不全症	黒川清 / 春日雅人 / 北村聖	医学書院	2013
		臨床検査データブック	東京	430-451, 889-899
三村俊英	免疫・アレルギー疾患	北村聖	ヌーヴェルヒロカワ	2013
		臨床病態学2巻	東京	522-528
天野浩文	強皮症, 炎症性筋炎および混合性結合組織病 多 発性筋炎・皮膚筋炎、臨床上問題となる病態・合併 症とその対応 間質性肺炎	高崎芳成、田村直人、安倍千之	日本医学館	2013
		リウマチ・膠原病内科診療マニュアル	東京	185-193, 298-306
中嶋 蘭, 三森 経世	多発性筋炎/皮膚筋炎の新規自己抗体	宮坂 信之	先端医学社	2013
		炎症と免疫	東京都	455-459
三森 経世, 細野 祐司, 中嶋 蘭	多発性筋炎・皮膚筋炎における自己抗体研究の最 前線		日本臨床社	2013
		日本臨床	東京都	637-643
細野 祐司, 中嶋 蘭, 三森 経世	抗MDA5抗体と皮膚筋炎	矢田 純一、羅 智靖	科学評論社	2013
		臨床免疫・アレルギー科	東京都	110-114
中嶋 蘭, 藤井 隆夫, 三森 経世	自己免疫疾患の新規自己抗体:新しい筋炎特異的 抗体	高久 史磨、尾前 照雄	メジカルビュー社	2013
		Pharma Medica	東京都	31-35
室 慶直	顔面の馬蹄形～環状浸潤性紅斑から疑う Sjogren 症候群	総編集 古江増隆、専門編集 土田哲也	中山書店	2013
		皮膚科臨床アセット20 日常診療において忘れてはならない皮膚科症候群	東京	41-45
森山雅文, 中村誠司	シェーグレン症候群の発症と病態進展におけるTh サブセットの関与	宮坂 信之	先端医学社	2013
		炎症と免疫	東京	111-118
小川葉子, 坪田一男	涙腺生検病理診断	日本シェーグレン症候群学会	診断と治療社	2014
		シェーグレン症候群の診断と治療マニュアル	東京	86-93
谷口紗織, 小川 葉子, 坪田一男	「7. コアメカニズムの考え方と治療 眼鏡による治 療」	横井則彦	中山書店	2013
		専門医のための眼科診療クオリファイ 19 ドライア イスペシャリストへの道	東京	256-257
小川 葉子	ドライアイ 外来で診る 眼科疾患	坪田一男, 根岸一乃	應義塾大学薬学部	2013
		慶應義塾大学薬学部	東京	51-70
坪井洋人, 浅島弘充, 住田孝之	自己抗体	住田孝之、川上純	診断と治療社	2014
		シェーグレン症候群の診断と治療マニュアル 改訂第2版	東京	94-103