

研究成果の刊行に関する一覧表(平成23-25年度)

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Sumida T, Tsuboi H, Iizuka M, Hirota T, Asashima H, Matsumoto I.	The role of M3 muscarinic acetylcholine receptor reactive T cells in Sjogren's syndrome: A Critical Review.	J Autoimmunity		in press	
Tsuboi H, Asashima H, Takai C, Hagiwara S, Hagiya C, Yokosawa M, Hirota T, Umehara H, Kawakami A, Nakamura H, Sano H, Tsubota K, Ogawa Y, Takamura E, Saito I, Inoue H, Nakamura S, Moriyama M, Takeuchi T, Tanaka Y, Hirata S, Mimori T, Yoshifuji H, Ohta A, Matsumoto I, Sumida T.	Primary and secondary surveys on epidemiology of Sjogren's syndrome in Japan.	Mod Rheumatol		in press	
Tsuboi H, Hagiwara S, Asashima H, Umehara H, Kawakami A, Nakamura H, Sano H, Tsubota K, Ogawa Y, Takamura E, Saito I, Inoue H, Nakamura S, Moriyama M, Takeuchi T, Tanaka Y, Hirata S, Mimori T, Matsumoto I, Sumida T.	Validation of different sets of criteria for the diagnosis of Sjogren's syndrome in Japanese patients.	Mod Rheumatol	23(2)	219-25	2013
Inoue A, Matsumoto I, Tanaka Y, Umeda N, Tanaka Y, Mihara M, Takahashi S, Sumida T.	TIARP (TNFAIP9) deficiency leads to arthritis via IL-6 overproduction with enhanced NF- $\kappa$ B, STAT3 signaling and dysregulated apoptosis of macrophages.	Arthritis Rheum	64(12)	3877-85	2012
Kondo Y, Iizuka M, Wakamatsu E, Yao Z, Tahara M, Tsuboi H, Sugihara M, Hayashi T, Yoh K, Takahashi S, Matsumoto I, Sumida T.	Overexpression of T-bet gene regulates murine autoimmune arthritis.	Arthritis Rheum	64(1)	162-72	2012
Narahara M, Tamaki K, Yamada R.	Application of permanents of square matrices for DNA identification in multiple-fatality cases.	BMC Genet	14	72	2013
Hamaguchi Y, Fujimoto M, Matsushita T, Kaji K, Komura K, Hasegawa M, Kodera M, Muroi E, Fujikawa K, Seishima M, Yamada H, Yamada R, Sato S, Takehara K, Kuwana M.	Common and Distinct Clinical Features in Adult Patients with Anti-Aminoacyl-tRNA Synthetase Antibodies: Heterogeneity within the Syndrome.	PLoS One	8(4)	e60442	2013
Terao C, Yoshifuji H, Kimura A, Matsumura T, Ohmura K, Takahashi M, Shimizu M, Kawaguchi T, Chen Z, Naruse TK, Sato-Otsubo A, Ebana Y, Maejima Y, Kinoshita H, Murakami K, Kawabata D, Wada Y, Narita I, Tazaki J, Kawaguchi Y, Yamanaka H, Yurugi K, Miura Y, Maekawa T, Ogawa S, Komuro I, Nagai R, Yamada R, Tabara Y, Isobe M, Mimori T, Matsuda F.	Two susceptibility loci to Takayasu arteritis reveal a synergistic role of the IL12B and HLA-B regions in a Japanese population.	Am J Hum Genet	93(2)	289-97	2013
Onuki R, Yamada R, Yamaguchi R, Kanehisa M, Shibuya T.	Population model-based inter-diploptype similarity measure for accurate diploptype clustering.	J Comput Biol	19	55-67	2012
Okada Y, Shimane K, Kochi Y, Tahira T, Suzuki A, Higasa K, Takahashi A, Horita T, Atsumi T, Ishii T, Okamoto A, Fujio K, Hirakata M, Amano H, Kondo Y, Ito S, Takada K, Mimori A, Saito K, Kamachi M, Kawaguchi Y, Ikari K, Mohammed OW, Matsuda K, Terao C, Ohmura K, Myouzen K, Hosono N, Tsunoda T, Nishimoto N, Mimori T, Matsuda F, Tanaka Y, Sumida T, Yamanaka H, Takasaki Y, Koike T, Horiuchi T, Hayashi K, Kubo M, Kamatani N, Yamada R, Nakamura Y, Yamamoto K.	A genome-wide association study identified AFF1 as a susceptibility locus for systemic lupus erythematosus in Japanese.	PLoS Genetics	8	e1002455	2012
Wada TT, Araki Y, Sato K, Aizaki Y, Yokota K, Kim YT, Oda H, Kurokawa R, Mimura T.	Aberrant histone acetylation contributes to elevated interleukin-6 production in rheumatoid arthritis synovial fibroblasts.	Biochem Biophys Res Commun		in press	
Yokota K, Sato K, Miyazaki T, Kitaura H, Kayama H, Miyoshi F, Araki Y, Akiyama Y, Takeda K, Mimura T.	Combination of tumor necrosis factor and interleukin 6 induces mouse osteoclast-like cells with bone-resorption activity both in vitro and in vivo.	Arthritis Rheum	66	121-29	2014
Shimada Y, Asanuma FY, Yokota K, Yoshida Y, Kajiyama H, Sato K, Akiyama Y, Mimura T.	Pentraxin 3 is associated with disease activity but not atherosclerosis in patients with systemic lupus erythematosus.	Mod Rheumatol	24	78-85	2014
Yokota K, Miyazaki T, Hemmatazad H, Gay RE, Kolling C, Fearon U, Suzuki H, Mimura T, Gay S, Ospelt C.	The Pattern-Recognition Receptor NOD1 Promotes Production of Inflammatory Mediators in Rheumatoid Arthritis Synovial Fibroblasts.	Arthritis Rheum	64	1329-37	2012
Sato K, Miyoshi F, Yokota K, Araki Y, Asanuma Y, Akiyama Y, Yoh K, Takahashi S, Aburatani H, Mimura T.	Marked induction of c-Maf protein during Th17 cell differentiation and its implication in memory Th cell development.	J Biol Chem	286	14963-971	2011
Kitabatake M, Toda T, Kuwahara K, Igarashi H, Ohtsuji M, Tsurui H, Hirose S, Sakaguchi N.	Transgenic overexpression of G5PR that is normally augmented in centrocytes impairs the enrichment of high-affinity antigen-specific B cells, increases peritoneal B-1a cells, and induces autoimmunity in aged female mice.	J Immunol	189	1193-1201	2012
Fujii T, Hou R, Sato-Hayashizaki A, Obata M, Ohtsuji M, Ikeda K, Mitsui K, Kodera Y, Shirai T, Hirose S, Nishimura H.	Susceptibility loci for the defective foreign protein-induced tolerance in NZB mice: Implication of epistatic effects of Fcgr2b and Slam family genes.	Eur J Immunol	41	2333-40	2011
Sato-Hayashizaki A, Ohtsuji M, Lin Q, Hou R, Ohtsuji N, Nishikawa K, Tsurui H, Sudo K, Ono M, Izui S, Shirai T, Takai T, Nishimura H, Hirose S.	Presumptive role of 129 strain-derived Sl616 locus in rheumatoid arthritis in a new mouse model with Fc receptor type 1b-deficient C57BL/6 genetic background.	Arthritis Rheum	63	2930-38	2011
Kawano S, Lin Q, Amano H, Kaneko T, Nishikawa K, Tsurui H, Tada N, Nishimura H, Takai T, Shirai T, Takasaki Y, Hirose S.	Phenotype conversion from rheumatoid arthritis to systemic lupus erythematosus by introduction of Yaa mutation into FcRIIB-deficient C57BL/6 mice.	Eur J Immunol	43	770-8	2013

Xu M, Hou R, Sato-Hayashizaki A, Man R, Zhu C, Wakabayashi C, <u>Hirose S</u> , Adachi T, Tsubata T.	Cd72c is a modifier gene that regulates FasLpr-induced autoimmune disease.	J Immunol	190	5436-45	2013
Ikeda T, Toyama S, Ogasawara M, <u>Amano H</u> , Takasaki Y, Morita H, Ishizuka T.	Rheumatoid arthritis complicated with immunodeficiency-associated lymphoproliferative disorders during treatment with adalimumab.	Mod Rheumatol	22	458-62	2012
Ogasawara M, Tamura N, Kageyama M, Onuma S, Kusaoi M, Toyama S, Sekiya F, Matsudaira R, Nawata M, Tada K, Matsushita M, Kempe K, <u>Amano H</u> , Morimoto S, Yamaji K, Takasaki Y.	Single-center, retrospective analysis of efficacy and safety of tacrolimus as a second-line DMARD in combination therapy and the risk factors contributing to adverse events in 115 patients with rheumatoid arthritis.	Clin Rheumatol	31	251-57	2012
Minowa K, <u>Amano H</u> , Nakano S, Ando S, Watanabe T, Nakiri Y, Amano E, Tokano Y, Morimoto S, Takasaki Y.	Elevated serum level of circulating syndecan-1 (CD138) in active systemic lupus erythematosus.	Autoimmunity	44	357-62	2011
Kaneko T, <u>Amano H</u> , Kawano S, Minowa-K, Ando S, Watanabe T, Nakano S, Suzuki J, Morimoto S, Tokano Y, Takasaki Y.	Increased serum concentration of BAFF/APRIL and IgA2 subclass in patients with mixed connective tissue disease complicated by interstitial lung disease.	Mod Rheumatol		in press	
Ueda Y, Yamashita H, Takahashi Y, Kaneko H, Kano T, <u>Mimori A</u> .	Refractory hemophagocytic syndrome in systemic lupus erythematosus successfully treated with intermittent intravenous cyclophosphamide: three case reports and literature review.	Clin Rheumatol	33(2)	281-6	2014
Yamashita H, Ueda Y, Ozaki T, Tsuchiya H, Takahashi Y, Kaneko H, Kano T, <u>Mimori A</u> .	Characteristics of 10 patients with paraneoplastic rheumatologic musculoskeletal manifestations.	Mod Rheumatol		in press	
Yamashita H, Kubota K, Takahashi Y, Minamoto R, Morooka M, Kaneko H, Kano T, <u>Mimori A</u> .	Clinical value of 18F-fluoro-dexoxyglucose positron emission tomography/ computed tomography in patients with adult-onset Still's disease: A seven-case series and review of the literature.	Mod Rheumatol		in press	
Ozaki T, Yamashita H, Kaneko S, Yori-fuji H, Takahashi H, Ueda Y, Takahashi Y, Kaneko H, Kano T, <u>Mimori A</u> .	Cytomegalovirus disease of the upper gastrointestinal tract in patients with rheumatic diseases: a case series and literature review.	Clin Rheumatol	32(11)	1683-90	2013
Yamashita H, Takahashi Y, Kaneko H, Kano T, <u>Mimori A</u> .	Thrombotic thrombocytopenic purpura with an autoantibody to ADAMTS13 complicating Sjogren's syndrome: two cases and a literature review.	Mod Rheumatol	23(2)	365-73	2013
Araki M, Matsuoka T, Miyamoto K, Kusunoki S, Okamoto T, Murata M, <u>Miyake S</u> , Aranami T, Yamamura T.	Efficacy of the anti-IL-6 receptor antibody tocilizumab in neuromyelitis optica: A pilot study.	Neurology		In press	
Chiba A, Tajima R, Tomi C, Miyazaki Y, Yamamura T, <u>Miyake S</u> .	Mucosal-associated invariant T cells promote inflammation and exacerbate disease in murine models of arthritis.	Arthritis Rheum	64	153-161	2012
Chiba A, Mizuno M, Tomi C, Tajima R, Alloza I, di Penta A, Yamamura T, Koen Vandenbroeck, <u>Miyake S</u> .	A 4-trifluoromethyl analogue of celecoxib inhibits arthritis by suppressing innate immune cell activation.	Arthritis Res Ther	14	R9	2012
Toba T, Murata K, Futamura J, Nakanishi K, Takahashi B, Takemoto N, Tomino M, Nakatsuka T, Imajo S, Goto M, Yamamura T, <u>Miyake S</u> , Annoura H.	Synthesis and biological evaluation of truncated a-galactosylceramide derivatives focusing on cytokine induction profile.	Bloorg Med Cehm	20	2850-59	2012
Araki M, Aranami T, Matsuoka T, Nakamura M, <u>Miyake S</u> , Yamamura T.	Clinical improvement in a patient with neuromyelitis optica following therapy with the anti-IL-6 receptor monoclonal antibody tocilizumab.	Mod Rheum	27	94-101	2012
Sato W, Tomita A, Ichikawa D, Lin Y, Kishida H, <u>Miyake S</u> , Ogawa M, Okamoto T, Murata M, Kuroiwa Y, Aranami T, Yamamura T.	CCR2+CCR5+ T cells producing matrix metalloproteinase-9 and osteopontin in the pathogenesis of multiple sclerosis.	J Immunol	189	5057-65	2012
Chihara N, Aranami T, Sato W, Miyazaki Y, <u>Miyake S</u> , Okamoto T, Ogawa M, Toda T, Yamamura T.	Interleukin 6 signaling promotes anti-aquaporin 4 autoantibody production from plasmablasts in neuromyelitis optica.	Proc Natl Acad Sci USA	108	3701-6	2011
Miyazaki Y, <u>Miyake S</u> , Chiba A, Lantz O, Yamamura T.	Mucosal-associated invariant T cells regulate Th1 response in multiple sclerosis.	Arthritis Res Ther	23	529-35	2011
Chiba A, Tajima R, Tomi C, Miyazaki Y, Yamamura T, <u>Miyake S</u> .	Mucosal-associated invariant T cells promote inflammation and exacerbate disease in murine models of arthritis.	Arthritis Rheum	64	153-61	2011
Ichikawa D, Mizuno M, Yamamura T, <u>Miyake S</u> .	Gene related to anergy in lymphocytes (GRAIL) regulates cytoskeletal reorganization through ubiquitination and degradation of Arp2/3-5 and coronin A.	J Biol Chem	286	43465-74	2011
Sumitomo S, Fujio K, Okamura T, Morita K, Ishigaki K, Suzukawa K, Kanaya K, Kondo K, Yamasoba T, Furukawa A, Kitahara N, Shoda H, Shibuya M, Okamoto A, <u>Yamamoto K</u> .	Transcription factor early growth response 3 is associated with the TGF-1 expression and the regulatory activity of CD4-positive T cells in vivo.	J Immunol.	191	2351-59	2013
Iwasaki Y, Fujio K, Okamura T, Yanai A, Sumitomo S, Shoda H, Tamura T, Yoshida H, Charnay P, <u>Yamamoto K</u> .	Egr-2 transcription factor is required for Blimp-1-mediated IL-10 production in IL-27-stimulated CD4+ T cells.	Eur J Immunol	43	1063-73	2013
Fujio K, Okamura T, Sumitomo S, <u>Yamamoto K</u> .	Regulatory cell subsets in the control of autoantibody production related to systemic autoimmunity.	Ann Rheum Dis	72 Suppl 2	ii85-9	2013
Okamoto A, Fujio K, Tsuno NH, Takahashi K, <u>Yamamoto K</u> .	Kidney-infiltrating CD4+ T-cell clones promote nephritis in lupus-prone mice.	Kidney Int	82	969-79	2012
Shoda H, Fujio K, Shibuya M, Okamura T, Sumitomo S, Okamoto A, Sawada T, <u>Yamamoto K</u> .	Detection of autoantibodies to citrullinated BiP in rheumatoid arthritis patients and pro-inflammatory role of citrullinated BiP in collagen-induced arthritis.	Arthritis Res Ther	13	R191	2011

Takeuchi T and Suzuki K.	CD247 variants and single nucleotide polymorphisms observed in systemic lupus erythematosus patients.	Rheumatology (Oxford)	52 (9)	1551-5	2013
Takeuchi T, Suzuki K, Kondo T, Yoshimoto K, and Tsuzaka K.	CD3 z defects in systemic lupus erythematosus.	Ann Rheum Dis	71	:i78-i81	2012
Suzuki K, Setoyama Y, Yoshimoto K, Tsuzaka K, Abe T, Takeuchi T.	Decreased mRNA expression of two FOXP3 isoforms in peripheral blood mononuclear cells from patients with rheumatoid arthritis and systemic lupus erythematosus.	Int J Immunopathol Pharmacol	24(1)	7-14	2011
Suzuki K, Kameda H, Amano K, Nagasawa H, Takei H, Nishi E, Okuyama A, Tsuzaka K, Takeuchi T.	Single center prospective study of tacrolimus efficacy and safety in the treatment of various manifestations in systemic lupus erythematosus.	Rheumatol Int	31(6)	757-63	2011
Oku K, Amengual O, Zigon P, Horita T, Yasuda S, Atsumi T.	Essential role of the p38 mitogen-activated protein kinase pathway in the tissue factor gene expression by the phosphatidylserine-dependent antiprothrombin antibody.	Rheumatology (Oxford)	52	1775-84	2013
Kato M, Atsumi T, Oku K, Amengual O, Nakagawa H, Fujieda Y, Otomo K, Horita T, Yasuda S, Koike T.	The involvement of CD36 in the monocyte activation by antiphospholipid antibodies.	Lupus	22	761-71	2013
Otomo K, Atsumi T, Amengual O, Fujieda Y, Kato M	Efficacy of Antiphospholipid Score for the diagnosis of antiphospholipid syndrome and its predictive value for thrombotic events.	Arthritis Rheum	64	504-12	2012
Fujieda Y, Atsumi T, Amengual O, Odani T, Otomo K	Predominant prevalence of arterial thrombosis in Japanese patients with the Antiphospholipid Syndrome.	Lupus	21	1506-14	2012
Amengual O, Atsumi T, Oku K, Suzuki E, Horita T, Yasuda S, Koike T.	Phospholipid scramblase 1 expression is enhanced in patients with antiphospholipid syndrome.	Mod Rheumatol	23	81-8	2013
Kubo S, Yamaoka K, Kondo M, Yamagata K, Zhao J, Iwata S, Tanaka Y.	The JAK inhibitor tofacitinib reduces the T cell stimulatory capacity of human monocyte-derived dendritic cells.	Ann Rheum Dis		in press	
Tanaka Y, Hirata S, Kubo S, Fukuyo S, Hanami K, Sawamukai N, Nakano K, Nakayama S, Yamaoka K, Sawamura F, Saito K.	Discontinuation of adalimumab after achieving remission in patients with established rheumatoid arthritis: 1-year outcome of the HONOR study.	Ann Rheum Dis		in press	
Tanaka Y.	Next stage of RA treatment: TNF-inhibitor-free remission will be a possible treatment goal?	Ann Rheum Dis	72	ii124-7	2013
Tanaka Y, Maeshima Y, Yamaoka K.	In vitro and in vivo analysis of a Jak inhibitor in rheumatoid arthritis.	Ann Rheum Dis	71	i70-4	2012
Iwata S, Yamaoka K, Niino H, Nakano K, Wang S-P, Akashi K, Tanaka Y.	Amplification of toll-like receptor-mediated signaling through Syk in human B cell activation.	J Allergy Clin Immunol	129	1594-1601	2012
Ohta A, Nagai M, Nishina M, Tomimitsu H, Kohsaka H.	Prevalence and Incidence of Polymyositis and Dermatomyositis in Japan.	Mod Rheumatol		in press	
Ohta A, Nagai M, Nishina M, Tomimitsu H, Kohsaka H.	Age at onset and gender distribution of systemic lupus erythematosus, polymyositis/dermatomyositis, and systemic sclerosis in Japan.	Mod Rheumatol	23	759-64	2013
太田晶子	多発筋炎・皮膚筋炎の臨床疫学	Clinical Neuroscience	30	263-65	2012
太田晶子	多発性筋炎・皮膚筋炎の臨床疫学	医学のあゆみ	239	9-14	2011
Shimada S, Jinnin M, Ogata A, Makino T, Kajihara I, Makino K, Honda N, Nakayama W, Inoue K, Fukushima S, Ihn H.	Serum miR-21 levels in patients with dermatomyositis.	Clin Exp Rheumatol	31	161-2	2013
Inoue K, Jinnin M, Hara Y, Makino K, Kajihara I, Makino T, Sakai K, Fukushima S, Inoue Y, Ihn H.	Serum levels of tenascin-C in collagen diseases.	J Dermatol	40	715-19	2013
Inoue K, Jinnin M, Yamane K, Makino T, Kajihara I, Makino K, Honda N, Nakayama W, Fukushima S, Ihn H.	Down-regulation of miR-223 contributes to the formation of Gottron's papules in dermatomyositis via the induction of PKC $\beta$	Eur J Dermatol	23	160-7	2013
Makino K, Jinnin M, Hirano A, Yamane K, Eto M, Kusano T, Honda N, Kajihara I, Makino T, Sakai K, Masuguchi S, Fukushima S, Ihn H.	The downregulation of microRNA let-7a contributes to the excessive expression of type I collagen in systemic and localized scleroderma.	J Immunol	190	3905-15	2013
Honda N, Jinnin M, Kira Etoh T, Makino K, Kajihara I, Makino T, Fukushima S, Inoue Y, Okamoto Y, Hasegawa M, Fujimoto M, Ihn H.	miR-150 down-regulation contributes to the constitutive type I collagen overexpression in scleroderma dermal fibroblasts via the induction of integrin $\alpha$ 3.	Am J Pathol	182	206-16	2013
Fujimoto M, Matsushita M, Hamaguchi Y, Kaji K, Asano Y, Ogawa F, Yamaoka T, Fujikawa K, Tsukada T, Sato K, Echigo T, Hasegawa M, Takehara K.	Autoantibodies to small ubiquitin-like modifier activating enzymes in Japanese patients with dermatomyositis: Comparison with a UK Caucasian cohort.	Ann Rheum Dis	72	151-3	2013
Hamaguchi Y, Fujimoto M, Matsushita T, Kaji K, Komura K, Hasegawa M, Koderu M, Muroi E, Fujikawa K, Seishima M, Yamada H, Yamada R, Sato S, Takehara K, Kuwana M.	Common and distinct clinical features in adult patients with anti-aminoacyl tRNA synthetase antibodies: heterogeneity within the syndrome.	PLoS One	8	e60442	2013
Fujimoto M, Hamaguchi Y, Kaji K, Matsushita T, Ichimura Y, Koderu M, Ishiguro N, Ueda-Hayakawa I, Asano Y, Ogawa F, Fujikawa K, Miyagi T, Mabuchi E, Hirose K, Akimoto N, Hatta N, Tsutsui K, Higashi A, Igarashi A, Seishima M, Hasegawa M, Takehara K.	Myositis-specific anti-155/140 autoantibodies target transcriptional intermediary factor family proteins.	Arthritis Rheum	64	513-22	2012
Ichimura Y, Matsushita T, Hamaguchi Y, Kaji K, Hasegawa M, Tanino Y, Inokoshi Y, Kawai K, Kanekura T, Habuchi M, Igarashi A, Sogame R, Hashimoto T, Koga T, Nishino A, Ishiguro N, Sugimoto N, Aoki R, Ando N, Abe T, Kanda T, Kuwana M, Takehara K, Fujimoto M.	Anti-NXP2 autoantibodies in adult patients with idiopathic inflammatory myopathies: possible association with malignancy.	Ann Rheum Dis	71	710-3	2012

Hamaguchi Y, Kuwana M, Hoshino K, Hasegawa M, Kaji K, Matsushita T, Komura K, Nakamura M, Koderu M, Suga N, Higashi A, Ogusu K, Tsutsui K, Furusaki A, Tanabe H, Sasaoka S, Muro Y, Yoshikawa M, Ishiguro N, Ayano M, Muroi E, Fujikawa K, Umeda Y, Kawase M, Mabuchi E, Asano Y, Sodemoto K, Seishima M, Yamada H, Sato S, Takehara K, <u>Fujimoto M.</u>	Clinical correlations with dermatomyositis-specific autoantibodies in adult Japanese patients with dermatomyositis.	Arch Dermatol	147	391-8	2011
Nakashima R, Imura Y, Hosono Y, Seto M, Murakami A, Watanabe K, Handa T, Mishima M, Hirakata M, Takeuchi T, Fujio K, Yamamoto K, Kohsaka H, Takasaki Y, Enomoto N, Suda T, Chida K, Hisata S, Nukiwa T, <u>Mimori T.</u>	The Multicenter Study of a New Assay for Simultaneous Detection of Multiple Anti-Aminoacyl-tRNA Synthetases in Myositis and Interstitial Pneumonia.	PLoS One	9	e85062	2014
Muro Y, Sugiura K, Nakashima R, <u>Mimori T.</u> , Akiyama M.	Low Prevalence of Anti-DFS70/LEDGF Antibodies in Patients with Dermatomyositis and Other Systemic Autoimmune Rheumatic Diseases.	J Rheumatol	40	92-3	2013
Tanizawa K, Handa T, Nakashima R, Kubo T, Hosono Y, Aihara K, Ikezoe K, Watanabe K, Taguchi Y, Hatta K, Oga T, Chin K, Nagai S, <u>Mimori T.</u> , Mishima M.	The prognostic value of HRCT in myositis-associated interstitial lung disease.	Respir Med	107	745-52	2013
Ishigaki K, Maruyama J, Hagino N, Murota A, Takizawa Y, Nakashima R, <u>Mimori T.</u> , Setoguchi K.	Skin ulcer is a predictive and prognostic factor of acute or subacute interstitial lung disease in dermatomyositis.	Rheumatol Int	33	2381-89	2013
Shoji T, Bando T, Fujinaga T, Chen F, Sasano H, Yukawa N, <u>Mimori T.</u> , Date H.	Living-donor lobar lung transplantation for rapidly progressive interstitial pneumonia associated with clinically amyopathic dermatomyositis: report of a case.	Gen Thorac Cardiovasc Surg	61	32-4	2013
<u>Mimori T.</u> , Nakashima R, Hosono Y.	Interstitial lung disease in myositis: Clinical subsets, biomarkers, and treatment.	Curr Rheumatol Rep	14	264-74	2012
Imura Y, Shirai Y, Nojima T, Nakashima R, Yamagata H, Miyachi K, Yoshifuji H, Kawabata D, Ohmura K, Usui T, Fujii T, <u>Mimori T.</u>	NEFA/nucleobindin-2 is a target autoantigen of the anti-Wa antibody and is associated with transfer RNA. Mod Rheumatol.	Mod Rheumatol	22	685-694	2012
Ito Y, Ito T, Karasawa S, Enomoto T, Nashimoto A, Hase Y, Sakamoto S, <u>Mimori T.</u> , Matsumoto Y, Yamaguchi Y, Handa H.	Identification of DNA-Dependent Protein Kinase Catalytic Subunit (DNA-PKcs) as a Novel Target of Bisphenol A.	PLoS One	7	e50481	2012
Kunimasa K, Arita M, Nakazawa T, Tanaka M, Tsubouchi K, Konishi S, Fukuda Y, Saigusa M, Nakagawa H, Ubukata S, Korogi Y, Fujii T, <u>Mimori T.</u> , Ishida T.	The Clinical Characteristics of Two Anti-OJ (Anti-Isoleucyl-tRNA Synthetase) Autoantibody-Positive Interstitial Lung Disease Patients with Polymyositis/Dermatomyositis.	Intern Med	51	3405-10	2012
Watanabe K, Handa T, Tanizawa K, Hosono Y, Taguchi Y, Noma S, Kobashi Y, Kubo T, Aihara K, Chin K, Nagai S, <u>Mimori T.</u> , Mishima M.	Detection of antisynthetase syndrome in patients with idiopathic interstitial pneumonias.	Respir Med	105	1238-47	2011
Tanizawa K, Handa T, Nakashima R, Kubo T, Hosono Y, Watanabe K, Aihara K, Oga T, Chin K, Nagai S, <u>Mimori T.</u> , Mishima M.	HRCT features of interstitial lung disease in dermatomyositis with anti-CADM-140 antibody.	Respir Med	105	1380-7	2011
<u>Muro Y.</u> , Sugiura K, Nakashima R, Mimori T, Akiyama M.	Low prevalence of anti-DFS70/LEDGF antibodies in patients with dermatomyositis and other systemic autoimmune rheumatic diseases.	J Rheumatol	40	92-3	2013
<u>Muro Y.</u> , Sugiura K, Akiyama M.	Limitations of a single-point evaluation of anti-MDA5 antibody, ferritin, and IL-18 in predicting the prognosis of interstitial lung disease with anti-MDA5 antibody-positive dermatomyositis.	Clin Rheumatol	32	395-98	2013
<u>Muro Y.</u> , Sugiura K, Akiyama M.	What autoantibody tests should become widely available to help scleroderma diagnosis and management?	Arthritis Res Ther	15	116	2013
<u>Muro Y.</u> , Sugiura K, Akiyama M.	Low prevalence of anti-small ubiquitin-like modifier activating enzyme antibodies in dermatomyositis patients.	Autoimmunity	46	279-84	2013
<u>Muro Y.</u> , Sugiura K, Akiyama M.	A new ELISA for dermatomyositis autoantibodies: rapid introduction of autoantigen cDNA to recombinant assays for autoantibody measurement.	Clin Dev Immunol	2013	856815	2013
<u>Muro Y.</u> , Sugiura K, Hoshino K, Akiyama M.	Disappearance of anti-MDA-5 autoantibodies in clinically amyopathic DM/interstitial lung disease during disease remission.	Rheumatology (Oxford)	51	800-4	2012
Ishikawa A, <u>Muro Y.</u> , Sugiura K, Akiyama M.	Development of an ELISA for detection of autoantibodies to nuclear matrix protein 2.	Rheumatology (Oxford)	51	1181-7	2012
<u>Muro Y.</u> , Ishikawa A, Sugiura K, Akiyama M.	Clinical features of anti-TIF1- antibody-positive dermatomyositis patients are closely associated with coexistent dermatomyositis-specific autoantibodies and anti-TIF1- or anti-Mi-2 autoantibodies.	Rheumatology (Oxford)	51	1508-13	2012
Sugiura K, <u>Muro Y.</u> , Akiyama M.	Autoantibodies to nuclear matrix protein 2/MJ in adult-onset dermatomyositis with severe calcinosis.	J. Am. Acad. Dermatol.	67	e167-8	2012
<u>Muro Y.</u> , Sugiura K, Hoshino K, Akiyama M, Tamakoshi K.	Epidemiologic study of clinically amyopathic dermatomyositis and anti-melanoma differentiation-associated gene 5 antibodies in central Japan.	Arthritis Res Ther	13	R214	2011
Abe M, Sano Y, Maeda T, Shimizu F, Kashiwamura Y, Haruki H, Saito K, Tasaki A, Kawai M, Terasaki T, <u>Kanda T.</u>	Establishment and Characterization of Human Peripheral Nerve Microvascular Endothelial Cell Lines: A New in vitro Blood-Nerve Barrier (BNB) Model.	Cell Struct Funct	37	89-100	2012

Shimizu F, Sano Y, Saito K, Abe MA, Maeda T, Haruki H, <u>Kanda T.</u>	Pericyte-derived glial cell line-derived neurotrophic factor increase in the expression of claudin-5 in the blood-brain barrier and the blood-nerve barrier.	Neurochem Res	37	401-9	2012
Koga M, Kusunoki S, Kaida K, Uehara R, Nakamura Y, Kohriyama T, <u>Kanda T.</u>	Nationwide survey of patients in Japan with Bickerstaff brainstem encephalitis: epidemiological and clinical characteristics.	J Neurol Neurosurg Psychiatry	83	1210-15	2012
Koga M, Gilbert M, Takahashi M, Li J, Hirata K, <u>Kanda T.</u> , Yuki N.	GQ1b-seronegative Fisher syndrome: Clinical features and new serological markers.	J Neurol	252	1366-74	2012
Shimizu F, Sano Y, Abe M, Maeda T, Ohtsuki S, Terasaki T, <u>Kanda T.</u>	Peripheral nerve pericytes modify the blood-nerve barrier function and tight junctional molecules through the secretion of various soluble factors.	J Cell Physiol	226	255-66	2011
Maeda MH, Tsuji S, <u>Shimizu J</u>	Inflammatory myopathies associated with anti-mitochondrial antibodies.	Brain	135	1767-77	2012
Kubota A, <u>Shimizu J.</u> , Iwata A, Tsuji S	Aberrant expression of myogenin in inclusion body myositis: Immunohistochemical studies of transcription factors regulating myogenesis in inflammatory myopathies	Clinical and Experimental Neuroimmunology	3	129-37	2012
<u>清水 潤</u>	多発筋炎・皮膚筋炎 診断:抗SRP抗体陽性筋炎	最新医学 新しい診断と治療のABC 免疫7	81	108-19	2014
<u>清水 潤</u>	多発筋炎 (PM)・皮膚筋炎 (DM)・封入体筋炎 (sIBM)	免疫性神経疾患ハンドブック 南江堂		221-38	2013
<u>清水 潤</u>	多発筋炎・皮膚筋炎・SRP陽性筋症など	筋疾患診療ハンドブック 中外医学社		63-70	2013
<u>Kohsaka H.</u>	Mechanism, diagnosis, and treatment of steroid myopathy.	Brain Nerve	65	1375-80	2013
Okiyama N, Sugihara T, Oida T, Ohata J, Yokozeki H, Miyasaka N, <u>Kohsaka H.</u>	T lymphocytes and muscle condition act like seeds and soil in a murine polymyositis model.	Arthritis Rheum	64	3741-9	2012
Sugihara T, Okiyama N, Watanabe N, Miyasaka N, <u>Kohsaka H.</u>	Interleukin-1 and tumor necrosis factor blockade treatment of experimental polymyositis in mice.	Arthritis Rheum	64	2655-62	2012
上阪 等	多発性筋炎・皮膚筋炎	最新医学	67(12)	1245-53	2013
上阪 等	自己免疫疾患・炎症性疾患の免疫異常 多発性筋炎・皮膚筋炎	medicina	50(3)	428-32	2013
上阪 等	ステロイドミオパチーの発症機序, 診断と治療	BRAIN and NERVE	65(11)	817-22	2013
上阪 等	多発性筋炎・皮膚筋炎の病態研究の進歩 自己免疫疾患のseed & soilモデル	臨床雑誌内科	112	27-32	2013
上阪 等	多発性筋炎・皮膚筋炎の発症機序と動物モデル マウスモデル	Clinical Neuroscience	30(3)	309-12	2012
上阪 等	皮膚筋炎の自己抗体	皮膚病診療	34(9)	822-27	2012
上阪 等	自己免疫性筋炎研究の進歩 自己免疫疾患のSeed & Soilモデル	最新医学	67(12)	2836-41	2012
上阪 等	多発性筋炎/皮膚筋炎	感染・炎症・免疫	43	271-73	2012
Ota Y, <u>Kawaguchi Y.</u> , Takagi K, Ichida H, Gono T, Hanaoka M, Higuchi T, Yamanaka H.	Ghrelin attenuates collagen production in lesional fibroblasts from patients with systemic sclerosis.	Clin Immunol	147	71-8	2013
Gono T, Sato S, <u>Kawaguchi Y.</u> , Kuwana M, Hanaoka M, Katsumata Y, Takagi K, Baba S, Okamoto Y, Ota Y, Yamanaka H.	Anti-MDA5 antibody, ferritin and IL-18 are useful for the evaluation of response to treatment in interstitial lung disease with Anti-MDA5 antibody-positive dermatomyositis.	Rheumatology	51	1563-70	2012
Gono T, <u>Kawaguchi Y.</u> , Kuwana M, Sugijura T, Furuya T, Takagi K, Ichida H, Katsumata Y, Hanaoka M, Ota Y, Yamanaka H.	Association of HLA-DRB1*0101/*0405 with susceptibility to anti-melanoma differentiation-associated gene 5 antibody-positive dermatomyositis in the Japanese population.	Arthritis Rheum	64	3736-40	2012
Sugijura T, <u>Kawaguchi Y.</u> , Goto K, Hayashi Y, Tsuburaya R, Furuya T, Gono T, Nishino I, Yamanaka H.	Positive association between STAT4 polymorphisms and polymyositis/dermatomyositis in a Japanese population.	Ann Rheum Dis	71	1646-50	2012
Gono T, <u>Kawaguchi Y.</u> , Ozeki E, Ota Y, Satoh T, Kuwana M, Hara M, Yamanaka H.	Serum ferritin correlates with activity of anti-MDA5 antibody-associated acute interstitial lung disease as a complication of dermatomyositis.	Mod Rheumatol	21	223-7	2011
Nakamura H, Horai Y, Suzuki T, Okada A, Ichinose K, Yamasaki S, Koji T, <u>Kawakami A.</u>	TLR3-mediated apoptosis and activation of phosphorylated Akt in the salivary gland epithelial cells of primary Sjögren's syndrome patients.	Rheumatology International	33	441-50	2013
Nakamura H, Horai Y, Tokuyama A, Yoshimura S, Nakajima H, Ichinose K, Yamasaki S, Nakamura T, Hayashi T, <u>Kawakami A.</u>	HTLV-I virological and histopathological analysis in 2 cases of anti-centromere antibody-seropositive Sjögren's syndrome.	Mod Rheumatol	23	133-9	2013
Nakamura H, Iwamoto N, Horai Y, Takagi Y, Ichinose K, Kawashiri SY, Taguchi J, Hayashi T, Nakamura T, <u>Kawakami A.</u>	A case of adult T-cell leukemia presenting primary Sjögren's syndrome like symptoms.	Int J Rheum Dis	16	489-92	2013
Moriyama M, Tanaka A, Maehara T, Furukawa S, Nakashima H, <u>Nakamura S.</u>	T helper subsets in Sjögren's syndrome and IgG4-related dacryoadenitis and sialoadenitis: A critical review.	J Autoimmun		in press	
Maehara T, Moriyama M, Nakashima H, Miyake K, Hayashida JN, Tanaka A, Shinozaki S, Kubo Y, <u>Nakamura S.</u>	Interleukin-21 contributes to germinal centre formation and immunoglobulin G4 production in IgG4-related dacryoadenitis and sialoadenitis, so-called Mikulicz's disease.	Ann Rheum Dis	71	2011-20	2012

Maehara T, Moriyama M, Hayashida JN, Tanaka A, Shinozaki S, Kubo Y, Matsumura K, <u>Nakamura S.</u>	Selective localization of T helper subsets in labial salivary glands from primary Sjögren's syndrome patients.	Clin Exp Immunol	169(2)	89-99	2012
Moriyama M, Hayashida JN, Toyoshima T, Ohyama Y, Shinozaki S, Tanaka A, Maehara T, <u>Nakamura S.</u>	Cytokine/chemokine profiles contribute to understanding the pathogenesis and diagnosis of primary Sjögren's syndrome.	Clin Exp Immunol	169(1)	17-26	2012
Azuma N, Katada Y, Kitano S, Sekiguchi M, Kitano M, Nishioka A, Hashimoto N, Matsui K, Iwasaki T, <u>Sano H.</u>	Correlation between salivary epidermal growth factor levels and refractory intraoral manifestations in patients with Sjögren's syndrome.	Mod Rheumatol		in press	
東直人, 片田圭宣, 北野幸恵, 西岡亜紀, 関口昌弘, 北野将康, 松井聖, 佐野統	シェーグレン症候群における口腔内病変と唾液中EGFの関係	日本リウマチ学会総会・学術集会・国際リウマチシンポジウムプログラム・抄録集		317	2012
東直人, 片田圭宣, 北野幸恵, 西岡亜紀, 関口昌弘, 北野将康, 松井聖, 佐野統	シェーグレン症候群における口腔内病変と唾液中EGFの関係	アレルギー	60	1327	2011
Mishima K., Inoue H., Nishiyama T., Mabuchi Y., Amano Y., Ide F., Matsui M., Yamada H., Yamamoto G., Tanaka J., Yasuhara R., Sakurai T., Lee M., Chiba K., Sumimoto H., Kawakami Y., Matsuzaki Y., Tsubota K., <u>Saito I.</u>	Transplantation of side population cells restores the function of damaged exocrine glands through clusterin.	Stem Cells	30	1925-37	2012
Ooka H., Kanda S., Okazaki H., Suzuki H., Mishima K., <u>Saito I.</u> , Yagi M., Tomoda K., Nishiyama T.	Characterization of side population (SP) cells in murine cochlear nucleus.	Acta Otolaryngol	132	693-701	2012
Inoue H., Mishima K., Yamamoto S., Nakayama R., Nakagawa Y., Yamamoto K., Ryo K., Ide F., <u>Saito I.</u>	Aryl Hydrocarbon Receptor-Mediated Induction of Epstein-Barr Virus Reactivation as a Risk Factor for Sjögren's syndrome.	J Immunol	188	4654-62	2012
Imai K., Inoue H., Tamura M., Cueno ME., Inoue H., Takeichi O., Kusama K., <u>Saito I.</u> , Ochiai K.	The periodontal pathogen Porphyromonas gingivalis induces the Epstein-Barr Virus lytic switch transactivator ZEBRA by histone modification.	Biochimie	94	839-46	2012
Shimozuma M., Tokuyama R., Tatehara S., Umeki H., Ide S., Mishima K., <u>Saito I.</u> , Satomura K.	Expression and cellular localization of melatonin-synthesizing enzymes in rat and human salivary glands.	Histochem Cell Biol	135	389-96	2011
Ogawa, Y., <u>Tsubota K.</u>	Review Article. Dry eye disease and inflammation.	Inflamm Regen	33	238-48	2013
Kawai, M., Ogawa, Y., Shimamura, S., Ohta, S., Suzuki, T., Kawamura, N., Kuwana, M., Kawakami, Y., <u>Tsubota K.</u>	Expression and localization of aging markers in lacrimal gland of chronic graft-versus-host disease.	Sci Rep	3	2455	2013
Yaguchi S, Ogawa Y, Shimamura S, Hatou S, Nakamura S, Inaba T, Imada T, Ozawa Y, Kawakami Y, Ishida S, <u>Tsubota K.</u>	Presence and physiologic function of the Renin-Angiotensin System in mouse lacrimal gland.	Invest Ophthalmol Vis Sci	53	5416-25	2012
Yoshimoto K, Tanaka M, Kojima M, Setoyama Y, Kameda H, Suzuki K, Tsuzaka K, Ogawa Y, <u>Tsubota K</u> , Abe T, Takeuchi T.	Regulatory mechanisms for the production of BAFF and IL-6 are impaired in monocytes of patients of primary Sjögren's syndrome.	Arthritis Res Ther	13	R170	2011
Daniels TE, Cox D, Shiboski CH, Schiødt M, Wu A, Lanfranchi H, Umehara H, Zhao Y, Challacombe S, Lam MY, De Souza Y, Schiødt J, Holm H, Bisio PA, Gandolfo MS, Sawaki T, Li M, Zhang W, Varghese-Jacob B, Ibsen P, Keszler A, Kurose N, Nojima T, Odell E, Criswell LA, Jordan R, and Greenspan JS.	Associations between salivary gland histopathologic diagnoses and phenotypic features of Sjögren's syndrome among 1,726 registry participants.	Arthritis Rheum	63	2021-30	2011
Dong L, Chen Y, Masaki Y, Okazaki T, <u>Umehara H.</u>	Possible mechanisms of lymphoma development in Sjögren's syndrome.	Curr Immunol Rev	9	13-22	2013
<u>Umehara H</u> , Okazaki K, Masaki Y, Kawano M, Yamamoto M, Saeki T, Matsui S, Sumida T, Mimori T, Tanaka Y, Tsubota K, Yoshino T, Kawa S, Suzuki R, Takegami T, Tomosugi N, Kurose N, Ishigaki Y, Azumi A, Kojima M, Nakamura S, Inoue D, and the Research Program for Intractable Disease by Ministry of Health LaWMJGt.	A Novel Clinical Entity, IgG4-Related Disease (IgG4RD)- General Concept and Details - .	Mod Rheumatol	22	1-14	2012
Malladi AS, Kenneth ES, Shiboski S, Shiboski C, Baer AN, Banushree R, Dong Y, Helin P, Kirkham BW, Li M-t, Sugai S, <u>Umehara H</u> , Frederick VB, Vollenweider CF, Zhang W, Zhao Y, Greenspan JS, Daniels TE, and Criswell LA.	Primary Sjögren's Syndrome as a systemic disease: a study of participants enrolled in an international Sjögren's Syndrome registry.	Arthritis Care and Research	64	911-18	2012
Shiboski S, Shiboski C, Criswell L, Baer A, Challacombe S, Lanfranchi H, Schiødt M, <u>Umehara H</u> , Vivino F, Zhao Y, Dong Y, Greenspan D, Heidenreich A, Helin P, Kirkham B, Kitagawa K, Larkin G, Li M, Lietman T, Lindegaard J, McNamara N, Sack K, Shirlaw P, Sugai S, Vollenweider C, Whitcher J, Wu A, Zhang S, Zhang W, Greenspan J, Daniels T, and Alliance for Sjögren's Syndrome.	New Classification Criteria for Sjögren's Syndrome: A data-driven expert-clinician consensus approach within the SICCA Cohort	Arthritis Rheum	64	475-87	2012
<u>Umehara H</u> , Okazaki K, Masaki Y, Kawano M, Yamamoto M, Saeki T, Matsui S, Yoshino T, Nakamura S, Kawa S, Hamano H, Kamisawa T, Shimosegawa T, Shimatsu A, Nakamura S, Ito T, Notohara K, Sumida T, Tanaka Y, Mimori T, Chiba T, Mishima M, Hibi T, Tsubouchi H, Inui K, Ohara H, and All Japan IgG4 team.	Comprehensive Diagnostic Criteria (CDC criteria) for IgG4-related disease (IgG4-RD), 2011.	Mod Rheumatol	22	21-30	2012
Kawanami T, Sawaki T, Sakai T, Miki M, Iwao H, Nakajima A, Nakamura T, Sato T, Fujita Y, Tanaka M, Masaki Y, Fukushima T, Hirose Y, Taniguchi M, Sugimoto N, Okazaki T, <u>Umehara H.</u>	Skewed production of IL-6 and TGFβ by cultured salivary gland epithelial cells from patients with Sjögren's syndrome.	PLoS One	7	e45689	2012
Sugimoto N, Shido O, Matsuzaki K, Ohno-Shosaku T, Hitomi Y, Tanaka M, Sawaki T, Fujita Y, Kawanami T, Masaki Y, Okazaki T, Nakamura H, Koizumi S, Yachie A, <u>Umehara H.</u>	Cellular heat acclimation regulates cell growth, cell morphology, mitogen-activated protein kinase activation, and expression of aquaporins in mouse fibroblast cells.	Cell Physiol Biochem	30	450-57	2012

Stone JH, Khosroshahi A, Deshpande V, Chan JK, Heathcote JG, Aalberse R, Azumi A, Bloch DB, Brugge WR, Carruthers MN, Cheuk W, Cornell L, Castillo CF, Ferry JA, Forcione D, Klöppel G, Hamilos DL, Kamisawa T, Kasashima S, Kawa S, Kawano M, Masaki Y, Notohara K, Okazaki K, Ryu JK, Saeki T, Sahani D, Sato Y, Smyrk T, Stone JR, Takahira M, <u>Umehara H</u> , Webster G, Yamamoto M, Yi E, Yoshino T, Zamboni G, Zen Y, Chari S.	Recommendations for the nomenclature of IgG4-related disease and its individual organ system manifestations.	Arthritis Rheum	64	3061-67	2012
<u>Umehara H</u> , K. Okazaki, Y. Masaki, M. Kawano, M. Yamamoto, T. Saeki, S. Matsui, T. Yoshino, S. Nakamura, S. Kawa, H. Hamano, T. Kamisawa, T. Shimosegawa, A. Shimatsu, S. Nakamura, T. Ito, K. Notohara, T. Sumida, Y. Tanaka, T. Mimori, T. Chiba, M. Mishima, T. Hibi, H. Tsubouchi, K. Inui, H. Ohara and A. J. I. team	Comprehensive Diagnostic Criteria (CDC criteria) for IgG4-related disease (IgG4-RD), 2011.	Mod Rheumatol	22(1)	21-30	2012
<u>Tsuboi H</u> , Matsuo N, Iizuka M, Tsuzuki S, Kondo Y, Tanaka A, Moriyama M, Matsumoto I, Nakamura S, Sumida T.	Analysis of IgG4 class switch-related molecules in IgG4-related disease.	Arthritis Res Ther	14	R171	2012
<u>Tsuboi H</u> , Nakamura Y, Iizuka M, Matsuo N, Matsumoto I, Sumida T.	Generatio and functional analysis of monoclonal antibodies against the second extracellular loop of human M3 muscarinic acetylcholine receptor.	Mod Rheumatol	22	264-71	2012

研究成果の刊行に関する一覧表(平成23-25年度)

書籍

著者氏名	論文タイトル名	書籍全体の編纂者名	出版社名	出版年
		書籍名	出版地	ページ
三村俊英	基礎からわかる免疫学	三村俊英	ナツメ社	2011
		基礎からわかる免疫学	東京	1-231
横田和浩、三村俊英	リウマチ性疾患-再発性多発軟骨炎	門脇孝/永井良三	西村書店	2012
		カラー版 内科学	東京	1293-1294
三村俊英、秋山雄次、舟久保ゆづ、佐藤浩二郎、中嶋京一、梶山浩、横田和浩、吉田佳弘	自己抗体、リウマチ性疾患・アレルギー性疾患・免疫不全症	黒川清/春日雅人/北村聖	医学書院	2013
		臨床検査データブック	東京	430-451, 889-899
三村俊英	免疫・アレルギー疾患	北村聖	ヌーヴェルヒロカワ	2013
		臨床病態学2巻	東京	522-528
Sakuishi K, Miyake S, Yamamura T.	Role of NK cells and Invariant NKT cells in Multiple Sclerosis	Gramm, U.	Springer-Verlag	2010
中嶋 蘭、三森 経世	多発性筋炎/皮膚筋炎の新規自己抗体	Molecular Basis of Multiple Sclerosis. The Immune System Series "Results and Problems in Cell Differentiation"	Heidelberg	127-147
		宮坂 信之	先端医学社	2013
三森 経世、細野 祐司、中嶋 蘭	多発性筋炎・皮膚筋炎における自己抗体研究の最前線	炎症と免疫	東京都	455-459
		日本臨床	東京都	637-643
細野 祐司、中嶋 蘭、三森 経世	抗MDA5抗体と皮膚筋炎	日本臨床	東京都	2013
		矢田 純一、羅 智靖	科学評論社	2013
中嶋 蘭、藤井 隆夫、三森 経世	自己免疫疾患の新規自己抗体：新しい筋炎特異的抗体	臨床免疫・アレルギー科	東京都	110-114
		高久 史麿、尾前 照雄	メジカルビュー社	2013
三森 経世	自己免疫疾患の概念とその病態	Pharma Medica	東京都	31-35
		門脇孝、永井良三	西村書店	2012
三森 経世	膠原病、および類縁疾患 最近の動向	カラー版内科学	東京	392-394
		山口徹、北原光夫、福井次矢	医学書院	2013
室 慶直	皮膚筋炎の概念・疫学・病因・診断基準	今日の治療指針 私はこう治療している 2013	東京	736-738
		総編集 古江増隆、専門編集 佐藤伸一	中山書店	2011
室 慶直	皮膚筋炎の皮膚症状、皮膚病理組織所見	皮膚科臨床アセット7 皮膚科膠原病診療のすべて	東京	214-217
		総編集 古江増隆、専門編集 佐藤伸一	中山書店	2011
室 慶直	顔面の馬蹄形～環状浸潤性紅斑から疑う Sjogren症候群	皮膚科臨床アセット7 皮膚科膠原病診療のすべて	東京	218-222
		総編集 古江増隆、専門編集 土田哲也	中山書店	2013
上阪 等	多発性筋炎/皮膚筋炎	皮膚科臨床アセット20 日常診療において忘れてはならない皮膚科症候群	東京	41-45
		門脇孝、永井良三	西村書店	2012
上阪 等	三科で診る多発性筋炎・皮膚筋炎	最新内科学	新潟	271-273
		上阪 等	医歯薬出版社	2012
森山雅文、中村誠司	シェーグレン症候群の発症と病態進展におけるTh サブセットの関与	多発性筋炎・皮膚筋炎-その包括的理解	東京	1-5
		宮坂 信之	先端医学社	2013
小川葉子、坪田一男	涙腺生検病理診断	炎症と免疫	東京	111-118
		日本シェーグレン症候群学会	診断と治療社	2014
谷口紗織、小川 葉子、坪田一男	7. コアメカニズムの考え方と治療 眼鏡による治療	シェーグレン症候群の診断と治療マニュアル	東京	86-93
		横井則彦	中山書店	2013
小川葉子	ドライアイ 外来で診る 眼科疾患	専門医のための眼科診療クオリファイ 19 ドライアイスペシャリストへの道	東京	256-257
		坪田一男、根岸一乃	慶應義塾大学薬学部	2013
		慶應義塾大学薬学部	東京	51-70



内野美樹, 小川 葉子, 坪田一男	「第3部 症状・所見からみた膠原病・リウマチ K.ドライアイ」	住田孝之	診断と治療社	2013
		Expert 膠原病・リウマチ	東京	94-99
小川葉子, 坪田一男	リウマチ性疾患に伴う眼症状とその鑑別	宮坂信行	科学評論社	2012
		リウマチ科	東京	243-250
梅原久範, 岡崎和一	IgG4関連疾患包括診断基準. 日本発の診断基準	梅原久範, 岡崎和一, 川 茂幸, 川野充弘	前田書店	2012
		IgG4関連疾患アトラス. IgG4研究会モノグラフ	金沢市	27-33
正木康史, 黒瀬望, 利波久雄, 梅原久範	その他の臓器(中枢神経, 前立腺)	梅原久範, 岡崎和一, 川 茂幸, 川野充弘	前田書店	2012
		IgG4関連疾患アトラス. IgG4研究会モノグラフ	金沢市	88-93
Umehara H, Okazaki K.	Comprehensive diagnostic criteria for IgG4-related disease.	H. Umehara, K. Okazaki, J. Stone, S. Kawa, M. Kawano	Springer	
		IgG4-related disease	Tokyo	
坪井洋人, 浅島弘充, 住田孝之	自己抗体	住田孝之, 川上純	診断と治療社	2014
		シェーグレン症候群の診断と治療マニュアル 改訂第2版	東京	94-103
坪井洋人	好酸球性筋膜炎	住田 孝之	診断と治療社	2013
		EXPERT 膠原病・リウマチ 改訂第3版	東京	352-353