

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|----------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|-------|---------------------|------|
| 橋本康弘, 宮嶋雅一, 新井 一, 松本由香, 城谷圭朗 他4名 | 認知症の髄液糖鎖マーカー | <i>Cognition and Dementia</i> | 11(2) | 35-40 | 2012 |
| Tetsuka S, Morita M, Ikeguchi K, <u>Nakano I</u> | Creatinine/cystatin Cratio as a surrogate marker of residual muscle mass in amyotrophic lateral sclerosis | Neurol Clinic Neurosci | | in press | 2012 |
| Tetsuka S, Morita M, Iida A, Uehara R, Ikegami S, Nakano I | ZNF512B gene is a prognostic factor in patients with amyotrophic lateral sclerosis | J Neural Sci | | | 2012 |
| Shimazaki H, Takiyama Y, Ishiura H, Sakai C, Matsushima Y, Nakano I, et al | A homozygous mutation of C12orf65 causes spastic paraplegia with optic atrophy and neuropathy (SPG55) | J Med Genet | 49 | 777-784 in press | 2012 |
| Miyamoto M, Miyamoto T, Iwanami M, Muramatsu S, Asari S, <u>Nakano I</u> , et al | Preclinical substantia nigra dysfunction in rapid eye movement sleep behaviour disorder | Sleep Medicine | 13 | 102-106 | 2012 |
| Koyama T, et al | Diffusion tensor imaging of idiopathic normal pressure hydrocephalus: a voxel-based fractional anisotropy study. | Neurol Med Chir | 52 | 68-74 | 2012 |
| Miyake H, et al | Assessment of a Quick Reference Table Algorithm for Determining Initial Pressure Settings of Programmable Pressure Valves in Patients With Idiopathic Normal Pressure Hydrocephalus: SINPHONI Subanalysis | Neurosurgery | 71 | 722-728 | 2012 |
| 三宅裕治 | シャント手術 | Clinical Neuroscience | 30 | 429-431 | 2012 |
| 三宅裕治 | Treatable Dementia – iNPHの全て – | 西宮市医師会医 学雑誌 | 17 | 1-5 | 2012 |
| Ishikawa M, Hashimoto M, Mori E, Kuwana N, Kazui H | The value of cerebrospinal fluid tap test for predicting shunt effectiveness in idiopathic normal pressure hydrocephalus | Fluids Barriers CNS | 9 | 1 | 2012 |
| Dos Santos Kawata KH, Hashimoto R, Nishio Y, Hayashi A, Ogawa N, Kanno S, Hiraoka K, Yokoi K, Iizuka O, Mori E | A validation study of the Japanese version of the Addenbrooke's Cognitive Examination–Revised | Dement Geriatr Cogn Dis Extra | 2 | 29–37 | 2012 |
| Kanno S, Saito M, Hayashi A, Uchiyama M, Hiraoka K, Nishio Y, Hisanaga K, Mori E. | Counting-backward test for executive function in idiopathic normal pressure hydrocephalus | Acta Neurol Scand | 126 | 279–286 | 2012 |
| 石井一成, 塚部明大, 森 悦朗, 新井 一, 石川正恒 | 特発性正常圧水頭症診療ガイドライン改訂に おける画像診断 | 臨床放射線 | 57 | 343-348 | 2012 |
| 菅野重範, 森 悦朗 | iNPHと高次脳機能障害 | Clinical Neuroscience | 30 | 417-419 | 2012 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|-------|-------------------------------------------------|------------|------|---------|------|
| 森 悦朗 | 特発性正常圧水頭症診療ガイドラインの改訂のポイント | 日本医事新報 | 4596 | 75-80 | 2012 |
| 森 悦朗 | その他の変性疾患に伴う認知症および特発性正常圧水頭症 | 内科 | 109 | 805-809 | 2012 |
| 森 悦朗 | 非アルツハイマー型認知症の病態と診断 | 日本医師会雑誌 | 141 | 539-544 | 2012 |
| 森 悦朗 | 特発性正常圧水頭症の臨床 | 老年期認知症研究会誌 | 19 | 66-69 | 2012 |
| 森 悦朗 | 新時代のリハビリテーション医療とその可能性：特発性正常圧水頭症 診断・治療・リハビリテーション | 東北医学雑誌 | 124 | 33-37 | 2012 |
| 森 悦朗 | 特発性正常圧水頭症の診療ガイドライン改訂について | 老年精神医学雑誌 | 23 | 793-799 | 2012 |

平成25年度 研究成果の刊行に関する一覧表

【書籍】

| 著者氏名 | 論文タイトル名 | 書籍全体の編集者名 | 書籍名 | 出版社名 | 出版地 | 出版年 | ページ |
|---------------|-------------------|-----------|-----------------------------------------------|-------------|--------|-----------------|---------|
| 大井静雄 | | | すこやかなれ、世界のこども達！ Nervous System in Children | 有限会社編集室なるにあ | 東京都新宿区 | 2014年1月 (予定) | |
| 折笠秀樹 | 第10章医学生物学分野キーワード | | 統計検定1級対応統計学(日本統計学会、編集) | 東京図書 | 東京 | 2013 Apr. | 259-287 |
| 折笠秀樹 (監訳) | 臨床研究を正しく評価するには | | Dr.ファーバーグが教える26のポイント | ライフサイエンス出版 | 東京 | 2013 Jul. | |
| 数井裕光, 武田雅俊 | 特発性正常圧水頭症と慢性硬膜下血腫 | 池田 学 | 脳と心のプライマリケア 第2巻 知能の衰え | シナジー | 東京 | 2013 | 462-471 |

【雑誌】

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|------|---------|------|
| Masakazu Miyajima, Madoka Nakajima, Yumiko Motoi, Masao Moriya, Hidenori Sugano, Ikuko Ogino, Eri Nakamura, Norihiko Tada, Miyuki Kunichika, Hajime Arai | Leucine-Rich α 2-Glycoprotein Is a Novel Biomarker of Neurodegenerative Disease in Human Cerebrospinal Fluid and Causes Neurodegeneration in Mouse Cerebral Cortex | PLOS ONE | Vo.8 | | 2013 |
| Aoki Y, Kazui H, Tanaka T, Ishii R, Wada T, Ikeda S, Hata M, Canuet L, Musha T, Matsuzaki H, Imajo K, Yoshiyama K, Yoshida T, Shimizu Y, Nomura K, Iwase M, Takeda M. | EEG and Neuronal Activity Topography analysis can predict effectiveness of shunt operation in idiopathic normal pressure hydrocephalus patients. | NeuroImage: Clinical | 3 | 522-530 | 2013 |
| Wada T, Kazui H, Yamamoto D, Nomura K, Sugiyama H, Shimizu Y, Yoshida T, Yoshiyama K, Yamashita F, Kishima H, Yoshimine T, Takeda M. | Reversibility of brain morphology after shunt operations and preoperative clinical symptoms in patients with idiopathic normal pressure hydrocephalus. | Psychogeriatrics | 13 | 41-48 | 2013 |
| Yamamoto D, Kazui H, Wada T, Nomura K, Sugiyama H, Shimizu Y, Yoshiyama K, Yoshida T, Kishima H, Yamashita F, Yoshimine T, Takeda M. | Association between milder brain deformation before a shunt operation and improvement in cognition and gait in idiopathic normal pressure hydrocephalus. | Dement Geriatr Cogn Disord | 35 | 197-207 | 2013 |
| 大塩恒太郎 | Assessment of Brain Compliance Using ICP Waveform Analysis in Water Intoxication Rat Model | Acta Neurochirurgica Supplement | 118 | 219-221 | 2013 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|-------|-------------------|--------------------|
| Kato T, Takahashi Y, Kawanami T | Familial normal pressure hydrocephalus: A novel subgroup. | J. Neurol. Transl. Neurosci. (電子ジャーナル) | 1 | 1008 | 2013 |
| Kazui H, Mori E, Ohkawa S, Okada T, Kondo T, Sakakibara R, Ueki O, Nishio Y, Ishii K, Kawaguchi T, Ishikawa M, Takeda M. | Predictors of the disappearance of triad symptoms in patients with idiopathic normal pressure hydrocephalus after shunt surgery. | J Neurol Sci | 328 | 64-69 | 2013 |
| Malm J, Graff-Radford NR, Ishikawa M, Kristensen B, Leinonen V, Mori E, Owler BK, Tullberg M, Williams MA, Relkin NR. | Influence of comorbidities in idiopathic normal pressure hydrocephalus. Research and clinical care a report of the ISHCSF task force on comorbidities in INPH. | Fluids Barriers CNS | 13 | 76 | 2013 |
| Yamashita F, Sasaki M, Saito M, Mori E, Kawaguchi A, Kudo K, Natori T, Uwano I, Ito K, Saito K. | Voxel-Based Morphometry of Disproportionate Cerebrospinal Fluid Space Distribution for the Differential Diagnosis of Idiopathic Normal Pressure Hydrocephalus. | J Neuroimaging | | 10.1111/jon.12049 | 2013 |
| Koyama T, Marumoto K, Domen K, Miyake H | White Matter Characteristics of Idiopathic Normal Pressure Hydrocephalus: A Diffusion Tensor Tract-Based Spatial Statistic Study. | Neurol Med Chir (Tokyo). | 52 | 601-608 | 2013 |
| Sakakibara R, Tateno F, Yano M, Takahashi O, Sugiyama M, Ogata T, Haruta H, Kishi M, Tsuyusaki Y, Yamamoto T, Uchiyama T, Yamanishi T, Yamaguchi C. | Imidafenacin on bladder and cognitive function in neurologic OAB patients. | Clin Auton Res. | | | 2013 Jul 3. |
| Sakakibara R. | Editorial Comment to Brain activity during bladder filling and pelvic floor muscle contractions: A study using functional magnetic resonance imaging and synchronous urodynamics. | Int J Urol. | | | 2013 Jul 1. |
| Yamamoto T, Sakakibara R, Uchiyama T, Yamaguchi C, Ohno S, Nomura F, Yanagisawa M, Hattori T, Kuwabara S. | Time-dependent changes and gender differences in urinary dysfunction in patients with multiple system atrophy. | Neurorol Urodyn. | | | 2013 Jun 11. |
| Sakakibara R, Kishi M, Tsuyusaki Y, Tateno A, Tateno F, Uchiyama T, Yamamoto T, Yamanishi T, Yano M. | "Meningitis-retention syndrome": a review. | Neurorol Urodyn. | 32(1) | 19-23. | 2013 Jan |
| Sumi S, Origasa H, Houkin K, Terayama Y, Uchiyama S, Daida H, Shigematsu H, Goto S, Tanaka K, Miyamoto S, Minematsu K, Matsumoto M, Okada Y, Sato M, Suzuki N | A modified Essen stroke risk score for predicting recurrent cardiovascular events: Development and validation. | International Journal of Stroke | 8(4) | 251-257 | 2013 Jun. |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|-------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|-------------|-----------|---------------|
| Origasa H, Lee SH, Nakagawa H, Kumagai N, Fuse H, Tobe K | Pioglitazone use and bladder cancer: hospital-based results from a nested case-control study in Japan. | Jpn Pharmacol Ther | 41(7) | 663-667 | 2013 Jul. |
| Kumagai N, Origasa H, Nagao T, Takekawa H, Okuhara Y, Yamaguchi T | Prognostic significance of smoking in patients with acute ischemic stroke within 3 months of onset. | Journal of Stroke and Cerebrovascular Diseases | 22(6) | 792-798 | 2013 Aug. |
| Inoue H, Okamura K, Atarashi H, Yamashita T, Origasa H, Kumagai N, et al. | Target international normalized ratio values for preventing thromboembolic and hemorrhagic events in Japanese patients with non-valvular atrial fibrillation: results of the J-RHYTHM Registry. | Circulation Journal | 77(9) | 2264-2270 | 2013 Sep. |
| Fukunaga I, Hori M, Masutani Y, 中略(9名), Aoki S, Senoo A. | Effects of diffusional kurtosis imaging parameters on diffusion quantification. Radiol Phys Technol. 2013;6(2):343-8. | Radiol Phys Technol | 6(2) | 343-8 | 2013 |
| Nakanishi A, Fukunaga I, Hori M, Masutani Y, Takaaki H, Miyajima M, Aoki S. | Microstructural changes of the corticospinal tract in idiopathic normal pressure hydrocephalus: a comparison of diffusion tensor and diffusional kurtosis imaging. | Neuroradiology | 55(8) | 971-6 | 2013 |
| K. Hoshi, Y. Hashimoto, et al. | Lectin-dependent inhibition of antigen-antibody reaction: application for measuring α 2,6-sialylated glycoforms of transferrin | <i>J. Biochem.</i> | 154(3) | 229-232 | 2013 |
| M Matsumae, et al. | Velocity and pressure gradients of cerebrospinal fluid assessed with magnetic resonance imaging | Journal of Neurosurgery | | P1-10 | August 9 2013 |
| 宮田 元, 大浜栄作 | 特発性正常圧水頭症 (iNPH) の神経病理 | 老年期認知症研究会誌 | Vol.20 No.1 | 6-9 | 2013 |
| Yamashita F, Sasaki M, Saito M, Mori E, Kawaguchi A, Kudo K, Natori T, Uwano I, Ito K, Saito K. | Voxel-based morphometry of disproportionate cerebrospinal fluid space distribution for the differential diagnosis of idiopathic normal pressure hydrocephalus. | J Neuroimaging | epub | | 2013 |
| 山田晋也 | 脳脊髄液の生理：脳脊髄液のダイナミクス | 医学物理 | 32巻3号 | 148 - 154 | 2013 |

