

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻 号 | ページ | 出版年 |
|--|---|--|---------|-----------|------|
| Hirashita T, Ohta M, Kai S, Masuda T, Eguchi H, Iwashita Y, Ogawa T, <u>Kitano S</u> | Implications of portal vein thrombosis after splenectomy for patients with idiopathic portal hypertension. | Surg Today | 41 (11) | 1475-1480 | 2011 |
| 北野 正剛、太田 正之 | 技術認定制度検討委員会設置にあたって | 日門亢症会誌 | 17 (4) | 135-136 | 2011 |
| Akahoshi T, Tomikawa M, Kamori M, Tsutsumi N, Nagao Y, Hashizume M, <u>Maehara Y.</u> | Impact of balloon-occluded retrograde transvenous obliteration on management of isolated fundal gastric variceal bleeding. | Hepato Res.2011 Dec 19. [Epub ahead of print] | | | 2011 |
| Yoshida D, Akahoshi T, Kawanaka H, Yamaguchi S, Kinjo N, Taketomi A, Tomikawa M, Shirabe K, <u>Maehara Y</u> , Hashizume M. | Roles of vascular endothelial growth factor and endothelial nitric oxide synthase during revascularization and regeneration after partial hepatectomy in a rat model. | Surg Today. | 41 | 1622-9 | 2011 |
| Yoshida D, Nagao Y, Tomikawa M, Kawanaka H, Akahoshi T, Kinjo N, Uehara H, Hashimoto N, Hashizume M, <u>Maehara Y.</u> | Predictive factors for platelet count after laparoscopic splenectomy in cirrhotic patients. | Hepato Int. 2011 Sep 30. [Epub ahead of print] | | | 2011 |
| Akahoshi T, Tomikawa M, Kawanaka H, Furusyo N, Kinjo N, Tsutsumi N, Nagao Y, Hayashi J, Hashizume M, <u>Maehara Y.</u> | Laparoscopic splenectomy with IFN therapy in one hundred HCV-cirrhotic patients with hypersplenism and thrombocytopenia. | J Gastroenterol Hepatol. 2011 Jul 28. doi: 10.1111/j.1440-1746.2011.06870.x. [Epub ahead of print] | | | 2011 |
| Nagao Y, Akahoshi T, Kamori M, Uehara H, Hashimoto N, Kinjo N, Shirabe K, Taketomi A, Tomikawa M, Hashizume M, <u>Maehara Y.</u> | Liver regeneration is promoted by increasing serotonin content in rat liver with secondary biliary cirrhosis. | Hepato Res. | 41 | 784-94 | 2011 |
| Hashimoto N, Shimoda S, Kawanaka H, Tsuneyama K, Uehara H, Akahoshi T, Kinjo N, Taketomi A, Shirabe K, Akashi K, Lleo A, Ansari AA, Gershwin ME, <u>Maehara Y.</u> | Modulation of CD4 ⁺ T cell responses following splenectomy in hepatitis C virus-related liver cirrhosis. | Clin Exp Immunol. | 165 | 243-50 | 2011 |
| 赤星朋比古、富川 盛雅、川中 博文、 <u>前原 喜彦</u> 、橋爪 誠 | 門脈圧亢進症患者に対する腹腔鏡下脾臓摘出術 | 日本門脈圧亢進症学会雑誌 | 17 | 56-62 | 2011 |
| 赤星朋比古、橋本 直隆、家守 雄大、長尾 吉泰、富川 盛雅、 <u>前原 喜彦</u> 、橋爪 誠 | 食道・胃静脈瘤に対する内視鏡治療の現状 | 臨床外科 | 66 | 1638-43 | 2011 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|--|--|-------------------|---------|-----------------------|----------------|
| Uozumi S, <u>Baba T</u> , Imawari M. | Clinical outcomes and prognostic factors associated with survival after balloon-occluded retrograde transvenous obliteration of gastric varices. | Showa Univ J Med | 23 | 88-89 | 2011 |
| 魚住祥二郎、馬場 俊之、 本田 実、清野 哲孝、 橋本 東児、後閑 武彦、 井廻 道夫 | 3本のバルーンカテーテルを使用しバルーン下逆行性経静脈的塞栓術を行った猪瀬型肝性脳症の1例 | 日本門脈圧亢進症学会雑誌 | 17 | 31-16 | 2011 |
| Yamakawa Y, Shimada H, Ataka S, Tamura A, Masaki H, Naka H, Tsutada T, Nakanishi A, <u>Shiomi S</u> , Watanabe Y, Miki T. | Two cases of dementias with motor neuron disease evaluated by Pittsburgh compound B-positron emission tomography. | Neurol Sci. | | [Epub ahead of print] | 2011 Feb 5. |
| Shimada A, Hashimoto H, Kawabe J, Higashiyama S, Kai T, Kataoka K, Tagawa R, Kawarada Y, Nakanishi A, Inoue K, <u>Shiomi S</u> , Kiriike N. | Evaluation of therapeutic response to donepezil by positron emission tomography. | Osaka City Med J. | 57 (1) | 11-9 | 2011 |
| Kubota K, Murakami K, Inoue T, Saga T, <u>Shiomi S</u> . | Clinical applications of positron emission tomography in hepatic tumors. | Hepatol Res. | 41 (7) | 611-7 | 2011 |
| Kubota K, Murakami K, Inoue T, Saga T, <u>Shiomi S</u> . | Additional effects of FDG-PET to thin-section CT for the differential diagnosis of lung nodules: a Japanese multicenter clinical study. | Ann Nucl Med. | 25 (10) | 787-795 | 2011 |
| Kubota K, Murakami K, Inoue T, Itoh H, Saga T, <u>Shiomi S</u> , Hatazawa J. | Additional value of FDG-PET to contrast enhanced-computed tomography (CT) for the diagnosis of mediastinal lymph node metastasis in non-small cell lung cancer: a Japanese multicenter clinical study. | Ann Nucl Med. | 25 (10) | 777-786 | 2011 |
| 塩見 進、小谷 晃平、 川村 悦史、東山 滋明、 河邊 讓治、田中 弘教 | 肝細胞癌の化学療法の治療効果判定 PET による治療効果判定 | 肝胆膵画像 | 13巻6号 | 633-637 | 2011 |
| 宮田 敏行、川崎 富夫、 坂田 洋一、村田 満、 <u>小嶋 哲人</u> | 日本人の血栓性素因 特にプロテインS欠損症を中心に | 日本産婦人科・新生児血液学会誌 | 20 (2) | 75-82 | 2011 |
| 鈴木 敦夫、 <u>小嶋 哲人</u> | プロテインS異常症・欠損症の遺伝子解析 | 臨床検査 | 55 (4) | 347-355 | 2011 |
| <u>小嶋 哲人</u> | 抗 Xa 薬 | カレントセラピー | 29 (6) | 512-516 | 2011 |
| 菅原 宏丈、鈴木 宗三、 惣宇利正善、 <u>小嶋 哲人</u> 、 一瀬 白帝 | 東北地方に置ける血友病インヒビター調査のまとめ | 山形医学 | 29 (2) | 37-44 | 2011 |
| <u>小嶋 哲人</u> | 経口トロンビン阻害薬では、なぜ頭蓋内出血の頻度が少ないのか —基礎の立場から— | 日本心電学会誌 | 31 (3) | 287-291 | 2011 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻 号 | ページ | 出版年 |
|---|---|--------------------------------|----------|-----------------------|------|
| 小嶋 哲人 | 基礎の立場からみた新規抗凝固薬 | 日本血栓止血学会誌 | 22 (4) | 151-155 | 2011 |
| 小嶋 哲人 | 新規抗凝固薬 | 脈管学 | 51 (3) | 315-320 | 2011 |
| 小嶋 哲人 | 血栓性素因の病因と病態 | 臨床血液 | 52 (10) | 1454-1460 | 2011 |
| 鈴木 敦夫、小嶋 哲人 | エストロゲンによる Protein S 産生抑制 | 日本血栓止血学会誌 | 22 (5) | 285-288 | 2011 |
| Miyata T, Hamasaki N, Wada H, <u>Kojima T</u> | Venous thromboembolism and a race-specific genetic variation, protein S K196E, in Japanese. | J Thromb Haemost. | | [Epub ahead of print] | 2011 |
| Saito H, Matsushita <u>Kojima T</u> | Historical perspective and future direction of coagulation research. | J Thromb Haemost | Suppl 1: | 352-363, | 2011 |
| Iwaki T, Tanaka A, Miyawaki Y, Suzuki A, Kobayashi T, Takamatsu J, Matsushita T, Umemura K, Urano T, <u>Kojima T</u> , Terao T, Kanayama N | Life-threatening hemorrhage and prolonged wound healing are remarkable phenotypes manifested by complete plasminogen activator inhibitor-1 deficiency in humans. | J Thromb Haemost. | 9 (6) | 1200-1206 | 2011 |
| Ikesue M, Matsui Y, Ohta D, Danzaki K, Ito K, Kanayama M, Kurotaki D, Morimoto J, <u>Kojima T</u> , Tsutsui H, Uede T | Syndecan-4 deficiency limits neointimal formation after vascular injury by regulating vascular smooth muscle cell proliferation and vascular progenitor cell mobilization. | Arterioscler Thromb Vasc Biol. | 31 (5) | 1066-1074, | 2011 |
| Matsui Y, Ikesue M, Danzaki K, Morimoto J, Sato M, Tanaka S, <u>Kojima T</u> , Tsutsui H, Uede T | Syndecan-4 prevents cardiac rupture and dysfunction after myocardial infarction. | Circ Res. | 108 (11) | 1328-1339 | 2011 |
| Katsumi A, Nishida T, Murata M, Terakura S, Shimada K, Saito S, Kobayashi M, Kodaira A, Shibata S, Oda I, Yagi T, Kiyoi H, Matsushita T, <u>Kojima T</u> , Naoe T | Virus-associated hemophagocytic syndrome caused by pandemic swine-origin influenza A (H1N1) in a patient after unrelated bone marrow transplantation. | J Clin Exp Hematop. | 51 (1) | 63-65 | 2011 |
| 國吉 幸男 | Budd-Chiari 症候群の病態と治療方針 | 臨床外科 | 9 | 1190-5 | 2011 |
| Fujimoto K, Tonan T, Azuma S, <u>Kage M</u> , Nakashima O, Johkoh T, Hayabuchi N, Okuda K, Kawaguchi T, Sata M, Qayyum A. | Evaluation of the Mean and Entropy of Apparent Diffusion Coefficient Values in Chronic Hepatitis C: Correlation with Pathologic Fibrosis Stage and Inflammatory Activity Grade. | Radiology | 258 (3) | 739-748 | 2011 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻 号 | ページ | 出版年 |
|--|--|--|---------|--------------|------|
| Tonan T, Fujimoto K, Qayyum A, Morita Y, Nakashima O, Ono N, Kawahara A, <u>Kage M</u> , Hayabuchi N, Ueno T. | CD14 expression and Kupffer cell dysfunction in nonalcoholic steatohepatitis: SPIO-MRI and pathologic correlation. | Journal of gastroenterology and hepatology | | in press | 2011 |
| 中島 収、谷川 健、秋葉 純、小笠原幸子、 <u>鹿毛 政義</u> 、神代 正道、安永 昌史、奥田 康司、木下 壽文、黒松 亮子、田中 正敏、佐田 通夫、隈部 力、矢野 博久 | 【早期肝細胞癌：病理と画像のinterplay】 早期肝細胞癌（肝癌）と前癌病変の病理 | 肝臓 | 52 (7) | 406-414 | 2011 |
| Kobayashi A, Mizumoto H, Ando T, <u>Matsutani S</u> | Portal vein thrombosis associated with ischemic colitis | Clinical Journal of Gastroenterology | 4 | 147-150 | 2011 |
| <u>松谷 正一</u> 、福沢 健、水本 英明 | 肝血流 | 臨床画像 | 27 | 154-159 | 2011 |
| <u>松谷 正一</u> 、小林 照宗、水本英明 | 門脈血栓症の薬物治療 | 臨床消化器内科 | 27 | 231-236 | 2012 |
| Takatsuki M, <u>Eguchi S</u> , Yamanouchi K, Hidaka M, Soyama A, Kanematsu T. | Technical refinements of bile duct division in living donor liver surgery. | J Hepatobiliary Pancreat Sci. | 18 (2) | 170-175 | 2011 |
| <u>Eguchi S</u> , Soyama A, Mergental H, AP.van den Berg, R Scheenstra, RJ Porte, MJH Slooff. | Honoring the contract with our patients: outcome after repeated retransplantation of the liver. | Clin Transplant. | 25 (2) | E 211-218 | 2011 |
| <u>Eguchi S</u> , Kanematsu T, Aarii S, Omata M, Kudo M, Sakamoto M, Takayasu K, Makuuchi M, Matsuyama Y, Monden M; for the Liver Cancer Study Group of Japan. | Recurrence-free survival more than 10 years after liver resection for hepatocellular carcinoma. | Br J Surg | 98 (4) | 552-557 | 2011 |
| <u>Eguchi S</u> , Takatsuki M, Hidaka M, Soyama A, Ichikawa T, Kanematsu T. | Perioperative synbiotic treatment to prevent infectious complications in patients after elective living donor liver transplantation: a prospective randomized study. | Am J Surg | 201 (4) | 498-502 | 2011 |
| <u>Eguchi S</u> , Soyama A, Hidaka M, Takatsuki M, Muraoka I, Tomonaga T, Kanematsu T. | Liver transplantation for patients with human immunodeficiency virus and hepatitis C virus coinfection with special reference to hemophiliac recipients in Japan. | Surg Today | 41 (10) | 1325-31 | 2011 |
| Soyama A, <u>Eguchi S</u> , Yanaga K, Takatsuki M, Hidaka M, Kanematsu T. | Living donor liver transplantation with extensive caval thrombectomy for acute-on-chronic Budd- Chiari syndrome. | Surg Today | 41 (7) | 1026-1028 | 2011 |
| <u>Eguchi S</u> , Takatsuki M, Soyama A, Hidaka M, Muraoka I, Kanematsu T. | Is Preservation of Middle Hepatic Vein Tributaries during Right Hemi- Hepatectomy Beneficial for Live Donor Liver Transplantation? | Hepatogastroenterology. | 59 | 115-116 | 2011 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻 号 | ページ | 出版年 |
|---|--|------------------------------|---------|-----------|------|
| Eguchi S, Takatsuki M, Soyama A, Hidaka M, Tomonaga T, Muraoka I, Kanematsu T. | Elective living donor liver transplantation by hybrid hand-assisted laparoscopic surgery and short upper midline laparotomy. | Surgery | 150 (5) | 1002-1005 | 2011 |
| 西田 聖剛、江口 晋、曾山 明彦、日高 匡章、高槻 光寿、高橋 正浩、Andreas G.Tzakis、兼松 隆之 | マイアミ大学での HIV 陽性患者に対する肝移植 | The journal of AIDS research | 13 | 137-144 | |
| 江口 晋、高槻 光寿、曾山 明彦、村岡いづみ、原 貴信、兼松 隆之 | 後天性免疫不全症候群 (AIDS) | 外科 | 73 (12) | 1282-1287 | 2011 |
| Mizuguchi Y, Mishima T, Yokomuro S, Arima Y, Kawahigashi Y, Shigehara K, Kanda T, <u>Yoshida H</u> , Uchida E, Tajiri T, Takizawa T. | Sequencing and Bioinformatics-Based Analyses of the microRNA Transcriptome in Hepatitis B-Related Hepatocellular Carcinoma. | PLoS One | 6 | E15304 | 2011 |
| Ueda J, <u>Yoshida H</u> , Mamada Y, Taniai N, Mineta S, Yoshioka M, Hirakata A, Kawano Y, Kanda T, Uchida E. | Resection of hepatocellular carcinoma recurring in the diaphragm after right hepatic lobectomy. | J Nippon Med Sch | 78 | 30-33 | 2011 |
| Uetama T, <u>Yoshida H</u> , Hirakata A, Yokoyama T, Maruyama H, Suzuki S, Matsutani T, Matsushita A, Sasajima K, Uchida E. | A symptomatic giant hepatic hemangioma treated by hepatectomy. | J Nippon Med Sch | 78 | 34-39 | 2011 |
| Kaneya Y, <u>Yoshida H</u> , Matsutani T, Hirakata A, Matsushita A, Suzuki S, Yokoyama T, Maruyama H, Sasajima K, Uchida E. | Biliary obstruction due to a huge simple hepatic cyst treated by laparoscopic resection. | J Nippon Med Sch | 78 | 105-109 | 2011 |
| Ueda J, <u>Yoshida H</u> , Mamada Y, Taniai N, Mineta S, Yoshioka M, Kawano Y, Narita K, Naito Z, Uchida E. | A case of xanthogranulomatous cholecystitis preoperatively diagnosed by contrast-enhanced ultrasonography. | J Nippon Med Sch | 78 | 194-198 | 2011 |
| Shigehara K, Yokomuro S, Ishibashi O, Arima Y, Mizuguchi Y, Kawahigashi Y, Kanda T, Akagi I, Tajiri T, <u>Yoshida H</u> , Uchida E, Takizawa T. | Real-time PCR-based microRNAome of human bile detects miR-9 as a potential diagnostic biomarker for biliary tract cancer. | PLoS One. | 6 | E23584 | 2011 |
| Harada J, <u>Yoshida H</u> , Ueda J, Mamada Y, Taniai N, Mineta S, Yoshida H, Kawano Y, Shioda Y, Uchida E. | Malignant hepatic epithelioid hemangioendothelioma with abdominal pain due to rapid progression. | J Nippon Med Sch | 78 | 246-251 | 2011 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻 号 | ページ | 出版年 |
|---|---|-----------------------|--------|---------|----------|
| Kawano Y, <u>Yoshida H</u> , Mamada Y, Taniai N, Katsuta Y, Uchida E. | Intracystic hemorrhage from one of multiple hepatic cysts. | J Nippon Med Sch | 78 | 312-316 | 2011 |
| Tani A, <u>Yoshida H</u> , Mamada Y, Taniai N, Mineta S, Yoshioka M, Kawano Y, Ueda J, Naito Z, Uchida E. | Hepatic angiomyolipoma with a giant hemangioma. | J Nippon Med Sch | 78 | 317-321 | 2011 |
| Maruyama H, <u>Yoshida H</u> , Hirakata A, Matsutani T, Yokoyama T, Suzuki S, Matsushita A, Sasajima K, Kikuchi Y, Uchida E. | Surgical treatment of a patient with diaphragmatic invasion by a ruptured hepatocellular carcinoma with biliary and portal venous tumor thrombi. | J Nippon Med Sch | | | in press |
| Yokoyama T, <u>Yoshida H</u> , Hirakata A, Makino H, Maruyama H, Suzuki S, Matsutani T, Hayakawa T, Hosone M, Uchida E. | Spontaneous complete necrosis of advanced hepatocellular carcinoma. | J Nippon Med Sch | | | in press |
| Ueda J, <u>Yoshida H</u> , Mamada Y, Taniai N, Yoshioka M, Mineta S, Kawano Y, Shimizu T, Hara E, Kawamoto C, Kaneko K, Uchida E. | Surgical Resection of a Solitary Para-aortic Lymph Node Metastasis from Hepatocellular Carcinoma. | World J Gastroenterol | | | in press |
| <u>Yoshida H</u> , Mamada Y, Taniai N, Yoshioka M, Hirakata A, Kawano Y, Mizuguchi Y, Shimizu T, Ueda J, Uchida E. | Treatment modalities for bleeding esophagogastric varices. | J Nippon Med Sch | | | in press |
| Uemura, M. Fujimura, Y. Ko, S. Matsumoto, M. Nakajima, Y. <u>Fukui, H.</u> | Determination of ADAMTS13 and Its Clinical Significance for ADAMTS13 Supplementation Therapy to Improve the Survival of Patients with Decompensated Liver Cirrhosis | Int J Hepatol (電子出版) | 2011 | 1-12 | 2011 |
| Shirai Y, Yoshiji H, Ko S, Yamazaki M, Ikenaka Y, Noguchi R, Morioka C, Kaji K, Aihara Y, Nakanishi K, Yamao J, Toyohara M, Mitoro A, Sawai M, Yoshida M, Fujimoto M, Uemura M, Nakajima Y, <u>Fukui H.</u> | Salvage living donor liver transplantation after percutaneous transluminal angioplasty for recurrent Budd-Chiari syndrome: a case report. | J Med Case Reports | 5 (1) | 124 | 2011 |
| Yoshiji H, Kitagawa K, Noguchi R, Uemura M, Ikenaka Y, Aihara Y, Nakanishi K, Shirai Y, Morioka C, <u>Fukui H.</u> | A histologically proven case of progressive liver sarcoidosis with variceal rupture. | World J Hepatol | 3 (10) | 271-274 | 2011 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻 号 | ページ | 出版年 |
|--|---|--|--------------|------------------------|------|
| 上嶋 昌和、松村 雅彦、 小島 邦行、梅本 典江、 瓦谷 英人、福井 博 | 孤立性胃静脈瘤に対する予防的治療 の適応基準 －経過観察例による検討－ | 日本門脈圧亢進症学会雑誌 | 17 (4) | 145-147 | 2011 |
| Kaji K, Yoshiji H, Kitade M, Ikenaka Y, Noguchi R, Shirai Y, Aihara Y, Namisaki T, Yoshii J, Yanase K, Tsujiimoto T, Kawaratani H, Fukui H. | Combination treatment of angiotensin II type I receptor blocker and new oral iron chelator attenuates progression of nonalcoholic steatohepatitis in rats. | Am J Physiol Gastrointest Liver, Physiol | 300 (6) | G1094 -1104 | 2011 |
| Kawaratani H, Tsujimoto T, Kitazawa T, Yoshiji H, Uemura M, Fukui H. | Therapeutic effects of cytokine modulator Y- 40138 in the rat alcoholic liver disease model. | J Gastroenterol Hepatol | 26 (4) | 775-83 | 2011 |
| Yoshiji H, Noguchi R, Ikenaka Y, Kaji K, Aihara Y, Fukui H. | Impact of renin-angiotensin system in hepatocellular carcinoma. | Curr Cancer Drug Targets | 11 (4) | 431-41 | 2011 |
| Yoshiji H, Noguchi R, Ikenaka Y, Kaji K, Aihara Y, Yamazaki M, Yamao J, Toyohara M, Mitoro A, Sawai M, Yoshida M, Morioka C, Fujimoto M, Uemura M, Fukui H. | Combination of branched-chain amino acids and angiotensin- converting enzyme inhibitor suppresses the cumulative recurrence of hepato-cellular carcinoma: a randomized control trial. | Oncol Rep | 26 (6) | 1547-53 | 2011 |
| 藤本 正男、植村 正人、 福井 博 | 当科におけるC型慢性肝炎に対する IFN 療法施行症例の高齢化の現状と、 1b 型高ウイルス量症例における Peg- IFN/RBN 療法の治療成績 | 日本高齢消化器病学会誌 | 13 (2) | 108-114 | 2011 |
| 小原 勝敏 | 食道静脈瘤に対する内視鏡治療(EIS/ EVL) | 日本門脈圧亢進症学会雑誌 | | | 2011 |
| Suzuki R, Irisawa A, Manoop BS, Takagi T, Ikeda T, Hikichi T, Shibukawa G, Sato M, Watanabe K, Nakamura J, Obara K, Ohira H. | Ultrathin endoscope-guided trangastric nasocystic irrigation tube placement to manage paracolic gutter extension of pancreatic necrosis. | Gastrointest Endosc | | Epub ahead of print | 2011 |
| 小原 勝敏 | 知っておきたい消化管疾患の知識－ 食道・胃静脈瘤 | Nikkei Medical | 5月号特別 編集版 | 30-33 | 2011 |
| Shuzo Sato, Atsushi Irisawa, Ai Saito, Goro Shibukawa, Rei Suzuki, Tadayuki Takagi, Tsunehiko Ikeda, Takuto Hikichi, Katsutoshi Obara, Hiromasa Ohira | Autoimmune Neutropenia Associated with Autoimmune Pancreatitis | J Pancreas (Online) | 12 (4) | 407-409 | 2011 |
| 小原 勝敏 | 達人の技－ 上部消化管、静脈瘤出血における EIS と EVL | 消化器内視鏡 | 23 (1) | 108-114 | 2011 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|--|---|---------------------|--------|-----------|------|
| Wakatsuki T, Irisawa A, Terashima M, Shibukawa G, Takagi T, Imamura H, Takahashi Y, Sato A, Sato M, Ikeda T, Suzuki R, Hikichi T, Obara K, Ohira H | ATP assay-guided chemosensitivity testing for gemcitabine with biopsy specimens obtained from unresectable pancreatic cancer using endoscopic ultrasonography-guided fine-needle aspiration | Int J Clin Oncol | 16 (4) | 387-394 | 2011 |
| Suzuki R, Hikichi T, Sato M, Takagi T, Ikeda T, Watanabe K, Nakamura J, Irisawa A, Obara K, Ohira H | Prospective randomized comparative study of hemodynamic changes between ultrathin transnasal and conventional transoral esophagogastrroduodenoscopy in percutaneous endoscopic gastrostomy placement with modified introducer method under sedation | Fukushima J Med Sci | 57 (1) | 28-32 | 2011 |
| 高橋 敦史、物江 恭子、坂本 夏美、菅野有紀子、齊藤 広信、阿部 和道、横川 順子、渋川 悟朗、高木 忠之、引地 拓人、入澤 篤志、小原 勝敏、大平 弘正 | 原発性胆汁性肝硬変症における食道・胃静脈瘤の検討 | 日本門脈圧亢進症学会雑誌 | 17 (1) | 1-5 | 2011 |
| 入澤 篤志、渋川 悟朗、高木 忠之、池田 恒彦、鈴木 玲、阿部 洋子、二階堂暁子、引地 拓人、小原 勝敏、大平 弘正 | EUS-FNA のための超音波内視鏡の標準的走査術 | 消化器内視鏡 | 23 (8) | 1303-1310 | 2011 |
| 入澤 篤志、渋川 悟朗、引地 拓人、高木 忠之、池田 恒彦、鈴木 玲、阿部 洋子、二階堂暁子、小原 勝敏、大平 弘正 | コンベックス式 EUS による胆膵系走査法 | 胆と膵 | 32 (8) | 719-723 | 2011 |
| 引地 拓人、入澤 篤志、佐藤 匡記、渡辺 晃、中村 純、鈴木 玲、池田 恒彦、高木 忠之、大平 弘正、小原 勝敏 | 消化管におけるアスピリンの副作用低用量アスピリンによる上部消化管粘膜傷害に対し H.pylori 除菌療法を行うべきか？ | 消化器の臨床 | 14 (2) | 183-186 | 2011 |
| 入澤 篤志、高木 忠之、渋川 悟朗、佐藤 愛、池田 恒彦、鈴木 玲、引地 拓人、佐藤 匡記、渡辺 晃、中村 純、阿部 洋子、二階堂暁子、宍戸昌一郎、飯塚 美伸、鈴木 啓二、小原 勝敏、大平 弘正 | 慢性膵炎診断における超音波内視鏡の役割—特に早期慢性膵炎診断について | 膵臓 | 26 (1) | 29-36 | 2011 |
| 入澤 篤志、引地 拓人、高木 忠之、渋川 悟朗、小原 勝敏、大平 弘正 | Interventional EUS の現況と未来 | 臨床消化器内科 | 26 (3) | 333-342 | 2011 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|---|---|--------------------------------------|----------------|--------------------------|------|
| 板橋 正子、引地 拓人、 水野 順子、山田ゆき江、 仲島ゆみ子、加藤 未加、 齋藤 ゆり、佐藤美智子、 目黒 文子、小原 勝敏 | 内視鏡室の感染対策 —マルチソサイエティガイドライン の解説と福島県立医科大学附属病院 内視鏡診療部の現状— | 福島医学雑誌 | 61 (1) | 24-33 | 2011 |
| 水野 順子、引地 拓人、 板橋 正子、中條 麻理、 山田ゆき江、仲島ゆみ子、 佐藤利枝子、加藤 未加、 齋藤 ゆり、佐藤美智子、 富樫 恭子、目黒 文子、 高木 忠之、小原 勝敏 | 上部消化管内視鏡検査の咽頭麻酔に おけるリドカインビスカスとリドカ インスプレーの麻酔効果と麻酔苦痛 度の比較検討— | 福島医学雑誌 | 61 (1) | 12-17 | 2011 |
| K Miyamoto, M Iwadate, Y Yanagisawa, E Ito, J Imai, M Yamamoto, N Sawada, M Saito, S Suzuki, I Nakamura, S Ohki, Z Saze, M Kogure, M Goto, K Obara, H Ohira, K Tasaki, M Abe, N Goshima, S Watanabe, S Waguri, and Sakenosita | Cathepsin L is highly expressed in gastrointestinal stromal tumors. | International Journal of Oncology | 39 | 1109-1115 | 2011 |
| 入澤 篤志、渋川 悟朗、 高木 忠之、佐藤 愛、 池田 恒彦、鈴木 玲、 阿部 洋子、二階堂暁子、 小原 勝敏、大平 弘正 | 早期慢性膵炎の画像 | 肝胆膵画像 | 13 (7) | 704-709 | 2011 |
| Furuichi Y, Kawai T, Ichimura S, Miyata Y, Sano T, Murashima E, Taira J, Sugimoto K, Imai Y, Nakamura I, Moriyasu F | Usefulness of transnasal argon plasma coagulation for esophageal varices compared with the peroral method-A randomized and prospective clinical study | Digestion | 87 | 17-22 | 2013 |
| Furuichi Y, Moriyasu F, Taira J, Sugimoto K, Sano T, Ichimura S, Miyata Y, Imai Y | Noninvasive diagnostic method for idiopathic portal hypertension based on measurements of liver and spleen stiffness by ARFI elastography | J Gastroenterol | 2012 Nov 10 | [Epub ahead of print] | 2012 |
| Furuichi Y, Kawai T, Ichimura S, Metoki R, Miyata Y, Oshima T, Sano T, Murashima E, Taira J, Sugimoto K, Kamamoto H, Imai Y, Moriyasu F | Flexible imaging color enhancement improves visibility of transnasal endoscopic images in diagnosing esophageal varices: A multicenter prospective blinded study. | J Dig Dis | 13 (12) | 634-641 | 2012 |
| Sugimoto K, Moriyasu F, Saito K, Taira J, Saguchi T, Yoshimura N, Oshiro H, Imai Y, Shiraishi J | Comparison of kupffer-phase sonazoid-enhanced sonography and hepatobiliary-phase gadoxetic acid-enhanced magnetic resonance imaging of hepatocellular carcinoma and correlation with histologic grading | J Ultrasound Med | 31 (4) | 529-538 | 2012 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|--|---|-------------------------------|---------|-----------|------|
| Sugimoto K, <u>Moriyasu F</u> , Shiraishi J, Saito K, Taira J, Saguchi T, Imai Y | Assessment of arterial hypervascularity of hepatocellular carcinoma: comparison of contrast- enhanced US and gadoxetate disodium-enhanced MR imaging | Eur Radiol | 22 (6) | 1205-1213 | 2012 |
| Saito K, <u>Moriyasu F</u> , Sugimoto K, Nishio R, Saguchi T, Akata S, Tokuyue K | Histological grade of differentiation of hepatocellular carcinoma: Comparison of the efficacy of diffusion-weighted MRI with T2-weighted imaging and angiography-assisted CT | J Med Imaging Radiat Oncol | 56 (3) | 261-269 | 2012 |
| Saito K, Yoshimura N, Saguchi T, Park J, Sugimoto K, Akata S, <u>Moriyasu F</u> , Tokuyue K | MR characterization of focal nodular hyperplasia: Gadoteric acid versus superparamagnetic iron oxide imaging | Magn Reson Med Sci | 11 (3) | 163-169 | 2012 |
| 古市 好宏、市村 茂輝*、 <u>森安 史典</u> | 肝硬変 update より良き診療のために： 肝硬変合併症の病態生理と診断法： 門脈圧亢進症における全身血行動態 の変化 | medicina | 49 (7) | 1158-1161 | 2012 |
| 古市 好宏、河合 隆、 <u>森安 史典</u> | そこが知りたい 上部消化管内視鏡の 基本 Q&A: コラム (4) 食道静脈瘤は、 NBI と FICE のどちらがよく見える の？ | 消化器内視鏡レクチャー | 1 (1) | 86 | 2012 |
| <u>森安 史典</u> 、平良 淳一、 今井 康晴 | 超音波で硬さを測るー 超音波エラストグラフィを中心にー： 肝疾患における硬さの臨床 | 成人病と生活習慣病 | 42 (7) | 837-842 | 2012 |
| 今井 康晴、 <u>森安 史典</u> | 先端技術新潮流～画像ガイド下治療： 肝がんに対する超音波ガイド下局所 療法 | 映像情報メディカル | 44 (6) | 515-523 | 2012 |
| 杉本 勝俊、 <u>森安 史典</u> | 肝細胞癌と鑑別を要する多血性腫瘍： 画像診断で肝細胞癌と鑑別を要する 多血性腫瘍 造影 US の立場から | 肝胆膵画像 | 14 (5) | 411-419 | 2012 |
| 河合 隆、福澤 麻理、 杉本 弥子、羽山 弥毅、 福澤 誠克、川上 浩平、 後藤田卓志、 <u>森安 史典</u> | 経鼻内視鏡によるスクリーニング： 経鼻内視鏡によるスクリーニング 私はこうしている | 胃と腸 | 47 (6) | 972-976 | 2012 |
| 河合 隆、福澤 麻理、 羽山 弥毅、福澤 誠克、 後藤田卓志、 <u>森安 史典</u> | 患者に優しい内視鏡 - 経鼻内視鏡と カプセル内視鏡：経鼻内視鏡の現状 と問題点・対策 | 臨床消化器内科 | 27 (6) | 637-642 | 2012 |
| 河合 隆、福澤 麻理、 杉本 弥子、羽山 弥毅、 福澤 誠克、後藤田卓志、 <u>森安 史典</u> | 患者に優しい内視鏡 - 経鼻内視鏡と カプセル内視鏡：経鼻内視鏡と経口 内視鏡 スクリーニング精度をめぐ って 経口内視鏡と経鼻内視鏡には 差がないという立場から | 臨床消化器内科 | 27 (6) | 671-676 | 2012 |
| 河合 隆、福澤 麻理、 杉本 弥子、柳澤 京介、 山岸 哲也、福澤 誠克、 後藤田卓志、 <u>森安 史典</u> | 内視鏡検査・治療時の管理は？： 上部消化管内視鏡 経鼻内視鏡の前 処置法と前投薬 | 臨床消化器内科 | 27 (10) | 1305-1312 | 2012 |
| <u>森安 史典</u> | 第30回超音波ドブラ研究会臨床研究 集：序文 これからの超音波診断を 考える！ | Rad Fan | 10 (5) | 38 | 2012 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻 号 | ページ | 出版年 |
|---|---|---------------------|------------------|-----------|------|
| 森安 史典 | 東部肝臓フォーラム '11 シンポジウム「肝細胞癌の診断、治療、予防の最前線」司会、質疑応答のコメント | 肝臓フォーラム | '11記録集 | 25-93 | 2012 |
| 佐野 隆友、村嶋 英学、平良 淳一、杉本 勝俊、古市 好宏、今井 康晴、森安 史典 | Needle Tracking システムを用いた肝臓の穿刺 (座談会) | 医学と薬学 | 68 (2) | 257 | 2012 |
| Akahoshi T, Tomikawa M, Kamori M, Tsutsumi N, Nagao Y, Hashizume M, Maehara Y | Impact of balloon-occluded retrograde transvenous obliteration on management of isolated fundal gastric variceal bleeding. | Hepatol Res. | Apr 42 (4) | 385-93 | 2012 |
| Tomikawa M, Akahoshi T, Kinjo N, Uehara H, Hashimoto N, Nagao Y, Kamori M, Kumashiro R, Maehara Y, Hashizume M | Rigid and flexible endoscopic rendezvous in spatium peritonealis may be an effective tactic for laparoscopic megasplenectomy: significant implications. | Surg Endosc. | Jun8. (accepted) | | 2012 |
| Uehara H, Akahoshi T, Kawanaka H, Hashimoto N, Nagao Y, Tomikawa M, Taketomi A, Shirabe K, Hashizume M, Maehara Y | Endothelin-1 derived from spleen-activated Rho-kinase pathway in rats with secondary biliary cirrhosis. | Hepatol Res. | 42 (10) | 1039-47 | 2012 |
| 赤星朋比古、橋爪 誠 | 1. 肝硬変症における肝脾相関－脾臓摘出術，部分的脾動脈塞栓術の観点から－ | 肝臓 | 53 (6) | 310-315 | 2012 |
| 富川 盛雅、大内田研宙、家入 里志、橋爪 誠 | 【Robotic surgery の今】肝・胆・膵・脾の robotic surgery. | 外科 (0016-593X) | 74 (8) | 834-837 | 2012 |
| 赤星朋比古、神代 竜一、富川 盛雅、橋爪 誠 | S－B チューブ挿入 | 消化器外科 | 35 (10) | 1533-1536 | 2012 |
| 赤星朋比古、橋爪 誠 | 第10章：消化器系疾患の医療ニーズ 第4節バッドケアリ症候群 | 希少疾患／難病の診断・治療と製品開発 | 10 | 1139-1142 | 2012 |
| 長尾 吉泰、赤星朋比古、富川 盛雅、橋爪 誠 | 肝・胆・膵・脾の手術12. 胃・食道静脈瘤の手術に必要な局所解剖 | 外科 特集・手術前に必読局所解剖 | 74 (12) | 1419-1423 | 2012 |
| Ishizaki Y, Kawasaki S, Yoshimoto J, Sugo H, Fujiwara N, Imamura H | Left lobe adult-to-adult living donor liver transplantation: Should portal inflow modulation be added? | Liver Transpl | 18 | 305-14 | 2012 |
| Hirashita T, Iwashita Y, Ohta M, Komori Y, Eguchi H, Yada K, Kitano S | Expression of matrix metalloproteinases -7 is unfavorable prognostic factor in intrahepatic cholangiocarcinoma. | J Gastrointest Surg | 16 (4) | 842-848 | 2012 |
| 太田 正之、江口 英利、平下禎二郎、川野雄一郎、北野 正剛 | 門脈圧亢進症に対する外科治療とIVR：外科治療. | 臨床消化器内科 | 27 (2) | 191-196 | 2012 |
| 川野雄一郎、岩下 幸雄、矢田 一宏、佐々木 淳、太田 正之、北野 正剛 | 肝腫瘍生検が原因と考えられた肝細胞癌切除8年後の腹膜播種再発の1例 | 日消外会誌 | 45 (10) | 1020-1024 | 2012 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|--|--|----------------------------|----------|-----------------------|----------|
| Akahoshi T, Tomikawa M, Kamori M, Tsutsumi N, Nagao Y, Hashizume M, <u>Maehara Y</u> | Impact of balloon-occluded retrograde transvenous obliteration on management of isolated fundal gastric variceal bleeding. | Hepatol Res. | 42 (4) | 385-93 | 2012 |
| Tomikawa M, Akahoshi T, Kinjo N, Uehara H, Hashimoto N, Nagao Y, Kamori M, Kumashiro R, <u>Maehara Y</u> , Hashizume M | Rigid and flexible endoscopic rendezvous in spatium peritonealis may be an effective tactic for laparoscopic megalosplenectomy: significant implications. | Surg Endosc. | in press | in press | in press |
| Uehara H, Akahoshi T, Kawanaka H, Hashimoto N, Nagao Y, Tomikawa M, Taketomi A, Shirabe K, Hashizume M, <u>Maehara Y</u> | Endothelin-1 derived from spleen-activated Rho-kinase pathway in rats with secondary biliary cirrhosis. | Hepatol Res. | 42 (10) | 1039-47 | 2012 |
| Takashima T, Kitamura S, Wada Y, Tanaka M, Shigihara Y, Ishii H, Ijuin R, <u>Shiomi S</u> , Nakae T, Watanabe Y, Cui Y, Doi H, Suzuki M, Maeda K, Kusuhara H, Sugiyama Y, Watanabe Y | PET imaging-based evaluation of hepatobiliary transport in humans with (15R) -11C- TIC-Me | J Nucl Med | 53 (5) | 741-748 | 2012 |
| Sato Y, Ren XS, Harada M, Sasaki M, Morikawa H, <u>Shiomi S</u> , Honda M, Kaneko S, Nakanuma Y | Induction of elastin expression in vascular endothelial cells relates to hepatoportal sclerosis in idiopathic portal hypertension: possible link to serum anti-endothelial cell antibodies | Clin Exp Immunol | 167 (3) | 532-542 | 2012 |
| Kawabe J, Higashiyama S, Yoshida A, Kotani K, <u>Shiomi S</u> | The role of FDG PET-CT in the therapeutic evaluation for HNSCC patients | Jpn J Radiol | 30 (6) | 463-470 | 2012 |
| Kawamura E, Enomoto M, Kotani K, Hagihara A, Fujii H, Kobayashi S, Iwai S, Morikawa H, Kawabe J, Tominaga K, Tamori A, <u>Shiomi S</u> , Kawada N | Effect of mosapride citrate on gastric emptying in interferon-induced gastroparesis | Dig Dis Sci | 57 (6) | 1510-1516 | 2012 |
| Enomoto M, Nishiguchi S, Tamori A, Kobayashi S, Sakaguchi H, <u>Shiomi S</u> , Kim SR, Enomoto H, Saito M, Imanishi H, Kawada N | Entecavir and interferon- α sequential therapy in Japanese patients with hepatitis B e antigen-positive chronic hepatitis B | J Gastroenterol | | [Epub ahead of print] | 2012 |
| Takeuchi J, Shimada H, Ataka S, Kawabe J, Mori H, Mizuno K, Wada Y, <u>Shiomi S</u> , Watanabe Y, Miki T | Clinical features of Pittsburgh compound-B-negative dementia | Dement Geriatr Cogn Disord | 34 (2) | 112-120 | 2012 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|--|---|----------------------------|----------|-----------|----------|
| Suzuki A, Nakashima D, Miyawaki Y, Fujita J, Maki A, Fujimori Y, Takagi A, Murate T, Teranishi M, Matsushita T, Saito H, <u>Kojima T</u> | A novel ENG mutation causing impaired co-translational processing of endoglin associated with hereditary hemorrhagic telangiectasia. | Thromb Res. | 129 (5) | e200-208 | 2012 |
| Miyawaki Y, Suzuki A, Fujita J, Maki A, Okuyama E, Murata M, Takagi A, Murate T, Kunishima S, Sakai M, Okamoto K, Matsushita T, Naoe T, Saito H, <u>Kojima T</u> | Thrombosis from a prothrombin mutation conveying antithrombin resistance. | N Engl J Med. | 366 | 2390-2396 | 2012 |
| Tanino Y, Chang MY, Wang X, Gill SE, Skerrett S, McGuire JK, Sato S, Nikaido T, <u>Kojima T</u> , Munakata M, Mongovin S, Parks WC, Martin TR, Wight TN, Frevert CW | Syndecan-4 regulates early neutrophil migration and pulmonary inflammation in response to lipopolysaccharide. | Am J Respir Cell Mol Biol. | 47 (2) | 196-202 | 2012 |
| Yokoyama k, <u>Kojima T</u> , Sakata Y, Kawasaki T, Tsuji H, Miyata T, Okamoto S, Murata M | A survey of the clinical course and management of Japanese patients deficient in natural anticoagulants. | Clin Appl Thromb Hemost. | 18 (5) | 506-513 | 2012 |
| Matsushita T, Saito H, <u>Kojima T</u> | The author reply. | N Engl J Med. | 367 | 1069-1070 | 2012 |
| Fujita J, Miyawaki Y, Suzuki A, Maki A, Okuyama E, Murata M, Takagi A, Murate T, Suzuki N, Matsushita T, Saito H, <u>Kojima T</u> | A possible mechanism for Inv22-related F8 large deletions in severe hemophilia a patients with high responding factor VIII inhibitors. | J Thromb Haemost. | 10 (10) | 2099-2107 | 2012 |
| Suzuki A, Miyawaki Y, Okuyama E, Murata M, Ando Y, Kato I, Takagi Y, Takagi A, Murate T, Saito H, <u>Kojima T</u> | Ribavirin-induced intracellular GTP depletion activates transcription elongation in coagulation factor VII gene expression | Biochemical J. | 449 (1) | 231-239 | 2013 |
| Honda T, Katano Y, Kuzuya T, Hayashi K, Ishigami M, Itoh A, Hirooka Y, Nakano I, Ishikawa T, Toyoda H, Kumada T, Yamamoto K, Matsushita T, <u>Kojima T</u> , Takamatsu J, Goto H | Comparison of the efficacy of ribavirin plus peginterferon alfa-2b for chronic hepatitis C infection in patients with and without coagulation disorders.. | J Med Virol. | in press | in press | in press |
| 奥山恵理子、 <u>小嶋 哲人</u> | 先天性血栓性素因の遺伝子解析の現状と展望 | 日本血栓止血学会誌 | 23 (5) | 465-471 | 2012 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|---|---|-----------------------------------|----------|-----------|----------|
| 高木 明、 <u>小嶋 哲人</u> | 凝固関連血液マーカーの臨床応用と その特徴 | Geriat. Med., | 50 (10) | 1171-1174 | 2012 |
| <u>小嶋 哲人</u> | 新規抗凝固薬の作用機序と特徴 (基礎の立場から) | 血栓と循環 | 20 (2) | 51-54 | 2012 |
| 奥山恵理子、 <u>小嶋 哲人</u> | 凝固制御因子の分子異常 | 医学のあゆみ | 242 (2) | 159-162 | 2012 |
| <u>小嶋 哲人</u> | 特集：新しい経口の抗凝固薬・ 「～経口抗凝固薬療法の新時代～」 | 血液フロンティア | 22 (7) | 1041-1044 | 2012 |
| 竹下 享典、 <u>小嶋 哲人</u> | 新規経口 Xa 阻害薬リバーロキサバン, アピキサバン, エドキサバン | Medicina | 49 (6) | 970-975 | 2012 |
| <u>小嶋 哲人</u> | 経口 Xa 阻害薬 - 新しい抗凝固薬として の特徴 | Life Style Medicine , | 6 (1) | 2-7 | 2012 |
| 喜瀬 勇也、上門あきの、 比嘉章太郎、神谷 知里、 新垣 涼子、前田 達也、 仲栄真盛保、永野 貴昭、 新垣 勝也、山城 聡、 國吉 幸男 | 大静脈外科手術時の補助手段 | 静脈学 | 23 (2) | 123 | 2012 |
| Murai Y, Ohfuji S, Fukushima W, Tamakoshi A, Yamaguchi S, Hashizume M, Moriyasu F, <u>Hirota Y</u> | Prognostic factors in patients with idiopathic portal hypertension: Two Japanese nationwide epidemiological surveys in 1999 and 2005. | Hepatol Res | 42 | 1211-20 | 2012 |
| Sato Y, Ren XS, Harada K, Sasaki M, Morikawa H, Shiomi S, Honda M, Kaneko S, <u>Nakanuma Y</u> | Induction of elastin expression in vascular endothelial cells relates to hepatoportal sclerosis in idiopathic portal hypertension: possible link to serum anti-endothelial cell antibodies. | Clin Exp Immunol | 167 (3) | 532-542 | 2012 |
| Kondo R, Yano H, Nakashima O, Tanikawa K, Nomura Y, <u>Kage M</u> | Accumulation of platelets in the liver may be an important contributory factor to thrombocytopenia and liver fibrosis in chronic hepatitis C. | J Gastroenterol. | in press | in press | in press |
| <u>Matsutani S</u> , Mizumoto H | To-and-fro waveforms in the left gastric vein in portal hypertension | Journal of Medical Ultrasonics | 39 | 101-104 | 2012 |
| <u>松谷 正一</u> | Retzius の静脈について | 日本門脈圧亢進症学会雑誌 | 18 | 9-13 | 2012 |
| <u>松谷 正一</u> | パンチ症候群 | 内科 | 109 | 1232-1233 | 2012 |
| <u>松谷 正一</u> | 静脈瘤結紮術既往・門脈内血栓例への 抗凝固薬投与 | 日本医事新報 | 4612 | 52-53 | 2012 |
| <u>Eguchi S</u> , Takatsuki M, Soyama A, Hidaka M, Muraoka I and <u>anematsu T</u> | Is Preservation of Middle Hepatic Vein Tributaries during Right Hemi-Hepatectomy Beneficial for Live Donor Liver Transplantation? | Hepato- Gastroenterology | 59 (115) | 818-819 | 2012 |
| <u>Eguchi S</u> , Hidaka M, Soyama A, Takatsuki M, Miyasaki H, Ichikawa T, Nakao K, Kanematsu T | Is liver-targeted FOXP3 staining beneficial after living-donor liver transplantation? | Transplant Infectious Disease | 14 (2) | 156-162 | 2012 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻 号 | ページ | 出版年 |
|---|--|---|----------|-----------|------|
| <u>Eguchi S</u> , Takatsuki M, Soyama A, Hidaka M, Muraoka I, Kanematsu T | Use of a stepwise versus straightforward clamping biliary drainage tube after living donor liver transplantation: a prospective, randomized trial. | Journal of Hepato - - Biliary - Pancreatic Sciences | 19 (4) | 379-381 | 2012 |
| Soyama A, <u>Eguhi S</u> , Hamada T, Takatsuki M, Kamohara Y, Kawashita Y, Hidaka M, Tokai H, Mochizuki S, Nagayoshi S, Kanematsu T | The impact of hepatic denervation on the accumulation of hepatic progenitor cells during liver regeneration in rat. | Hepato- Gastroenterology | 59 (117) | 1577-1579 | 2012 |
| Kinoshita A, Takatsuki M, Hidaka M, Soyama A, <u>Eguchi S</u> , Kanematsu T | Prevention of gastric stasis by omentum patching after living donor left hepatectomy. | Surgery Today | 42 (8) | 816-818 | 2012 |
| Soyama A, Takatsuki M, Hidaka M, Muraoka I, Tanaka T, Yamaguchi I, Kinoshita A, Hara T, <u>Eguchi S</u> | Standardized less invasive living donor hemihepatectomy using the hybrid method through a short upper midline incision. | Transplantation Proceedings | 44 (2) | 353-355 | 2012 |
| Hidaka M, Takatsuki M, Soyama A, Tanaka T, Muraoka I, Hara T, Kuroki T, Kanematsu T, <u>Eguchi S</u> | Intraoperative portal venous pressure and long-term outcome after curative resection for hepatocellular carcinoma. | British Journal of Surgery | 99 (9) | 1284-1289 | 2012 |
| Mochizuki K, Takatsuki M, Soyama A, Hidaka M, Obatake M, <u>Eguchi S</u> | The usefulness of a high-speed 3D-image analysis system in pediatric living donor liver transplantation. | Annals of Transplantation | 17 (1) | 31-34 | 2012 |
| Inoue Y, Soyama A, Takatsuki M, Hidaka M, Muraoka I, Kanematsu T, <u>Eguchi S</u> | Acute kidney injury following living donor liver transplantation. | Clinical Transplantation | 26 (5) | E530-535 | 2012 |
| Yamanouchi K, <u>Eguchi S</u> , Takatsuki M, Kamohara Y, Hidaka M, Miyazaki K, Inokuma T, Tajima Y, Kanematsu T | Management of cytomegalovirus infection after living donor liver transplantation. | Hepato- Gastroenterology | 59 (113) | 231-234 | 2012 |
| <u>Yoshida H</u> , Mamada Y, Taniai N, Yoshioka M, Hirakata A, Kawano Y, Mizuguchi Y, Shimizu T, Ueda J, Uchida E | Treatment modalities for bleeding esophagogastric varices. | J Nippon Med Sch | 79 | 19-30 | 2012 |
| Yokoyama T, <u>Yoshida H</u> , Makino H, Maruyama H, Suzuki S, Matsutani T, Matsushita A, Hirakata A, Uchida E | Efficacy and safety of gemcitabine monotherapy in patients with advanced biliary tract cancer. | J Nippon Med Sch | 79 | 204-212 | 2012 |
| 吉田 寛、真々田裕宏、谷合 信彦、平方 敦史、上田 達夫、村田 智、汲田伸一郎、内田 英二 | 部分的脾動脈塞栓術 (PSE)。 | 日本門脈圧亢進症雑誌 | 18 | 215-216 | 2012 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|---|--|--------------------------------|---------------|---------|------|
| 吉田 寛、真々田裕宏、 谷合 信彦、吉岡 正人、 平方 敦史、内田 英二 | 門脈圧亢進症の治療 update 2. 門脈 圧亢進症に対する外科治療と IVR(4) 部分的脾動脈塞栓術 | 臨床消化器内科 | 27 | 211-215 | 2012 |
| Hiroaki T, Masahito U, Yoshihiro F, Masanori M, Tomomi M, Seiji K, Chie M, Hiromichi I, Yuji H, Masao F, Tatsuhiko T, Hideto K, Masahisa T, Norio K, <u>Hiroshi F</u> | ADAMTS13 activity may predict the cumulative survival of patients with liver cirrhosis in comparison with the Child-Turcotte-Pugh score and the Model for End-Stage Liver Disease score | Hepatology Res | 42 | 459-472 | 2012 |
| Takami T, Terai S, <u>Sakaida I</u> | Advanced therapies using autologous bone marrow cells for chronic liver disease. | Discov Med. | 14 (74) | 7-12 | 2012 |
| Oishi T, Terai S, Kuwashiro S, Fujisawa K, Matsumoto T, Nishina H, <u>Sakaida I</u> | Ezetimibe reduces fatty acid quantity in liver and decreased inflammatory cell infiltration and improved NASH in medaka model. | Biochem Biophys Res Commun. | 422 (1) | 22-7 | 2012 |
| Terai S, Tanimoto H, Maeda M, Zaito J, Hisanaga T, Iwamoto T, Fujisawa K, Mizunaga Y, Matsumoto T, Urata Y, Marumoto Y, Hidaka I, Ishikawa T, Yokoyama Y, Aoyama K, Tsuchiya M, Takami T, Omori K, Yamamoto N, Segawa M, Uchida K, Yamasaki T, Okita K, <u>Sakaida I</u> | Timeline for development of autologous bone marrow infusion (ABMi) therapy and perspective for future stem cell therapy. | J Gastroenterol | 47 (5) | 491-7 | 2012 |
| Maeda M, Takami T, Terai S, <u>Sakaida I</u> | Autologous bone marrow cell infusions suppress tumor initiation in hepatocarcinogenic mice with liver cirrhosis. | J Gastroenterol Hepatology | 27 Suppl 2 | 104-11 | 2012 |
| Yamasaki T, Saeki I, Harima Y, Zaito J, Maeda M, Tanimoto H, Iwamoto T, Hidaka I, Urata Y, Ishikawa T, Takami T, Yamaguchi Y, Uchida K, Terai S, <u>Sakaida I</u> | Effect of transcatheter arterial infusion chemotherapy using iodized oil and degradable starch microspheres for hepatocellular carcinoma. | J Gastroenterol. | 47 (6) | 715-22 | 2012 |
| Hisashi H, Takahide N, Guoqin W, <u>Shigehiro K</u> , Tsutomu M, Juichi T, Yoshiaki T, Yusuke O, Masaaki W, Satoshi T, Akitaka S, Wasaburo K | Long-term administration of PPI reduces treatment failures after esophageal variceal band ligation:a randomized,controlled trial | J Gastroenterol | 47 | 118-126 | 2012 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|--|---|---------------------|---------|-----------|------|
| Claudon M*, Dietrich CF*, Choi BI*, Cosgrove DO*, Kudo M*, Nolsøe CP*, Piscaglia F*, Wilson SR*, Barr RG*, Chammas MC*, Chaubal NG*, Chen MH*, Clevert DA*, Correas JM*, Ding H*, Forsberg F*, Fowlkes JB*, Gibson RN*, Goldberg BB*, Lassau N*, Leen EL*, Mattrey RF*, <u>Moriyasu F</u> , Solbiati L*, Weskott HP*, Xu HX* | Guidelines and good clinical practice recommendations for contrast enhanced ultrasound (CEUS) in the liver - update 2012 | Ultraschall Med | 34 (1) | 11-29 | 2013 |
| Claudon M*, Dietrich CF*, Choi BI*, Cosgrove DO*, Kudo M*, Nolsøe CP*, Piscaglia F*, Wilson SR*, Barr RG*, Chammas MC*, Chaubal NG*, Chen MH*, Clevert DA*, Correas JM*, Ding H*, Forsberg F*, Fowlkes JB*, Gibson RN*, Goldberg BB*, Lassau N*, Leen EL*, Mattrey RF*, <u>Moriyasu F</u> , Solbiati L*, Weskott HP*, Xu HX* | Guidelines and good clinical practice recommendations for contrast enhanced ultrasound (CEUS) in the liver-update 2012: A WFUMB-EFSUMB initiative in cooperation with representatives of AFSUMB, AIUM, ASUM, FLAUS and ICUS | Ultrasound Med Biol | 39 (2) | 187-210 | 2013 |
| Furuichi Y, Kawai T, Ichimura S, Miyata Y, Sano T, Murashima E, Taira J, Sugimoto K, Imai Y, Nakamura I, <u>Moriyasu F</u> | Usefulness of transnasal argon plasma coagulation for esophageal varices compared with the peroral method: a randomized and prospective clinical study | Digestion | 87 (1) | 17-22 | 2013 |
| Sugimoto K, <u>Moriyasu F</u> , Saito K*, Rognin N*, Kamiyama N*, Furuichi Y, Imai Y | Hepatocellular carcinoma treated with sorafenib: early detection of treatment response and major adverse events by contrast-enhanced US | Liver Int | 33 (4) | 605-615 | 2013 |
| Endo-Takahashi Y*, Negishi Y*, Nakamura A*, Suzuki D*, Ukai S*, Sugimoto K, <u>Moriyasu F</u> , Takagi N*, Suzuki R*, Maruyama K*, Aramaki Y* | pDNA-loaded bubble liposomes as potential ultrasound imaging and gene delivery agents | Biomaterials | 34 (11) | 2807-2813 | 2013 |
| Furuichi Y, <u>Moriyasu F</u> , Taira J, Sugimoto K, Sano T, Ichimura S, Miyata Y, Imai Y | Noninvasive diagnostic method for idiopathic portal hypertension based on measurements of liver and spleen stiffness by ARFI elastography | J Gastroenterol | 48 (9) | 1061-1068 | 2013 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻 号 | ページ | 出版年 |
|---|---|-------------------------|----------|-----------|----------|
| Furuichi Y, <u>Moriyasu F</u> , Sugimoto K, Taira J, Sano T, Miyata Y, Sofuni A, Itoi T, Nakamura I, Imai Y | Obliteration of gastric varices improves the arrival time of ultrasound contrast agents in hepatic artery and vein | J Gastroenterol Hepatol | 28 (9) | 1526-1531 | 2013 |
| Liu GJ*, Ji Q*, <u>Moriyasu F</u> , Xie XY*, Wang W*, Wong LH*, Lin MX*, Lu MD* | Value of contrast-enhanced ultrasound using perflubutane microbubbles for diagnosing liver fibrosis and cirrhosis in rats | Ultrasound Med Biol | 39 (11) | 2158-2165 | 2013 |
| "Parker JM*, Weller MW*, Feinstein LM*, Adams RJ*, Main ML*, Grayburn PA*, Cosgrove DO*, Goldberg BA*, Darge K*, Nihoyannopoulos P*, Wilson S*, Monaghan M*, Piscaglia F*, Fowlkes B*, Mathias W*, <u>Moriyasu F</u> , Chammas MC*, Greenbaum L*, Feinstein SB**" | Safety of ultrasound contrast agents in patients with known or suspected cardiac shunts | Am J Cardiol | 112 (7) | 1039-1045 | 2013 |
| 古市 好宏、河合 隆、 <u>森安 史典</u> | 門脈圧亢進症の診断 —ピロリ感染胃粘膜との鑑別を含めて— | 消化器内視鏡 | 25 | 1883-1891 | 2013 |
| 今井 康晴、 <u>森安 史典</u> | 肝腫瘍の造影超音波 肝腫瘍局所療法におけるナビゲーション：フュージョンも含めて— 肝がん局所療法における造影超音波の役割と磁気位置検出ユニット搭載超音波装置による治療支援 | INNERVISION | 28 (3) | 11-14 | 2013 |
| 杉本 勝俊、 <u>森安 史典</u> | 肝腫瘍の造影超音波 造影超音波の定量的評価： 特に分子標的治療薬の効果予測 | INNERVISION | 28 (3) | 24-27 | 2013 |
| 佐野 隆友、 <u>森安 史典</u> | 見える！使える！ここまでできるようになった最新消化器超音波： 肝がんに対する体外式収束強力超音波（HIFU）治療 | Mebio | 30 (3) | 60-66 | 2013 |
| <u>森安 史典</u> | マルチニードルによるRFA 新時代 Volume Fusion でとらえる治療計画 シミュレーションから術中針ナビゲーションまで | Rad Fan | 11 (10) | 18-19 | 2013 |
| Furuichi Y, <u>Moriyasu F</u> , Miyata Y, Sano T, Taira J, Sugimoto K, Imai Y, Nakamura I, Niido T, Kawai T | Distinction of White Patches in Candidiasis and Fibrin Caps of Esophageal Varices by Narrow Band Imaging | Turk J Gastroenterol. | In press | In press | In press |
| <u>森安 史典</u> | CEUS Trend View 2013 造影超音波検査の有用性と適応の広がり 肝腫瘍、乳腺腫瘍診断を中心に： 他の領域への臨床応用の可能性を含めて 企画協力 | INNERVISION | 28 (3) | | 2013 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻 号 | ページ | 出版年 |
|--|--|------------------------------|---------------------|-----------|------|
| 森安 史典 | 序論 ソナゾイド造影超音波検査の 適応拡大と展望： 乳腺腫瘍への保険適用を機に | INNERVISION | 28 (3) | 2 | 2013 |
| 森安 史典、大部 誠* | 第19回日本門脈圧亢進症学会総会、 東京(2012) 司会・座長統括 ワーク ショップ1 肝内結節性病変と門脈 圧亢進症 | 日門亢会誌 | 19 (1) | 56-57 | 2013 |
| 今井 康晴、安藤 真弓、 佐野 隆友、村嶋 英学、 宮田 祐樹、平良 淳一、 杉本 勝俊、中村 郁夫、 森安 史典 | 進化する超音波検査～第32回超音波 ドプラ研究会臨床研究集～： 肝結節の画像診断：エコー・CT・ MRIの比較2012 Gd-EOB-DTPA 造影MRIで非多血性と診断された肝 細胞癌の門脈血流を予測する画像診 断 | Rad Fan | 11 (5) | 84-86 | 2013 |
| 森安 史典 | 超音波診断の進化～第33回超音波ド プラ研究会臨床研究集～： 腹部領域における HIFU 治療の現状 | Rad Fan | 11 (15) | 51-55 | 2013 |
| 今井 康晴、安藤 真弓、 佐野 隆友、村嶋 英学、 宮田 祐樹、平良 淳一、 杉本 勝俊、中村 郁夫、 森安 史典 | 超音波診断の進化～第33回超音波ド プラ研究会臨床研究集～： 超音波 volume dataを用いた診断・ 治療の試み：肝癌病変をマーキング した volume dataによる RFA 術中 モニタリング | Rad Fan | 11 (15) | 62-64 | 2013 |
| 森安 史典 | 平成23年度大宮医師会医学講座 第3 回： 超音波による肝がんの診断と治療の 最前線 | 大宮医師会 学術講演論 文・抄録集 | Vol.14 | 1-2 | 2013 |
| 森安 史典 | 肝腫瘍診断・治療支援における造影 超音波の進歩 巻頭言 | 腹部造影超音波フォー ラム2012報告集 | | | 2013 |
| 土屋 薫*、安井 豊*、 黒松 亮子*、佐田 通夫*、 小坂 一斗*、角谷 眞澄*、 杉本 勝俊、今井 康晴、 森安 史典、田村 康*、 青柳 豊*、田中 弘教*、 飯島 尋子*、松井 修*、 有井 滋樹*、泉 並木* | 第3部診断・治療支援の部 ①総合画 像診断による非多血性病変の治療適 応一多施設共同研究による新しいア ルゴリズムの提唱一 | 腹部造影超音波フォー ラム2012報告集 | | 9-12 | 2013 |
| 赤星朋比古、橋爪 誠： | IV脾臓5 門脈亢進症に対するシャン ト手術 | 「手術」5月臨時増刊号 最新 肝胆膵脾手術アトラス | Vol.67 No.6 2013 | 1032-1039 | 2013 |
| Tsutsumi N, Tomikawa M, Uemura M, Akahoshi T, Nagao Y, Konishi K, Ieiri S, Hong J, Maehara Y, Hashizume M. | Image-guided laparoscopic surgery in an open MRI operating theater. | Surg Endosc. 2013 Jun; | 27 (6) | 2178-84 | 2013 |
| Kinjo N, Nagao Y, Akahoshi T, Masahiro K, Hashimoto N, Uehara H, Kawanaka H, Tomikawa M, Shirabe K, Hashizume M, Maehara Y. | Hepatic vein waveform and splenomegaly predict improvement of prothrombin time after splenectomy in hepatitis C virus- related cirrhotic patients. | Hepatol Res. 2013 Sep; | 43 (9) : | 933-41 | 2013 |
| 石崎陽一、川崎誠治、 | 生体肝移植 わが国における現状と 展望 | 臨床消化器内科、 | 28 (9) | 1241-8 | 2013 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|---|---|-------------------------|---------|---------------------|------|
| Kawano Y, Ohta M, Eguchi H, Iwashita Y, Inomata M, <u>Kitano S</u> . | Increased oxidative stress may lead to impaired adaptive cytoprotection in the gastric mucosa of portal hypertensive rat. | J Gastroenterol Hepatol | 28 (4) | 639-644 | 2013 |
| Hirashita T, Ohta M, Iwashita Y, Iwaki K, Uchida H, Yada K, Matsumoto T, <u>Kitano S</u> . | Risk factors of liver failure after right-sided hepatectomy. | Am J Surg | 206 (3) | 374-379 | 2013 |
| 江口 英利、太田 正之、川崎 貴秀、川野雄一郎、甲斐成一郎、田上 秀一、清末 一路、森 宣、北野 正剛. | 孤立性胃静脈瘤に対する予防的B-RTO後に肝不全を発症した1例. | 日門亢会誌 | 19 (2) | 140-144 | 2013 |
| 太田 正之、矢田 一宏、川野雄一郎、川崎 貴秀、内田 博喜、猪股 雅史、北野 正剛. | 腹腔鏡下腫瘍核出術 | 手術 | 67 (6) | 967-9 | 2013 |
| Kinjo N, Nagao Y, Akahoshi T, Kamori M, Hashimoto N, Uehara H, Kawanaka H, Tomikawa H, Shirabe K, <u>Hashizume M</u> , <u>Maehara Y</u> . | Hepatic vein waveform and splenomegaly predict improvement of prothrombin time after splenectomy in HCV-related cirrhotic patients. | Hepatol Res | 43 (9) | 933-941 | 2013 |
| Sumida K, Shimoda S, Iwasaka S, Hisamoto S, Kawanaka H, Akahoshi T, Ikegami T, Shirabe K, Shimono N, <u>Maehara Y</u> , Selmi C, Gershwin ME, Akashi K. | Characteristics of Splenic CD8 (+) T Cell Exhaustion in Patients with Hepatitis C. | Clin Exp Immunol | 174 (1) | 172-178 | 2013 |
| Ikegami T, Yoshizumi T, Soejima Y, Ikeda T, Kawanaka H, Uchiyama H, Yamashita Y, Morita M, Oki E, Saeki H, Mimori K, Sugimachi K, Watanabe M, Shirabe K, <u>Maehara Y</u> . | The application of splenectomy to decompress portal pressure in left lobe living donor liver transplantation. | Fukuoka Igaku Zasshi. | 104 | 282-289 | 2013 |
| Nagao Y, Akahoshi T, Uehara H, Hashimoto N, Kinjo N, Kawanaka H, Tomikawa M, Uchiyama H, Yoshizumi T, Soejima Y, Shirabe K, <u>Maehara Y</u> . | Balloon-occluded retrograde transvenous obliteration is feasible for prolonged portosystemic shunts after living donor liver transplantation. | Surg Today. | | Epub ahead of print | 2013 |
| 川中 博文、江頭 明典、伊藤 心二、東 貴寛、枝川 愛、松原 裕、富野 高広、江藤 祥平、永田 茂行、橋本 健吉、内山 秀昭、奥山 稔朗、立石雅 宏、是永 大輔、竹中 賢治 | 肝硬変症における脾摘術後の門脈血栓予防に対するアンチトロンビン製剤の有用性についての検討 | 日本門脈圧亢進症学会雑誌 | 19 (2) | 113-119 | 2013 |