

執筆者・執筆協力者一覧（五十音順）

青山 裕美 岡山大学大学院医歯薬学総合研究科皮膚科学分野 准教授
秋山 真志 名古屋大学大学院医学系研究科皮膚病態学分野 教授
天谷 雅行 慶應義塾大学医学部皮膚科学 教授
池田 志季 順天堂大学大学院医学研究科皮膚科学・アレルギー学 教授
岩月 啓氏 岡山大学大学院医歯薬学総合研究科皮膚科学分野 教授
大野 貴司 くらしき作陽大学食文化学部栄養学科 教授
小澤 明 東海大学医学部専門診療学系皮膚科学 教授
黒沢美智子 順天堂大学医学部衛生学 准教授
小宮根真弓 自治医科大学医学部皮膚科学 准教授
清水 宏 北海道大学大学院医学研究科皮膚科学分野 教授
下村 裕 新潟大学大学院医歯学総合研究科遺伝性皮膚疾患研究室 テニュアトラック准教授
白方 裕司 愛媛大学大学院医学系研究科皮膚科学 准教授
谷川 瑛子 慶應義塾大学医学部皮膚科学 講師
玉井 克人 大阪大学大学院医学系研究科再生誘導医学寄附講座 教授
照井 正 日本大学医学部皮膚科学系皮膚科学分野皮膚科学 教授
西江 渉 北海道大学大学院医学研究科皮膚科学分野 講師
橋本 公二 愛媛大学 名誉教授
橋本 隆 久留米大学医学部皮膚科学教室 教授
濱田 尚宏 久留米大学医学部皮膚科学教室 講師
武藤 正彦 山口大学大学院医学系研究科皮膚科学分野 教授
山西 清文 兵庫医科大学皮膚科学 主任教授
山本 明美 旭川医科大学医学部皮膚科学 准教授

改訂版から新たに加わった執筆協力者

金藏 拓郎 鹿児島大学大学院医歯学総合研究科皮膚科学 教授
佐野 栄紀 高知大学医学部皮膚科学 教授
澤村 大輔 弘前大学大学院医学研究科皮膚科学 教授
須賀 康 順天堂大学浦安病院皮膚科 教授

稀少難治性皮膚疾患に関する診療の手引き改訂版

目 次

序 文（改訂）	i
序 文（初版）	ii
執筆者・執筆協力者 一覧	iii

Part 1 稀少難治性皮膚疾患 Overview

稀少難治性皮膚疾患の現状と展望	2
特定疾患治療研究事業医療費助成制度の案内	8

Part 2 診断の手引き

I 天疱瘡	
1) 統計にみる天疱瘡	12
2) 診断・治療手引き	16
3) 患者さんへの説明「天疱瘡Q & A」	32
II 膜胞性乾癬	
1) 診断・治療手引き	38
2) 患者さんへの説明「汎発性膜胞性乾癬Q & A」	56
III 表皮水疱症	
1) 統計にみる表皮水疱症	60
2) 診断・治療手引き	62
3) 遺伝子型－表現型の相互関係と疾患分類：海外分類と本邦分類	68
4) 表皮水疱症の再生医療	72
5) 患者さんへの説明「表皮水疱症Q & A」	78
IV 魚鱗癖様紅皮症およびその類縁疾患	
1) 診断・治療手引き	86
2) 魚鱗癖の新分類	92
3) 患者さんへの説明「魚鱗癖Q & A」	96

付 錄

診療ガイドライン（天疱瘡、膜胞性乾癬、表皮水疱症、水疱型先天性魚鱗癖様紅皮症）	100
---	-----

[III]

研究成果の刊行に関する一覧表

1. 雜誌

歐文

著者名	論文題目	雑誌名	巻:頁, 西暦年号
Iwatsuki K, Hamada T, Japan Skin Cancer Society-Lymphoma Study Group.	Current therapy of choice for cutaneous lymphomas: complementary to the JDA/JSCS guidelines.	J Dermatol	in press
Wada H, Isobe M, Kakimi K, Mizote Y, Eikawa S, Sato E, Takigawa N, Kiura K, Tsuji K, Iwatsuki K, Yamasaki M, Miyata H, Matsushita H, Udon H, Seto Y, Yamada K, Nishikawa H, Pan L, Venhaus R, Doki Y, Oka M, Nakayama E.	Vaccination with NY-ESO-1 overlapping peptides mixed with Picibanil OK-432 and Montanide ISA-51 in patients with cancers expressing the NY-ESO-1 antigen	J Immunother	in press
Hamada T, Iwatsuki K	Cutaneous lymphomas in Japan: a nationwide study of 1,733 patients.	J Dermatol	in press
Sugaya M, Tokura Y, Hamada T, Tsuboi R, Moroi Y, Nakahara T, Amano M, Ishida S, Watanabe D, Tani M, Ihn H, Aoi J, Iwatsuki K	Phase II study of intravenous interferon- γ in Japanese patients with mycosis fungoides	J Dermatol	in press
Suzuki M, Ito Y, Shimada A, Saito M, Muramatsu H, Hama A, Takahashi Y, Kimura H, Kojima S	Long-Term Parvovirus B19 Infections With Genetic Drift After Cord Blood Transplantation Complicated by Persistent CD4+ Lymphocytopenia.	J Pediatr Hematol Oncol	in press
Takai T, Chen X, Xie Y, Vu AT, Le TA, Kinoshita H, Kawasaki J, Kamijo S, Hara M, Ushio H, Baba T, Hiramatsu K, Ikeda S, Ogawa H, Okumura K	TSLP expression induced via Toll-like receptor pathways in human keratinocytes.	Methods Enzymol	in press
Kanwar AJ, Vinay K, Parmar NV, Koga H, Ishii N, Hashimoto T	Anti-desmoglein antibody-negative paraneoplastic pemphigus with coexisting bullous pemphigoid, successfully treated with rituximab.	Int J Dermatol	in press
Iijima S, Hamada T, Kanzaki M, Ohata C, Hashimoto T	Sibling cases of Hailey-Hailey disease showing atypical clinical features and unique disease course.	JAMA Dermatol	in press
Kanwar AJ, Vinay K, Saikia UN, Koga H, Teye K, Tsuruta D, Hashimoto T	The first reported Indian case of IgG/IgA pemphigus reactive with desmoglein 1 with additional undetermined reactivity with epidermal basement membrane zone.	Indian J of Dermatol Venerol Leprol	in press
Fumimori T, Tsuruta D, Kawakami T, Ohata C, Furumura M, Hashimoto T	The effect of monochromatic excimer light on palmoplantar pustulosis: A clinical study performed in a private clinic by a dermatological specialist.	J Dermatol	in press
Dermitsu T, Yamada T, Nakamura S, Kakurai M, Dohimoto T, Kamiya K, Aoyama Y, Iwatsuki K, Yamagami J, Ohyama B, Ohata C, Koga H, Hashimoto T	Detection of autoantibodies to precursor proteins of desmogleins in sera of a patient with Bowen carcinoma.	Acta Derm Venereol	in press
Inaba Y, Kanazawa N, Furukawa F, Sakurane Y, Nakano H, Sawamura D, Yoneda K, Hamada T, Hashimoto T	Pachyonychia congenita in Japan: report of familial cases with a recurrent KRT16 mutation and review of the literature.	Eur J Dermatol	in press
Jinbu Y, Kashiwazaki A, Munemasa N, Ozawa M, Kusama M, Ishii N, Ohyama B, Ohata C, Hashimoto T	Oral lesions of a patient with antidesmoglein 1 antibody-positive and antidesmoglein 3 antibody-negative pemphigus.	J Oral Maxillofac Surg Med Pathol	in press

著者名	論文題目	雑誌名	巻:頁, 西暦年号
Floreac F, Bernards C, Caproni M, Kleindienst J, Hashimoto T, Koch M, Sitaru C	<i>Ex vivo</i> pathogenicity of anti-laminin $\gamma 1$ autoantibodies	Am J Pathol	in press
Zenke Y, Nakano T, Eto H, Koga H, Hashimoto T	A case of vancomycin-associated linear IgA bullous dermatosis and IgA antibodies to the $\alpha 3$ subunit of laminin-332.	Br J Dermatol	in press
España A, Kogha H, Suárez-Fernández R, Ohata C, Ishii N, Irarrazaval I, Teye K, Ohyama B, Hashimoto T	Antibodies to amino-terminal domain of desmoglein 1 are retained during transition from pemphigus vulgaris to pemphigus foliaceus.	Eur J Dermatol	in press
Muro Y, Sugiura K, Shiraki A, Ishii N, Hashimoto T, Akiyama M	Detection of autoantibodies to periplakin and envoplakin in paraneoplastic pemphigus but not idiopathic pulmonary fibrosis using full-length recombinant proteins	Clin Chim Acta	in press
Nakamura Y, Nakamura Y, Muto M	Solitary spindle cell xanthogranuloma mimicking a Spitz nevus	Am J Dermatopathol	in press
Nakamura Y, Nakamura Y, Muto M	A case of pleomorphic fibroma of the skin presenting as intradermal nodule	Am J Dermatopathol	in press
Nakamura Y, Yamaguchi M, Nakamura A, Muto M	Tender, red nodules and arthralgia in a young female patient with mastitis	Clin Exp Dermatol	in press
Takaishi M, Nakajima K, Wenzjun Ouyang, Sano S	Psoriasis-like skin lesions are dependent on IL-23 but develop in the absence of IL-22 in a model mouse.	J Dermatol Sci	in press
Yokogawa M, Takaishi M, Nakajima K, Kamijima R, Fujimoto C, Kataoka S, Terada Y, Sano S	Epicutaneous application of Toll-like receptor 7 agonists leads to systemic autoimmunity in wild-type mice: A new model of SLE	Arthritis Rheum	in press
Baba N, Higashi Y, Kanekura T	Japanese black vinegar "Izumi" inhibits the proliferation of human squamous cell carcinoma cells via necroptosis.	Nutr Cancer	in press
Ibusuki A, Kawai K, Yoshida S, Uchida Y, Nitahara-Takeuchi A, Kuroki K, Kajiwara M, Ose T, Maenaka K, Kasahara M, Kanekura T	NKG2D triggers cytotoxicity in murine epidermal $\gamma \delta$ T cells via PI3K-dependent, Syk/ZAP70-independent signaling pathway.	J Invest Dermatol	in press
Higashi Y, Shimokawa M, Kawai K, Kanekura T	Granulocyte and monocyte adsorption apheresis for Behcet's disease in a pregnant woman.	J Dermatol	in press
Hayakawa T, Furumura M, Fukano H, Li X, Ishii N, Hamada T, Ohata C, Tsuruta D, Kazuo Shimozato K, Hashimoto T	Diagnosis of oral mucous membrane pemphigoid with combined serologic testing.	Oral Surg Oral Med Oral Pathol Oral Radiol	in press
Saruta H, Ohata C, Muto I, Yoshimura K, Inoue Y, Hamada T, Furumura M, Hashimoto T	Adenocarcinoma of Moll's gland with multiple metastases.	Eur J Dermatol	in press
Mizuno O, Yanagi T, Baba K, Yamane N, Inokuma D, Ito K, Akiyama M, Shimizu H	Sweet's syndrome presenting with vegetative nodules on the hands: relationship to neutrophilic dermatosis of the dorsal hands.	Int J Dermatol	53(1): e46-48, 2014
Sugaya M, Hamada T, Kawai K, Yonekura K, Ohtsuka M, Shimauchi T, Tokura Y, Nozaki K, Izutsu K, Suzuki R, Setoyama M, Nagatani T, Koga H, Tani M, Iwatsuki K	Guidelines for the management of cutaneous lymphomas(2011): a consensus statement by the Japanese Skin Cancer Society - Lymphoma Study Group.	J Dermatol	40: 2-14, 2013

著者名	論文題目	雑誌名	巻:頁, 西暦年号
Yamasaki O, Shibata H, Suzuki N, Ikeda K, Takeshima C, Otsuka M, Aoyama Y, Iwatsuki K	Granulocyte colony-stimulating factorproducing squamous cell carcinoma of the skin associated with epithelial-messen-chymal transition	Eur J Dermatol	23: 413-414, 2013
Kamiya K, Aoyama Y, Kawase K, Schmidt E, Zillikens D, Kitajima Y, Iwatsuki K	Case of subepidermal blistering disease with autoantibodies to both laminin- γ 1 and laminin- α 3.	J Dermatol	40: 491-492, 2013
Kamiya K, Yamasaki O, Tachikawa S, Iwatsuki K	Localized cutaneous argyria in a silversmith.	Eur J Dermatol	23: 112-113, 2013
Nakanishi G, Hasegawa K, Oono T, Koshida S, Fujimoto N, Iwatsuki K, Tanaka H, Tanaka T	Novel and recurrent PORCN gene mutations in almost unilateral and typical focal dermal hypoplasia patients.	Eur J Dermatol	23: 64-67, 2013
Iwatsuki K, Nakayama Y, Hamada T, Nakanishi G, Shirafuji Y, Morizane S	Immunological and structural remodeling in human papillomavirus-induced warts and Bowen disease,	Eur J Dermatol	23: s25-30, 2013
Ono S, Tanioka M, Tanizaki H, Fujisawa A, Koga H, Hashimoto T, Kamiya K, Aoyama Y, Iwatsuki K, Miyachi Y	Concurrence of autoantibodies to bullous pemphigoid antigens and desmoglein 3: analysis of pathogenic and nonpathogenic antibodies	Br J Dermatol	168: 1357-1360, 2013
Shimizu Y, Sugiura K, Aoyama Y, Ogawa Y, Hitomi K, Iwatsuki K, Akiyama M	Novel ABCA12 missense mutation p. Phe2144S-er underlies congenital ichthyosiform erythroderma.	J Dermatol	40: 582, 2013
Komori S, Asai J, Takenaka H, Kuroda J, Hirai Y, Iwatsuki K, Katoh N	Chronic active Epstein-Barr virus infection with progression to large granular lymphocytic leukemia	J Dermatol	40:487-488, 2013
Imai Y, Aochi S, Iwatsuki K, Sano H, Yamanishi K.	YKL-40 is a serum biomarker reflecting the severity of cutaneous lesions in psoriatic arthritis.	J Dermatol	40:294-296, 2013
Bektas M, Jolly PS, Berkowitz P, Amagai M, Rubenstein DS	A pathophysiologic role for epidermal growth factor receptor in pemphigus acantholysis	J Biol Chem	288: 9447-9456, 2013
Shimizu A, Funakoshi T, Ishibashi M, Yoshida T, Koga H, Hashimoto T, Amagai M, Ishiko A	IgG deposition to non-hemidesmosomal lamina lucida and the early neutrophil involvement are the characteristic features in a case with anti-p200 pemphigoid	Br J Dermatol	168: 647-655, 2013
Toumi A, Saleh MA, Yamagami J, Abida O, Kallel M, Masmoudi A, Makni S, Turki H, Hachiya T, Kuroda K, Stanley JR, Masmoudi H, Amagai M	Autoimmune reactivity against precursor form of desmoglein 1 in healthy Tunisians in the area of endemic pemphigus foliaceus	J Dermatol Sci	70: 19-25, 2013
Hata T, Nishimoto S, Nagao K, Takahashi H, Yoshida K, Ohshima M, Yamada T, Asano K, Amagai M	Ectopic expression of epidermal antigens renders the lung a target organ in paraneoplastic pemphigus	J Immunol	191: 83-90, 2013
Nishimoto S, Kotani H, Tsuruta S, Shimizu N, Ito M, Shichita T, Morita R, Takahashi H, Amagai M, Yoshimura A	Th17 Cells Carrying TCR Recognizing Epidermal Autoantigen Induce Psoriasis-like Skin Inflammation	J Immunol	191: 3065-3672, 2013
Ohtsuki M, Terui T, Ozawa A, Morita A, Sano S, Takahashi H, Komine M, Etoh T, Igarashi A, Torii H, Asahina A, Nemoto O, Nakagawa ; Biologics Review Committee of the Japanese Dermatological Association.	Japanese guidance for use of biologics for psoriasis (the 2013 version).	J Dermatol	40: 683-695, 2013

著者名	論文題目	雑誌名	巻:頁, 西暦年号
Hatada Y, Kahiwakura J, Hayama K, Fujisawa D, Sasaki-Sakamoto T, <u>Terui T</u> , Ra C, Okayama Y.	Significantly high levels of anti-dsDNA immunoglobulin E in sera and the ability of dsDNA to induce the degranulation of basophils from chronic urticaria patients.	Int Arch Allergy Immunol	161(Suppl 2): 154-158, 2013
Kawashima M, Yokose U, Hachiya A, Fujimura T, Tsukahara K, Kawada H, Kitahata T, Takema Y, <u>Terui T</u> , Nakagawa H.	Improvement of crow's feet lines by topical application of 1-carbamimidoyl-L-proline (CLP).	Eur J Dermatol	3: 195-201, 2013
Yamamoto K, Murata H, Putranto EW, Kataoka K, Motoyama A, Hibino T, Inoue Y, <u>Sakaguchi M</u> , Huh NH	DOCK7 is a critical regulator of the RAGE-Cdc42 signaling axis that induces formation of dendritic pseudopodia in human cancer cells.	Oncol Rep	29: 1073-1079, 2013
Putranto EW, Murata H, Yamamoto K, Kataoka K, Yamada H, Futami J, <u>Sakaguchi M</u> , Huh NH	Inhibition of RAGE signaling by intracellular delivered-inhibitor peptides using PEI-cationization.	Int J Mol Med	32: 938-944, 2013
Hibino T, <u>Sakaguchi M</u> , Miyamoto S, Yamamoto M, Motoyama A, Hosoi J, Shimokata T, Ito T, Tsuboi R, Huh NH	S100A9 is a novel ligand of EMMPRIN that promotes melanoma metastasis.	Cancer Res	73: 172-183, 2013
Murata H, <u>Sakaguchi M</u> , Kataoka K, Huh NH	SARM1 and TRAF6 bind to and stabilize PINK1 on depolarized mitochondria.	Mol Biol Cell	24: 2772-2784, 2013
Saito K, <u>Sakaguchi M</u> , Iioka H, Matsui M, Nakanishi H, Huh NH, Kondo E	Coxsackie and adenovirus receptor is a critical regulator for the survival and growth of oral squamous carcinoma cells.	Oncogene	doi: 10.1038/onc.2013.66. (in press)
Meephansan J, <u>Komine M</u> , Tsuda H, Karakawa M, Tominaga S, Ohtsuki M.	Expression of IL-33 in the epidermis: The mechanism of induction by IL-17.	J Dermatol Sci	71(2):107-14, 2013
Nagai T, Karakawa M, <u>Komine M</u> , Muroi K, Ohtsuki M, Ozawa K.	Development of psoriasis in a patient with chronic myelogenous leukaemia during nilotinib treatment.	Eur J Haematol	91(3):270-2, 2013
Maki N, <u>Komine M</u> , Takatsuka Y, Maekawa T, Murata S, Ohtsuki M.	Pustular eruption induced by sorafenib in a case of psoriasis vulgaris.	J Dermatol	40(4):299-300, 2013
Shinkuma S, <u>Nishie W</u> , Jacyk WK, Natsuga K, Ujiie H, Nakamura H, <u>Akiyama M</u> , Shizmizu H	A Novel Keratin 5 Mutation in an African Family with Epidermolysis Bullosa Simplex Indicates the Importance of the Amino Acid Located at the Boundary Site Between the H1 and Coil 1A Domains.	Acta Derm Venereol	93: 585-587, 2013
Furumoto T, Ozawa N, Inami Y, Toyoshima M, Fujita K, Zaikei K, Sahara S, Akita M, Kitamura K, Nakaoji K, Hamada K, Tamai K, <u>Kaneda Y</u> , Maeda A	Mallotus philippensis bark extracts promote preferential migration of mesenchymal stem cells and improve wound healing in mice.	Phytomedicine	2013 Oct 29. pii: S0944-7113(13)00360-7. doi: 10.1016/j.phymed.2013.09.003. [Epub ahead of print]
Saga K, <u>Tamai K</u> , Yamazaki T, <u>Kaneda Y</u>	Systemic administration of a novel immune-stimulatory pseudovirion suppresses lung metastatic melanoma by regionally enhancing IFN- γ production.	Clin Cancer Res	2013 Feb 1;19(3):668-79. doi: 10.1158/1078-0432.CCR-12-1947.
Kato K, Otake H, Tagaya M, Takahashi Y, Ito Y, Hama A, Muramatsu H, <u>Kojima S</u> , Nagarnawa S, Nakashima T	Progressive hearing loss following acquired cytomegalovirus infection in an immunocompromised child.	American journal of otolaryngology	34: 89-92, 2013
Kumaki S, Sasahara Y, Kamachi Y, Muramatsu H, Morio T, Goi K, Sugita K, Urabe T, Takada H, <u>Kojima S</u> , Tsuchiya S, Hara T	B-cell function after unrelated umbilical cord blood transplantation using a minimal-intensity conditioning regimen in patients with X-SCID.	International journal of hematology	98: 355-360, 2013

著者名	論文題目	雑誌名	巻:頁, 西暦年号
Narita A, Muramatsu H, Saka-guchi H, Doisaki S, Tanaka M, Hama A, Shimada A, Taka-hashi Y, Yoshida N, Matsumoto K, Kato K, Kudo K, Furukawa-Hibi Y, Yamada K, <u>Kojima S</u>	Correlation of CYP2C19 phenotype with voriconazole plasma concentration in children.	J Pediatr Hemato-Oncol	35: e219-223, 2013
Nakayama H, Fukuda S, Matsushita N, Nishida-Fukuda H, Inoue H, <u>Shirakata Y</u> , Hashimoto K, Higashiyama S	Human antigen R-mediated mRNA stabilization is required for ultraviolet B-induced autoinduction of amphiregulin in keratinocytes.	J Biol Chem	288: 10338-10348, 2013
Dai X, Okazaki H, Hanakawa Y, Murakami M, Tohyama M, <u>Shirakata Y</u> , Sayama K	Eccrine sweat contains IL-1alpha, IL-1beta and IL-31 and activates epidermal keratinocytes as a danger signal.	PLOS ONE	8: e67666, 2013
Ono Y, Torii K, Shintani Y, Nishida E, Nakamura M, <u>Shirakata Y</u> , Haarmann-Stemmann T, Abel J, Krutmann J, Morita A	Role of the aryl hydrocarbon receptor in tobacco smoke extract-induced matrix metalloproteinase-1 expression.	Exp Dermatol	22: 349-353, 2013
<u>Kurosawa M</u> , Takagi A, Tamakoshi A, Kawamura T, Inaba Y, Yokoyama K, Kitajima Y, <u>Aoyama Y</u> , Iwatsuki K, <u>Ikeda S</u>	Epidemiology and clinical characteristics of bullous congenital ichthyosiform erythroderma (keratinolytic ichthyosis) in Japan: Results from a nationwide survey.	J Am Acad Dermatol	68(2): 278-283, 2013
<u>Ikeda S</u> , Takahashi H, <u>Suga Y</u> , Eto H, Etoh T, Okuma K, Takahashi K, Kanbara T, Seishima M, Morita A, Imai Y, <u>Kanekura T</u>	Therapeutic depletion of myeloid lineage leukocytes in patients with generalized pustular psoriasis indicates a major role for neutrophils in the immunopathogenesis of psoriasis.	J Am Acad Dermatol	68(4): 609-617, 2013
Fukai T, Hiruma M (Masataro), Ogawa Y, <u>Ikeda S</u> , Ikeda H, Sano A, Makimura K	A case of phaeohyphomycosis caused by <i>Exophiala oligosperma</i> successfully treated with local hyperthermia.	Medical Mycology Journal	54: 297-301, 2013
Ohtsuki A, Hasegawa T, Komiyama E, Takagi A, <u>Ikeda S</u>	308-nm Excimer Lamp for the Treatment of Alopecia Areata: Clinical Trial 16 cases.	Indian J Dermatol	58(4): 326, 2013
Takeichi T, Sugiura K, Arai H, Ishii K, Kono M, <u>Akiyama M</u>	Sporadic VACTERL association in a Japanese family with Sjögren-Larsson syndrome.	Acta Dermato-Venereol	93: 579-580, 2013
Shibata A, Sugiura K, Kimura U, Takamori K, <u>Akiyama M</u>	A novel ATP2C1 early truncation mutation suggests haploinsufficiency as a pathogenic mechanism in a patient with Hailey-Hailey disease.	Acta Dermato-Venereol	93: 719-720, 2013
Shimizu Y, Sugiura K, Aoyama Y, Ogawa Y, Hitomi K, Iwatsuki K, <u>Akiyama M</u>	Novel ABCA12 missense mutation p.Phe2144Ser underlies congenital ichthyosiform erythroderma.	J Dermatol	40: 581-582, 2013
Sugiura K, Teranishi M, Matsumoto Y, <u>Akiyama M</u>	Clouston syndrome with heterozygous GJB6 mutation p.Ala88Val and GJB2 variant p.Val27Ile revealing mild sensorineural hearing loss and photophobia.	JAMA Dermatol	149: 1350-1351, 2013
Sugiura K, Takemoto A, Yamaguchi M, Takahashi H, Shoda Y, Mitsuma T, Tsuda K, Nishida E, Togawa Y, Nakajima K, Sakakibara A, Kawachi S, Shimizu M, Ito Y, Takeichi T, Kono M, Ogawa Y, Muro Y, Ishida-Yamamoto A, Sano S, Matsue H, Morita A, Mizutani H, Iizuka H, Muto M, <u>Akiyama M</u>	The majority of generalized pustular psoriasis without psoriasis vulgaris is caused by deficiency of interleukin-36 receptor antagonist.	J Invest Dermatol	133: 2514-2521, 2013

著者名	論文題目	雑誌名	巻・頁、西暦年号
Sugiura K, Takeichi T, Tanahashi K, Ito Y, Kosho T, Saida K, Uhara H, Okuyama R, <u>Akiyama M</u>	Lamellar ichthyosis in a collodion baby caused by CYP4F22 mutations in a non-consanguineous family outside the Mediterranean.	J Dermatol Sci	72: 193-195, 2013
Sugiura K, <u>Suga Y, Akiyama M</u>	Very mild lamellar ichthyosis with compound heterozygous <i>TGM1</i> mutations including the novel missense mutation p.Leu693Phe.	J Dermatol Sci	72: 197-199, 2013
Kobayashi T, Sugiura K, Takeichi T, <u>Akiyama M</u>	The novel CTSC homozygous nonsense mutation p.Lys106X in a patient with Papillon-Lefèvre syndrome with all permanent teeth remaining at over 40 years of age.	Br J Dermatol	169: 948-50, 2013
Igawa S, Kishibe M, Honma M, Murakami M, Mizuno Y, <u>Suga Y, Seshima M, Ohguchi Y, Akiyama M, Hirose K, Isida-Yamamoto A, Iizuka H</u>	Aberrant distribution patterns of corneodesmosomal components of tape-stripped corneocytes in atopic dermatitis and related skin conditions (ichthyosis vulgaris, Netherton syndrome and peeling skin syndrome type B).	J Dermatol Sci	72: 54-60, 2013
Arai R, Okuda H, Tsuruta D, Koga H, Teye K, Ishii N, Ohata C, <u>Hashimoto T</u>	IgA pemphigus with non-pustular erythematous lesions and IgA antibodies to desmocollins 1 and 2	Eur J Dermatol	2013. Jun 24. [Epub ahead of print]
Asahina A, Koga H, Suzuki Y, <u>Hashimoto T</u>	IgA pemphigus associated with diffuse large B-cell lymphoma showing unique reactivity with desmocollins: unusual clinical and histopathological features.	Br J Dermatol	168(1):224-226, 2013
Fukuchi O, Suko A, Matsuzaki H, Baba H, Yoshida H, Takeuchi T, Odawara S, Fukuda S, <u>Hashimoto T</u>	Anti-laminin-332 mucous membrane pemphigoid with autoantibodies to alpha3, beta3 and gamma2 subunits of laminin-332 as well as to BP230 and periplakin associated with adenocarcinoma from an unknown primary site	J Dermatol	40(1):61-62, 2013
Gunes T, Akin MA, Sarici D, Hallac K, Kurtoglu S, <u>Hashimoto T</u>	Guaiazulene: a new treatment option for recalcitrant diaper dermatitis in NICU patients.	J Matern Fetal Neonatal Med	26(2):197-200, 2013
<u>Hamada T, Tsuruta D, Fukuda S, Ishii N, Teye K, Numata S, Dainichi T, Karashima T, Ohata C, Furumura M, Hashimoto T</u>	How do keratinizing disorders and blistering disorders overlap?	Exp Dermatol	22(2):83-87, 2013
Haneda T, Imai Y, Koga H, <u>Hashimoto T, Yamanishi K</u>	Case of paraneoplastic pemphigus with follicular lymphoma treated with rituximab.	J Dermatol	40(4):283-285, 2013
Hiroyasu S, Ozawa T, Kobayashi H, Ishii M, Aoyama Y, Kitajima Y, <u>Hashimoto T</u>	Jones JC, Tsuruta D: Bullous pemphigoid IgG induces BP180 internalization via a macropinocytic pathway.	Am J Pathol	182(3):828-840, 2013
Imamura K, Tsuruta D, Tsuchisaka A, Mori T, Ohata C, Furumura M, <u>Hashimoto T</u>	Anaphylaxis caused by ingestion of jellyfish.	Eur J Dermatol	2013. Jun 24. [Epub ahead of print]
Kanwar AJ, Tsuruta D, Vinay K, Koga H, Ishii N, Dainichi T, <u>Hashimoto T</u>	Efficacy and safety of rituximab treatment in Indian pemphigus patients.	J Eur Acad Dermatol Venereol	27(1):e17-23, 2013
Kim J, Teye K, Koga H, Yeoh SC, Wakefield D, <u>Hashimoto T, Murrell DF</u>	Successful single-cycle rituximab treatment in a patient with pemphigus vulgaris and squamous cell carcinoma of the tongue and IgG antibodies to desmocollins.	J Am Acad Dermatol	69(1):e26-27, 2013
Koga H, Ishii N, Dainichi T, Tsuruta D, <u>Hamada T, Ohata C, Karashima T, Furumura M, Hashimoto T</u>	An attempt to develop mouse model for anti-laminin gammal pemphigoid	J Dermatol Sci	70(2):108-115, 2013

著者名	論文題目	雑誌名	巻:頁, 西暦年号
Koga H, Tsuruta D, Ohyama B, Ishii N, <u>Hamada T</u> , Ohata C, Furumura M, <u>Hashimoto T</u>	Desmoglein 3, its pathogenecity and a possibility for therapeutic target in pemphigus vulgaris.	Expert Opin Ther Targets	17(3):293-306, 2013
Miyashima S, Honda M, Hashimoto K, Tatematsu K, <u>Hashimoto T</u> , Sato-Nara K, Okada K, Nakajima K.	A comprehensive expression analysis of the Arabidopsis MICRORNA165/6 gene family during embryogenesis reveals a conserved role in meristem specification and a non-cell-autonomous function	Plant Cell Physiol	54(3):375-84, 2013
Komorowski L, Muller R, Vorobyev A, Probst C, Recke A, Jonkman MF, <u>Hashimoto T</u> , Kim SC, Groves R, Ludwig RJ, Zillikens D, Stocker W, Schmidt E	Sensitive and specific assays for routine serological diagnosis of epidermolysis bullosa acquisita.	J Am Acad Dermatol	68(3):e89-95, 2013
Kurashige Y, Minemura T, Nagatani T, Koga H, <u>Hashimoto T</u>	Acute blistering disease presenting IgG autoantibodies against NC16A and COOH-terminal domains of BP180 and laminin-332, with characteristic distribution of eruptions.	Eur J Dermatol	23(1):109-110, 2013
Majima Y, Yagi H, Tateishi C, Groth S, Schmidt E, Zillikens D, Koga H, <u>Hashimoto T</u> , Tokura Y	A successful treatment with ustekinumab in a case of antilaminin-gammal pemphigoid associated with psoriasis.	Br J Dermatol	168(6):1367-1369, 2013
Maruta Y, Ohata C, Ishii N, Koga H, Ohyama B, Dainichi T, <u>Hamada T</u> , Furumura M, Tsuruta D, Nakama T, <u>Hashimoto T</u>	Linear IgA bullous dermatosis with a prurigo nodularis-like appearance.	Eur J Dermatol	23(1):107-109, 2013
Matsukura S, Takahashi K, Hirokado M, Ikezawa Y, Nakamura K, Fukuda S, <u>Hashimoto T</u> , Ikezawa Z, Aihara M, Kambara T	Recalcitrant pemphigus herpetiformis with high titer of immunoglobulin G antibody to desmoglein 1 and positive IgG antibody to desmocollin 3, elevating thymus and activation-regulated chemokine	Int J Dermatol	2013. Feb 22. doi: 10.1111/j.1365-4632.2012.05725.x. [Epub ahead of print]
Mitate E, Kawano S, Nakao Y, Goto Y, Kobayashi I, Onozawa K, <u>Hashimoto T</u> , Nakamura S	Concurrence of autoantibodies to both laminin gammal and gamma2 subunits in a patient with kidney rejection response.	Acta Derm Venereol	93(1):114-115, 2013
Nin M, Tokunaga D, Ishii N, Komai A, <u>Hashimoto T</u> , Katoh N	Case of coexisting psoriatic arthritis and bullous pemphigoid improved by etanercept.	J Dermatol	40(1):55-56, 2013
Numata S, Teye K, Tsuruta D, Sogame R, Ishii N, Koga H, Natsuaki Y, Tsuchisaka A, <u>Hamada T</u> , Karashima T, Nakama T, Furumura M, Ohata C, Kawakami T, Schepens I, Borradori L, <u>Hashimoto T</u>	Anti-alpha-2-macroglobulin-like-1 autoantibodies are detected frequently and may be pathogenic in paraneoplastic pemphigus.	J Invest Dermatol	133(7): 1785-1793, 2013
Ohata C, Higashi Y, Yamagami J, Koga H, Ishii N, Kanekura T, Furumura M, <u>Hashimoto T</u>	Coexistence of Pemphigus Herpetiformis With IgG Antibodies to Desmocollin 1 and Pemphigoid With IgG Antibodies to BP180 C-Terminal Domain and Laminin gamma2.	JAMA Dermatol	149(4):502-504, 2013
Ohata C, Koga H, Teye K, Ishii N, <u>Hamada T</u> , Dainichi T, Furumura M, Sato M, Sueki H, <u>Hashimoto T</u>	Concurrence of bullous pemphigoid and herpetiform pemphigus with IgG antibodies to desmogleins 1/3 and desmocollins 1-3.	Br J Dermatol	168(4):879-881, 2013
Ohata C, Saiki M, Koga H, Ono F, Ohyama B, Ishii N, <u>Hamada T</u> , Tsuruta D, Furumura M, <u>Hashimoto T</u>	Discoid lupus erythematosus with the presence of a lupus band in the hair follicle basement membrane zone and IgA anti-BP230 autoantibodies.	Eur J Dermatol	2013. Jun 19. [Epub ahead of print]

著者名	論文題目	雑誌名	巻：頁，西暦年号
Ohata C, Yasunaga M, Tsuruta D, Ishii N, <u>Hamada T</u> , Dainichi T, Karashima T, Nakama T, <u>Hashimoto T</u>	Nodular morphea (NM): report of a case of concurrent NM and morphea profunda associated with limited type systemic sclerosis, and overview and definition for NM.	Eur J Dermatol	23(1):87-93, 2013
Ono S, Tanioka M, Tanizaki H, Fujisawa A, Koga H, <u>Hashimoto T</u> , Kamiya K, Aoyama Y, Iwatsuki K, Miyachi Y	Concurrence of autoantibodies to bullous pemphigoid antigens and desmoglein 3: analysis of pathogenic and nonpathogenic antibodies	Br J Dermatol	168(6):1357-1360, 2013
Parmar NV, Kanwar AJ, Minz RW, Parsad D, Vinay K, Tsuruta D, Ishii N, <u>Hashimoto T</u>	Assessment of the therapeutic benefit of dexamethasone cyclophosphamide pulse versus only oral cyclophosphamide in phase II of the dexamethasone cyclophosphamide pulse therapy: a preliminary prospective randomized controlled study.	Indian J Dermatol Venereol Leprol	79(1):70-76, 2013
Poot AM, Diercks GF, Kramer D, Schepens I, Klunder G, <u>Hashimoto T</u> , Borradori L, Jonkman MF, Pas HH	Laboratory diagnosis of paraneoplastic pemphigus.	Br J Dermatol	169(5):1016-1024, 2013
Sato H, Toriyama K, Yagi S, Takanari K, Takama H, Sawada M, <u>Hashimoto T</u> , Kamei Y	Surgical Correction of Microstomia in a Patient With Antilaminin 332 Mucous Membrane Pemphigoid.	Annals of plastic surgery	2013. Mar 12. [Epub ahead of print]
Shimizu A, Funakoshi T, Ishibashi M, Yoshida T, Koga H, <u>Hashimoto T</u> , Amagai M, Ishiko A	Immunoglobulin G deposition to nonhemidesmosomal lamina lucida and early neutrophil involvement are characteristic features in a case of anti-p200 pemphigoid.	Br J Dermatol	168(3):647-655, 2013
Sugiura K, Koga H, Ishikawa R, Matsumoto T, Matsubara M, Hagiwara R, Muro Y, Hashimoto T, <u>Akiyama M</u>	Paraneoplastic pemphigus with anti-laminin-332 autoantibodies in a patient with follicular dendritic cell sarcoma	JAMA Dermatol	149(1):111-113, 2013
Suzuki K, Nishiwaki K, Yamada H, Baba H, Hori K, Takeuchi T, Fukuda S, <u>Hashimoto T</u>	Case of paraneoplastic pemphigus associated with retroperitoneal diffuse large B-cell lymphoma and fatal bronchiolitis obliterans-like lung disease.	J Dermatol	40(2):142-144, 2013
Waki T, Miyashima S, Nakaniishi M, Ikeda Y, <u>Hashimoto T</u> , Nakajima K	A GAL4-based targeted activation tagging system in <i>Arabidopsis thaliana</i> .	Plant J	73(3):357-67. 2013
Takegami Y, Makino T, Matsui K, Ueda C, Fukuda S, <u>Hashimoto T</u> , Shimizu T	Coexistence of antilaminin-332-type mucous membrane pemphigoid, lamina lucida-type linear IgA bullous dermatosis and Sjogren syndrome	Clin Exp Dermatol	38(2):194-196, 2013
Tashima S, Konishi K, Koga H, <u>Hashimoto T</u>	A case of vancomycin-induced linear IgA bullous dermatosis with circulating IgA antibodies to the NC16a domain of BP180.	Int J Dermatol	2013. Jul 8. doi: 10.1111/ijd.12047. [Epub ahead of print]
Tsuruta D, Brzezinski P, Koga H, Ohata C, Furumura M, <u>Hashimoto T</u>	Bullous pemphigoid with prominent milium formation.	Acta Dermato-venerol Croat	21(1):35-38, 2013
Tsuruta D, Dainichi T, <u>Hamada T</u> , Ishii N, <u>Hashimoto T</u>	Molecular diagnosis of autoimmune blistering diseases.	Methods Mol Biol	961:17-32, 2013
Tsuruta D, Ohzono A, Ishii N, Ono F, <u>Hamada T</u> , Dainichi T, Ohata C, Furumura M, Noda K, <u>Hashimoto T</u>	Overlap syndrome comprised of systemic sclerosis and systemic lupus erythematosus associated with spinocerebellar ataxia type 6 and MALT lymphoma.	Eur J Dermatol	23(1):117, 2013

著者名	論文題目	雑誌名	巻・頁、西暦年号
Ueda A, Ishii N, Temporin K, Yamazaki R, Murakami F, Fukuda S, <u>Hamada T</u> , Dainichi T, Kyoya M, Saito C, Matsunaga R, Kimura S, Kawakami T, Soma Y, <u>Hashimoto T</u>	IgA pemphigus with paraneoplastic pemphigus-like clinical features showing IgA antibodies to desmoglein 1/3 and desmocollin 3, and IgG and IgA antibodies to the basement membrane zone	Clin Exp Dermatol	38(4):370-373, 2013
Ueda A, Ishii N, Teye K, Dainichi T, Ohyama B, <u>Hamada T</u> , Tsuruta D, Kamioka N, Mitsui K, Hosaka H, Soh I, Nakada T, <u>Hashimoto T</u>	Unique herpetiform bullous dermatosis with IgG antibodies to desmocollins 1/3 and LAD-1.	British Journal of Dermatology	169(3):719-721, 2013
Ueo D, <u>Hamada T</u> , <u>Hashimoto T</u> , Hatano Y, Okamoto O, Fujiwara S	Late-onset Darier's disease due to a novel missense mutation in the ATP2A2 gene: a different missense mutation affecting the same codon has been previously reported in acrokeratosis verruciformis.	J Dermatol	40(4):280-281, 2013
Wakumoto-Nakashima K, Yoshida Y, Adachi K, Yamamoto O, <u>Hashimoto T</u>	Rare appearance of toxic epidermal necrolysis-like histopathological features in a case of atypical pemphigus with serological pemphigus vulgaris character.	J Dermatol	40(1):63-64, 2013
Washio K, Nakamura A, Fukuda S, <u>Hashimoto T</u> , Horikawa T	A case of lichen planus pemphigoides successfully treated with a combination of cyclosporine a and prednisolone. Case reports in dermatology	J Dermatol	5(1):84-87, 2013
Wozniak K, <u>Hashimoto T</u> , Ishii N, Koga H, Huczek M, Kowalewski C	Fluorescence overlay antigen mapping using laser scanning confocal microscopy differentiates linear IgA bullous dermatosis from epidermolysis bullosa acquisita mediated by IgA	Br J Dermatol	168(3):634-638, 2013
Yamada T, Nakamura S, Demitsu T, Nakamura T, Iida E, Yoneda K, Fukuda S, <u>Hashimoto T</u>	Paraneoplastic pemphigus mimicking toxic epidermal necrolysis associated with B-cell lymphoma.	J Dermatol	40(4):286-288, 2013
Yashiro M, Nakano T, Taniguchi T, Katsuoka K, Tadera N, Miyazaki K, Teye K, Koga H, <u>Hashimoto T</u>	IgA Paraneoplastic Pemphigus in Angioimmuno-blastic T-cell Lymphoma with Antibodies to Desmocollin 1, Type VII Collagen and Laminin 332.	Acta Derm Venereol	2013, Jul 4. doi: 10.2340/00015555-1660. [Epub ahead of print]
Yoshimura K, Nakano S, Tsuruta D, Ohata C, <u>Hashimoto T</u>	Successful treatment with 308-nm monochromatic excimer light and subsequent tacrolimus 0.03% ointment in refractory plasma cell cheilitis.	J Dermatol	40(6):471-474, 2013
Tani N, Ogoshi M, Kawakubo C, Tajima S, <u>Hamada T</u> , Ishii N, Furumura M, Tsuruta D, Ohata C, <u>Hashimoto T</u>	Case of relapsing polychondritis showing elevation of anti-type II collagen antibody titer	J Dermatol	40(9):767-768, 2013
Yoshida Y, Tsuruta D, Nagata H, Ishii N, Nakama T, Yomoda M, Furumura M, Ohata C, <u>Hashimoto T</u>	Second reported case of unilateral angiokeratoma of the vulva.	J Dermatol	40(9):763-764, 2013
Li X, <u>Hamada T</u> , Ohata C, Furumura M, <u>Hashimoto T</u>	Potential mesenchymal stem cell therapy for skin diseases	Exp Dermatol	22(8):515-516, 2013
Saruta H, Ishii N, Teye K, Ono F, Ohyama B, Koga H, Ohata C, Furumura M, Tsuruta D, <u>Hashimoto T</u>	Two cases of pemphigus vegetans with IgG anti-desmocollin 3 antibodies.	JAMA Dermatol	149(10):1209-1213, 2013
Kawano H, Ohata C, Ono F, Ishii N, <u>Hamada T</u> , Nakama T, Furumura M, Tsuruta D, <u>Hashimoto T</u>	Edema and ulcers on the legs and dilated abdominal veins caused by thromboembolism of inferior vena cava in a patient with protein C deficiency	Indian J Dermatol Venereol Leprol	79(5):725, 2013

著者名	論文題目	雑誌名	巻・頁、西暦年号
Yoneda K, Demitsu T, Kakurai M, Narita T, Nakai K, Kubota Y, Ishii N, <u>Hashimoto T</u>	Detection of Apoptotic Keratinocytes in a Case of Bullous Pemphigoid Developed after Graft-versus-host Disease.	Acta Derm Venereol	2013. Aug 8. doi: 10.2340/00015555-1676. [Epub ahead of print]
Kato K, Moriyama Y, Saito H, Koga H, <u>Hashimoto T</u>	A Case of Mucous Membrane Pemphigoid Involving the Trachea and Bronchus with Autoantibodies to beta3 Subunit of Laminin-332.	Acta Derm Venereol	2013. Aug 27. doi: 10.2340/00015555-1659. [Epub ahead of print]
Nishimura R, Fujimoto N, Kito K, Uchiyama K, Koga H, Hodohara K, <u>Hashimoto T</u> , Fujiyama Y, Tanaka T	Refractory mucous membrane pemphigoid which developed after allogeneic stem cell transplantation and was successfully treated with rituximab.	Eur J Dermatol	23(4):562-564, 2013
Fukuda S, Li X, Momosaki N, <u>Hamada T</u> , Nakama T, Yasumoto S, Awazawa R, Uezato H, <u>Hashimoto T</u>	Detection of human papilloma virus type 60 in a case of ridged wart.	Eur J Dermatol	23(4):558-559, 2013
Sakaguchi M, Bito T, Oda Y, Kikusawa A, Nishigori C, Munetsugu T, Yokozeki H, Itotani Y, Niguma T, Tsuruta D, Tateishi C, Ishii N, Koga H, <u>Hashimoto T</u>	Three Cases of Linear IgA/IgG Bullous Dermatosis Showing IgA and IgG Reactivity With Multiple Antigens, Particularly Laminin-332	JAMA Dermatol	2013. Sep 4. doi: 10.1001/jamadermatol.2013.5691. [Epub ahead of print]
Numata S, <u>Hamada T</u> , Teye K, Matsuda M, Ishii N, Karashima T, Kabashima K, Furumura M, Ohata C, <u>Hashimoto T</u>	Complete Maternal Isodisomy of Chromosome 5 in a Japanese Patient with Netherton Syndrome.	J Invest Dermatol	2013. Sep 16. doi: 10.1038/jid.2013.398. [Epub ahead of print]
Tsuruta D, Kanwar AJ, Vinay K, Fukuda S, Koga H, Dainichi T, Ohata C, Ishii N, <u>Hashimoto T</u>	Clinical and immunologic characterization in 26 Indian pemphigus patients.	J Cutan Med Surg	17(5):321-331, 2013
Garcia-Martin P, Fraga J, <u>Hashimoto T</u> , Garcia-Diez A	A: Brunsting-perry type cicatricial pemphigoid with IgG autoantibodies to LAD-1	Br J Dermatol	2013. Oct 11. doi: 10.1111/bjd.12677. [Epub ahead of print]
Gohara M, Yagami A, Suzuki K, Morita Y, Sano A, Iwata Y, <u>Hashimoto T</u> , Matsunaga K	Allergic contact dermatitis caused by phenylethyl resorcinol [4-(1-phenylethyl)-1,3-benzenediol], a skin-lightening agent in cosmetics.	Contact dermatitis	69(5):319-320, 2013
Sakaguchi M, Tsuruta D, Ishii N, <u>Hamada T</u> , Ohata C, Furumura M, <u>Hashimoto T</u>	Development of acquired idiopathic generalized anhidrosis in a case of Vogt-Koyanagi-Harada disease.	Eur J Dermatol	23(5):724-725, 2013
Shintani T, Ohata C, Koga H, Ohyama B, <u>Hamada T</u> , Nakama T, Furumura M, Tsuruta D, Ishii N, <u>Hashimoto T</u>	Combination therapy of fexofenadine and montelukast is effective in prurigo nodularis and pemphigoid nodularis.	Dermatol Ther	2013. Sep 17. doi: 10.1111/dth.12094. [Epub ahead of print]
Ohata C, Fukuda S, Ishii N, Koga H, <u>Hamada T</u> , Furumura M, <u>Hashimoto T</u>	Refractory anti-laminin gammal pemphigoid with psoriasis vulgaris successfully treated by double-filtration plasmapheresis.	Eur J Dermatol	23(5):715-716, 2013
Kawakami T, Koga H, Saruta H, Ueda A, Inoue Y, Soma Y, Ishii N, <u>Hashimoto T</u>	Four mild but refractory cases of pemphigus foliaceus successfully treated with intravenous immunoglobulin.	J Dermatol	2013. Oct 16. doi: 10.1111/1346-8138.12280. [Epub ahead of print]
Saruta H, Tsuruta D, Hashikawa K, Ohyama B, Ishii N, Furumura M, Ohata C, Yasumoto S, Ohshima K, <u>Hashimoto T</u>	Old-aged case of indolent grade III lymphomatoid granulomatosis successfully treated only with oral prednisolone.	J Dermatol	2013. Oct 16. doi: 10.1111/1346-8138.12261. [Epub ahead of print]

著者名	論文題目	雑誌名	巻・頁、西暦年号
Tanaka N, Ohata C, Ishii N, Imamura K, Ueda A, Furumura M, Yasumoto S, Kawakami T, Tsuruta D, <u>Hashimoto T</u>	Comparative study for the effect of photodynamic therapy, imiquimod immunotherapy and combination of both therapies on 40 lesions of actinic keratosis in Japanese patients.	J Dermatol	2013. Oct 22. doi: 10.1111/j.1346-8138.12310. [Epub ahead of print]
Kamata M, Fujita H, Hamanaka T, Takahashi K, Koga H, <u>Hashimoto T</u> , Sato S	Anti-Laminin gammal Pemphigoid Accompanied by Autoantibodies to Laminin alpha3 and gamma2 Subunits of Laminin-332.	JAMA Dermatol	2013. Oct 23. doi: 10.1001/jamadermatol.2013.5358. [Epub ahead of print]
Kitagawa C, Nakajima K, Aoyama Y, Fujioka A, Nakajima H, Tarutani M, Tsuruta D, Hashimoto T, <u>Sano S</u>	A Typical Case of Paraneoplastic Pemphigus Without Detection of Malignancy: Effectiveness of Plasma	Exchange. Acta Derm Venereol	2013. Oct 25. doi: 10.2340/00015555-1742. [Epub ahead of print]
Ohzono A, Tsuruta D, Hashikawa K, Yoshida Y, Arakawa M, Maeyama Y, Nakama T, Furumura M, Ohata C, <u>Hashimoto T</u>	Three cases of pseudolymphoma successfully treated with amoxicillin.	Eur J Dermatol	2013. Oct 10. [Epub ahead of print]
Krol RP, Yasukochi A, <u>Hashimoto T</u>	Towards understanding mechanisms of autoimmune bullous skin diseases.	N Am J Med Sci	5(10):609-610, 2013
Otten JV, <u>Hashimoto T</u> , Hertl M, Payne AS, Sitaru C	Molecular Diagnosis in Autoimmune Skin Blistering Conditions.	Current molecular medicine	2013. Oct 27. [Epub ahead of print]
Karashima T, Tsuruta D, <u>Hamada T</u> , Ishii N, Ono F, Ueda A, Abe T, Nakama T, Dainichi T, <u>Hashimoto T</u>	Morphological changes of the hair roots in alopecia areata: a scanning electron microscopic study.	J Dermatol	40(12):1045-1048, 2013
Akasaka E, Mabuchi T, Manabe Y, Yahagi E, Yamada-Hiruma A, Yamaoka H, Kojima T, Kato M, Ikoma N, Ozawa A, Haruki Y.	Long-term efficacy of psoriasis vulgaris treatments: analysis of treatment with topical corticosteroid and/or vitamin D3 analog, oral cyclosporin, etretinate and phototherapy over a 35-year period, 1975-2010	J Dermatol	40: 238-43, 2013
Ohtsuki M, <u>Terui T</u> , <u>Ozawa A</u> , Morita A, Sano S, Takahashi H, Komine M, Etoh T, Igarashi A, Torii H, Asahina A, Nemoto O, Nakagawa H.	Biologics Review Committee of the Japanese Dermatological Association. Japanese guidance for use of biologics for psoriasis (the 2013 version)	J Dermatol	40: 683-95, 2013
Haida Y, Ikeda S, Takagi A, Komiyama E, Mabuchi T, <u>Ozawa A</u> , Kulski JK, Inoko H, Oka A.	Association analysis of the HLA-C gene in Japanese alopecia areata	Immunogenetics	65: 553-7, 2013
Haneda T, Imai Y, Koga H, <u>Hashimoto T</u> , <u>Yamanishi K</u>	Case of subepidermal bullous dermatosis with immunoglobulin G autoantibodies against various basement membrane zone proteins.	J Dermatol	40: 283-285, 2013
Yamamoto M, Imai Y, Sakaguchi Y, Haneda T, <u>Yamanishi K</u>	Serum cytokines correlated with the disease severity of generalized pustular psoriasis.	Dis Markers	34: 153-161, 2013
Imai Y, Yasuda K, Sakaguchi Y, Haneda T, Mizutani H, Yoshimoto T, Nakanishi K, <u>Yamanishi K</u>	Skin-specific expression of IL-33 activates group 2 innate lymphoid cells and elicits atopic dermatitis-like inflammation in mice.	Proc Natl Acad Sci USA	110:13921-13926, 2013
Tarutani M, Shiga T, Nakajima K, Nakano H, Sawamura D, <u>Sano S</u>	Dystrophic epidermolysis bullosa pruriginosa in a mother and daughter successfully treated by low dose cyclosporine.	Eur J Dermatol	23(5): 727-729, 2013
Tarutani M, Nakajima K, Takaishi M, Ohko K, <u>Sano S</u>	Epidermal hyperplasia induced by Raf-MAPK signaling requires Stat3 activation.	J Dermatol Sci	72: 110-115, 2013

著者名	論文題目	雑誌名	巻・頁、西暦年号
Hirai T, Kanda T, Sato K, Takaishi M, Nakajima K, Yamamoto M, Kamijima R, Di-giovanni J, <u>Sano S</u>	Cathepsin K is involved in development of psoriasis-like skin lesions through TLR-dependent Th17 activation.	J Immunol	190: 4805-4811, 2013
Nakajima H, Nakajima K, Tarutani M, <u>Sano S</u>	Clear association between serum levels of adipokines and T-helper 17-related cytokines in patients with psoriasis.	Clin Exp Dermatol	38: 66-70, 2013
Nakajima K, Terao M, Takaiishi M, Kataoka S, Goto-Inoue N, Setou M, Horie K, Sakamoto F, Ito M, Azukizawa H, Kitaba S, Murota H, Itami S, Katayama I, Takeda J, <u>Sano S</u>	Barrier abnormality due to ceramide deficiency leads to psoriasisiform inflammation in a mouse model.	J Invest Dermatol	133: 2555-2565, 2013
Kloepfer JE, Kawai K, Bertolini M, <u>Kanekura T</u> , Paus R	Loss of $\gamma \delta$ T-cells results in hair cycledefects.	J Invest Dermatol	133: 1666-1669, 2013
Do HTT, Koriyama C, Khan NA, Higashi M, Kato T, Le NT, Matsushita S, <u>Kanekura T</u> , Akiba S	The etiologic role of human papillomavirus in penile cancers — A study in Vietnam.	Br J Cancer	108: 229-233, 2013
Shimokawa M, Haraguchi M, Kobayashi W, Higashi Y, Matsushita S, Kawai K, <u>Kanekura T</u> , Ozawa M	The transcription factor Snail expressed in cutaneous squamous cell carcinoma induces epithelial-mesenchymal transition and down-regulates COX-2.	Biochem Biophys Res Commun	403: 1078-1082, 2013
Ogawa Y, Tanaka M, Tanabe M, Suzuki T, Togawa T, Fukushige T, <u>Kanekura T</u> , Sakuraba H, Oishi K	Impaired neural differentiation of induced pluripotent stem cells generated from a mouse model of Sandhoff disease.	PLoS One	8: e55856, 2013
Sakanoue M, Takeda K, Kawai K, <u>Kanekura T</u>	Granulocyte and monocyte adsorption apheresis (GCAP) for refractory skin diseases due to activated neutrophils, psoriasis, and associated arthropathy.	Ther Apher Dial	17: 477-483, 2013
Haraguchi M, Indo HP, Iwasaki Y, Fukushige T, Majima HJ, IzumoK, Horiuchi M, <u>Kanekura T</u> , Furukawa T, Ozawa M	Snail modulates cell metabolism in MDCK cells.	Biochem Biophys Res Commun	432: 618-625, 2013
Wang Y, Yang Y, Luo Y, Yin Y, Wang Q, Li Y, <u>Kanekura T</u> , Wang J, Liang G, Zhao M, Lu Q, Xiao R	Aberrant histone modification in peripheral blood B cells from patients with systemic sclerosis.	Clin Immunol	149: 46-54, 2013
Saruta H, Ono F, <u>Hamada T</u> , Ishii N, Matsuda M, Ohata C, Furumura M, Tsuruta D, Hashimoto T	Multiple unilocular epidermal cysts presenting as a single lesion on the toe web.	J Dermatol	40(12):1052-1054, 2013
Minakawa S, Nakano H, Nakajima K, Matsuzaki Y, Takiyoshi N, Akasaka E, Rokunohe D, <u>Sawamura D</u>	Mutational analysis on 16 Japanese population cases with epidermolysis bullosa simplex.	J Dermatol Sc	72(3): 330-332, 2013
Shinkuma S, <u>Sawamura D</u> , Fujita Y, Kawasaki H, Nakamura H, Inoie M, <u>Nishie W</u> , Shimizu H	Long-term Follow-up of Cultured Epidermal Autograft in a Patient with Recessive Dystrophic Epidermolysis Bullosa.	Acta Derm Venereol	2013 Jun 10 [Epub ahead of print]
Uchiyama K, Nakanishi G, Fujimoto N, Nakano H, <u>Sawamura D</u> , Tanaka T	Expression of a mutated allele, non-reduced by aging, in a Japanese family with localized epidermolysis bullosa simplex due to a novel mutation, p.Arg169Gly, of keratin 5 gene.	Eur J Dermatol	23(2): 267-269, 2013
Oka A, Mabuchi T, <u>Ikeda S</u> , Terui T, Haida Y, Ozawa A, Tatsu K, Kulski JK, Inoko H.	IL12B and IL23R gene SNPs in Japanese psoriasis.	Immunogenetics	65: 823-828, 2013

著者名	論文題目	雑誌名	巻・頁、西暦年号
Aoi J, Makino K, Sakai K, Masuguchi S, Fukushima S, Jimin M, Inoue Y, Koga H, <u>Hashimoto T</u> , Ihn H	Case of paraneoplastic pemphigus with follicular lymphoma treated with rituximab.	J Dermatol	40(4): 285-286, 2013
Ohata C, Koga H, Teye K, Ishii N, <u>Hamada T</u> , Dainichi T, Furumura M, Sato M, Sueki H, <u>Hashimoto T</u>	Concurrence of bullous pemphigoid and herpetiform pemphigus with IgG antibodies to desmogleins 1/3 and desmocollins 1-3.	Br J Dermatol	168(4): 879-881, 2013
Morita M, <u>Komine M</u> , Takatsuka Y, Hosoda S, Onda H, Maekawa T, Murata S, Ohtsuki M.	Case of drug-induced hypersensitivity syndrome with multiple skin ulcers caused by herpes simplex virus reactivation.	J Dermatol	40(2): 132-134, 2013
Meephansan J, Komine M, Hosoda S, Tsuda H, Karakawa M, Murata S, Demitsu T, Ohtsuki M.	Possible involvement of SDF-1/CXCL12 in the pathogenesis of Degos disease.	J Am Acad Dermatol	68(1):138-143, 2013
Haneda T, Imai Y, Koga H, <u>Hashimoto T</u> , Yamanishi K.	Case of subepidermal bullous dermatosis with IgG autoantibodies against various basement membrane zone proteins.	J Dermatol	40(4): 283-285, 2013
Ueo D, <u>Hamada T</u> , <u>Hashimoto T</u> , Hatano Y, Okamoto O, Fujiwara S.	Late-onset Darier's disease due to a novel missense mutation in the ATP2A2 gene: a different missense mutations in a single codon of ATP2A2 are associated with late-onset Darier's disease and acrokeratosis verruciformis.	J Dermatol	40(4): 280-281, 2013
Kono M, Suganuma M, Ito Y, Ujiie H, Morimoto K, <u>Akiyama M</u>	Novel <i>ADAR1</i> mutations including single amino acid deletion in the deaminase domain underly dyschromatosis symmetrica hereditaria in Japanese families.	Int J Dermatol	2013 Apr 28. doi: 10.1111/j.1365-4632.2012.05765.x. [Epub ahead of print]
Sugiura K, Sugiura N, Yagi T, Iguchi M, Ohno H, Miyazaki Y, <u>Akiyama M</u> .	Cryptococcal cellulitis in a patient with bullous pemphigoid.	Acta Dermato-Venereol	93(2): 187-188, 2013
Nakamura Y, Wakamatsu K, <u>Muto M</u>	Drug-induced hypersensitivity syndrome induced by clindamycin.	Acta Derm Venereol	93(1): 83-84, 2013
Ichimiya M, Goishi K, <u>Muto M</u>	Endoscopic groin lymph node dissection as a preferable technique for malignant skin neoplasms.	J Plast Surg Hand Surg	47(4): 248-251, 2013
Farooq M, Nakai H, Fujimoto A, Fujikawa H, Matsuyama A, Kariya N, Aizawa A, Fujiwara H, Ito M, <u>Shimomura Y</u>	Mutation analysis of the IL36RN gene in 14 Japanese patient with generalized pustular psoriasis.	Hum Mutat	34(1): 176-183, 2013
Tanahashi K, Sugiura K, Takeichi T, Takama H, Shinkuma S, Shimizu H, <u>Akiyama M</u> .	Prevalent founder mutation c.736T>A of <i>LIPH</i> in autosomal recessive woolly hair of Japanese leads to variable severity of hypotrichosis in adulthood.	J Eur Acad Dermatol Venereol	2013 Sep;27(9):1182-4. doi: 10.1111/j.1468-3083.2012.04526.x. Epub 2012 Mar 26.
Nakamura Y, <u>Muto M</u>	Spiny keratoderma of the palms in an insulin-treated diabetic patients.	J Dermatol	52(11): 1460-1461, 2013
Veraitch O, Ohyama M, Yamagami J, <u>Amagai M</u>	Alopecia as a rare but distinct manifestation of pemphigus vulgaris	J Eur Acad Dermatol Venereol	27(1): 86-91, 2013
Karasawa T, Matsumoto T, <u>Akiyama M</u>	Metastatic skin lesions of multiple myeloma presenting as two extraordinarily large subcutaneous tumors.	Int J Dermatol	52(12): 1568-1570, 2013

著者名	論文題目	雑誌名	巻・頁、西暦年号
Kono M, <u>Akiyama M</u> , Suganuma M, Sanchez-Valle A, Tomita Y	Dyschromatosis symmetrica hereditaria by ADAR1 mutations and viral encephalitis: a hidden link?	Int J Dermatol	52(12): 1582-1584, 2013
Mori M, Sugiura M, Kono M, Matsumoto T, Sawada M, Yokota K, Yasue S, Shibata S, Sakakibara A, Nakamura S, Tomita Y, <u>Akiyama M</u>	Clinico-pathologic analysis of 66 Japanese thin melanomas with metastasis of sentinel or regional lymph node.	J Cutan Pathol	40(12): 1027-1034, 2013
Izumi K, Yanagi T, <u>Akiyama M</u> , Moriuchi R, Arita K, Shimizu H	Intractable erythematous plaques on the hands: palmoplantar eosinophilic pustular folliculitis.	Int J Dermtol	52(10): 1274-1275, 2013
Kamiya K, <u>Aoyama Y</u> , Shirafuji Y, Hamada T, Morizane S, Fujii K, Hisata K, Iwatsuki K	Detection of antibodies against the non-calcium-dependent epitopes of desmoglein 3 in pemphigus vulgaris and their pathogenic significance.	Br J Dermatol	167(2): 252-261, 2012
Yamamoto T, Hirai Y, Miyake T, Yamasaki O, Morizane S, Iwatsuki K	Oculomucosal and gastrointestinal involvement in Epstein-Barr virus-associated hydroa vacciniforme.	Eur J Dermatol	22(3): 380-383, 2012
Yanagihara K, Araki N, Watanabe S, Kinebuchi T, Kaku M, Maesaki S, Yamaguchi K, Matsumoto T, Mikamo H, Takesue Y, Kadota JI, Fujita J, Iwatsuki K, Hino H, Kaneko T, Asagoe K, Ikeda M, Yasuoka A, Kohno S	Antimicrobial susceptibility and molecular characteristics of 857 methicillin-resistant Staphylococcus aureus isolates from 16 medical centers in Japan (2008-2009) Nationwide survey of community-acquired and nosocomial MRSA.	Diagn Microbiol Infect Dis	72: 253-257, 2012
Hirai Y, Yamamoto T, Kimura H, Ito Y, Tsuji K, Miyake T, Morizane S, Suzuki D, Fujii K, Iwatsuki K	Hydroa vacciniforme is associated with increased numbers of Epstein-Barr virus-infected gdT-cells.	J Invest Dermatol	132(5): 1401-1408, 2012
Yamasaki O, Nagao Y, Sugiyama N, Otsuka M, Iwatsuki K	Surgical management of axillary necrotizing fasciitis: a case report.	J Dermatol	39: 309-311, 2012
Fujii K, Suzuki N, Ikeda K, Hamada T, Yamamoto T, Kondo T, Iwatsuki K	Proteomic study identified HSP 70 kDa protein 1A as a possible therapeutic target, in combination with histone deacetylase inhibitors, for lymphoid neoplasms.	J Proteomics	75: 1401-1410, 2012
Morizane S, Yamasaki K, Mühlleisen B, Kotol PF, Murakami M, <u>Aoyama Y</u> , Iwatsuki K, Hata T, Gallo RL	Cathelicidin antimicrobial peptide LL-37 in psoriasis enables keratinocyte reactivity against TLR9 ligands.	J Invest Dermatol	132: 135-143, 2012
Tanaka C, Hasegawa M, Fujimoto M, Iwatsuki K, Yamamoto T, Yamada K, Kawa K, Saikawa Y, Toga A, Mase S, Wada T, Takehara K, Yachie A	Phenotypic analysis in a case of hydroa vacciniforme-like eruptions associated with chronic active Epstein-Barr virus disease of gdT cells.	Br J Dermatol	166: 216-218, 2012
Yamamoto T, Iwatsuki K	Diversity of Epstein-Barr virus BamHI-A rightward transcripts and their expression patterns in the lytic and latent infections.	J Med Microbiol	61(Pt 10): 1445-1453, 2012
Fujii K, Suzuki N, Yamamoto T, Suzuki D, Iwatsuki K	Valproic acid inhibits proliferation of EB virus-infected natural killer cells.	Hematology	17(3): 163-169, 2012
Yamasaki O, Takeshima C, Ikeda K, Suzuki N, Otsuka M, Kimata Y, Hirakawa S, Iwatsuki K	Stewart-Treves syndrome arising in patients with lymphaticovenular anastomosis for chronic lymphedema of the leg.	Eur J Dermatol	22(4): 545-546, 2012

著者名	論文題目	雑誌名	巻・頁、西暦年号
Morizane S, Yamasaki K, Kajita A, Ikeda K, Zhan M, <u>Aoyama Y</u> , Gallo RL, Iwatsuki K	T(H)2 cytokines increase kallikrein 7 expression and function in patients with atopic dermatitis.	J Allergy Clin Immunol	130(1): 259-261, 2012
Miyake T, Yamasaki O, Sugiu M, Hamada T, Otsuka M, Yanai H, Morishita Y, Iwatsuki K	Primary signet-ring cell/histiocytoid carcinoma of the axilla expressing human epidermal growth factor receptor 2.	J Dermatol	39(12): 1038-1040, 2012
Wada H, Tsuboi R, Kato Y, Sugaya M, Tobinai K, Hamada T, Shimamoto T, Noguchi K, Iwatsuki K	Phase I and pharmacokinetic study of the oral histone deacetylase inhibitor vorinostat in Japanese patients with relapsed or refractory cutaneous T-cell lymphoma.	J Dermatol	39: 823-828, 2012
Fujii K, Aochi S, Takeshima C, Ohtsuka M, Hamada T, Asagoe K, <u>Aoyama Y</u> , Morizane S, Iwatsuki K	Eccrine Poromatosis Associated with Polychemotherapy.	Acta Derm Venereol	92(6): 687-690, 2012
Lai Y, Li D, Li C, Muehleisen B, Radek KA, Park HJ, Jiang Z, Li Z, Lei H, Quan Y, Zhang T, Wu Y, Kotol P, Morizane S, Hata TR, Iwatsuki K, Tang C, Gallo RL	The antimicrobial protein REG3A regulates keratinocyte proliferation and differentiation after skin injury.	Immunity	37: 74-84, 2012
Hamada T, Umemura H, <u>Aoyama Y</u> , Iwatsuki K	Successful therapeutic use of targeted narrow-band ultraviolet B therapy for refractory Hailey-Hailey disease.	Acta Derm Venereol	93: 110-111, 2012
Yoshizawa A, Nagai S, Baba Y, Yamada T, Matsui M, Tanaka H, Miyoshi SI, <u>Amagai M</u> , Yoshikawa T, Fukuda K, Ogawa S, Koyasu S	Autoimmunity against M(2) muscarinic acetylcholine receptor induces myocarditis and leads to a dilated cardiomyopathy-like phenotype	Eur J Immunol	42: 1152-1163, 2012
Saleh MA, Ishii K, Yamagami J, <u>Shirakata Y</u> , Hashimoto K, <u>Amagai M</u>	Pathogenic anti-desmoglein 3 mAbs cloned from a paraneoplastic pemphigus patient by phage display	J Invest Dermatol	132: 1141-1148, 2012
Ohyama B, Nishifuji K, Chan PT, Kawaguchi A, Yamashita T, Ishii N, <u>Hamada T</u> , Dainichi T, Koga H, Tsuruta D, <u>Amagai M</u> , Hashimoto T	Epitope spreading is rarely found in pemphigus vulgaris by large-scale longitudinal study using desmoglein 2-based swapped molecules	J Invest Dermatol	132: 1158-1168, 2012
Murrell DF, Daniel BS, Joly P, Borradori L, Amagai M, <u>Hashimoto T</u> , Caux F, Marinovic B, Sinha AA, Hertl M, Bernard P, Sirois D, Cianchini G, Fairley JA, Jonkman MF, Pandya AG, Rubenstein D, Zillikens D, Payne AS, Woodley D, Zambruno G, Aoki V, Pincelli C, Diaz L, Hall RP, Meurer M, Mascaro JM, Jr., Schmidt E, Shimizu H, Zone J, Swerlick R, Mimouni D, Culton D, Lipozencic J, Bince B, Grando SA, Bystryn JC, Werth VP	Definitions and outcome measures for bullous pemphigoid recommendations by an international panel of experts	J Am Acad Dermatol	66: 479-485, 2012
Di Zenzo G, Di Lullo G, Corti D, Calabresi V, Sinistro A, Vanzetta F, Didona B, Cianchini G, Hertl M, Eming R, <u>Amagai M</u> , Ohyama B, Hashimoto T, Sloostra J, Sal lustro F, Zambruno G, Lanza vecchia A	Pemphigus autoantibodies generated through somatic mutations target the desmoglein-3 cis-interface	J Clin Invest	122: 3781-379, 2012

著者名	論文題目	雑誌名	巻:頁, 西暦年号
<u>Amagai M</u> , Stanley JR	Desmoglein as a target in skin disease and beyond	J Invest Dermatol	132: 776-784, 2012
Hosoda S, Suzuki M, <u>Komine M</u> , Murata S, Hashimoto T, Ohtsuki M.	A case of IgG/IgA Pemphigus Presenting Malar Rash-like Erythema.	Acta Derm Venereol	92(2): 164-166, 2012
Yamada H, Nobeyama Y, Matsuo K, Ishiji T, Takeuchi T, Fukuda S, <u>Hashimoto T</u> , Nakagawa H.	A case of paraneoplastic pemphigus associated with triple malignancies in combination with anti-laminin-332 mucous membrane pemphigoid.	Br J Dermatol	166(1): 230-231, 2012
Fukuda S, <u>Hamada T</u> , Ishii N, Sakaguchi S, Sakai K, Akiyama M, Shimizu H, Masuda K, Izu K, Teye K, Tsuruta D, Karashima T, Nakama T, Yamamoto S, <u>Hashimoto T</u> .	Novel ATP-binding cassette, subfamily A, member 12 (ABCA12) mutations associated with congenital ichthyosiform erythroderma.	Br J Dermatol	166(1): 218-221, 2012
Hashikawa K, Niino D, Yasumoto S, Nakama T, Kiyasu J, Sato K, Kimura Y, Takeuchi M, Sugita Y, <u>Hashimoto T</u> , Ohshima K.	Clinicopathological features and prognostic significance of CXCL12 in blastic plasmacytoid dendritic cell neoplasm.	Am Acad Dermatol	66(2): 278-291, 2012
Kiniwa Y, Ashida A, Ohashi A, Kitoh R, Fukuda S, <u>Hashimoto T</u> , Okuyama R.	A case of epidermolysis bullosa acquisita associated with laryngeal stenosis.	Acta Derm Venereol	92(1): 93-94, 2012
Tsuruta D, <u>Hashimoto T</u> .	Commentary: Facial plexiform neurofibromatosis in a patient with neurofibromatosis type 1: A case report. ffat Hassan, Abid Keen, Parvaiz Ahmad Shah.	Our Dermatol Online	3(1): 28, 2012
Monshi B, Richter L, <u>Hashimoto T</u> , Groiss E, Haensch N, Rappersberger K.	[IgA pemphigus of the subcorneal pustular dermatosis type : Successful therapy with a combination of dapsone and acitretin].	Hautarzt	63(6): 482-486, 2012
Hanafusa T, Azukizawa H, Nishioka M, Tanemura A, Murota H, Yoshida H, Sato E, Hashii Y, Ozono K, Koga H, <u>Hashimoto T</u> , Katayama I.	Lichen planus-type chronic graft-versus-host disease complicated by mucous membrane pemphigoid with positive anti-BP180/230 and scleroderma-related autoantibodies followed by reduced regulatory T cell frequency.	Eur J Dermatol	22(1): 140-142, 2012
Shibuya T, Komatsu S, Takahashi I, Honma M, Takahashi H, <u>Ishida-Yamamoto A</u> , Kamiya T, Fukuda S, Hashimoto T, Iizuka H.	Mucous membrane pemphigoid accompanied by ovarian cancer: A case with autoantibodies solely against gamma(2) -subunit of laminin-332.	J Dermatol	39(10): 882-884, 2012
Koga H, Ohyama B, Tsuruta D, Ishii N, <u>Hamada T</u> , Dainichi T, Natsuaki Y, Sogame R, Fukuda S, Karashima T, Tada J, Yamashiro M, Uezato H, Chan PT, <u>Hashimoto T</u> .	Five Japanese cases of anti-Dsg1 antibody positive and anti-Dsg3 antibody negative pemphigus with oral lesions.	Br J Dermatol	166(5): 976-980, 2012
Ichimura Y, Matsushita T, Hamaguchi Y, Kaji K, Hasegawa M, Tanino Y, Inokoshi Y, Kawai K, Kanekura T, Habuchi M, Igarashi A, Sogame R, <u>Hashimoto T</u> , Koga T, Nishino A, Ishiguro N, Sugimoto N, Aoki R, Ando N, Abe T, Kanda T, Kuwana M, Takehara K, Fujimoto M.	Anti-NXP2 autoantibodies in adult patients with idiopathic inflammatory myopathies: possible association with malignancy.	Ann Rheum Dis	71(5): 710-713, 2012

著者名	論文題目	雑誌名	巻:頁, 西暦年号
Kurashige Y, Mitsuhashi Y, Saito M, Fukuda S, <u>Hashimoto T</u> , Tsuboi R.	Herpetiform pemphigus with anti-Dsg 1 and full-length BP180 autoantibodies.	Eur J Dermatol	22(2): 269-270, 2012
Karashima T, Hashikawa K, Ono F, Eguchi H, <u>Hamada T</u> , Ishii N, Dainichi T, Yasumoto S, Tsuruta D, <u>Hashimoto T</u> .	Successful Treatment of Bowen's Disease with Topical Maxacalcitol.	Acta Derm Venereol	92(6): 660-661, 2012
Karashima T, Tsuruta D, <u>Hamada T</u> , Ishii N, Ono F, Hashikawa K, Ohyama B, Natsuaki Y, Fukuda S, Koga H, Sogame R, Nakama T, Dainichi T, <u>Hashimoto T</u> .	Interaction of plectin and intermediate filaments.	J Dermatol Sci	66(1): 44-50, 2012
Iida K, Yamaguchi F, Hibi K, Tate G, Ohyama B, Numata S, <u>Hashimoto T</u> , Sato M, Uchida T, Sueki H.	Characterisation of inflammatory infiltrates in lesions of the oral mucosa, skin, and bronchioles in a case of paraneoplastic pemphigus.	Eur J Dermatol	22(1): 154-155, 2012
Hanawa F, Harada K, Andou N, Kawamura T, Shibagaki N, Fukuda S, <u>Hashimoto T</u> , Shimada S.	Case of mucous membrane pemphigoid characterized by circulating immunoglobulin A and immunoglobulin G autoantibodies to the gamma-2 subunit of laminin-332.	J Dermatol	39(11): 962-963, 2012
Inaoki M, Nishijima C, Ohyama B, <u>Hashimoto T</u> .	Subepidermal blistering disease presenting with anti-plakin antibodies.	Eur J Dermatol	22(2): 284-285, 2012
Inoue Y, Adachi A, Ueno M, Fukumoto T, Nishitani N, Fujiwara N, Yamada Y, Ohyama B, Tsuruta D, <u>Hashimoto T</u> .	Atypical subacute cutaneous lupus erythematosus presenting as lichen planus pemphigoides with autoantibodies to C-terminus of BP180, desmoglein 1 and SS-A/Ro antigen.	J Dermatol	39(11): 960-962, 2012
Florea F, Torio-Padron N, <u>Hashimoto T</u> , Sitaru C.	Non-scarring skin blistering disease and mucosal lesions with IgA autoantibodies reactive with collagen VII and IgG reactivity with laminin γ 2.	J Dermatol	167(4): 938-941, 2012
Sato M, Ishitsuka A, Shibuya Y, Kanoh H, Koga H, <u>Hashimoto T</u> , Seishima M.	Time-course of the Change in Titre of Antibodies Against Type VII Collagen in a Patient with Epidermolysis Bullosa Acquisita.	Acta Derm Venereol	92(6): 693-694, 2012
Licarete E, Ganz S, Recknagel M, Di Zenzo G, <u>Hashimoto T</u> , Hertl M, Zambruno G, Hundorfefan G, Mudter J, Neurath M, Bruckner-Tuderman L, Sitaru C.	Prevalence of collagen VII-specific autoantibodies in patients with autoimmune and inflammatory diseases.	BMC Immunol	13(1): 16, 2012
Tsuruta D, Nishikawa T, Yamagami J, <u>Hashimoto T</u> .	Unilateral bullous pemphigoid without erythema and eosinophil infiltration in a hemiplegic patient.	J Dermatol	39(9): 787-789, 2012
Ishii N, <u>Hamada T</u> , Koga H, Sogame R, Ohyama B, Fukuda S, Natsuaki Y, Dainichi T, Karashima T, Nakama T, Tsuruta D, <u>Hashimoto T</u> .	Decline of disease activity and autoantibodies to desmoglein 3 and envoplakin by oral prednisolone in paraneoplastic pemphigus with benign thymoma.	Eur J Dermatol	22(4): 547-549, 2012
Ono F, Yasumoto S, Furumura M, <u>Hamada T</u> , Ishii N, Gyotoku T, Higuchi M, Inokuchi K, Jyo K, Koga H, Komai A, Maruta K, Mashiko T, Mihara T, Miyahara H, Miyasato M, Muto K, Nagase K, Nagata M, Sakihama H, Tanahashi T, Ueda A, Yamakawa K, Ohata C, Dainichi T, Tsuruta D, <u>Hashimoto T</u> .	Comparison between famciclovir and valacyclovir for acute pain in adult Japanese immunocompetent patients with herpes zoster.	J Dermatol	39(11): 902-908, 2012