

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Yanagihara, H., Kobayashi, J., Tateishi, S., Kato, A., Matsuura, S., Tauchi, H., Yamada, K., Takezawa, J., Sugasawa, K., Masutani, C., Hanaoka, F., Weemaes, C.M., Mori, T., Zou, L. and Komatsu, K.	NBS1 recruits RAD18 via a RAD6-like domain and regulates Pol $\eta$ -dependent translesion DNA synthesis.	Mol. Cell	43	788-797	2011
Fischer, E.S., Scrima, A., Böhm, K., Matsumoto, S., Lingaraju, G.M., Faty, M., Yasuda, T., Cavadini, S., Wakasugi, M., Hanaoka, F., Iwai, S., Gut, H., Sugasawa, K., Thomä, N.H.	The molecular basis of CRL4 <sup>DDB2/CSA</sup> ubiquitin ligase architecture, targeting, and activation.	Cell	147	1024-1039	2011
Zhang D., Kobayashi T., Kojima T., Kanenishi K., Hagiwara Y., Abe M., Okura H., Hamano Y., Sun G., Maeda M., Jishage K., Noda T. and Hino O.	Deficiency of the <i>Erc/mesothelin</i> gene ameliorates renal carcinogenesis in <i>Tsc2</i> knockout mice.	Cancer Science	102	720-727	2011
Imashimizu K., Shiomi K., Maeda M., Aoki N., Igarashi K., Suzuki F., Koizumi M., Suzuki K. and Hino O.	Feasibility of large-scale screening using N-ERC/mesothelin levels in the blood for the early diagnosis of malignant mesothelioma.	Experimental and Therapeutic Medicine	2	409-411	2011
Takamura A., Komatsu M., Hara T., Sakamoto A., Kishi C., Waguri S., Eishi Y., Hino O., Tanaka K. and Mizushima N.	Autophagy-deficient mice develop multiple liver tumors.	Gene & Development	25	795-800	2011
Nakamura H., Aoki H., Hino O. and Moriyama M.	HCV core protein promotes heparin binding EGF-like growth factor expression and activates Akt.	Hepatology Research	4	455-462	2011
Inami Y., Waguri S., Sakamoto A., Kouno T., Nakada K., Hino O., Watanabe S., Andoh J., Iwadate M., Yamamoto M., Lee M-S., Tanaka K. and Komatsu M.	Persistent activation of Nrf2 through p62 in hepatocellular carcinoma cells.	J. Cell Biology	193(2)	275-284	2011
Shiomi K., Shiomi S., Ishinaga Y., Sakuraba M., Hagiwara Y., Miyashita K., Maeda M., Suzuki K., Takahashi K. and Hino O.	Impact of renal failure on the tumor markers of mesothelioma, N-ERC/mesothelin and Osteopontin.	Anticancer Research	31(4)	1427-1430	2011
Kanamori-Katayama M., Kaiho A., Ishizu Y., Okamura-Oho Y., Hino O., Abe M., Kishimoto T., Sekihara H., Nakamura Y., Suzuki H., Forrest A.R.R., Hayashizaki Y.	LRR4 and UPK3B are markers of primary mesothelial cells.	PLoS One	6(10)	e25391	2011

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Yan X, Takahara M, Xie L, Gondo C, Setsu N, Oda Y, Takeuchi S, Tu Y, <u>Moroi Y</u> , Furue M.	Arginine metabolism in soft tissue sarcoma.	J Dermatol Sci.	61(3)	211-215	2011
Silsirivanit A, <u>Araki N</u> , Wongkham C, Pairojkul C, Narimatsu H, Kuwahama K, Wongkham S, Sakaguchi N	A novel serum carbohydrate marker for cholangiocarcinoma: values for diagnostic and prognostic indicators.	Cancer	117(15)	3393-403	2011
Esaki K, Terashima Y, Toda E, Yoshinaga S, <u>Araki N</u> , Matsushima K, Terasawa H	Expression and purification of human FROUNT, a common cytosolic regulator of CCR2 and CCR5.	Protein Expression and Purification	77(1)	86-91	2011
<u>Kawachi Y</u> , Ishitsuka Y, Maruyama H, Fujisawa Y, Furuta J, Nakamura Y, <u>Otsuka F</u>	GATA-3 regulates differentiation-specific loricrin gene expression in keratinocytes.	Exp Dermatol	21(11)	859-864	2012
Nakamura Y, Nakamura Y, Fujisawa Y, Obara S, Furuta J, <u>Kawachi Y</u> , <u>Otsuka F</u>	Multiple inguinal and pelvic lymph node metastases of malignant melanoma of the heel identified by common iliac lymphadenopathy.	Lymphat Res Biol	10(3)	118-121	2012
Nakamura Y, Fujisawa Y, Ishikawa M, Nakamura Y, Ishitsuka Y, Maruyama H, Furuta J, <u>Kawachi Y</u> , <u>Otsuka F</u>	Usefulness of sentinel lymph node biopsy for extramammary Paget disease.	Br J Dermatol	167(4)	954-956	2012
Ishitsuka Y, <u>Kawachi Y</u> , Taguchi S, Maruyama H, Fujisawa Y, Furuta J, Nakamura Y, <u>Otsuka F</u>	Pituitary tumor-transforming gene 1 enhances proliferation and suppresses early differentiation of keratinocytes.	J Invest Dermatol	132(7)	1775-84	2012
<u>Kawachi Y</u> , Fujisawa Y, Furuta J, Nakamura Y, Ishii Y, <u>Otsuka F</u>	Pruritic poikilodermatous eruption associated with dermatomyositis: successful treatment with dapsone.	Eur J Dermatol	22(2)	289-290	2012
Nakamura Y, Satomi K, Noguchi M, Shibata-Ito M, Fujisawa Y, <u>Kawachi Y</u> , <u>Otsuka F</u>	Incidental gastric signet-ring cell carcinoma metastasis to the skin in basal cell carcinoma.	Acta Derm Venereol	92(6)	635-636	2012
Nakamura Y, Shibata-Ito M, Nakamura Y, Ishitsuka Y, Fujisawa Y, <u>Kawachi Y</u> , <u>Otsuka F</u>	Malignant blue nevus arising in a giant congenital cellular blue nevus in an infant.	Pediatr Dermatol	29(5)	651-655	2012
Fujisawa Y, Nakamura Y, <u>Kawachi Y</u> , <u>Otsuka F</u>	Indocyanine green fluorescence-navigated sentinel node biopsy showed higher sensitivity than the radioisotope or blue dye method, which may help to reduce false-negative cases in skin cancer.	J Surg Oncol	106(1)	41-45	2012
<u>Kawachi Y</u> , Furuta J, Fujisawa Y, Nakamura Y, Ishii Y, <u>Otsuka F</u>	Indolent subcutaneous panniculitis-like T cell lymphoma in a 1-year-old child.	Pediatr Dermatol	29(3)	374-377	2012

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Nakamura Y, Nakamura Y, Ishitsuka Y, Maruyama H, Fujisawa Y, <u>Kawachi Y</u> , <u>Otsuka F</u>	Facial nerve morbidity following facial nerve preservation surgery for the treatment of skin cancer of the head and neck.	J Eur Acad Dermatol Venereol	26(10)	1323-1325	2012
Chiyoda T, Tsuda H, Tanaka H, Kataoka F, Nomura H, Nishimura S, Takano M, Susumu N, <u>Saya H</u> , Aoki D	Expression profiles of carcinosarcoma of the uterine corpus - are these similar to carcinoma or sarcoma?	Genes Chromosomes Cancer	51(3)	229-239	2012
Matsuzaki Y, Hosokai H, Mizuguchi Y, Fukamachi S, Shimizu A and <u>Saya H</u>	Establishment of <i>HRAS</i> <sup>G12V</sup> transgenic medaka as a stable tumor model for <i>in vivo</i> screening of anticancer drugs.	PLoS One	8	e54424	2013
Tobita K, Matsumoto T, Ohashi S, Bessho M, Kaneko M, <u>Ohnishi I</u>	Effect of low-intensity pulsed ultrasound stimulation on gap healing in a rabbit osteotomy model evaluated by quantitative micro-computed tomography-based cross-sectional moment of inertia.	J Orthop Sci	17(4)	470-476	2012
Ohashi S, <u>Ohnishi I</u> , Matsumoto T, Bessho M, Matsuyama J, Tobita K, Kaneko M, Nakamura K	Measurement of Articular Cartilage Thickness Using a Three-Dimensional Image Reconstructed from B-Mode Ultrasonography Mechanical Scans Feasibility Study by Comparison with MRI-Derived Data.	Ultrasound Med Biol	38(3)	402-411	2012
Ohashi S, <u>Ohnishi I</u> , Matsumoto T, Bessho M, Matsuyama J, Tobita K, Kaneko M, Nakamura K	Evaluation of the accuracy of articular cartilage thickness measurement by B-mode ultrasonography with conventional imaging and real-time spatial compound ultrasonography imaging.	Ultrasound Med Biol	38(2)	324-334	2012
Kishida Y, <u>Natsume A</u> , Kondo Y, Takeuchi I, An B, Okamoto Y, Shinjo K, <u>Saito K</u> , Ando H, Ohka F, Sekido Y, Wakabayashi T	Epigenetic subclassification of meningiomas based on genome-wide DNA methylation analyses	Carcinogenesis	33(2)	436-441	2012
Ito E, Watanabe T, Sato T, Ichikawa M, Oda K, Matsumoto Y, Ando H, Sakuma J, <u>Saito K</u>	Skull base reconstruction using various types of galeal flaps	Acta Neurochir	154	179-185	2012
Oda K, Sato T, Watanabe T, Ichikawa M, Ito E, Matsumoto Y, Ando H, Sakuma J, Kikuta A, Hojo H, <u>Saito K</u>	Radiation-induced WHO grade 2 meningiomas in young patients following prophylactic cranial irradiation for acute lymphoblastic leukemia in childhood: three case reports and a review of the literature	Neurol Med Chir (Tokyo)	52(4)	224-228	2012

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Yoshida Y, Furumura M, Tahira M, Horie T, Yamamoto O.	Serum biomarker in neurofibromatosis type 1	J Dermatol Sci	67(2)	155-158	2012
Wataya-Kaneda M, Tanaka M, Nakamura A, Matsumoto S, Katayama I	A novel application of topical rapamycin formulation, an inhibitor of mTOR, for patients with hypomelanotic macules in tuberous sclerosis complex.	Arch Dermatol	148(1)	138-139	2012
Kotobuki Y, Tanemura A, Yang L, Itoi S, Wataya-Kaneda M, Murota H, Fujimoto M, Serada S, Naka T, Katayama I	Dysregulation of melanocyte function by Th17-related cytokines: significance of Th17 cell infiltration in autoimmune vitiligo vulgaris.	Pigment Cell Melanoma Res	25(2)	219-230	2012
Tanemura A, Kotobuki Y, Itoi S, Takata T, Sano S, Katayama I	Positive link between STAT3 activation and Th17 cell infiltration to the lesional skin in vitiligo vulgaris.	J Dermatol Sci	67(3)	207-209	2012
Sato A, Kasai S, Kobayashi T, Takamatsu Y, Hino O, Ikeda K, Mizuguchi M	Rapamycin reverses impaired social interaction in mouse models of tuberous sclerosis complex.	Nature Communications	3	1292. doi: 10.1038/ncomms2295	2012
Nakano E, Kunisada M, Ikeda T, Kikusawa A, Hirose M, Shibuya Y, Komori T, Nishigori C	Successful treatment with fluoropyrimidine TS-1 of human papillomavirus type 16-detected multiple oral Bowenoid papulosis in an elderly woman.	Eur J Dermatol	22(2)	267-268	2012
Ibusuki C, Kunisada M, Ogura K, Ikeda T, Oda Y, Nishigori C	A case of human papilloma virus type 16-associated verruca vulgaris on the digits with multiple cancerous anogenital lesions.	Eur J Dermatol	22(3)	400-401	2012
Yogianti F, Kunisada M, Ono R, Sakumi K, Nakabeppu Y, Nishigori C	Skin Tumours Induced by Narrowband UVB Have Higher Frequency of p53 Mutations than Tumours Induced by Broadband UVB Independent of Ogg1 Genotype.	Mutagenesis	27(6)	637-643	2012
Funasaka Y, Abdel-Daim M, Kawana S, Nishigori C	Effect of chemical peeling on the skin in relation to UV irradiation.	Exp Dermatol	21 Suppl1	31-35	2012
Chiyomaru K, Nagano T, Nishigori C	XRCC1 Arg194Trp polymorphism, risk of nonmelanoma skin cancer and extramammary Paget's disease in a Japanese population.	Arch Dermatol Res	304(5)	363-370	2012
Sakaguchi M, Oka M, Iwasaki T, Fukami Y, Nishigori C	Role and regulation of STAT3 phosphorylation at Ser727 in melanocytes and melanoma cells.	J Invest Dermatol	132(7)	1877-1885	2012

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Moriwaki S, Yamashita Y, Nakamura S, Fujita D, Kohyama J, Takigawa M, Ohmichi M	Prenatal diagnosis of xeroderma pigmentosum group A in japan	J Dermatology	39(6)	516-519	2012
Moriwaki S, Takigawa M, Igarashi N, Nagai Y, Amano H, Ishikawa O, Khan SG, Kraemer KH	Xeroderma pigmentosum complementation group G patient with a novel homozygous mutation and no neurological abnormalities	Exp Dermatol	21(4)	304-307	2012
Moriwaki S, Takahashi Y, Shimizu H, Inoue M, Sugiyama Y, Inoue S	Decreased repair of singlet oxygen-induced DNA damage in xeroderma pigmentosum group A cells determined by plasmid host cell reactivation	J Derm Sci	66	516-519	2012
Hayashi M, Oto T, Shioda K, Fukatsu R	Lesions of cortical GABAergic interneurons and acetylcholine neurons in xeroderma pigmentosum group A.	Brain Dev	34(4)	287-292	2012
Hayashi M, Saito-Miwa N, Tanuma N, Kubota M	Brain vascular changes in Cockayne syndrome.	Neuropathology	32(2)	113-117	2012
Ueda T, Kanda F, Aoyama N, Fujii M, Nishigori C, Toda T	Neuroimaging features of xeroderma pigmentosum group A.	Brain and Behavior	2(1)	1-5	2012
Shirafuji T, Kanda F, Sekiguchi K, Higuchi M, Yokozaki H, Tanaka K, Takahashi H, Toda T	Anti-Hu-associated paraneoplastic encephalomyelitis with esophageal small cell carcinoma.	Intern Med	51	2423-2427	2012
Sekiguchi K, Kanda F, Mitsui S, Kohara N, Chihara K	Fibrillatio potentials of denrevented rat skeletal muscle are associated with expression of cardiac-type voltage-gated sodium channel isoform Nav1.5.	Clin Neurophysiol	123	1650-1655	2012
Xue Zhang, Katsuyoshi Horibata, Masafumi Saijo, Chie Ishigami, Akiko Ukai, Shin-ichiro Kanno, Hidetoshi Tahara, Edward G. Neilan, Masamitsu Honma, Takehiko Nohmi, Akira Yasui and Kiyoji Tanaka.	Mutations in <i>KIAA1530/UVSSA</i> cause UV-sensitive syndrome destabilizing ERCC6 in transcription-coupled DNA repair.	Nature Genetics	44	593-597	2012
Arnold D. Bailey, Lucas T. Gray, Thomas Pavelitz, John C. Newman, Katsuyoshi Horibata, Kiyoji Tanaka, Alan M. Weiner.	The conserved Cockayne syndrome B-piggyBac fusion protein (CSB-PGBD3) affects DNA repair and induces both interferon-like and innate antiviral responses in CSB-null cells.	DNA Repair	11	488-501	2012

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Li Jing Tan, Masafumi Saijo, Isao Kuraoka, Takashi Narita, Shigenori Iwai and <u>Kiyoji Tanaka</u> .	Xeroderma pigmentosum group F protein binds to Eg5 and is required for proper mitosis: Implications for XP-F and XFE.	Genes to Cells	17	173-185	2012
Shiomi, Y., Hayashi, A., Ishii, Y., Shinmyozu, K., Nakayama, J., <u>Sugasawa, K.</u> and Nishitani, H.	Two different replication factor C proteins, Ctf18 and RFC1, separately control PCNA-CRL4 <sup>Cdt2</sup> - mediated Cdt1 proteolysis during S phase and following UV irradiation.	Mol. Cell. Biol.	32	2279-2288	2012
Pines, A., Vrouwe, M.G., Martejn, J.A., Typas, D., Luijsterburg, M.S., Cansoy, M., Hensbergen, P., Deelder, A., de Groot, A., Matsumoto, S., <u>Sugasawa, K.</u> , Thomä, N., Vermeulen, W., Vrieling, H. and Mullenders, L.	PARP1 promotes nucleotide excision repair through DDB2 stabilization and recruitment of ALC1.	J. Cell Biol.	199	235-249	2012
Yasen M., Obulhasim G., Kajino K., Mogushi K., Mizushima H., Tanaka S., Tanaka H., <u>Hino O.</u> and Arii S.	DNA binding protein A expression and methylation status in hepatocellular carcinoma and the adjacent tissue.	Int. J. Oncology	40	789-797	2012
Goncharova E.A., Goncharov D.A., Fehrenbach M., Khavin I., Ducka B., <u>Hino O.</u> , Colby T.V., Merrilees M.J., Haczku A., Albelada S.M. and Krymskaya V.	Preventing of alveolar destruction and airspace enlargement in a mouse Model of pulmonary lymphangioliomyomatosis (LAM).	Science Translational Medicine	4	1-10	2012
Saeki H., Hashizume A., Izumi H., Suzuki F., Ishi K., NOjima M., Maeda M. and <u>Hino O.</u>	The utility of serum N-ERC/ mesothelin as biomarker of ovarian carcinoma.	Oncology Letters	4	637-641	2012
Akatsuka S., Yamashita Y., Ohara H., Liu Y-T., Izumiya M., Abe K., Ochiai M., Jiang L., Nagai H., Okazaki Y., Murakami H., Sekido Y., Arai E., Kanai Y., <u>Hino O.</u> , Takahashi T., Nakagama H. and Toyokuni S.	Fenton reaction induced cancer in wild type rats recapitulates genomic alterations observed in human cancer.	PLoS One	7(8)	E43403	2012
Sato A., Kasai S., Kobayashi T., Takamatsu Y., <u>Hino O.</u> , Ikeda K. and <u>Mizuguchi M.</u>	Rapamycin reverses impaired social interaction in mouse models of tuberous sclerosis complex.	Nature Communications	3	1292	2012
Yamamoto T, Nakayama K, Hirano H, Tomonaga T, Ishihama Y, Yamada T, Kondo T, Kodera Y, Sato Y, <u>Araki, N.</u> , Mamitsuka, H, Goshima N	The integrated view of human chromosome X-centric proteome project.	the Journal of Proteome Research	12	58-61	2012

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Irie A, Harada K, <u>Araki N</u> , Nishimura Y	Phosphorylation by PKD2 at Ser171 of SET reduced its inhibitory effect on PP2A phosphatase in T cells.	PLoS One	7(12)	e51242.	2012
Khaenam P, Niibori NM, Okada S, Jearanaikoon P, <u>Araki N</u> , Limpiboon T	Contribution of RIZ1 in proliferation and migration of liver fluke-related cholangiocarcinoma cell line.	Asian Pacific J Cancer Prev	13	4007-4011	2012
Shimada H, Nambu-Niibori A, Wilson-Morifuji M, Mizuguchi S, <u>Araki N</u> , Mezaki, Y, Senoo H, Ishikawa K, Okamoto O, Fujiwara S	Epiplakin modifies the motility of the HeLa cells and accumulates at the outer surfaces of three-dimensional cell clusters.	J. Dermatol	40(4)	249-258	2012
Sawanyawisuth K, Wongkham C, <u>Araki N</u> , Zhao Q, Riggins GJ, Wongkham S	Serial Analysis of Gene Expression Reveals Promising Therapeutic Targets for Liver Fluke-associated Cholangiocarcinoma.	Asian Pacific J Cancer Prev	13 (Suppl)	89-93	2012
Sawanyawisuthl K., Wongkham C, Riggins GJ., Wongkham S, <u>Araki N</u>	Possible involvement of Cyclophilin A processing in fumagillin-induced suppression of cholangiocarcinoma cell proliferation.	Asian Pac J Cancer Prev.	13	137-141	2012
Fujisawa Y, Miyazono Y, <u>Kawachi Y</u> , <u>Otsuka F</u>	A case of sterile transient neonatal pustulosis presenting with large flaccid pustules.	Pediatr Dermatol	30(6)	E238-239	2013
Fujisawa Y, Nakamura Y, <u>Kawachi Y</u> , <u>Otsuka F</u>	Comparison between taxane-based chemotherapy with conventional surgery-based therapy for cutaneous angiosarcoma: a single center experience.	J Dermatolog Treat			2013 Jan 6 [Epub ahead of print]
<u>Nakayama J</u> , Sato C, Imafuku S	In vitro responses of neurofibroma fibroblasts, mast cells, and Schwann cells obtained from patients with neurofibromatosis 1 to 308-nm excimer light and/or vitamin D3.	J Dermatol	40(9)	743-745	2013
<u>Nakayama J</u> , Imafuku S, Mori T, Sato C	Narrowband ultraviolet B irradiation increases the serum level of vitamin D <sub>3</sub> in patients with neurofibromatosis 1	J Dermatol	40(10)	829-831	2013
Matsuzaki Y, Hosokai H, Mizuguchi Y, Fukamachi S, Shimizu A and <u>Saya H</u>	Establishment of <i>HRAS</i> <sup>G12V</sup> transgenic medaka as a stable tumor model for <i>in vivo</i> screening of anticancer drugs.	PLoS One	8	e54424	2013

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Ando H, <u>Natsume A</u> , Senga T, Watanabe R, Ito I, Ohno M, Iwami K, Ohka F, Motomura K, <u>Saito K</u> , Morgan R, Wakabayasi T	Peptide-based inhibition of the HOXA9/PBX interaction retards the growth of human meningioma.	Cancer Chemotherapy Pharmacol		Epub ahead of print	2013
Matsuyama J, Ichikawa M, Oikawa T, Sato T, Kishida Y, Oda K, Maeda T, Yamada M, Kuromi K, Matsumoto Y, Ando H, Sakuma J, <u>Saito K</u>	Primary CNS lymphoma arising in the region of the optic nerve presenting as loss of vision: 2 case reports, including a patient with a massive intracerebral hemorrhage.	Brain Tumor Pathol			in press
Ando H, <u>Natsume A</u> , Iwami K, Ohka F, Kuchimaru T, Kizaka-Kondoh S, Ito K, <u>Saito K</u> , Sugita S, Hoshino T, Wakabayashi T	A hypoxia-inducible factor (HIF)-3a splicing variant, HIF-3a4 impairs angiogenesis in hypervascular malignant meningiomas with epigenetically silenced HIF-3a4.	Biochem Biophys Res Com	433	139-144	2013
Ito E, Ichikawa M, Itakura T, Ando H, Matsumoto Y, Oda K, Sato T, Watanabe T, Sakuma J, <u>Saito K</u>	Motor evoked potential monitoring of the vagus nerve with transcranial electrical stimulation during skull base surgeries.	J Neurosurg	118	195-201	2013
Shimizu H, Tominaga T, Ogawa A, Kayama T, Mizoi K, <u>Saito K</u> , Terayama Y, Ogasawara K, Mori E	Cilostazol for the prevention of acute progressing stroke: a multicenter, randomized controlled trial.	J Stroke Cerebrovascular Dis	22	449-456	2013
<u>Kawachi Y</u> , Maruyama H, Ishitsuka Y, Fujisawa Y, Furuta J, Nakamura Y, Ichikawa E, <u>Furumura M</u> , Otsuka F	NF1 gene silencing induces upregulation of vascular endothelial growth factor expression in both Schwann and non-Schwann cells.	Exp Dermatol	22(4)	262-265	2013
Li X, Hamada T, Ohata C, <u>Furumura M</u> , Hashimoto T	Potential mesenchymal stem cell therapy for skin diseases.	Exp Dermatol	22(8)	515-516	2013
Hanafusa T, Igawa K, Kotobuki Y, Kitaba S, Tani M, <u>Katayama I</u>	Systemic lymphadenopathy with systemic sclerosis and Sjögren's syndrome: a case report.	J Dermatol	40(2)	124-125	2013
Kijima A, Murota H, Takahashi A, Arase N, Yang L, Nishioka M, Yamaoka T, Kitaba S, Yamauchi-Takahara K, <u>Katayama I</u>	Prevalence and impact of past history of food allergy in atopic dermatitis.	Allergol Int	62(1)	105-112	2013
Tanaka A, Tanemura A, Tsuji C, <u>Katayama I</u> , Masuzawa M, Nakashima Y	Epithelioid angiosarcoma of the skin with spontaneous regression.	J Dermatol	40(3)	215-217	2013
Murota H, <u>Katayama I</u>	Reply: To PMID 22770266	J Allergy Clin Immunol	131(3)	928-929	2013



発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Terao M, Itoi S, Murota H, <u>Katayama I</u>	Expression profiles of cortisol-inactivating enzyme, 11 $\beta$ -hydroxysteroid dehydrogenase-2, in human epidermal tumors and its role in keratinocyte proliferation.	Exp Dermatol	22(2)	98-101	2013
Oiso N, Suzuki T, Wataya-Kaneda M, Tanemura A, Tanioka M, Fujimoto T, Fukai K, Kawakami T, Tsukamoto K, Yamaguchi Y, Sano S, Mitsuhashi Y, Nishigori C, Morita A, Nakagawa H, Mizoguchi M, <u>Katayama I</u>	Guidelines for the diagnosis and treatment of vitiligo in Japan.	J Dermatol	40(5)	344-354	2013
Murakami Y, Wataya-Kaneda M, Tanaka M, <u>Katayama I</u>	Case of tuberous sclerosis complex complicated by mosaic localized neurofibromatosis type 1.	J Dermatol	40(5)	413-414	2013
Hanafusa T, Matsui S, Murota H, Tani M, Igawa K, <u>Katayama I</u>	Increased frequency of skin-infiltrating FoxP3+ regulatory T cells as a diagnostic indicator of severe atopic dermatitis from cutaneous T cell lymphoma.	Clin Exp Immunol	172(3)	507-512	2013
Nakajima K, Terao M, Takaishi M, Kataoka S, Goto-Inoue N, Setou M, Horie K, Sakamoto F, Ito M, Azukizawa H, Kitaba S, Murota H, Itami S, <u>Katayama I</u> , Takeda J, Sano S	Barrier abnormality due to ceramide deficiency leads to psoriasiform inflammation in a mouse model.	J Invest Dermatol	133(11)	2555-2565	2013
Wataya-Kaneda M, Tanaka M, Hamasaki T, <u>Katayama I</u>	Trends in the prevalence of tuberous sclerosis complex manifestations: an epidemiological study of 166 Japanese patients.	PLoS One	8(5)	e63910	2013
Tanaka A, Nakano M, Tani M, Kira M, <u>Katayama I</u> , Nakagawa J, Tahara K, Koh S, Goto S, Takahashi R	Adult case of Stevens-Johnson syndrome possibly induced by Chlamydophila pneumoniae infection with severe involvement of bronchial epithelium resulting in constructive respiratory disorder.	J Dermatol	40(6)	492-494	2013
Hirobe S, Azukizawa H, Matsuo K, Zhai Y, Quan YS, Kamiyama F, Suzuki H, <u>Katayama I</u> , Okada N, Nakagawa S	Development and clinical study of a self-dissolving microneedle patch for transcutaneous immunization device.	Pharm Res	30(10)	2664-2674	2013

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Arase N, Wataya-Kaneda M, Oiso N, Arase H, <u>Katayama I</u>	CD1a-positive familial cutaneous mastocytosis without germ-line or somatic mutations in c-kit.	Br J Dermatol	169(1)	201-204	2013
Tanemura A, Oiso N, Nakano M, Itoi S, Kawada A, <u>Katayama I</u>	Alopecia areata: infiltration of Th17 cells in the dermis, particularly around hair follicles.	Dermatology	226(4)	333-336	2013
Takehara Y, Satoh T, Nishizawa A, Saeki K, Nakamura M, Masuzawa M, Kaneda Y, <u>Katayama I</u> , Yokozeki H	Anti-tumor effects of inactivated Sendai virus particles with an IL-2 gene on angiosarcoma.	Clin Immunol	149(1)	1-10	2013
Tanaka M, Wataya-Kaneda M, Nakamura A, Matsumoto S, <u>Katayama I</u>	First left-right comparative study of topical rapamycin vs. vehicle for facial angiofibromas in patients with tuberous sclerosis complex.	Br J Dermatol	169(6)	1314-1318	2013
Itoi S, Terao M, Murota H, <u>Katayama I</u>	11 $\beta$ -Hydroxysteroid dehydrogenase 1 contributes to the pro-inflammatory response of keratinocytes.	Biochem Biophys Res Commun	440(2)	265-270	2013
Takahashi A, Murota H, Matsui S, Kijima A, Kitaba S, Lee JB, <u>Katayama I</u>	Decreased Sudomotor Function is Involved in the Formation of Atopic Eczema in the Cubital Fossa.	Allergol Int	62(4)	473-478	2013
Umegaki-Arao N, Tamai K, Nimura K, Serada S, Naka T, Nakano H, <u>Katayama I</u>	Karyopherin Alpha2 Is Essential for rRNA Transcription and Protein Synthesis in Proliferative Keratinocytes.	PLoS One	8(10)	e76416	2013
Sugiyama D, Nishikawa H, Maeda Y, Nishioka M, Tanemura A, <u>Katayama I</u> , Ezoe S, Kanakura Y, Sato E, Fukumori Y, Karbach J, Jäger E, Sakaguchi S	Anti-CCR4 mAb selectively depletes effector-type FoxP3+CD4+ regulatory T cells, evoking antitumor immune responses in humans.	Proc Natl Acad Sci U S A	110(44)	17945-17950	2013
Tanemura A, Kiyohara E, <u>Katayama I</u> , Kaneda Y	Recent advances and developments in the antitumor effect of the HVJ envelope vector on malignant melanoma: from the bench to clinical application.	Cancer Gene Ther	20(11)	599-605	2013
Sato A, <u>Mizuguchi M</u> , Ikeda K.	Social interaction test: a sensitive method for examining autism-related behavioral deficits.	Protocol Exchange		doi: 1038/protex.2013.046	2013

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Ohsawa M, Kobayashi T, Okura H, Igarashi T, <u>Mizuguchi M</u> , <u>Hino O</u>	TSC1 Controls Distribution of Actin fibers through its effect on function of Rho family of small GTPases and regulates cell migration and polarity.	PLoS One	8(1)	e54503	2013
<u>Matsuo M</u> , Maeda T, Ono N, Sugihara S, Kobayashi I, Koga D, Hamasaki Y	Efficacy of dextromethorphan and cyclosporine A for acute encephalopathy.	Pediatric Neurology	48(3)	200-205	2013
<u>Matsuo M</u> , Togawa M, Hirabaru K, Mochinaga S, Narita A, Adachi M, Egashira M, Irie T, Ohno K	Effects of cyclodextrin in two patients with Niemann-Pick Type C disease.	Molecular Genetics and Metabolism	108(1)	76-81	2013
<u>Matsuo M</u> , <u>Ohno K</u> , Ohtsuka F	Characterization of early onset neurofibromatosis type 2.	Brain Dev	36	148-152	2014
Obulhasim G., Yasen M., Kajino K., Mogushi K., Tanaka S., Mizushima H., Tanaka H., Arie S. and <u>Hino O</u> .	Up-regulation of dbpA mRNA in hepatocellular carcinoma associated metabolic syndrome.	Hepatol. Int.	7	215-225	2013
Ito M., Kajino K., Abe M., Fujimura T., Mineki R., Ikegami T., Ishikawa T. and <u>Hino O</u> .	NP-1250, an ABCG2 inhibitor, induces apoptotic cell death in breast carcinoma MCF7/ mitoxantrone-resistant cells via a caspase-independent pathway.	Oncology Reports	29	1492-1500	2013
Nomura R., Fujii H., Abe M., Sugo H., Ishizaki Y., Kawasaki S. and <u>Hino O</u> .	Mesothelin Expression is a prognostic factor in cholangiocellular carcinoma.	Int. Surgery	98	164-169	2013
Okura H., Kobayashi T., Koike M., Ohsawa M., Zhang D., Arai H., Uchiyama Y. and <u>Hino O</u> .	Tuberin activates and controls the distribution of Rac1 via association with p62 and ubiquitin through the mTORC1 signaling pathway.	Int. J. Oncology	43	447-456	2013
Mori T., Tajima K., Hiramama M., Sato T., Kido K., Iwakami S., Sasaki S., Iwase A., Shiomi K., Maeda M., <u>Hino O</u> . and Takahashi K.	The N-ERC index is a novel monitoring and prognostic marker for advanced malignant pleural mesothelioma.	Journal of thoracic disease	5(2)	145-148	2013
Kawamata F., Homma S., Kamachi H., Einama T., Kato Y., Tsuda M., Tanaka S., Maeda M., Kajino K., <u>Hino O</u> ., Takahashi N., Kamiyama T., Nishihara H., Taketomi A. and Todo S.	C-ERC/mesothelin provokes lymphatic invasion of colorectal adenocarcinoma.	J. Gastroenterology		DOI 10.1007/ s00535- 013-0773-6	2013
Hirohashi, T., Igarashi K., Abe M., Maeda M., and <u>Hino, O</u> .	Retrospective analysis of large-scale research screening to the construction workers for an early diagnosis of mesothelioma.	Molecular and Clinical Oncology		DOI: 10.3892/ mo.2013.197	2013

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Ito T., Kajino K., Abe M., Sato K., Maekawa H., Sakurada M., Orita H., Wada R., Kajiyama Y. and <u>Hino O.</u>	ERC/mesothelin is expressed in human gastric cancer tissues and cells lines.	Oncology Reports	31	27-33	2013
Hirano S., Kakinuma S., Amasaki Y., Nishimura M., Imaoka T., Fujimono S., <u>Hino O.</u> and Shimada Y.	Ikaros is a critical target during simultaneous exposure to X-rays and N-ethyl-N-nitrosourea in mouse T-cell lymphomagenesis.	International J. Cancer	15	259-268	2013
Abe H., Mochizuki S., Ohara K., Ueno M., Ohiai H., Kitagawa Y., <u>Hino O.</u> , Sato H. and Okada Y.	Src plays a key role in ADAM28 expression in v-src-transformed epithelial cells and human carcinoma cells.	The American Journal of Pathology	183	1667-1678	2013
Sugiura H., Yasuda S., Katsurabayashi S., Oguri K., Tanaka H., Takasaki K., Iwasaki K., Kobayashi T., <u>Hino O.</u> and Yamagata K.	Rheb-syntenin interaction regulates dendritic spine formation in rodent models of tuberous sclerosis.	PNAS			in press
Nakano E, Ono R, Masaki T, Takeuchi S, Takaoka Y, <u>Nishigori C</u>	Differences in Clinical Phenotype Among Patients with XP Complementation Group D; 3-D Structure and ATP-Docking of XPD in silico.	J Invest Dermatol			in press
Chiba Y, Mizoguchi I, Mitobe K, Higuchi K, Nagai H, <u>Nishigori C</u> , Mizuguchi J, Yoshimoto T	IL-27 enhances the expression of TRAIL and TLR3 in human melanomas and inhibits their tumor growth in cooperation with a TLR3 agonist poly (I:C) partly in a TRAIL-dependent manner.	PLoS One	8(10)	e76159	2013
Tian H, Matsuo Y, Fukunaga A, Ono R, <u>Nishigori C</u> , Yodoi J	Thioredoxin ameliorates cutaneous inflammation by regulating the epithelial production and release of pro-Inflammatory cytokines.	Front Immunol	4	Article269	2013
Ono R, Fukunaga A, Masaki T, Yu X, Yodoi J, <u>Nishigori C</u>	Suppressive effect of administration of recombinant human thioredoxin on cutaneous inflammation caused by UV.	Bioengineered	4(4)	254-257 (Addenda)	2013
Ono R, Masaki T, Takeuchi S, Shimizu A, Tanioka M, Kambe N, Matsue H, Kamide R, <u>Nishigori C</u>	Three school-age cases of xeroderma pigmentosum variant type.	Photodermatol Photoimmunol Photomed	29(3)	132-139	2013
Kunisada M, Masaki T, Ono R, Morinaga H, Nakano E, Yogi F, Okunishi K, Sugiyama H, <u>Nishigori C</u>	Hydrochlorothiazide enhances UVA-induced DNA damage.	Photochem Photobiol	89(3)	649-654	2013

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Taguchi K, Fukunaga A, Ogura K, <u>Nishigori C</u>	The Role of Epidermal Langerhans Cells in NB-UVB-Induced Immunosuppression.	Kobe J Med Sci	59(1)	E1-9	2013
Brooks BP, Thompson AH, Bishop RJ, Clayton JA, Chan CC, Tsilou ET, Zein WM, Tamura D, Khan SG, Ueda T, Boyle J, Oh KS, Imoto K, Inui H, <u>Moriwaki S</u> , Emmert S, Iliff NT, Bradford P, Digiovanna JJ, Kraemer KH	Ocular manifestations of xeroderma pigmentosum: long term follow-up highlights the role of DNA repair in protection from sun damage.	Ophthalmology	120(7)	1324-1336	2013
Imoto K, Nadem C, <u>Moriwaki S</u> , <u>Nishigori C</u> , Oh KS, Sikandar G. Khan SG, Goldstein AM, K Kraemer KH	Ancient origin of a Japanese xeroderma pigmentosum founder mutation.	J Derm Sci	69(2)	175-176	2013
<u>Moriwaki S</u>	Hereditary disorders with deficient repair of UV-induced DNA damage.	Jpn Clin Med	4	29-35	2013
Kokunai Y, Tsuji M, Yuko Ito Y, Kurokawa T, Otsuki K, <u>Moriwaki S</u>	Immunohistochemical analysis of O6-methylguanine-DNA methyltransferase in human skin tumor.	Medical Molecular Morphology		Epub ahead of print	2013
Cullup T, Kho AL, Dionisi-Vici C, Brandmeier B, Smith F, Urry Z, Simpson MA, Yau S, Bertini E, McClelland V, Al-Owain M, Koelker S, Koerner C, Hoffmann GF, Wijburg FA, Hoedt AE, Rogers RC, Manchester D, Miyata R, <u>Hayashi M</u> , Said E, Soler D, Kroisel PM, Windpassinger C, Filloux FM, Al-Kaabi S, Hertecant J, Del Campo M, Buk S, Bodi I, Goebel HH, Sewry CA, Abbs S, Mohammed S, Josifova D, Gautel M, Jungbluth H	Recessive mutations in EPG5 cause Vici syndrome, a multisystem disorder with defective autophagy.	Nat Genet	45(1)	83-87	2013
Tomita M, Koike H, Kawagashira Y, Iijima M, Adachi H, Taguchi J, Abe T, Sako K, Tsuji Y, Nakagawa M, <u>Kanda F</u> , Takeda F, Sugawara M, Toyoshima I, Asano N, Sobue G.	Clinicopathological features of neuropathy associated with lymphoma.	Brain.	136.	63-78	2013
Ueda T, Seki T, Katanazaka K, Sekiguchi K, Kobayashi K, <u>Kanda F</u> , Toda T	A novel mutation in the C2 domain of protein kinase C gamma associated with spinocerebellar ataxia type 14.	J Neurol.	260	1664-6	2013

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Krasikova, Y. S., Rechkunova, N. I., Maltseva, E. A., Pestryakov, P. E., Petruseva, I. O., <u>Sugasawa, K.</u> , Chen, X., Min, J. H., and Lavrik, O. I.	Comparative analysis of interaction of human and yeast DNA damage recognition complexes with damaged DNA in nucleotide excision repair.	J. Biol. Chem.	288	10936-10947	2013
Nishi, R., Sakai, W., Tone, D., Hanaoka, F., and <u>Sugasawa, K.</u>	Structure-function analysis of the EF-hand protein centrin-2 for its intracellular localization and nucleotide excision repair.	Nucleic Acids Res.	41	6917-6929	2013
Krasikova, Y. S., Rechkunova, N. I., Maltseva, E. A., Anarbaev, R. O., Pestryakov, P. E., <u>Sugasawa, K.</u> , Min, J. H., and Lavrik, O. I.	Human and yeast DNA damage recognition complexes bind with high affinity DNA structures mimicking in size transcription bubble.	J. Mol. Recognit.	26	653-661	2013
Kashiyama K*, Nakazawa Y*, Pilz DT*, Guo C*, Shimada M, Sasaki K, Fawcett H, Wing JF, Lewin SO, Carr L, Li TS, Yoshiura KI, Utani A, Hirano A, Yamashita S, Greenblatt D, Nardo T, Stefanini M, McGibbon D, Sarkany R, Fassihi H, Takahashi Y, Nagayama Y, Mitsutake N, Lehmann AR, <u>Ogi T</u>	Malfunction of Nuclease ERCC1-XPF Results in Diverse Clinical Manifestations and Causes Cockayne Syndrome, Xeroderma Pigmentosum, and Fanconi Anemia.	Am J Hum Genet	92	807-819	2013
Woodbine L, Neal JA, Sasi NK, Shimada M, Deem K, Coleman H, Dobyns WB, <u>Ogi T</u> , Meek K, Davies EG, Jeggo PA	PRKDC mutations in a SCID patient with profound neurological abnormalities.	J Clin Invest	123	2969-2980	2013
Nambu NA, Midorikawa U, Mizuguchi S, Hide T, Nagai M, Komohara Y, Nagayama M, Hirayama M, Kobayashi D, Tsubota N, Takezaki T, Makino K, Nakamura H, Takeya M, Kuratsu J and <u>Araki N</u>	Glioma initiating cells form a differentiation niche via the induction of extracellular matrices and integrin $\alpha$ V.	PLOS ONE	8(5)	e59558	2013
Hirayama M, Kobayashi D, Mizuguchi S, Morikawa T, Nagayama M, Wilson MM, Nambu NA, Yoshizawa A, Kawano S, and <u>Araki N</u>	Integrated proteomics identified a novel activation signaling of dynein IC2-GR-COX-1 in NF1 disease model cells.	Molecular & Cellular Proteomics	12(5)	1377-1394	2013
Nitta H, Wada Y, Kawano Y, Murakami Y, Irie A, Taniguchi K, Kikuchi K, Yamada G, Suzuki K, Honda J, Wilson MM, <u>Araki N</u> , Eto M, Baba H and Imamura T	Enhancement of human cancer cell motility and invasiveness by anaphylatoxin C5a via aberrantly expressed C5a-receptor (CD88).	Clinical Cancer Research	19(8)	1-10	2013

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Shimada H, Nambu-Niibori A, Wilson-Morifuji M, Mizuguchi S, Araki N, Mezaki Y, Senoo H, Ishikawa K, Okamoto O, Fujiwara S	Epiplakin modifies the motility of the HeLa cells and accumulates at the outer surfaces of three-dimensional cell clusters.	J. Dermatol	40(4)	249-258	2013
Yamamoto T, Nakayama K, Hirano H, Tomonaga T, Ishihama Y, Yamada T, Kondo T, Koderu Y, Sato Y, Araki N, Mamitsuka H, Goshima N	Integrated View of the Human Chromosome X-centric Proteome Project.	J Proteome Res	12(1)	58-61	2013
Silsirivanit A, Araki N, Wongkham C, Vaeteewoottacharn K, Pairojkul C, Kuwahara K, Narimatsu Y, Sawaki H, Narimatsu H, Okada S, Sakaguchi N, Wongkham S	CA-S27: A novel Lewis A associated carbohydrate epitope is diagnostic and prognostic for cholangiocarcinoma.	Cancer Sci			in press
Kuwano Y, Yoneda K, Kawaguchi Y, Araki N, Araki T	The complete amino acid sequence, and enzymatic properties of an i-type lysozyme isolated from the common orient clam ( <i>Meretrix lusoria</i> ).	Bioscience Biotechnology, and Biochemistry			in press
丸山 浩、中村泰大、藤澤康弘、川内康弘、大塚藤男	Malignant peripheral nerve sheath tumor の 3 例	日レ病会誌	2(1)	81-4	2011
森 竜樹、今福信一、中山樹一郎	レックリングハウゼン病のカフェオレ斑のNB-UVB 照射による色調の変化について	日本レックリングハウゼン病学会雑誌	2(1)	57-59	2011
倉持 朗	神経線維腫症 1 型の瀰漫性神経線維腫に対する対応	日本レックリングハウゼン病学会雑誌	2(1)	27-39	2011
倉持 朗	画像がひらく世界；皮膚科画像診断学－腫瘍・血管腫・母斑症を実際例として－	日本皮膚科学会雑誌	121(13)	2934-2947	2011
倉持 朗	先天性血管拡張性大理石様皮斑、Klippel-Trenaunay 症候群、Sturge-Weber 症候群、神経線維腫症 2 型、Schwannomatosis、McCune-Albright 症候群、母斑性基底細胞癌症候群、および神経線維腫症 1 型の結節状蔓状神経線維腫に対する対応補遺	日本皮膚科学会雑誌	121(13)	2768-2804	2011
倉持 朗	過誤腫 Hamartoma; 皮膚にみられる代表的な過誤腫 Hamartoma について教えてください	日本小児皮膚科学会雑誌	30(2)	145-146	2011

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
水野朋子、中川栄二、 斉藤義朗、小牧宏文、 須貝研司、佐々木征行、 大槻泰介、長谷川毅、 山内秀雄、倉持 朗	限局性皮質形成異常を合併した神経皮膚黒色症の1例	脳と発達	43(4)	300-303	2011
安井宏仁、倉持 朗、 滝口光次郎、田口理史、 中村晃一郎、土田哲也	タキサン系抗癌剤で治療したStewart-Treves 症候群の1例	皮膚科の臨床	53(10)	1459-1462	2011
倉持 朗	NF1 の臨床；オーバービュー	第2回遺伝カウンセリングアドバンスセミナー 神経線維腫症1型（レックリングハウゼン病）テキスト／日本遺伝カウンセリング学会	2	1-23	2011
伊藤英治、佐藤 拓、 渡邊 督、市川優寛、 織田恵子、安藤 等、 松本由香、佐久間潤、 齋藤 清	脊索腫に対する手術・放射線治療による総合的な治療	脳神経外科速報	21	252-259	2011
齋藤 清、伊藤英治、 佐藤 拓、市川優寛、 渡邊 督、松本由香、 安藤 等、織田恵子、 佐久間潤	頭蓋底髄膜腫に対する外科治療の役割：海綿静脈洞～petroclival meningioma を中心に	脳神経外科ジャーナル	20	170-176	2011
齋藤 清	頭頸部癌手術における他科の役割：頭蓋底外科	JOHNS	27	555-558	2011
市川優寛、伊藤英治、 佐藤 拓、渡邊 督、 織田恵子、安藤 等、 松本由香、板倉 毅、 佐久間潤、齋藤 清	脳腫瘍における抗てんかん薬の使い方	脳神経外科速報	21	403-408	2011
渡邊 督、佐藤 拓、 市川優寛、佐久間潤、 齋藤 清、永谷哲也	鞍上部腫瘍に対する手術アプローチ：頭蓋咽頭腫を中心に	脳神経外科	39	849-857	2011
吉田雄一	[わかりやすい！How to 皮膚病理] 母斑・母斑症	Derma	177	184-190	2011
吉田雄一	[他科医師とともに診察すべき皮膚疾患] Recklinghausen 病	Derma	185	57-61	2011



発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
吉田雄一	特集3「神経線維腫症1型(レックリングハウゼン病)の診断基準および診療ガイドラインについて」	JDA LETTER	9	4	2011
飛田礼子、渡邊徹心、吉田雄一、山元 修、森田栄伸	生下時より隆起した脂腺母斑(図説)	西日皮膚	73(2)	123-124	2011
和久本圭子、吉田雄一、山元 修	Blaschko 線に沿って生じた脱色素斑	Visual Dermatology	10(7)	692-693	2011
檜垣裕美、吉田雄一、板倉文子、大野耕策、山元 修	Proliferative nodule を伴った神経皮膚黒色症の1例	皮膚臨床	53(9)	1315-1318	2011
中島圭子、吉田雄一、山元 修	Blaschko 線に沿って生じた脱色素斑に合併した脂腺母斑と考えられた1例	西日皮膚	73(5)	486-488	2011
吉田雄一、山元 修	神経線維腫症1型に生じた蝶形骨形成異常を伴ったびまん性神経線維腫の1例	日小皮会誌	30(3)	211-213	2011
水口 雅	ウイルス感染症と自閉症.	医学のあゆみ	239(6)	693-697	2011
舟崎裕記	整形外科からみたレックリングハウゼン病の問題点.	日本レックリングハウゼン病学会雑誌	2	15-19	2011
錦織千佳子	色素性乾皮症(XP)	日本皮膚科学会認定皮膚科専門医研修講習会テキスト必須Bコース			2012
小野竜輔、中野英司、竹内聖二、錦織千佳子	色素性乾皮症～遺伝子診断における最近の動向～	日本皮膚科学会雑誌(2011年度後抄録)	121(13)増刊	2741-2744	2011
加藤真弓、錦織千佳子、岡本祐之、森脇真一、川田 暁、古川福実、宮地良樹	新規紫外線吸収剤を配合したブロードスペクトラム日やけ止め化粧品BSUSミルク-1の光線過敏症患者への使用試験	皮膚の科学	10(5)	424-441	2011
幸田 太、野崎 誠、佐々木りか子、畑三恵子、錦織千佳子	6歳まで診断されなかった色素性乾皮症A群の1例	西日本皮膚科	73(4)	354-357	2011
竹内聖二、中野 創、錦織千佳子	骨髄性プロトポルフィリン症の6例:1例の遺伝子解析症例を含む	皮膚の科学	10(3)	220-223	2011
福永 淳、錦織千佳子、伊藤 圭、清水 宏、佐々木りか子、加藤真弓、宮地良樹、竹内 聡、田代あかり、古江増隆	光線過敏症などに対するサンスクリーン剤の有用性評価	西日本皮膚科	73(3)	271-277	2011

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
錦織千佳子	こどものサンスクリーン剤	学ぼう-こどもの皮膚疾患	No.7	裏表紙 (コラム)	2011
錦織千佳子	色素性乾皮症と紫外線発癌	Visual dermatology	10(5)	452-455	2011
小野竜輔、正木太朗、 竹内聖二、上出良一、 錦織千佳子	スプライス異常の複合ヘテロ接合型変異による色素性乾皮症バリエーション型の1例	Visual dermatology	10(5)	484-485	2011
森脇真一	遺伝性光線過敏症と患者家族会活動	日本皮膚科学会雑誌	121	2745-2747	2011
森脇真一	色素性乾皮症の遺伝子診断	Visual Dermatology	10	448-451	2011
森脇真一	光線過敏症患者に対する遮光指導	第21回太陽紫外線防御研究会シンポジウム報告	21	49-52	2011
林雅晴	色素性乾皮症の神経病変	Visual Dermatology	10(5)	456-458	2011
佐藤千江美、中山樹一郎、 今福 信	神経線維腫より採取した神経線維腫細胞および肥満細胞に対するナローバンドUVBと活性型ビタミンD3の効果について	日本レックリングハウゼン病学会雑誌	3(1)	42-45	2012
倉持 朗	母斑症、血管腫・脈管形成異常、腫瘍のMRI診断	日本皮膚科学会雑誌	122(13)	3095-3099	2012
倉持 朗	本邦におけるNeurofibromatosis type1 (NF1) 診療ネットワークの構築	日本レックリングハウゼン病学会雑誌	3(1)	29-32	2012
倉持 朗	神経線維腫症1型の結節状蔓状神経線維腫に於ける問題点	日本レックリングハウゼン病学会雑誌	3(1)	46-55	2012
橋本康弘、菊池一郎、 宮嶋雅一、新井 一、 古川勝敏、荒井啓行、 松本由香、齋藤 清、 城谷圭朗	認知症の髄液糖鎖マーカー	Cognition and Dementia	11	35-40	2012
齋藤 清、伊藤英治、 立花栄二、岡田 健、 市川優寛、佐藤 拓、 田村貴光、岸田悠吾、 織田恵子、松本由香、 安藤 等、渡邊 督、 佐久間潤	頭頸部腫瘍に対する頭蓋底外科手術	頭頸部外科	22	1-8	2012
佐久間潤、板倉 毅、 齋藤 清	脳腫瘍手術の術中モニタリング：MEPを中心として	脳神経外科速報	22	678-686	2012

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
佐久間潤、松本由香、 織田恵子、伊藤英治、 市川優寛、佐藤 拓、 渡邊 督、齋藤 清、 箱崎貴大、井石雄三	超肥満患者のくも膜下出血の 周術期管理	脳卒中の外科	40	198-201	2012
黒見洋介、佐藤 拓、 安藤 等、松本由香、 織田恵子、伊藤英治、 市川優寛、渡邊 督、 佐久間潤、齋藤 清	経眼窩的に小脳および側頭葉 下面に穿通した篠竹を 30 年 後に摘出した 1 例	脳神経外科	40	979-983	2012
吉田雄一	皮膚科学 神経線維腫症 1 型 に対する targeted therapy の可 可能性	医学のあゆみ	242(10)	820	2012
吉田雄一, 山元 修	全身に無数の神経線維腫を生 じ、小脳出血をきたした神経 線維腫症 1 型	日レ会誌	3(1)	33-35	2012
小野竜輔、錦織千佳子	色素性乾皮症に合併する顔面 の皮膚腫瘍	MB Derma	199	1-6	2012
錦織千佳子	しわは生活習慣から !?	健康ぷらざ(日 医ニュース第 1220 号)	No.367		2012
錦織千佳子	紫外線発癌の機序とその予防 (前編)	日本医事新報	No.4595	67-70	2012
錦織千佳子	紫外線発癌の機序とその予防 (後編)	日本医事新報	No.4599	67-70	2012
竹内聖二、錦織千佳子	先天性光線過敏症の概説と最 新の知見	MB Derma	191	7-14	2012
森脇真一	光線過敏症の診断と患者ケア	第 22 回太陽紫 外線防御研究 委員会シンポ ジウム報告書	22	39-41	2012
森脇真一	遺伝性早老症の病態、診断と 治療	難病と在宅ケ ア	191	15-24	2012
林 雅晴	臨床医のための神経病理 - Ataxia telangiectasia.	CLINICAL NEUROSCIENCE	30(9)	976-7	2012
師井洋一、高原正和、 独孤 龍、中原剛士、 古江増隆	顔面に悪性末梢神経鞘腫の再 発を繰り返す神経線維腫症 1 型の一例	日本レックリ ングハウゼン 病学会雑誌	3 (1)	56-59	2012
佐藤千江美、今福信一、 中山樹一郎	神経線維腫より採取したシュ ワン細胞に対するナローバ ンド UVB と活性型ビタミン D3、TNF- $\alpha$ 、TGF- $\beta$ 1 の効果 について	日レ病会誌	4(1)	54-56	2013
倉持 朗	血管腫・脈管形成異常に対す る画像診断の有用性	医薬の門	53(4)	234-238	2013

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
伊藤彰紀、柴崎 修、 水野正浩、倉持 朗、 土田哲也	Neurofibromatosis type1 (NF1) に対する神経耳科的検討	日本レックリ ングハウゼン 病学会雑誌	4(1)	67-71	2013
緒方 大、難波純英、 星野美奈子、宮野恭平、 石川翔子、倉持 朗、 新井栄一、土田哲也	多発リンパ節転移を来たした 上腕の悪性末梢神経鞘腫瘍	日本レックリ ングハウゼン 病学会雑誌	4(1)	43-47	2013
倉持 朗	-扉をあける- (現代的な NF1-ology の構築を目指して)	日本レックリ ングハウゼン 病学会雑誌	4(1)	1-14	2013
梶井崇行、谷戸克己、 太田有史、中川秀己、 新村真人、高倉一樹、 梶原幹生、田尻久雄、 衛藤 謙、矢永勝彦	神経線維腫症 1 に合併した GIST の 3 例	日本レックリ ングハウゼン 病学会雑誌	4(1)	62-66	2013
齋藤 清、佐藤 拓、 市川優寛、岸田悠吾、 田村貴光、織田恵子、 松本由香、安藤 等、 佐久間潤	難治性頭蓋底腫瘍の課題	脳神経外科 ジャーナル	22	109-116	2013
齋藤 清、佐藤 拓、 市川優寛、田村貴光、 岸田悠吾、織田恵子、 松本由香、安藤 等、 佐久間潤	高齢者髄膜腫の治療方針と治 療成績	Geriatric Neurosurgery	25	13-17	2013
古村南夫	メラノサイトの細胞内シグナ ル解析によるカフェオレ斑発 祥機序の解明	日本レックリ ングハウゼン 病学会雑誌	4(1)	48-53	2013
後藤寛之、足立孝司、 吉田雄一、山元 修	小児に生じた solitary neurofibroma の 1 例	日小皮会誌	32(1)	63-66	2013
吉田雄一、山田七子、 山元 修	悪性末梢神経鞘腫瘍との鑑別 を要した神経線維腫症 1 型モ ザイクに生じたりュプロレ リン肉芽腫	日レ病会誌	4(1)	37-40	2013
吉田雄一	EL31-1 母斑症・遺伝性疾患 神経線維腫症 1 型 (NF1) の 診断と治療 - 現状と最近の知 見について -	日皮会誌	123(13)	2806-2809	2013
水口 雅	結節性硬化症	小児科臨床	66 (Suppl)	1347-1355	2013
水口 雅	結節性硬化症にともなう自閉 症の薬物治療	日本小児科学 会雑誌	117(11)	1686-1693	2013
松尾宗明	神経線維腫症 臨床医が知っ ておきたい先天異常	小児科臨床	66	1357-1362	2013