

Asari T, Furukawa K, Tanaka S, Kudo H, Mizukami H, Ono A, Numasawa T, Kumagai G, Motomura S, Yagihashi S, Toh S.	Mesenchymal stem cell isolation and characterization from human spinal ligaments	Biochem Biophys Res Commun	417	1193–1199	2012
Sekiguchi A, Kanno H, Ozawa H, Yamaya S, Itoi E	Rapamycin promotes autophagy and reduces neural tissue damage and locomotor impairment after spinal cord injury in mice.	J Neurotrauma	29(5)	946–56	2012
Ozawa H, Kusakabe T, Aizawa T, Nakamura T, Ishii Y, Itoi E	Tumors at the lateral portion of the C1–2 interlaminar space compressing the spinal cord by rotation of the atlantoaxial joint: new aspects of spinal cord compression.	J Neurosurg Spine	17(6)	552–5	2012
Kanno H, Ozawa H, Sekiguchi A, Yamaya S, Tateda S, Yahata K, Itoi E	The role of mTOR signaling pathway in spinal cord injury.	Cell Cycle	11(17)	3175–9	2012
Sakuma T, Yamazaki M, Okawa A, Takahashi H, Kato K, Hashimoto M, Hayashi K, Furuya T, Fujiyoshi T, Kawabe J, Mannoji C, Miyashita T, Kadota R, Someya Y, Ikeda O, Yamauchi T, Hashimoto M, Aizawa T, Ono A, Imagama S, Kanemura T, Hanaoka H, Takahashi K, Koda M.	Neuroprotective therapy using granulocyte colony-stimulating factor for patients with worsening symptoms of thoracic myelopathy: a multicenter prospective controlled trial.	Spine (Phila Pa 1976)	37(17)	1475–1478	2012
Kato S, Chikuda H, Seichi A, Ohtsu H, Kimura A, Toyama Y.	Radiographical risk factors for major intraoperative blood loss during laminoplasty in patients with ossification of the posterior longitudinal ligament.	Spine	37(25)	E1588–1593	2012
Kato S, Hozumi T, Takeshita K, Kondo T, Goto T, Yamakawa K.	Neurological Recovery after Posterior Decompression Surgery for Anterior Dural Compression in Paralytic Spinal Metastasis.	Archives of Orthopaedic and Trauma Surgery	132(6)	765–771	2012
Nagata K, Yoshimura N, Muraki S, Hashizume H, Ishimoto Y, Yamada H, Akiguchi N, Nakagawa Y, Oka H, Kawaguchi H, Nakamura K, Akune T, Yoshida M	Prevalence of cervical cord compression and its association with physical performance in a population-based cohort in Japan: the Wakayama Spine Study.	Spine (Phila Pa 1976).	37	1892–1898	2012
Ishimoto Y, Yoshimura N, Muraki S, Yamada H, Nagata K, Hashizume H, Akiguchi N, Minamide A, Oka H, Kawaguchi K, Nakamura K, Akune T, Yoshida M	Prevalence of symptomatic lumbar spinal stenosis and its association with physical performance in a population-based cohort in Japan: the Wakayama Spine Study.	Osteoarthritis Cartilage	20	1103–1108	2012

Hirai T, Kawabata S, Enomoto M, Kato T, Tomizawa S, Sakai K, Yoshii T, Sakaki K, Shinomiya K, Okawa A.	Presence of Anterior Compression of the Spinal Cord Following Laminoplasty Inhibits Upper Extremity Motor Recovery in Patients with Cervical Spondylotic Myelopathy.	Spine	37(5)	377–384	2012
Sakaki K, Kawabata S, Ukegawa D, Hirai T, Ishii S, Tomori M, Inose H, Yoshii T, Tomizawa S, Kato T, Shinomiya K, Okawa A.	Warning thresholds on the basis of origin of amplitude changes in transcranial electrical motor-evoked potential monitoring for cervical compression myelopathy.	Spine	37(15)	E913–E921	2012
Sakai K, Okawa A, Takahashi M, Arai Y, Kawabata S, Enomoto M, Kato T, Hirai T, Shinomiya K.	Five-year follow-up evaluation of surgical treatment for cervical myelopathy caused by ossification of the posterior longitudinal ligament: a prospective comparative study of anterior decompression and fusion with floating method versus laminoplasty.	Spine	37(5)	367–376	2012
Iwasaki M, Piao J, Kimura A, Sato S, Inose H, Ochi H, Asou Y, Shinomiya K, Okawa A, Takeda S.	Runx2 haploinsufficiency ameliorates the development of ossification of the posterior longitudinal ligament.	PLoS One.	7(8)	e43372	2012
Furuya T, Tsuneizumi Y, Ikeda O, Okawa A, Kunishi S, Katsuragi J, Ohta M, Takahashi K, Yamazaki M, Ohi T	Incidental discovery of an intradural extramedullary tumor during imaging studies of a traumatic injury at the same spinal level: a case report	Chiba Med J	88(5)	55–58	2012
Kadota R, Koda M, Kawabe J, Hashimoto M, Nishio Y, Mannoji C, Miyashita T, Furuya T, Okawa A, Takahashi K, Yamazaki M	Granulocyte colony-stimulating factor (G-CSF) protects oligodendrocyte and promotes hindlimb functional recovery after spinal cord injury in rats	PLoS One	7(11)	e50391	2012
Yamazaki M, Okawa A, Furuya T, Sakuma T, Takahashi H, Kato K, Fujiyoshi T, Mannoji C, Takahashi K, Koda M	Anomalous vertebral arteries in the extra- and intraosseous regions of the cranivertebral junction visualized by 3D CT angiography: analysis of 100 consecutive surgical cases and review of the literature	Spine	37(22)	E1389–E1397	2012
Takahashi H, Yamazaki M, Okawa A, Sakuma T, Kato K, Hashimoto M, Hayashi K, Furuya T, Fujiyoshi T, Kawabe J, Yamauchi T, Mannoji C, Miyashita T, Kadota R, Hashimoto M, Ito Y, Takahashi K, Koda M	Neuroprotective therapy using granulocyte colony-stimulating factor for acute spinal cord injury: a phase I/IIa clinical trial	Eur Spine J	21(12)	2580–2587	2012

Sakuma T, Yamazaki M, Okawa A, Takahashi H, Kato K, Hashimoto M, Hayashi K, Furuya T, Fujiyoshi T, Kawabe J, Mannoji C, Kadota R, Hashimoto M, Takahashi K, Koda M	Neuroprotective therapy using granulocyte-colony stimulating factor for patients with worsening symptoms of compression myelopathy, part 1: a phase I and IIa clinical trial	Eur Spine J	21(3)	482–489	2012
Kato S, Murakami H, Demura S, Yoshioka K, Hayashi H, Tsuchiya H.	Novel surgical technique for ossification of posterior longitudinal ligament in the thoracic spine	J Neurosurg Spine	17	525–529	2012
Uchida K, Yayama T, Sugita D, Nakajima H, Rodriguez Guerrero A, Watanabe S, Roberts S, Johnson WE, Baba H.	Initiation and progression of ossification of the posterior longitudinal ligament of the cervical spine in the hereditary spinal hyperostotic mouse (twy/twy)	Eur Spine J	21	149–155	2012
Uchida K, Nakajima H, Okazawa H, Kimura H, Kudo T, Watanabe S, Yoshida A, Baba H.	Clinical significance of MRI/18F-FDG PET fusion imaging of the spinal cord in patients with cervical compressive myelopathy.	Eur J Nucl Med Mol Imaging	39(10)	1528–1537	2012
Uchida K, Nakajima H, Hirai T, Yayama T, Chen K, Guerrero AR, Johnson WE, Baba H.	The Retrograde Delivery of Adenovirus Vector Carrying the Gene for Brain-Derived Neurotrophic Factor Protects Neurons and Oligodendrocytes From Apoptosis in the Chronically Compressed Spinal Cord of twy/twy Mice.	Spine	37(26)	2125–2135	2012
Guerrero AR, Uchida K, Nakajima H, Watanabe S, Nakamura M, Johnson WE, Baba H.	Blockade of interleukin-6 signaling inhibits the classic pathway and promotes an alternative pathway of macrophage activation after spinal cord injury in mice	J Neuroinflammation	9	40	2012
Nakajima H, Uchida K, Guerrero AR, Watanabe S, Sugita D, Takeura N, Yoshida A, Long G, Wright KT, Johnson WE, Baba H.	Transplantation of mesenchymal stem cells promotes an alternative pathway of macrophage activation and functional recovery after spinal cord injury	J Neurotrauma	29(8)	1614–1625	2012
Cai HX, Yayama T, Uchida K, Nakajima H, Sugita D, Guerrero AR, Yoshida A, Baba H.	Cyclic tensile strain facilitates the ossification of ligamentum flavum through β -catenin signaling pathway: in vitro analysis.	Spine	37(11)	E639–646	2012
Hanada M, Sugiura Y, Shinjo R, Masaki N, Imagama S, Ishiguro N, Matsuyama Y, Setou M.	Spatiotemporal alteration of phospholipids and prostaglandins in a rat model of spinal cord injury	Anal Bioanal Chem.	403403	1873–1884 Epub	2012
Ando K, Imagama S, Wakao N, Hirano K, Tauchi R, Muramoto A, Kato F, Yukawa Y, Kawakami N, Sato K, Matsubara Y, Kanemura T, Matsuyama Y, Ishiguro N.	Examination of the influence of ossification of the anterior longitudinal ligament on symptom progression and surgical outcome of ossification of the thoracic ligamentum flavum: a multicenter study.	J Neurosurg Spine	16	147–153	2012

Neo M, Fujibayashi S, Takemoto M, Nakamura T	Clinical results of and patient satisfaction with cervical laminoplasty for considerable cord compression with only slight myelopathy.	Euro Spine J.	21(2)	340–346	2012
Fujimori T, Iwasaki M, Okuda S, et al.	Three-dimensional measurement of growth of ossification of the posterior or longitudinal ligament.	J Neurosurg : Spine	16	289–295	2012
Fujimori T, Iwasaki M, Nagamoto Y, et al.	Three-dimensional measurement of intervertebral range of motion in ossification of the posterior longitudinal ligament: Are there mobile segments in the continuous Type?	J Neurosurg : Spine	17	74–81	2012
Nagamoto Y, Ishii T, Iwasaki M, et al.	Three-dimensional motion of the uncovertebral joint during head rotation.	J Neurosurg : Spine	17	327–333	2012
Takeshita K, Hosono N, Kawaguchi Y, Hasegawa K, Isomura T, Oshima Y, Ono T, Oshina M, Oda T, Kato S, Yonenobu K	Validity, reliability and responsiveness of the Japanese version of the Neck Disability Index.	J Orthop Sci			2012
Yonenobu K	Is Surgery Indicated for Asymptomatic or Mildly Myelopathic Patients With Significant OPLL?	Spine	37(5)	103–111	2012
Imajo Y, Kato Y, Kanchiku T, Suzuki H, Yoshida Y, Funaba M, Taguchi T	Prediction of surgical outcome for proximal-type cervical spondylotic amyotrophy novel mode of assessment using compound muscle action potentials of deltoid and biceps brachii and central motor conduction time	Spine	37(23)	E1444–1449	2012
Kanchiku T, Kato Y, Suzuki H, Imajo Y, Yoshida Y, Moriya A, Taguchi T, Jung R	Development of less invasive neuromuscular electrical stimulation model for motor therapy in rodents	The Journal of Spinal Cord Medicine	35(3)	162–169	2012
Nishida N, Kato Y, Imajo Y, Kawano S, Taguchi T	Biomechanical analysis of cervical spondylotic myelopathy: The influence of dynamic factors and morphometry of the spinal cord	The Journal of Spinal Cord Medicine	35(4)	256–261	2012
Kimura A, Seichi A, Yamazaki A, Mochizuki M, Aiba A, Kato T, Uchida K, Miyamoto K, Nakahara S, Taniguchi S, Neo M, Taguchi T, Endo K, Watanabe M, Takahashi M, Kaito T, Chikuda H, Fujimori T, Ito T, Ono A, Abumi K, Yamada K, Nakagawa Y, Toyama Y.	Perioperative complications of anterior cervical decompression with fusion in patients with ossification of the posterior longitudinal ligament: a retrospective, multi-institutional study.	J Orthop. Sci	17	667–672	2012
Matsunaga S, Sakou T	Ossification of the posterior longitudinal ligament of the cervical spine.	Spine	37(5)	E309–E314	2012

Hamasaki M, Hashizume Y, Yamada Y, Katayama T, Hohjoh H, Fusaki N, Nakashima Y, Furuya H, Haga N, Takami Y, Era T	Pathogenic mutation of ALK2 inhibits iPS cell reprogramming and maintenance: mechanisms of reprogramming and strategy for drug identification.	Stem Cells	30	2437-2449	2012
Susami T, Mori Y, Tamura K, Ohkubo K, Nagahama K, Takahashi N, Uchino N, Uwatoko K, Haga N, Takato T.	Facial morphology and occlusion of a patient with fibrodysplasia ossificans progressiva (FOP): a case report.	Special Care in Dentistry	32(4)	165-170	2012
Takahashi M, Katagiri T, Furuya H, and Hohjo H.	Disease-causing allele specific silencing against the ALK2 mutants, R206H and G356D, in fibrodysplasia ossificans progressiva.	Gene Ther	19	781-785	2012
Fukuda T, Uchida R, Inoue H, Ohte S, Yamazaki H, Matsuda D, Katagiri T, Tomoda H	Fungal pyrrolidine-containing metabolites inhibit alkaline phosphatase activity in bone morphogenetic protein-stimulated myoblastoma cells	Acta Pharmaceutica Sinica B	2	23-27	2012
Ohte S, Kokabu S, Iemura S, Sasanuma H, Yoneyama K, Shin M, Suzuki S, Fukuda T, Nakamura Y, Jimi E, Natsume T, and Katagiri T	Identification and functional analysis of Zranb2 as a novel Smad-binding protein that suppresses BMP signaling.	J Cell Biochem	113	808-814	2012
Katagiri T	Recent topics in fibrodysplasia ossificans progressiva.	J Oral Biosci	54	119-123	2012
Fukuda T, Uchida R, Ohte S, Inoue H, Yamazaki H, Matsuda D, Nonaka K, Masuma R, Katagiri T, Tomoda H	Trichocyclides A and B, new inhibitors of alkaline phosphatase activity in bone morphogenetic protein-stimulated myoblasts, produced by Trichoderma sp. FKI-5513	J Antibiot	65	565-569	2012
Mabuchi A, Kitoh H, Kaneko H, Inoue M, Hayashi M, Ishiguro N, Suzuki N.	The biomechanical effect of the sensorimotor insole on a pediatric intoeing gait.	ISRN Orthop	2012	1-5	2012
鎧邦芳、高畠雅彦、伊東学、須藤英毅、長濱賢	胸椎OPLLに対する後方進入全周性脊髓除圧	関節外科	31(5)	70-77	2012
並川崇、種市洋、野原裕	胸椎OPLLの治療、上位胸椎前方手術	関節外科	31(5)	64-69	2012
加藤啓、山崎正志、大河昭彦、佐久間毅、高橋宏、橋本光宏、林浩一、川辺純子、藤由崇之、古矢丈雄、内山友規、門田領、宮下智大、萬納寺誓人、染谷幸男、鎌田尊人、池田修、橋本将行、井上雅俊、花岡英紀、國府田正雄、高橋和久	脊髓障害性疼痛に対する顆粒球コロニー刺激因子(G-CSF)の治療効果	千葉医学	88(1)	1-9	2012
輪湖靖、高橋宏、大河昭彦、橋本光宏、佐久間毅、加藤啓、古矢丈雄、高橋和久、山崎正志	胸椎部の脊柱韌帯骨化症に胸髓硬膜内外腫瘍を合併し下肢麻痺を呈した一例	関東整災誌	43(2)	119-124	2012

小西宏明、奥平毅、久芳昭一、吉原智仁、古矢丈雄、山崎正志、藤由崇之	【後縦靭帯骨化症(OPLL)の治療】頸椎OPLLの治療 頸椎OPLLの術式選択	関節外科	31(5)	546-551	2012
山崎正志、望月真人、大河昭彦、相庭温臣、新枡正明、藤由崇之、古矢丈雄、國府田正雄、高橋和久、小西宏昭	重度後縦靭帯骨化症に対する術式選択と合併症 頸椎 頸椎後縦靭帯骨化症に伴う重度脊髄障害に対する前方除圧固定術	臨整外	47(5)	403-411	2012
高橋宏、山崎正志、大河昭彦、古矢丈雄、須田浩太、伊藤康夫、植田尊善、国府田正雄	急性脊髄損傷に対する顆粒球コロニー刺激因子(G-CSF)を用いた神經保護療法：多施設前向き比較対照臨床試験	日脊障医誌	25(1)	28-29	2012
佐久間毅、加藤啓、高橋宏、古矢丈雄、大河昭彦、小野睦、国府田正雄、山崎正志	圧迫性頸髄症急性増悪例に対するG-CSFを用いた神經保護療法：多施設前向き比較対照試験	日脊障医誌	25(1)	102-103	2012
佐久間毅、加藤啓、高橋宏、古矢丈雄、大河昭彦、小野睦、国府田正雄、山崎正志	顆粒球コロニー刺激因子を併用した圧迫性胸髄症急性増悪期例の治療成績：多施設前向き比較対照試験	日脊障医誌	25(1)	118-119	2012
高橋宏、国府田正雄、古矢丈雄、佐久間毅、加藤啓、大河昭彦、山崎正志	マウス脊髄損傷モデルに対するG-CSF動員末梢血幹細胞移植の治療効果	日脊障医誌	25(1)	146-147	2012
国府田正雄、西尾豊、門田領、川辺純子、佐久間毅、高橋宏、加藤啓、大河昭彦、山崎正志	急性脊髄損傷に対する顆粒球コロニー刺激因子(G-CSF)を用いた神經保護療法	日整会誌	86(7)	495-498	2012
古矢丈雄、山崎正志、小西宏昭、藤由崇之、大河昭彦、奥平毅、山根宏敏、久芳昭一、津田圭一、佐久間毅、高橋宏、加藤啓、高橋和久	K-line(-)型頸椎後縦靭帯骨化症に対する脊柱管拡大術と後方除圧固定術の手術成績	J Spine Res	3(10)	1373-1376	2012
高橋宏、山崎正志、大河昭彦、古矢丈雄、佐久間毅、加藤啓、高橋和久	若年発症で旺盛な骨化進展、急激な脊髄症増悪を呈する脊柱靭帯骨化症例の検討	J Spine Res	3(10)	1377-1382	2012
加藤啓、山崎正志、佐久間毅、高橋宏、古矢丈雄、大河昭彦、高橋和久	上位胸椎後縦靭帯骨化症に対する後方除圧固定術後に脊髄症が座位にて増悪、仰臥位にて軽快した1例	J Spine Res	3(10)	1397-1400	2012

山崎正志、国府田正雄、佐久間毅、高橋 宏、加藤啓、橋本光宏、林浩一、川辺純子、藤由崇之、古矢丈雄、山内友規、門田 領、萬納寺誓人、宮下智大、染谷幸男、鎌田尊人、池田 修、橋本将行、須田浩太、楫野知道、上田明希、伊藤康夫、植田尊善、相澤俊峰、小野 瞳、今釜史郎、金村徳相、大河昭彦、高橋和久	急性脊髄損傷および圧迫性脊髄症急性増悪例に対するG-CSF神経保護療法：医師主導型自主臨床試験	日整会誌	86(10)	891-896	2012
加藤仁志、村上英樹、出村諭、吉岡克人、林寛之、土屋弘行	胸椎後縦靭帯骨化症に対する新しい後方進入前方除圧術	整形・災外科	55	1581-1587	2012
馬場久敏、吉田藍、中嶋秀明	【専門医のための疾患・外傷必須診療ガイド】脊椎・脊髄 日常疾患 脊柱靭帯骨化症(後縦靭帯骨化症と黄色靭帯骨化症)	関節外科	31(10)	128-134	2012
小林祥、松山幸弘、四宮謙一、川端茂徳、安藤宗治、寒竹司、齊藤貴徳、高橋雅人、伊藤全哉、村本明生、藤原靖、木田和伸、山田圭、和田簡一朗、山本直也、里見和彦、谷俊一	術中脊髄モニタリングのアラームポイント 日本脊椎脊髄病学会モニタリング委員会報告	臨床整形外科	47(9)	823-827	2012
今釜史郎、伊藤全哉、安藤圭、平野健一、田内亮吏、村本明生、松井寛樹、松本智宏、松山幸弘、石黒直樹	胸椎後縦靭帯骨化症に対する後方除圧矯正固定術	臨床整形外科	47	829-835	2012
今釜史郎、松山幸弘、石黒直樹	重度後縦靭帯骨化症に対する術式選択と合併症 胸椎 胸椎後縦靭帯骨化症に対する一期的後方除圧矯正固定術の手術成績	臨床整形外科	47	431-436	2012
伊藤全哉、今釜史郎、安藤圭、平野健一、田内亮吏、村本明生、松井寛樹、松本智宏、鵜飼淳一、小林和克、新城龍一、中島宏彰、八木秀樹、飛田 哲朗、石黒 直樹	胸椎OPLL手術におけるBr(E)-MsEPの有用性 術後麻痺を防ぐkey point	脊髄機能診断学	34	175-181	2012
山下敏彦、高橋和久、米延策雄、菊地臣一	脊椎関連慢性疼痛患者における神経障害性疼痛有病率に関する調査	Journal of Spine Research	3	66-74	2012
岡田基宏、中川幸洋、山田宏、岩崎博、吉田宗人	超音波骨メスを用いて後方進入前方骨化巣切除術を行った胸椎分節型後縦靭帯骨化症の1例	臨床整形外科	47	625-630	2012

今城靖明、加藤圭彦、寒竹司、鈴木秀典、吉田佑一郎、田口敏彦	電気生理学手法を用いた術後C5麻痺	中部日本整形外科災害外科学会雑誌	55	1121-1122	2012
今城靖明、加藤圭彦、田口敏彦	脊髓の生体力学	脊椎脊髄ジャーナル	25(1)	63-65	2012
西田周泰、田口敏彦	三次元脊髓有限要素法モデルによる脊髓の力学解析	整形・災害外科	Vol. 55 No11	1309-1313	2012
木田和伸、田所伸朗、公文雅士、谷俊一	【特集 後縦靭帯骨化症(OPLL)の治療】	関節外科	31(5)	26-31	2012
山田圭、佐藤公昭、密川守、吉松弘喜、吉本如良、木内正太郎、佐々木威治、猿渡敦子、永田見生、升永憲治、渡邊浩	当科における脊椎インストゥルメントサーディナーの術後感染対策	Journal of Spine Research	3(12)	1580-1586	2012
木内正太郎、密川守、佐藤公昭、山田圭、吉松弘喜、江崎佑平、永田見生	頸椎固定術における外側塊スクリューの有用性	整形外科と災害外科	61(3)	500-505	2012
猿渡敦子、山田圭、佐藤公昭、密川守、渡辺琢也、中村秀裕、佐々木威治、井上英豪、脇田瞳、永田見生、原田秀樹、津田勝哉	脊椎脊髄疾患におけるBr(E)-MsEPアームポイントの意義の検討	脊髓機能診断学	33(1)	104-111	2012
松永俊二	特集 後縦靭帯骨化症(OPLL)の治療 I. 頸椎OPLLの治療 疫学と病因	関節外科	31(5)	12-17	2012
松永俊二、酒匂崇	知ってますか？ 整形外科手術の変遷(3) 上位頸椎固定術	臨床整形外科	47(6)	592-596	2012
片桐岳信	レチノイン酸受容体- γ アゴニストによる異所性骨化の強力な阻害	Olive	2	192-194	2012
片桐岳信	BMPシグナルと骨形成・炎症	Clinical Calcium	22	1677-1683	2012
鬼頭浩史	小児疾患の診断治療基準 運動器疾患軟骨無形成症	小児内科	44 (増刊号)	820-821	2012
進藤重雄	重度胸椎後縦靭帯骨化症に対する前方除圧固定法	臨床整形	47	437-445	2012
進藤重雄	頸椎前方手術(前方除圧浮上術)	関節外科	31	559-569	2012
中井修	頸椎後縦靭帯骨化症に対する骨化前方浮上術	整形外科Surgical Technique	2	249-264	2012
Kudo H, Yokoyama T, Tsushima E, Ono A, Numasawa T, Wada K, Tanaka S, Toh S	Interobserver and intraobserver reliability of the classification and diagnosis for ossification of the posterior longitudinal ligament of the cervical spine	Eur Spine J	22	205-210	2013
Chin S, Furukawa K, Ono A, Asari T, Harada Y, Wada K, Tanaka T, Inabu W, Mizukami H, Motomura S, Yagihashi S, Ishibasi Y	Immunohistochemical localization of mesenchymal stem cells in ossified human spinalligaments	Biochem Biophys Res Commun	436	698-704	2013

Sasaki E, Ishibashi Y, Tsuda E, Ono A, Yamamoto Y, Inoue R, Takahashi I, Umeda T, Nakaji S.	Evaluation of locomotive disability using loco-check:a cross-sectional study in the Japanese general population	J Orthop Sci.	18	121-129	2013
Chikuda H, Yasunaga H, Takeshita K, Horiguchi H, Kawaguchi H, Ohe K, Fushimi K, Tanaka S.	Mortality and morbidity after high-dose methylprednisolone treatment in patients with acute cervical spinal cord injury: A propensity matched analysis using a nationwide administrative database.	Emergency Medicine Journal	Epub Ahead of print	- (online)	2013
Chikuda H, Yasunaga H, Horiguchi H, Takeshita K, Sugita S, Taketomi S, Fushimi K, Tanaka S.	Impact of age and co morbidity burden on mortality and major complications in older adults undergoing orthopaedic surgery: an analysis using the Japanese diagnosis procedure combination database.	BMC Musculoskeletal Disorders	14(1)	173	2013
Takeshita K, Hosono N, Kawaguchi Y, Hasegawa K, Isomura T, Oshima Y, Ono T, Oshina M, Oda T, Kato S, Yonenobu K.	Validity, reliability and responsiveness of the Japanese version of the Neck Disability Index.	Journal of Orthopaedic Science	18(1)	14-21	2013
Ishimoto Y, Yoshimura N, Muraki S, Yamada H, Nagata K, Hashizume H, Takiguchi N, Minamide A, Oka H, Kawaguchi H, Nakamura K, Akune T, Yoshida M	Associations between radiographic lumbar spinal stenosis and clinical symptoms in the general population: The Wakayama Spine Study.	Osteoarthritis Cartilage	21	738-788	2013
Yoshii T, Yamada T, Hirai T, Taniyama T, Kato T, Enomoto M, Inose H, Sumiya S, Kawabata S, Shinomiya K, Okawa A.	Dynamic Changes in Spinal Cord Compression by Cervical Ossification of the Posterior Longitudinal Ligament Evaluated by Kinematic Computed Tomography Myelography.	Spine			2013
Ukegawa D, Kawabata S, Sakaki K, Ishii S, Tomizawa S, Inose H, Yoshii T, Kato T, Enomoto M, Okawa A.	Efficacy of Biphasic Transcranial Electric Stimulation in Intraoperative Motor-Evoked Potential Monitoring for Cervical Compression Myelopathy.	Spine			2013
Yamada T, Yuasa M, Masaoka T, Taniyama T, Maehara H, Torigoe I, Yoshii T, Shinomiya K, Okawa A, Sotome S.	After repeated division, bone marrow stromal cells express inhibitory factors with osteogenic capabilities, and EphA5 is a primary candidate.	Bone	Dec;57 (2)	343-354	2013
Yoshii T, Yuasa M, Sotome S, Yamada T, Sakaki K, Hirai T, Taniyama T, Inose H, Kato T, Arai Y, Kawabata S, Tomizawa S, Enomoto M, Shinomiya K, Okawa A	Porous/dense composite hydroxyapatite for anterior cervical discectomy and fusion.	Spine	1;38 (10)	833-840	2013

Taniyama T, Hirai T, Yamada T, Yuasa M, Enomoto M, Yoshii T, Kato T, Kawabata S, Inose H, Okawa A.	Modified K-line in magnetic resonance imaging predicts insufficient decompression of cervical laminoplasty.	Spine	15;38(6)	496–501	2013
Kobayashi S, Matsuyama Y, Shinomiya K, Kawabata S, Ando M, Kanchiku T, Saito T, Takahashi M, Ito Z, Muramoto A, Fujiwara Y, Kida K, Yamada K, Wada K, Yamamoto N, Satomi K, Tani T.	A new alarm point of transcranial electrical stimulation motor evoked potentials for intraoperative spinal cord monitoring: a prospective multicenter study from the Spinal Cord Monitoring Working Group of the Japanese Society for Spine Surgery and Related Research.	J Neurosurg Spine	20	102–107	2014
Furuya T, Hashimoto M, Koda M, Murata A, Okawa A, Dezawa M, Matsuse D, Tabata Y, Takahashi K, Yamazaki M	Treatment with basic fibroblast growth factor-incorporated gelatin hydrogel does not exacerbate mechanical allodynia after spinal cord contusion injury in rats	J Spinal Cord Med	36(2)	134–139	2013
Koda M, Rokkaku T, Murakami M, Yamazaki M	Drop finger caused by 8th cervical nerve root impairment: a report of six cases	Acta Neurochir	155(5)	941–942	2013
Furuya T, Yamazaki M, Okawa A, Misawa S, Sakuma T, Takahashi H, Kato K, Kuwabara S, Takahashi K	Cervical myelopathy in patients with athetoid cerebral palsy	Spine	38(3)	151–157	2013
Kato K, Yamazaki M, Okawa A, Furuya T, Sakuma T, Takahashi H, Kamiya K, Inada T, Takahashi K, Koda M	Intravenous administration of granulocyte colony-stimulating factor for treating neuropathic pain associated with compression myelopathy: a phase I and IIa clinical trial	Eur Spine J	22(1)	197–204	2013
Yamazaki M, Sakuma T, Kato K, Furuya T, Koda M	Granulocyte colony-stimulating factor reduced neuropathic pain associated with thoracic compression myelopathy: report of 2 cases	J Spinal Cord Med	36(1)	40–43	2013
Izumi T, Hirano T, Watanabe K, Sano A, Ito T, Endo N.	Three-dimensional evaluation of volume change in ossification of the posterior longitudinal ligament of the cervical spine using computed tomography.	European Spine Journal	22(11)	2569–2574	2013
Kawaguchi Y, Nakano M, Yasuda T, Seki S, Takeshi Hori, Kimura T	Ossification of the posterior longitudinal ligament in not only the cervical spine, but also other spinal regions: analysis using multidetector CT of the whole spine.	Spine	38	1477–1482	2013
Kawaguchi Y, Yasuda T, Seki S, Nakano M, Kanamori M, Sumi S, Kimura T.	Variables affecting postsurgical prognosis of thoracic myelopathy caused by ossification of the ligamentum flavum.	The Spine J	13	1095–1107	2013

Okayama T, Murakami H, Demura S, Kawahara N, Tomita K, Tsuchiya H.	A biomechanical study on laminectomy and dekyphosis for thoracic ossification of the posterior longitudinal ligament.	Advances in Mechanical Engineering	Vol. 2013	ID 928071	2013
Hirai T, Uchida K, Nakajima H, Guerrero A, Takeura N, Watanabe S, Sugita D, Yoshida A, Johnson WE, Baba H	The prevalence and phenotype of activated microglia/macrophages within the spinal cord of the hyperostotic mouse (<i>twy/twy</i>) changes in response to chronic progressive spinal cord compression: Implications for human cervical compressive myelopathy	PLoS One	24;8(5)	e64528	2013
Uchida K, Nakajima H, Miyazaki T, Tsuchida T, Hirai T, Sugita D, Watanabe S, Takeura N, Yoshida A, Okazawa H, Baba H	18F-FDG PET/CT for diagnosis of osteosclerotic and osteolytic vertebral metastatic lesions: Comparison with bone scintigraphy	Asian Spine J	7(2)	96–103	2013
Sugita D, Yayama T, Uchida K, Kokubo Y, Nakajima H, Yamagishi A, Takeura N, Baba H	Indian hedgehog signaling promotes chondrocyte differentiation in endochondral ossification in human cervical ossification of the posterior longitudinal ligament	Spine	15;38 (22)	e1388–96	2013
Ying T, Uchida K, Nakajima H, Guerrero A, Watanabe S, Hirai T, Takeura N, Lui Shao-Yu, Johnson WE, Baba H	Blockade of interleukin 6 signaling improves the survival rate of transplanted bone marrow stromal cells and increases locomotor function in mice with spinal cord injury	J Neuropathol Exp Neurol	72(10)	980–993	2013
Li X, Liang L, Zhao P, Uchida K, Baba H, Huang H, Bai W, Bai L, Zhang M.	The effects of adenoviral transfection of the keratinocyte growth factor gene on epidermal stem cells: An in vitro study	Mol Cells	36(4)	316–321	2013
Muramoto A, Imagama S, Ito Z, Wakao N, Ando K, Tauchi R, Hirano K, Matsui H, Matsumoto T, Matsuyama Y, Ishiguro N	The cutoff amplitude of transcranial motor-evoked potentials for predicting postoperative motor deficits in thoracic spine surgery.	Spine	38	21–7	2013
Ando K, Imagama S, Ito Z, Hirano K, Muramoto A, Kato F, Yukawa Y, Kawakami N, Sato K, Matsubara Y, Kanemura T, Matsuyama Y, Ishiguro N.	Predictive Factors for a Poor Surgical Outcome With Thoracic Ossification of the Ligamentum Flavum by Multivariate Analysis: A Multicenter Study.	Spine	38(12)	748–754	2013
Mori K, Kasahara T, Mimura T, Nishizawa K, Murakami Y, Matsusue Y, Imai S	Prevalence, distribution and morphology of thoracic ossification of the yellow ligament in Japanese: results of CT-based cross-sectional study.	Spine	38 (19)	E1216–1222	2013
Ishii M, Iwasaki M, Ohwada T, Oda T, Matsuoka T, Tamura Y, Izawa K.	Postoperative deep surgical-site infection after instrumented spinal surgery. A multicenter study.	Global Spine J	3 (2)	95–102	2013

Tsutsui S, Yamada H, Hashizume H, Minamide A, Nakagawa Y, Iwasaki H, Yoshida M	Quantification of the proportion of motor neurons recruited by transcranial electrical stimulation during intraoperative motor evoked potential monitoring	Journal of Clinical Monitoring and Computing	27(6)	633-7	2013
Nishida N, Kanchiku T, Kato Y, Imajo Y, Kawano S and Taguchi T.	Biomechanical analysis of the spinal cord in Brown- Séquard syndrome.	Experimental and Therapeutic Medicine.	6(5)	1184-1188	2013
Murakami T, Kanchiku T, Suzuki H, Imajo Y, Yoshida Y, Nomura H, Cui D, Ishikawa T, Ikeda E, Taguchi T	Anti-interleukin-6 receptor antibody reduces neuropathic pain following spinal injury in mice	Experimental and therapeutic medicine	6	1194-1198	2013
Tetsunaga T, Tani T, Ikeuchi M, Ishida K, Kida K, Tadokoro N, Ichimiya M, Nakajima N, Tsuboya H, Taniguchi S.	T-Reflex Studies in Human Upper Limb Muscles During Voluntary Contraction: Normative Data and Diagnostic Value for Cervical Radiculopathy.	Arch Phys Med Rehabil.	94(3)	467-73	2013
Matsunaga S, Tsuji T, Toyama Y, Ijiri K, Komiya S, Numasawa T, Toh S, Ichimura S, Satomi K, Seichi A, Hoshino Y, Takeshita K, Nakamura K, Endo K, Yamamoto K, Kato Y, Kato T, Shinomiya K, Tokuhashi Y, Kawaguchi Y, Kimura T, Matsuyama Y, Ishiguro N, Neo M, Nakamura T, Fujimori T, Iwasaki M, Yoshikawa H, Taniguchi S, Tani T, Kato Y, Taguchi T, Sato K, Nagata K.	Risk Factors for Development of Myelopathy in Patients with Asymptomatic Ossification of the Posterior Longitudinal Ligament.	Journal of Spine Research 日本脊椎脊髓病学会雑誌	4(2)	116-122	2013
Tsuru M, Soejima T, Shiba N, Kimura K, Sato K, Toyama Y, Nagata K.	Proline/Arginine-Rich End Leucine-Rich Repeat Protein Converts Stem Cells to Ligament Tissue and Zn(II) Influences Its Nuclear Expression.	Stem Cells Dev	15:22 (14)	2057-2070	2013
Ito Z, Matsuyama Y, Shinomiya K, Ando M, Kawabata S, Kanchiku T, Saito T, Takahashi M, Taniguchi S, Yamamoto N, Yamada K, Kida K, Fujiwara Y, Kobayashi S, Satomi K, Tani T.	Usefulness of multi-channels in intraoperative spinal cord monitoring: multi-center study by the monitoring committee of the Japanese Society for Spine Surgery and related research.	Eur Spine J.	22	1891-1896	2013
Matsunaga S, Komiya S, Toyama Y.	Risk factors for development of myelopathy in patients with cervical spondylotic cord compression.	Eur Spine J	Publishe online		2013

Sakakima H, Ijiri K, Matsuda F, Tominaga H, Biwa T, Yone K, Sankai Y	A Newly Developed Robot Suit Hybrid Assistive Limb Facilitated Walking Rehabilitation after Spinal Surgery for Thoracic Ossification of the Posterior Longitudinal Ligament: A Case Report	Case Reports in Orthopedics	2013	4pages	2013
Jiao S, Zhang Y, Ma W, Haga N	FOP in China and Japan: an overview from domestic literatures.	Am J Med Genet Part A	161A	892–893	2013
Nakahara Y, Katagiri T, Ogata N, Haga N	ACVR1 (587T>C) mutation in a variant form of fibrodysplasia ossificans progressiva—second report.	Am J Med Genet	164A	220–224	2013
Yamamoto R, Matsushita M, Kitoh H, Masuda A, Ito M, Katagiri T, Kawai T, Ishiguro N, Ohno K	Clinically applicable antianginal agents suppress osteoblastic transformation of myogenic cell and heterotopic ossification in mice	J Bone Miner Metab	31	26–33	2013
Shin M, Ohte S, Fukuda T, Sasanuma H, Yoneyama K, Kokabu S, Miyamoto A, Tsukamoto S, Hohjoh H, Jimi E and Katagiri T.	Identification of a novel BMP-inducible transcript, BIT-1, by utilizing the conserved BMP-responsive elements in the Id genes.	J Bone Miner Metab	31	34–43	2013
Katagiri T, Tsukamoto S	The unique activity of bone morphogenic proteins in bone: a critical role of the Smad signaling pathway	Biol Chem	394	703–714	2013
Kitoh H, Achiwa M, Kaneko H, Mishima K, Matsushita M, Kadono I, Ishiguro N.	Perhexiline maleate in the treatment of fibrodysplasia ossificans progressive. An open-labeled clinical trial.	Orphanet J Rare Disease	8	1–7	2013
Karasugi T, Nakajima M, Ikari K; Genetic Study Group of Investigation Committee on Ossification of the Spinal Ligaments, Tsuji T, Matsumoto M, Chiba K, Uchida K, Kawaguchi Y, Mizuta H, Ogata N, Iwasaki M, Maeda S, Numasawa T, Abumi K, Kato T, Ozawa H, Taguchi T, Kaito T, Neo M, Yamazaki M, Tadokoro N, Yoshida M, Nakahara S, Endo K, Imagama S, Demura S, Sato K, Seichi A, Ichimura S, Watanabe M, Watanabe K, Nakamura Y, Mori K, Baba H, Toyama Y, Ikegawa S.	A genome-wide sib-pair linkage analysis of ossification of the posterior longitudinal ligament of the spine.	Journal of Bone and Mineral Metabolism	31	136–143	2013
Tadokoro N, Tani T, Ikeuchi M, Takemasa R, Kida K, Ikemoto T, Ushida T, Taniguchi S, Kimura J.	Descending spinal cord evoked potentials in cervical spondylotic myopathy: Characteristic waveform changes seen at the lesion site.	Clin Neurophysiol.	125(1)	202–207	2014

Inada T, Takahashi H, Yamazaki M, Okawa A, Sakuma T, Kato K, Hashimoto M, Hayashi K, Furuya T, Fujiyoshi T, Kawabe J, Mannoji C, Miyashita T, Kadota R, Someya Y, Ikeda O, Hashimoto M, Suda K, Kajino T, Ueda H, Ito Y, Ueta T, Hanaoka H, akahashi K, Koda M	A Multicenter Prospective Non-Randomized Controlled Clinical Trial to Prove Neurotherapeutic Effects of Granulocyte Colony-Stimulating Factor (G-CSF) for Acute Spinal Cord Injury: Analyses of Follow-Up Cases After at Least One Year	Spine	in press		2013
Koda M, Furuya T, Kato K, Mannoji C, Hashimoto M, Inada T, Kamiya K, Ota M, Maki S, Okawa A, akahashi K, Ishikawa T, Yamazaki M	Delayed G-CSF Treatment in Rats Attenuates Mechanical Allodynia Induced by Chronic Constriction Injury of the Sciatic Nerve	Spine	in press		2013
Yoshimura N, Nagata K, Muraki S, Oka H, Yoshida M, Enyo Y, Kagotani R, Hashizume H, Yamada H, Ishimoto Y, Teraguchi M, Tanaka S, Kawaguchi H, Toyama Y, Nakamura K, Akune T	Prevalence and progression of the radiographic ossification of posterior longitudinal ligament and its associated factors in the Japanese populations: A 3-year follow-up of the ROAD study.	Osteoporos Int			in press
Mori K, Imai S, Kasahara T, Nishizawa K, Mimura T, Matsusue Y	Prevalence, distribution and morphology of thoracic ossification of the posterior longitudinal ligament in Japanese: results of CT-based cross-sectional study.	Spine			in press
Fujimori T, Iwasaki M, Nagamoto Y, Kashii M, Takao M, Sugiura T, Matsuo Y, Yoshikawa H.	Reliability and usefulness of intraoperative three-dimensional imaging by mobile C-arm with flatpanel detector.	J Spinal Discord Tech			in press
Sakaura H, Hosono N, Mukai Y, Iwasaki M, Yoshikawa H.	Long-term outcomes of C3-6 laminoplasty for cervical spondylotic myopathy: a prospective study with a minimum 8-year follow-up.	J Neurosurg : Spine			in press
Fujimori T, Iwasaki M, Okuda S, Takenaka S, Kashii M, Kaito T, Yoshikawa H.	Long-term results of cervical myopathy due to OPLL with an occupying ratio of $\geq 60\%$.	Spine (Phila Pa 1976)			in press
小野睦、浅利享、陳俊輔、和田簡一郎、田中利弘、古川賢一	脊柱靭帯骨化における間葉系幹細胞の役割	脊椎脊髓	26(3)	163–168	2013
田中利弘、小野睦、小渡健司、板橋泰斗、植山和正、石橋恭之	胸腰椎移行部病変（脊柱靭帯骨化症）の長期手術成績	脊椎脊髓	26(9)	889–905	2013

今城靖明、田口敏彦、米和徳、大川淳、大谷晃司、尾形直則、小澤浩司、島田洋一、根尾昌志、井口哲弘	日本脊椎脊髄病学会脊椎脊髄手術調査報告 2013	Journal of Spine Research	4巻9号	1367-1379	2013
長谷川淳、高橋雅人、大祢英昭、竹内拓海、佐藤俊輔、長谷川雅一、里見和彦、市村正一	頸髄半截ラットにおける機能代償機構	脊髄機能診断学	34巻1号	40-45	2013
辻崇	後縦靭帯骨化症 -基礎・臨床の最新動向 後縦靭帯骨化症の疫学	脊椎脊髄ジャーナル	26(3)	169-173	2013
神谷光史郎、山崎正志、大河昭彦、古矢丈雄、佐久間毅、高橋宏、加藤啓、稻田大悟、高橋和久	胸椎OPLLに伴う脊髄症急性増悪に対しG-CSF神経保護療法を併用して後方除圧固定術を施行した7例の検討	Journal of Spine Research	4(10)	1462-1465	2013
高橋宏、山崎正志、大河昭彦、古矢丈雄、花岡英紀、國府田正雄	【再生医療の現状と最前線】再生医療の現状と展望 細胞を用いない再生医療 脊髄損傷におけるG-CSF神経保護療法の開発	整形・災害外科	56(5)	661-667	2013
山崎正志、古矢丈雄、新穂正明、藤由崇之、望月真人、小西宏昭	【後縦靭帯骨化症・基礎・臨床の最新動向】頸椎後縦靭帯骨化症に対する手術治療の最新の進歩	脊椎脊髄ジャーナル	26(3)	181-189	2013
高橋宏、山崎正志、大河昭彦、古矢丈雄、加藤啓、國府田正雄	急性脊髄損傷に対するG-CSF神経保護療法の長期経過の検討 多施設前向き比較対照試験から	日本脊髄障害医学会誌	26(1)	34-35	2013
高橋宏、山崎正志、大河昭彦、古矢丈雄、伊藤康夫、國府田正雄	急性脊髄損傷に対するG-CSF神経保護療法とメチルプレドニゾロン大量投与療法の比較検討 自主臨床試験から	日本脊髄障害医学会誌	26(1)	36-39	2013
加藤啓、古矢丈雄、稻田大悟、神谷光史郎、國府田正雄、大河昭彦、山崎正志	圧迫性脊髄症に伴う脊髄障害性麻痺に対するG-CSF神経保護療法の治療効果 医師主導型自主臨床試験による解析	日本脊髄障害医学会誌	26(1)	54-55	2013
神谷光史郎、山崎正志、大河昭彦、古矢丈雄、佐久間毅、高橋宏、加藤啓、稻田大悟	高度肥満および脊髄症急性増悪を呈する若年発症胸椎後縦靭帯骨化症の一例 一術前G-CSF神経保護療法の有用性	日本脊髄障害医学会誌	26(1)	138-139	2013
稻田大悟、山崎正志、大河昭彦、古矢丈雄、加藤啓、神谷光史郎、國府田正雄	頸椎症性筋委縮症に対しG-CSF神経保護療法が有用であった1例	日本脊髄障害医学会誌	26(1)	180-181	2013
中嶋秀明、内田研造、渡邊修司、吉田藍、馬場久敏	圧迫性頸髄症における3D-MRI/18F-FDG PET fusion imagingを用いた髓内輝度変化部位の脊髄グルコース代謝量の定量的解析	中部整災誌	56(4)	913-914	2013
内田研造、中嶋秀明、杉田大輔、渡邊修司、北出誠、馬場久敏	胸腰椎移行部病変に対する前方手術	脊椎脊髄特集 「胸腰椎移行部病変の病態と手術」	26(9)	883-888	2013
馬場久敏、中嶋秀明、彌山峰史、内田研造	知ってますか？ 整形外科手術の変遷⑯ 「頸椎前方除圧固定術」	臨整外	48(9)	882-888	2013
竹浦直人、内田研造、中嶋秀明、平井貴之、渡邊修司、馬場久敏	慢性脊髄圧迫モデル (twy/twy mouse) を用いた髓核後角におけるMAPK pathwayに関する免疫組織学的検討	中部整災誌	56(5)	1117-1118	2013

小林祥、長谷川智彦、安田達也、大和雄、戸川大輔、木村竜希、田仲飛鳥、川村茂之、松山幸弘	Double-train経頭蓋電気刺激による術中脊髄機能モニタリング	脊髄機能診断学	34(1)	90-93	2013
小林祥、松山幸弘、四宮謙一、安藤宗治、里見和彦、谷俊一	後縫靭帶骨化症における術中脊髄モニタリング	脊椎脊髄ジャーナル	26(3)	197-201	2013
小林祥、松山幸弘、四宮謙一、川端茂徳、安藤宗治、寒竹司、齊藤貴徳、高橋雅人、伊藤全哉、村本明生、藤原靖、木田和伸、山田圭、和田簡一朗、山本直也、里見和彦、谷俊一	術中脊髄モニタリングのアラームポイント 日本脊椎脊髄病学会モニタリング委員会による多施設前向き研究	脊髄機能診断学	34(1)	85-89	2013
岩崎幹季	頸椎後縫靭帶骨化症診療ガイドライン-2011年改訂版の概要	脊椎脊髄	26(3)	203-208	2013
岩崎幹季	椎弓形成術の脊髄後方除圧としての限界	脊椎脊髄	26(11)	1047-1054	2013
武中章太、海渡貴司、細野昇、三輪俊格、小田剛紀、奥田真也、山下智也、大島和也、有賀健太、浅野雅敏、渕矢剛司、黒田有佑、長本行隆、牧野孝洋、山崎良二、米延 策雄	胸部脊髄症の神経症候	臨床整形外科	48	381-390	2013
西田周泰、田口敏彦	脊髄圧迫形態の形態別応力解析	関節外科	32(5)	491-496	2013
今城靖明、田口敏彦、米和徳、大川淳、大谷晃司、尾形直則、小澤浩司、島田洋一、根尾昌志、井口哲弘	脊椎脊髄手術調査報告2013	Journal of Spine Reseach	4(9)	1367-1379	2013
今城靖明、加藤圭彦、寒竹司、鈴木秀典、吉田佑一郎、船場真裕、田口敏彦	電気生理検査による近位型頸椎症性筋萎縮症の治療方針の再検討	脊髄機能診断学	34(1)	113-117	2013
佐藤公昭、山田圭、田中寿人、西辻一成、金崎克也、福嶋信広、志波直人	頸椎疾患に対する経口プロスタグラジンE1誘導体製剤（リマプロストアルファデクス）の有効性	新薬と臨床	62	726-732	2013
榎原紀彦、笠井裕一、紺野慎一、高橋和久、千葉一裕、福井充、宮本雅史、種市洋、加藤圭彦、金森昌彦、金山雅弘、細野昇、竹下克志、田中信弘、橋爪洋、松永俊二、川上 守	日本整形外科学会腰痛評価質問票(JOAB PEQ)、日本整形外科学会頸髄症評価質問票(JOACMEQ)の認知度調査	J Spine Res	4(9)	1388-1392	2013

片桐岳信	進行性骨化性線維異形成症 (FOP)	Bone Joint Nerve	3	53–60	2013
加藤仁志、村上英樹、 出村諭、吉岡克人、林寛之、 太田敬、新村和也、 横川文彬、石井孝佳、方向、 土屋弘行	胸椎OPLLに対する後方進入前方除圧術 の新しい工夫 —後方要素の全切除と神経根切離—	Journal of Spine Research	Vol. 5, No. 1	In press	2014
片桐岳信、塚本翔、 大澤賢次	TGF-bファミリーから見える骨と筋の新 しい接点	実験医学			印刷中

書籍

著者氏名	論文タイトル名	書籍全体の 編集者名	書籍名	出版社名	出版地	出版年	ページ
里見和彦	頸椎症性脊髄症・神経根症	長野昭	整形外科専門医テキスト	南江堂	東京	2010	460–466
里見和彦	頸椎症性脊髄症	門脇孝博	診療ガイドライン UP TO-DATE 2010–2011	メディカル ビュー社	大阪	2010	575–578
相澤俊峰、 小澤浩司	強直性脊椎炎	戸山芳昭、 山下敏彦	アトラス骨・関節画像診断5. 脊椎・脊髄	中外 医学社	東京	2011	71–73
山崎正志	強直性脊椎骨増殖症	戸山芳昭、 山下敏彦	アトラス骨・関節画像診断5. 脊椎・脊髄	中外 医学社	東京	2011	pp13–15
山崎正志	上位頸椎手術	富士武史	整形外科治療と手術の合併症	金原出版	東京	2011	pp144–149
Iwasaki M, Yonenobu K	Chapter 42. Ossification of the Posterior Longitudinal Ligament.	Herkowitz HN, Garfin SR, Eismont FJ, Bell GR, Balderston RA.	Rothman-Simeione The Spine 6th edition	Saunders Elsevier	Philadelphia, Pennsylvania.	2011	791–807
岩崎幹季	脊椎手術後神経症状悪化	富士武史	整形外科 治療と手術の合併症	金原出版	東京	2011	237–241
柏井将文、 岩崎幹季	後縦靭帯骨化症	中村耕三	整形外科 臨床パーサージュ10肩こり・頸部痛クリニカルプラクティス	中山書店	東京	2011	112–120
Iwasaki M, Yonenobu K	Ossification of the posterior longitudinal ligament.	Herkowitz HN et al	The Spine 6th	ElsevierSaunders	Philadelphia	2011	791–807
鬼頭浩史	骨系統疾患児の治療と支援—整形外科から—	西村玄、 室月淳、 澤井英明	骨系統疾患 出生前診断と周産期管理	メディカル ビュー	東京	2011	225–232
進藤重雄	頸椎前方手術	富士武史	整形外科 治療と手術の合併症	金原出版	東京	2011	156–164
山崎正志	後縦靭帯骨化症	技術情報協会	希少疾患/難病の診断 ・治療と製品開発	技術情報 協会	東京	2012	pp1195–1202
米延策雄	頸部痛・上肢しびれ(痛み)の診断指針	中村耕三	運動器診療 最新ガイドライン	総合 医学社	東京	2012	312–315
海渡貴司、 米延策雄	歯突起骨折および C1–2前方固定術	馬場久敏ほか	頸椎の手術 (OS Now 22)	メディカル ビュー社	東京	2012	14–25
Hosono N, Yonenobu K	Cervical laminoplasty.	Benzel EC	Spine Surgery. Techniques, complication avoidance, and management. 3rd.	Elsevier Saunders	Philadelphia	2012	447–452
Oda T, Yonenobu K	Subaxial cervical involvement in rheumatoid arthritis.	Benzel EC et al.	The cervical spine. 5th ed	Wolters Kluwer, Lippincott Williams & Wilkins	Philadelphia	2012	843–853

Wada E, Yonenobu K	Treatment of cervical myelopathy: laminoplasty.	Benzel EC et al.	The cervical spine. 5th ed.	Wolters Kluwer, Lippincott Williams & Wilkins	Philadelphia	2012	980– 994
吉村典子	コホート研究からみた運動器障害		ロコモティブシンドローム	メディカル レビュー社	大阪	2013	in press
Tsuji T	Epidemiology of ossification of the posterior longitudinal ligament	Hyun-Jib Kim, Chun Kee Chung	Ossification of the Posterior Longitudinal Ligament	PANMUN	Seoul	2013	19–22
相庭温臣、 山崎正志、 望月真人	前方除圧・固定術	山下敏彦	カラーアトラス脊椎 ・脊髄の外科	中外 医学社	東京	2013	pp184– 192
河合将紀	胸椎黄色靭帯骨化症に対する内視鏡下骨化摘出術	吉田宗人	脊椎内視鏡下手術	文光堂	東京	2013	250– 255
池川志郎	後縦靭帯骨化症と遺伝子	戸山芳昭, 松本守雄	脊椎脊髄ジャーナル	三輪書店	東京	2013	156–62
Kanno H, Ozawa H	The role of autophagy in spinal cord injury	Toyama Y, Uchida K, Nakamura M, Ozawa H, Kato S	Neuroprotection and Regeneration of the Spinal Cord	Springer Japan	Japan	2014	(Chapter 3)
Ozawa H	Biomechanics of spinal cord	Toyama Y, Uchida K, Nakamura M, Ozawa H, Kato S	Neuroprotection and Regeneration of the Spinal Cord	Springer Japan	Japan	2014	(Chapter 6)
Ozawa H	Morphologic change and a strocyte response to unilateral spinal cord compression	Toyama Y, Uchida K, Nakamura M, Ozawa H, Kato S	Neuroprotection and Regeneration of the Spinal Cord	Springer Japan	Japan	2014	(Chapter 8)
Ozawa H	Influence of the intramedullary stress on the onset of cervical myelopathy	Toyama Y, Uchida K, Nakamura M, Ozawa H, Kato S	Neuroprotection and Regeneration of the Spinal Cord	Springer Japan	Japan	2014	(Chapter 24)

III. 研究成果の刊行物・別刷

※一覧表より抜粋(英文雑誌のみ掲載)