

Table 10-1 Drug Concentration in Plasma and Cerebral Spinal Fluid

B131138

<First dosing, Male>

| Dose (mg/kg) | Animal No. | Plasma concentration of P092 after completion of dosing (ng/mL) | | | | | |
|-----------------|---------------|---|------|------|------|------|------|
| | | 0.083 h | 2 h | 4 h | 8 h | 24 h | 48 h |
| 1 | 20101 | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ |
| | 20102 | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ |
| | 20103 | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ |
| | Mean | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ |
| | SD | NC | NC | NC | NC | NC | NC |
| 10 | 20201 | 8.47 | 6.86 | BLQ | BLQ | BLQ | BLQ |
| | 20203 | 15.4 | 8.32 | 7.22 | 5.41 | 5.88 | 5.80 |
| | 20204 | 17.5 | 9.57 | 6.11 | 5.44 | BLQ | 6.91 |
| | Mean | 13.8 | 8.25 | BLQ | BLQ | BLQ | BLQ |
| | SD | 4.7 | 1.36 | NC | NC | NC | NC |
| 25 | 20301 | 20.5 | 11.6 | 8.18 | 7.37 | 5.72 | 6.69 |
| | 20303 | 22.8 | 16.1 | 7.68 | 7.65 | 8.26 | 7.28 |
| | 20305 | 26.5 | 10.9 | 7.56 | 8.38 | 6.30 | 6.01 |
| | Mean | 23.3 | 12.9 | 7.81 | 7.80 | 6.76 | 6.66 |
| | SD | 3.0 | 2.8 | 0.33 | 0.52 | 1.33 | 0.64 |

BLQ: Below the lower limit of quantification (<5 ng/mL)

NC: Not calculated

Table 10-2 Drug Concentration in Plasma and Cerebral Spinal Fluid

B131138

<First dosing, Female>

| Dose (mg/kg) | Animal No. | Plasma concentration of P092 after completion of dosing (ng/mL) | | | | | |
|-----------------|---------------|---|-----|-----|-----|------|------|
| | | 0.083 h | 2 h | 4 h | 8 h | 24 h | 48 h |
| 1 | 60101 | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ |
| | 60102 | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ |
| | 60103 | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ |
| | Mean | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ |
| | SD | NC | NC | NC | NC | NC | NC |
| 10 | 60202 | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ |
| | 60203 | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ |
| | 60204 | 5.50 | BLQ | BLQ | BLQ | BLQ | BLQ |
| | Mean | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ |
| | SD | NC | NC | NC | NC | NC | NC |
| 25 | 60302 | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ |
| | 60303 | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ |
| | 60304 | 8.93 | BLQ | BLQ | BLQ | BLQ | BLQ |
| | Mean | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ |
| | SD | NC | NC | NC | NC | NC | NC |

BLQ: Below the lower limit of quantification (<5 ng/mL)

NC: Not calculated

Table 10-3 Drug Concentration in Plasma and Cerebral Spinal Fluid

B131138

<First dosing, Female>

| Dose (mg/kg) | Animal No. | Plasma concentration of P092 after completion of dosing (ng/mL) | | | | | |
|-----------------|---------------|---|------|------|------|------|------|
| | | 0.083 h | 2 h | 4 h | 8 h | 24 h | 48 h |
| 1 | 60101 | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ |
| | 60102 | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ |
| | 60103 | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ |
| | Mean | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ |
| | SD | NC | NC | NC | NC | NC | NC |
| 10 | 60202 | 7.61 | 6.83 | 5.28 | 5.20 | BLQ | 5.23 |
| | 60203 | 7.24 | BLQ | 5.65 | BLQ | BLQ | BLQ |
| | 60204 | 11.5 | 7.08 | 5.52 | 5.20 | 5.29 | BLQ |
| | Mean | 8.78 | BLQ | 5.48 | BLQ | BLQ | BLQ |
| | SD | 2.36 | NC | 0.19 | NC | NC | NC |
| 25 | 60302 | 14.0 | 8.03 | 6.42 | 6.13 | 5.63 | BLQ |
| | 60303 | 10.4 | 7.36 | 6.41 | BLQ | 5.37 | 5.15 |
| | 60304 | 13.3 | 8.68 | 7.58 | 6.28 | BLQ | 5.38 |
| | Mean | 12.6 | 8.02 | 6.80 | BLQ | BLQ | BLQ |
| | SD | 1.9 | 0.66 | 0.67 | NC | NC | NC |

BLQ: Below the lower limit of quantification (<5 ng/mL)

NC: Not calculated

These values were reference data because the QC samples did not meet the acceptable criteria.

Table 10-4 Drug Concentration in Plasma and Cerebral Spinal Fluid

B131138

<4th dosing, Male>

| Dose (mg/kg) | Animal No. | Plasma concentration of P092 after completion of dosing (ng/mL) | | | | | | |
|-----------------|---------------|---|---------|------|-----|------|------|------|
| | | Pre | 0.083 h | 2 h | 4 h | 8 h | 24 h | 48 h |
| 1 | 20101 | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ |
| | 20102 | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ |
| | 20103 | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ |
| | Mean | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ |
| | SD | NC | NC | NC | NC | NC | NC | NC |
| 10 | 20201 | BLQ | 7.17 | BLQ | BLQ | BLQ | BLQ | BLQ |
| | 20202 | BLQ | 13.6 | 7.43 | BLQ | BLQ | BLQ | BLQ |
| | 20204 | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ |
| | Mean | BLQ | 6.92 | BLQ | BLQ | BLQ | BLQ | BLQ |
| | SD | NC | 6.80 | NC | NC | NC | NC | NC |
| 25 | 20301 | 6.12 | 10.2 | 5.99 | BLQ | 5.04 | BLQ | BLQ |
| | 20303 | BLQ | 6.82 | 6.36 | BLQ | BLQ | BLQ | BLQ |
| | 20305 | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ |
| | Mean | BLQ | 5.67 | BLQ | BLQ | BLQ | BLQ | BLQ |
| | SD | NC | 5.20 | NC | NC | NC | NC | NC |

BLQ: Below the lower limit of quantification (<5 ng/mL)

NC: Not calculated

Table 10-5 Drug Concentration in Plasma and Cerebral Spinal Fluid

B131138

<4th dosing, Female>

| Dose (mg/kg) | Animal No. | Plasma concentration of P092 after completion of dosing (ng/mL) | | | | | | |
|-----------------|---------------|---|---------|-----|-----|-----|------|------|
| | | Pre | 0.083 h | 2 h | 4 h | 8 h | 24 h | 48 h |
| 1 | 60101 | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ |
| | 60102 | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ |
| | 60103 | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ |
| | Mean | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ |
| | SD | NC | NC | NC | NC | NC | NC | NC |
| 10 | 60202 | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ |
| | 60203 | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ |
| | 60204 | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ |
| | Mean | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ |
| | SD | NC | NC | NC | NC | NC | NC | NC |
| 25 | 60301 | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ |
| | 60302 | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ |
| | 60303 | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ |
| | Mean | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ | BLQ |
| | SD | NC | NC | NC | NC | NC | NC | NC |

BLQ: Below the lower limit of quantification (<5 ng/mL)

NC: Not calculated

Table 10-6 Drug Concentration in Plasma and Cerebral Spinal Fluid

B131138

| Sex | Dose (mg/kg) | Animal No. | CSF concentration of P092 (ng/mL) |
|--------|--------------|------------|-----------------------------------|
| Male | 1 | 20101 | BLQ |
| | | 20102 | BLQ |
| | | 20103 | BLQ |
| | | 20104 | BLQ |
| | | 20105 | BLQ |
| | 10 | 20201 | BLQ |
| | | 20202 | BLQ |
| | | 20204 | BLQ |
| | 25 | 20301 | 146 |
| | | 20303 | BLQ |
| 20305 | | 6.54 | |
| Female | 1 | 60101 | BLQ |
| | | 60102 | BLQ |
| | | 60103 | BLQ |
| | | 60104 | BLQ |
| | | 60105 | BLQ |
| | 10 | 60201 | BLQ |
| | | 60202 | 37.2 |
| | | 60203 | BLQ |
| | | 60204 | BLQ |
| | | 60205 | BLQ |
| | 25 | 60301 | 7.91 |
| | | 60302 | BLQ |
| | | 60303 | BLQ |
| | | 60305 | BLQ |

BLQ: Below the lower limit of quantification (< 5 ng/mL)

Key Page

| Code | Description |
|------|------------------------|
| BD | Before dosing |
| T10 | 2-4 hours after dosing |

Day numbers relative to Start Date

| Group | Sex | Animal | Clinical Sign | Site | 1 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | |
|-------|-----|--------|---------------------------|------|----|-----|----|----|----|----|----|----|----|-----|----|----|----|----|----|----|----|
| | | | | | BD | T10 | am | am | am | am | am | am | BD | T10 | am | am | am | am | am | am | am |
| 1 | m | 10101 | No Abnormalities Detected | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| | | 10102 | No Abnormalities Detected | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| | | 10103 | No Abnormalities Detected | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| | | 10104 | No Abnormalities Detected | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| | | 10105 | No Abnormalities Detected | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| | | 10106 | No Abnormalities Detected | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |

Severity Codes: X = Present

Group 1 - 0 mg/kg Group 2 - 1 mg/kg Group 3 - 10 mg/kg Group 4 - 25 mg/kg

Day numbers relative to Start Date

| Group | Sex | Animal | Clinical Sign | Site | 15 BD | 15 T10 | 16 am | 17 am | 18 am | 19 am | 20 am | 21 am | 22 BD | 22 T10 | 23 am | 24 am | 25 am | 26 am | 27 am | 28 am |
|-------|-----|--------|---------------------------|------|----------|-----------|----------|----------|----------|----------|----------|----------|----------|-----------|----------|----------|----------|----------|----------|----------|
| 1 | m | 10101 | No Abnormalities Detected | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| | | 10102 | No Abnormalities Detected | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| | | 10103 | No Abnormalities Detected | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| | | 10104 | No Abnormalities Detected | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| | | 10105 | No Abnormalities Detected | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| | | 10106 | No Abnormalities Detected | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |

Severity Codes: X = Present

Group 1 - 0 mg/kg Group 2 - 1 mg/kg Group 3 - 10 mg/kg Group 4 - 25 mg/kg

Day numbers relative to Start Date

| Group | Sex | Animal | Clinical Sign | Site | 29 am | 29 pm |
|-------|-----|--------|---------------------------|------|----------|----------|
| 1 | m | 10101 | No Abnormalities Detected | | X | . |
| | | 10102 | No Abnormalities Detected | | X | . |
| | | 10103 | No Abnormalities Detected | | X | . |
| | | 10104 | No Abnormalities Detected | | X | . |
| | | 10105 | No Abnormalities Detected | | X | . |
| | | 10106 | No Abnormalities Detected | | X | . |

Severity Codes: X = Present

Group 1 - 0 mg/kg Group 2 - 1 mg/kg Group 3 - 10 mg/kg Group 4 - 25 mg/kg

Day numbers relative to Start Date

| Group | Sex | Animal | Clinical Sign | Site | 1 BD | 1 T10 | 2 am | 3 am | 4 am | 5 am | 6 am | 7 am | 8 BD | 8 T10 | 9 am | 10 am | 11 am | 12 am | 13 am | 14 am |
|-------|-----|--------|---------------------------|------|---------|----------|---------|---------|---------|---------|---------|---------|---------|----------|---------|----------|----------|----------|----------|----------|
| 2 | m | 10201 | No Abnormalities Detected | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| | | 10202 | No Abnormalities Detected | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| | | 10203 | No Abnormalities Detected | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| | | 10204 | No Abnormalities Detected | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| | | 10205 | No Abnormalities Detected | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| | | 10206 | No Abnormalities Detected | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |

Severity Codes: X = Present

Group 1 - 0 mg/kg Group 2 - 1 mg/kg Group 3 - 10 mg/kg Group 4 - 25 mg/kg

| Group | Sex | Animal | Clinical Sign | Site | Day numbers relative to Start Date | | | | | | | | | | | | | | | | |
|-------|-----|--------|---------------------------|------|------------------------------------|-----------|----------|----------|----------|----------|----------|----------|----------|-----------|----------|----------|----------|----------|----------|----------|---|
| | | | | | 15 BD | 15 T10 | 16 am | 17 am | 18 am | 19 am | 20 am | 21 am | 22 BD | 22 T10 | 23 am | 24 am | 25 am | 26 am | 27 am | 28 am | |
| 2 | m | 10201 | No Abnormalities Detected | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | |
| | | 10202 | No Abnormalities Detected | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| | | 10203 | No Abnormalities Detected | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| | | 10204 | No Abnormalities Detected | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| | | 10205 | No Abnormalities Detected | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| | | 10206 | No Abnormalities Detected | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |

Severity Codes: X = Present

Group 1 - 0 mg/kg Group 2 - 1 mg/kg Group 3 - 10 mg/kg Group 4 - 25 mg/kg

Day numbers relative to Start Date

| Group | Sex | Animal | Clinical Sign | Site | 29 am | 29 pm |
|-------|-----|--------|---------------------------|------|----------|----------|
| 2 | m | 10201 | No Abnormalities Detected | | X | . |
| | | 10202 | No Abnormalities Detected | | X | . |
| | | 10203 | No Abnormalities Detected | | X | . |
| | | 10204 | No Abnormalities Detected | | X | . |
| | | 10205 | No Abnormalities Detected | | X | . |
| | | 10206 | No Abnormalities Detected | | X | . |

Severity Codes: X = Present

Group 1 - 0 mg/kg Group 2 - 1 mg/kg Group 3 - 10 mg/kg Group 4 - 25 mg/kg

| Group | Sex | Animal | Clinical Sign | Site | Day numbers relative to Start Date | | | | | | | | | | | | | | | | | |
|-------|-----|--------|---------------------------|------|------------------------------------|----------|---------|---------|---------|---------|---------|---------|---------|----------|---------|----------|----------|----------|----------|----------|---|---|
| | | | | | 1 BD | 1 T10 | 2 am | 3 am | 4 am | 5 am | 6 am | 7 am | 8 BD | 8 T10 | 9 am | 10 am | 11 am | 12 am | 13 am | 14 am | | |
| 3 | m | 10301 | No Abnormalities Detected | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | |
| | | | Death | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| | | 10302 | No Abnormalities Detected | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| | | | Abnormal gait | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | | | Anemic | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | | 10303 | No Abnormalities Detected | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| | | 10304 | No Abnormalities Detected | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| | | | Death | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | | 10305 | No Abnormalities Detected | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| | | | Death | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | | 10306 | No Abnormalities Detected | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |

Severity Codes: X = Present

Group 1 - 0 mg/kg Group 2 - 1 mg/kg Group 3 - 10 mg/kg Group 4 - 25 mg/kg

Day numbers relative to Start Date

| Group | Sex | Animal | Clinical Sign | Site | 15 BD | 15 T10 | 16 am | 17 am | 18 am | 19 am | 20 am | 21 am | 22 BD | 22 T10 | 23 am | 24 am | 25 am | 26 am | 27 am | 28 am |
|-------|-----|--------|---------------------------|------|----------|-----------|----------|----------|----------|----------|----------|----------|----------|-----------|----------|----------|----------|----------|----------|----------|
| 3 | m | 10301 | No Abnormalities Detected | | X | X | X | X | - | - | - | - | - | - | - | - | - | - | - | - |
| | | | Death | | - | - | - | - | X | - | - | - | - | - | - | - | - | - | - | - |
| | | 10302 | No Abnormalities Detected | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| | | | Abnormal gait | | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | X |
| | | | Anemic | | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | 10303 | No Abnormalities Detected | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| | | 10304 | No Abnormalities Detected | | X | X | X | X | X | - | - | - | - | - | - | - | - | - | - | - |
| | | | Death | | - | - | - | - | - | X | - | - | - | - | - | - | - | - | - | - |
| | | 10305 | No Abnormalities Detected | | X | X | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | | Death | | - | - | X | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | 10306 | No Abnormalities Detected | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |

Severity Codes: X = Present

Group 1 - 0 mg/kg Group 2 - 1 mg/kg Group 3 - 10 mg/kg Group 4 - 25 mg/kg

Day numbers relative to Start Date

| Group | Sex | Animal | Clinical Sign | Site | 29 am | 29 pm |
|-------|-----|--------|---------------------------|------|----------|----------|
| 3 | m | 10301 | No Abnormalities Detected | | . | . |
| | | | Death | | . | . |
| | | 10302 | No Abnormalities Detected | | . | . |
| | | | Abnormal gait | | X | . |
| | | | Anemic | | X | . |
| | | 10303 | No Abnormalities Detected | | X | . |
| | | 10304 | No Abnormalities Detected | | . | . |
| | | | Death | | . | . |
| | | 10305 | No Abnormalities Detected | | . | . |
| | | | Death | | . | . |
| | | 10306 | No Abnormalities Detected | | X | . |

Severity Codes: X = Present

Group 1 - 0 mg/kg Group 2 - 1 mg/kg Group 3 - 10 mg/kg Group 4 - 25 mg/kg

Day numbers relative to Start Date

| Group | Sex | Animal | Clinical Sign | Site | 1 BD | 1 T10 | 2 am | 3 am | 4 am | 5 am | 6 am | 7 am | 8 BD | 8 T10 | 9 am | 10 am | 11 am | 12 am | 13 am | 14 am |
|-------|-----|--------|---------------------------|------|---------|----------|---------|---------|---------|---------|---------|---------|---------|----------|---------|----------|----------|----------|----------|----------|
| 4 | m | 10401 | No Abnormalities Detected | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| | | 10402 | No Abnormalities Detected | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| | | | Death | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | | 10403 | No Abnormalities Detected | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| | | | Death | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | | 10404 | No Abnormalities Detected | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| | | | Death | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | | 10405 | No Abnormalities Detected | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| | | 10406 | No Abnormalities Detected | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| | | | Death | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

Severity Codes: X = Present

Group 1 - 0 mg/kg Group 2 - 1 mg/kg Group 3 - 10 mg/kg Group 4 - 25 mg/kg

Day numbers relative to Start Date

| Group | Sex | Animal | Clinical Sign | Site | 15 BD | 15 T10 | 16 am | 17 am | 18 am | 19 am | 20 am | 21 am | 22 BD | 22 T10 | 23 am | 24 am | 25 am | 26 am | 27 am | 28 am |
|-------|-----|--------|---------------------------|------|----------|-----------|----------|----------|----------|----------|----------|----------|----------|-----------|----------|----------|----------|----------|----------|----------|
| 4 | m | 10401 | No Abnormalities Detected | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| | | 10402 | No Abnormalities Detected | | X | X | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | | | Death | | . | . | X | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | | 10403 | No Abnormalities Detected | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| | | | Death | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | X |
| | | 10404 | No Abnormalities Detected | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| | | | Death | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | | 10405 | No Abnormalities Detected | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| | | 10406 | No Abnormalities Detected | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | | | Death | | X | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

Severity Codes: X = Present

Group 1 - 0 mg/kg Group 2 - 1 mg/kg Group 3 - 10 mg/kg Group 4 - 25 mg/kg

Day numbers relative to Start Date

| Group | Sex | Animal | Clinical Sign | Site | 29 am | 29 pm |
|-------|-----|--------|---------------------------|------|----------|----------|
| 4 | m | 10401 | No Abnormalities Detected | | X | . |
| | | 10402 | No Abnormalities Detected | | . | . |
| | | | Death | | . | . |
| | | 10403 | No Abnormalities Detected | | . | . |
| | | | Death | | . | . |
| | | 10404 | No Abnormalities Detected | | X | . |
| | | | Death | | . | X |
| | | 10405 | No Abnormalities Detected | | X | . |
| | | 10406 | No Abnormalities Detected | | . | . |
| | | | Death | | . | . |

Severity Codes: X = Present

Group 1 - 0 mg/kg Group 2 - 1 mg/kg Group 3 - 10 mg/kg Group 4 - 25 mg/kg

Day numbers relative to Start Date

| Group | Sex | Animal | Clinical Sign | Site | Day numbers relative to Start Date | | | | | | | | | | | | | | | | |
|-------|-----|--------|---------------------------|------|------------------------------------|----------|---------|---------|---------|---------|---------|---------|---------|----------|---------|----------|----------|----------|----------|----------|---|
| | | | | | 1 BD | 1 T10 | 2 am | 3 am | 4 am | 5 am | 6 am | 7 am | 8 BD | 8 T10 | 9 am | 10 am | 11 am | 12 am | 13 am | 14 am | |
| 1 | f | 50101 | No Abnormalities Detected | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | |
| | | 50102 | No Abnormalities Detected | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| | | 50103 | No Abnormalities Detected | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| | | 50104 | No Abnormalities Detected | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| | | 50105 | No Abnormalities Detected | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| | | 50106 | No Abnormalities Detected | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |

Severity Codes: X = Present

Group 1 - 0 mg/kg Group 2 - 1 mg/kg Group 3 - 10 mg/kg Group 4 - 25 mg/kg