

理解、患者の実態、診断や治療の方向性とアウトカムを把握することが飛躍的に進歩した。代表的疾患である腸管ペーチェット病や単純性潰瘍ではコンセンサス・ステートメントの樹立が可能であったが、それ以外の疾患でも実態調査だけではなく、診断基準や治療指針の策定に向けての多大な進歩があった。さら特筆すべきことに、非特異性多発性小腸潰瘍症と腸間膜静脈硬化症につい

てはその病因の解明に迫る極めて重要な成果が得られた。

本邦で特に頻度の高い疾患もあることから、これらの病態理解、病因解明へ向けての進歩は世界を先駆けたものであると言うことができる。得られた成果を今後患者のQOL向上へフィードバックしていくために、さらなる研究の継続と発展が必要である。

研究成果に関する一覧

書籍

執筆者氏名	論文題名	書籍全体の編集者名	書籍名	出版社名	ページ	出版年
Tsuchiya K Kano Y <u>Watanabe M</u>	非特異性多発性小腸潰瘍症	小俣政男 千葉 勉 監 下瀬川 徹 渡辺 守 木下芳一 金子周一 樺田博史 編	専門医のための消化器病学第2版	東京医学書院	213-5	2013
丸田紘史 <u>三浦総一郎</u>	蛋白漏出性胃腸症	J Gastroenterol Hepatol	消化器疾患最新の治療	南江堂	190-3	2013
田中正則	小児炎症性腸疾患の診断:病理診断	Biochem Biophys Res Commun	小児・思春期のIBD診療マニュアル	診断と治療社	57-66	2013
山田英司 高橋宏和 <u>中島 淳</u>	大腸憩室炎の疫学・診断と治療		診断と治療 vol.100 No.6	診断と治療社	957-961	2012
中島 淳 大久保秀則 飯田 洋	腸閉塞, 偽性腸閉塞, 巨大結腸症		診断と治療 vol.100 No.6	診断と治療社	1043-1050	2012
中島 淳	腹部各種症状に対する漢方薬の使い方のコツ		診断と治療 vol.100 No.6	診断と治療社	1061-1066	2012
山田英司 遠藤宏樹 <u>中島 淳</u>	《小腸非腫瘍性疾患診療の進歩》⑤NSAIDs 小腸潰瘍の診断と治療		Modern Physician Vol.32 No.7(2012)	新興医学出版社	852-856	2012
中島 淳	消化管疾患「偽性腸閉塞、巨大結腸症、鼓腸、呑気症」	総編集 山口 徹 北原光夫 福井次矢	今日の治療指針 2013 私はこう治療している	医学書院	467-469	2012
中島 淳 大久保秀則	巻頭トピックス 3.慢性便秘の病態と薬剤開発	菅野健太郎 上西紀夫 井廻道夫	消化器疾患 最新の治療 2013-2014	南江堂	9-14	2012

山本博徳	カプセル小腸内視鏡検査法/バルーン小腸内視鏡検査法	INTESTINE編集員会	INTESTINE Vol.16 No.3	日本メディカルセンター	219-225	2012
石原裕士 松井敏幸	特集 Microscopic Colitis のすべて 診断基準・重症度評の策定に向けて—臨床診断・内視鏡像	武藤徹一郎	大腸疾患NOW	日本メディカルセンター	38-42	2012
三浦総一郎	蛋白漏出性胃腸症	山口 徹 北原光夫 福井次矢	2012今日の治療指針	医学書院	438	2012
成松和幸 <u>三浦総一郎</u>	吸収不良症候群	丸山千寿子 中屋 豊	ビジュアル栄養療法	南江堂	12-18	2012
三浦総一郎 岡田義清 上田俊秀 八月朔日秀明 穂苅量太	Microscopic colitisの病態の解明にむけて—疾患モデル確立の試み		大腸疾患NOW2012	日本メディカルセンター	58-62	2012

論文

執筆者氏名	論文題名	雑誌名	巻(号)	ページ	出版年
Esaki M <u>Matsumoto T</u> Watanabe K Arakawa T Naito Y Matsuura M Nakase H <u>Hibi T</u> Matsumoto T Nouda S Higuchi K Ohmiya N Goto H Kurokawa S Motoya S <u>Watanabe M</u>	Use of capsule endoscopy in patients with Crohn's disease in Japan: A multicenter survey.	J Gastroenterol Hepatol	29	96–101	2014
Murano T <u>Okamoto R</u> Ito G Nakata T Hibiya S Shimizu H Fujii S Kano Y Mizutani T Yui S Akiyama-Morio J Nemoto Y Tsuchiya K Nakamura T <u>Watanabe M</u>	Hes1 promotes the IL-22-mediated antimicrobial response by enhancing STAT3-dependent transcription in human intestinal epithelial cells.	Biochem Biophys Res Commun	443	840–846	2014
Hisabe T Hirai F <u>Matsui T</u> <u>Watanabe M</u>	Evaluation of diagnostic criteria for Crohn's disease in Japan.	J Gastroenterol	49	93–99	2014
Suzuki M Motoya S hanai H <u>Matsumoto T</u> <u>Hibi T</u> Robinson AM Mostafa NM Chao J Arora V Camez A Thakkar RB <u>Watanabe M</u>	Efficacy and safety of adalimumab in Japanese patients with moderately to severe active ulcerative colitis.	J Gastroenterol		(Epub ahead of print)	2013

Fordham RP Yui S Hannan NRF Madwick A Vallier L Pedersen RA Nakamura T <u>Watanabe M</u> Jensen KB	Transplantation of expanded fetal intestinal progenitors contributes to colon regeneration after injury.	Cell Stem Cell	13	734–744	2013
Ito G <u>Okamoto R</u> Murano T Shimizu H Fujii S Nakata T Mizutani T Yui S Akiyama-Morio J Nemoto Y Okada E Araki A Ohtsuka K Tsuchiya K Nakamura T <u>Watanabe M</u>	Lineage-specific expression of Bestrophin-2 and Bestrophin-4 in human intestinal epithelial cells.	PloS One	8	e79693	2013
Takahara M Nemoto Y Oshima S Matsuzawa Y <u>Kanai T</u> <u>Okamoto R</u> Tsuchiya K Nakamura T Yamamoto K <u>Watanabe M</u>	IL-7 promotes long-term in vitro survival of unique long-lived memory subset generated from mucosal effector memory CD4+ T cells in chronic colitis mice.	Immunol Lett.	156	82–93	2013
Fukata N Okazaki K Omiya M Matsushita M <u>Watanabe M</u> The Members of the Ministry of Health and Welfare of Japan's Inflammatory Bowel Diseases Study Group.	Hematologic malignancies in the Japanese patients with inflammatory bowel disease.	J Gastroenterol		(Epub ahead of print)	2013
Nemoto Y <u>Kanai T</u> Takahara M Oshima S <u>Okamoto R</u> Tsuchiya K Matsumoto S <u>Watanabe M</u>	Th1/Th17-Mediated Interstitial Pneumonia in Chronic Colitis Mice Independent of Intestinal Microbiota.	J Immunol	190	6616–6625	2013

Watanabe M Nishino H Samejima Y Ota A Nakamura S <u>Hibi T</u>	Randomised clinical trial: evaluation of the efficacy of mesalazine suppositories in active ulcerative colitis patients with rectal inflammation – a placebo-controlled study.	Aliment Phar Ther	38	264–273	2013
<u>Hibi T</u> Sakuraba A <u>Watanabe M</u> Motoya S Ito H Sato N Yoshinari T Motegi K Kinouchi Y Takazoe M Suzuki Y <u>Matsumoto T</u> Kawakami K Matsumoto T Hirata I Tanaka S Ashida T <u>Matsui T</u>	C-reactive protein is an indicator of serum infliximab level in predicting loss of response in patients with Crohn's disease.	J Gastroenterol		(Epub ahead of print)	2013
Watanabe M Hanai H Nishino H Yokoyama T Terada T Suzuki Y	Comparison of QD and TID oral mesalazine for maintenance of remission in quiescent ulcerative colitis: a double-blind, double-dummy, randomized multicenter study.	Inflammatory Bowel Dis	19	1681–1690	2013
Watanabe K Sasaki I Fukushima K Futami K Ikeuchi H Sugita A Nezu R Mizushima T Kameoka S Kusunoki M Yoshioka K Funayama Y Watanabe T Fuji H <u>Watanabe M</u> for the Surgical Research Group, the Research Committee of Inflammatory Bowel Disease, Ministry of Health, Labour and Welfare of Japan	Long-term Incidence and Characteristics of Intestinal Failure in Crohn's disease: A Japanese Multicenter Study.	J Gastroenterol		(Epub ahead of print)	2013

Ohyagi M Ohkubo T Yagi Y Ishibashi S Akiyama J Nagahori M <u>Watanabe M</u> Yokota T Mizusawa H	Chronic inflammatory demyelinating polyradiculoneuropathy in a patient with Crohn's disease.	Intern Med	52	125–128	2013
Kano Y Tsuchiya K Zheng X Horita N Fukushima K Hibiya S Yamauchi Y Nishimura T Hinohara K Gotoh N Suzuki S <u>Okamoto R</u> Nakamura T <u>Watanabe M</u>	The acquisition of malignant potential in colon cancer is regulated by the stabilization of Atonal homolog 1 protein.	Biochem Biophys Res Commun	432	175–181	2013
Ueno F <u>Matsui T</u> <u>Matsumoto T</u> <u>Matsuoka K</u> <u>Watanabe M</u> <u>Hibi T</u> on behalf of the guideline project group of intractable Inflammatory Bowel Disease granted by the Ministry of Health, Labour and Welfare of Japan and the Guidelines Committee of the Japanese	Evidence-based clinical practice guidelines for Crohn's disease, integrated with formal consensus of experts in Japan.	J Gastroenterol	48(1)	31–72	2013
Naganuma M Nagahori M Fujii T Morio J Saito E <u>Watanabe M</u>	Poor recall of prior exposure to varicella zoster, rubella, measles, or mumps in patients with IBD.	Inflamm Bowel Dis	19	418–422	2013

Naganuma M Fujii T Kunisaki R Yoshimura N Takazoe M Takeuchi Y Saito E Nagahori M Asakura K Takebayashi T <u>Watanabe M</u>	Incidence and characteristics of the 2009 influenza (H1N1) infections in inflammatory bowel disease patients.	Journal of Crohn's & colitis	7	308–313	2013
Kuwahara E Asakura K Nishiwaki Y Inoue N <u>Watanabe M</u> <u>Hibi T</u> <u>Takebayashi T</u>	Reply to the letter by A. M. Bianco et al. regarding "Effects of family history on IBD characteristics in Japanese patients".	J Gastroenterol	48	145–146	2013
Nemoto Y Kanai T Takahara M Oshima S Nakamura T <u>Okamoto R</u> Tsuchiya K <u>Watanabe M</u>	Bone marrow-mesenchymal stem cells are a major source of interleukin-7 and sustain colitis by forming the niche for colitogenic CD4+ memory T cells.	Gut	62	1142–1152	2013
Naganuma M, Kunisaki R, Yoshimura N, Takeuchi Y, <u>Watanabe M</u>	A prospective analysis of the incidence and risk factors for opportunistic infections in patients with inflammatory bowel disease.	J Gastroenterol	48	595–560	2013
Okada E Araki A Suzuki S Morio Akiyama J Fujii T <u>Okamoto R</u> <u>Watanabe M</u>	Histological diagnosis of follicular lymphoma by biopsy of small intestinal normal mucosa.	Digestive Endoscopy	25	544–546	2013
高原政宏 根本泰宏 大島 茂 渡辺 守	Long-term Incidence and Characteristics of Intestinal Failure in Crohn's disease: A Japanese Multicenter Study.	J Gastroenterol		(Epub ahead of print)	2013
大久保秀則 中島淳 他	腹部(消化管)MRI-MRIを用いた消化管疾患診断学の近年の進歩	診断と治療	101	565–70	2013
大久保秀則 中島淳 他	機能性消化管障害(FGID):診断と治療の進歩.トピックスII 代表的疾患の診療と現況と将来展望 6. 難治性便秘	日本内科学会雑誌	102	83–9	2013
大久保秀則 中島淳	短腸症候群, Bacterial overgrowthによる下痢の治療	診断と治療	101(2)	257–61	2013

Hirano A Yamazaki K Umeno J Ashikawa K Aoki M <u>Matsumoto T</u> Nakamura S Ninomiya K <u>Matsui T</u> Hirai F Kawaguchi T Takazoe M Tanaka H Motoya S Kiyohara Y Kitazono T Nakamura Y Kamatani N Kubo M	Association study of 71 European Crohn's disease susceptibility loci in a Japanese population.	Inflamm Bowel Dis	87	526-33	2013
Kinoshita Y Furuta K Ishimaura N Ishihara S Sato S Maruyama R Ohara S <u>Matsumoto T</u> Sakamoto C Matsui T Ishikawa S Chiba T	Clinical characteristics of Japanese patients with eosinophilic esophagitis and eosinophilic gastroenteritis.	J Gastroenterol	Epub ahead of print	333-9	2013
Yamazaki K Umeno J Takahashi A Hirano A Johnson A T Kumasaka N Morizono T Hosono N Kawaguchi T Takaze M Yamada T Suzuki Y Tanaka H Motoya S Hosokawa M Arimura Y Shinomura Y <u>Matsui T</u> <u>Matsumoto T</u> Iida M Tsunoda T Nakamura Y Kamatani N Kubo M	A genome-wide association study identifies 2 susceptibility loci for Crohn's disease in a Japanese population.	Gastroenterology	17(4)	784-8	2013

Tsurumi K Matsui T Hirai F Takatsu N Yano Y Hisabe T Sato Y Beppu T Fujiwara S Ishikawa S Matsushima Y Okado Y Ono Y Yoshizawa N Nagahama T Takaki Y Yao K	Incidence, clinical characteristics, long-term course, and comparison of progressive and nonprogressive cases of aphthous-type Crohn's disease: a single-center cohort study.	Digestion	28(7)	262–8	2013
Watanabe C Komoto S Hokari R Kurihara C Okada Y Hozumi H Higashiyama M Sakuraba A Tomita K Tsuzuki Y Kawaguchi A Nagao S Ogata S <u>Miura SJ</u>	Prevalence of serum celiac antibody in patients with IBD in Japan.	Gastroenterol	56(1)		2103
清水誠治 他	腸管ベーチェット病と単純性潰瘍の異同	Intestine	17(4)	381–386	2013
清水誠治 他	全身性疾患の小腸病変 膜原病, アミロイドーシス	臨床消化器内科	28(7)	1012–1017	2013
清水誠治 他	炎症性腸疾患の鑑別診断	Gastroenterol Endosc	56(1)	3–14	2014
Hisamatsu T Ueno F <u>Matsumoto T</u> <u>Kobayashi K</u> Koganei K Kunisaki R Hirai F Nagahori M Matsushita M <u>Kobayashi K</u> Kishimoto M Takeno M <u>Tanaka M</u> Inoue N <u>Hibi T</u>	The 2nd edition of consensus statements for the diagnosis and management of intestinal Behcet's disease: indication of anti-TNF α monoclonal antibodies.	J Gastroenterol	49(1)	156–162	2014

Hibi T Sakuraba A <u>Watanabe M</u> Motoya S Ito H Motegi K Kinouchi Y Takazoe M Suzuki Y <u>Matsumoto T</u> Kawakami K Matsumoto T <u>Hirata I</u> Tanaka S Ashida T <u>Matsui T</u>	Retrieval of serum infliximab level by shortening the maintenance infusion interval is correlated with clinical efficacy in Crohn's disease.	Inflamm Bowel Dis	18(8)	1480–87	2012
Takayama T <u>Kanai T</u> Matsuoka K Okamoto S Sujino T Mikami Y Hisamatsu T Yajima T <u>Iwao Y</u> Ogata H Hibi T	Long-term prognosis of patients with ulcerative colitis treated with cytapheresis therapy.	J Crohns Colitis	Epub ahead of print		2012
Mizuno S <u>Kanai T</u> Mikami Y Sujino T Ono Y Hayashi A Handa T Matsumoto A Nakamoto N <u>Matsuoka K</u> Hisamatsu T Takaishi H Hibi T	9(+) plasmacytoid dendritic cells in the small intestine suppress development of intestinal inflammation in mice.	Immunol Lett	Epub ahead of print		2012
Ichikawa R Takayama T Yoneno K Kamada N Kitazume MT Higuchi H <u>Matsuoka K</u> <u>Watanabe M</u> Itoh H <u>Kanai T</u> Hisamatsu T and <u>Hibi T</u>	Bile acids induce monocyte differentiation toward IL-12 hypo-producing dendritic cells via a TGR5-dependent pathway.	Immunology	136(2)	153–62	2012

Hisamatsu T Okamoto S Hashimoto M Muramatsu T Andou A Uo M Kitazume MT <u>Matsuoka K</u> Yajima T Inoue N <u>Kanai T</u> Ogata H <u>Iwao Y</u> Yamakado M Sakai R Ono N Ando T Suzuki M and <u>Hibi T</u>	Novel, Objective, Multivariate Biomarkers Composed of Plasma Amino Acid Profiles for the Diagnosis and Assessment of Inflammatory Bowel Disease.	PLoS ONE	7(1)	e31131	2012
Sakuraba A <u>Sato T</u> Morohoshi Y <u>Matsuoka K</u> Okamoto S Inoue N Takaishi H Ogata H <u>Iwao Y</u> <u>Hibi T</u>	Intermittent granulocyte and monocyte apheresis versus mercaptopurine for maintaining remission of ulcerative colitis: a pilot study.	Ther Apher Dial	13(3)	213–8	2012
Sakuraba A <u>Sato T</u> Matsukawa H Okamoto S Takaishi H Ogata H <u>Iwao Y</u> <u>Hibi T</u>	The use of infliximab in the prevention of postsurgical recurrence in polysurgery Crohn's disease patients: a pilot open-labeled prospective study.	Int J Colorectal Dis	27(7)	647–52	2012
Miyoshi J Yajima T Shimamura K <u>Matsuoka K</u> Okamoto S Higuchi H Funakoshi S Takaishi H <u>Hibi T</u>	5-aminosalicylic Acid mediates expression of cyclooxygenase-2 and 15-hydroxyprostaglandin dehydrogenase to suppress colorectal tumorigenesis.	Anticancer Res	32(4)	1193–202	2012
Kimura K <u>Kanai T</u> Hayashi A Mikami Y Sujino T Mizuno S Handa T <u>Matsuoka K</u> Hisamatsu T <u>Sato T</u> <u>Hibi T</u>	Dysregulated balance of retinoid-related orphan receptor γ t-dependent innate lymphoid cells is involved in the pathogenesis of chronic DSS-induced colitis.	Biochem Biophys Res Commun	2;427(4)	694–700	2012

Uo M Hisamatsu T Miyoshi J Kaito D Yoneno K Kitazume MT Mori M Sugita A Koganei K <u>Matsuoka K</u> <u>Kanai T</u> <u>Hibi T</u>	Mucosal CXCR4+ IgG plasma cells contribute to the pathogenesis of human ulcerative colitis through Fc γ R-mediated CD14 macrophage activation.	Gut	Epub ahead of print		2012
Ono Y <u>Kanai T</u> Sujino T Nemoto Y Kanai Y Mikami Y Hayashi A Matsumoto A Takaishi H Ogata H <u>Matsuoka K</u> Hisamatsu T <u>Watanabe M</u> <u>Hibi T</u>	T-helper 17 and Interleukin-17-Producing Lymphoid Tissue Inducer-Like Cells Make Different Contributions to Colitis in Mice.	Gastroenterology	143(5)	1288-97	2012
Teratani T Tomita K Suzuki T Oshikawa T Yokoyama H Shimamura K Tominaga S Hiroi S Irie R Okada Y Kurihara C Ebinuma H Saito H Hokari R Sugiyama K <u>Kanai T</u> Miura S and <u>Hibi T</u>	A High-cholesterol diet exacerbates liver fibrosis in mice via accumulation of free cholesterol in hepatic stellate cells.	Gastroenterology	142(1)	152-64	2012
Saeki K <u>Kanai T</u> Nakano M Nakamura U Miyata N Sujino T Yamagishi Y Ebinuma H Takaishi H Ono Y Takeda K Hozawa S Yoshimura A <u>Hibi T</u>	CCR2/CCL2-dependent migration and SOCS3-mediated activation of macrophages are involved in murine cerulein pancreatitis.	Gastroenterology	142	1010-20	2012

細江直樹 市川理子 石橋由佳 木村佳代子 碓井真吾 米野和明 長沼 誠 柏木和弘 今枝博之 向井万起男 日比紀文 緒方晴彦	【小腸潰瘍性病変の的確な診断と概念の確立】カプセル内視鏡による成人発症Henoch-Schoenlein紫斑病の小腸病変	消化器内科	54(5)	565-569	2012
井上 詠 岩男 泰 松岡克善 三好 潤 三上洋平 筋野智久 久松理一 岡本 晋 金井隆典 日比紀文 緒方晴彦	難治性潰瘍性大腸炎に対する新しい内科治療】インフリキシマブの効果と位置づけ	胃と腸	46(13)	1981-1991	2012
日比紀文	【炎症性腸疾患】病因解明と診断・治療の最新知見	日本臨床	70(1)	387-389	2012
久松理一 日比紀文	【炎症性腸疾患—因解明と診断・治療の最新知見】炎症性腸疾患の病因と病態 炎症性腸疾患の免疫学的要因 腸管マクロファージによる粘膜免疫恒常性の維持とIBDにおけるその破綻	日本臨床	70(1)	85-90	2012
松岡克善 日比紀文	【炎症性腸疾患—因解明と診断・治療の最新知見】炎症性腸疾患の内科的治療 CMV(サイトメガロウイルス)腸炎合併潰瘍性大腸炎に対する抗ウイルス治療	日本臨床	70(1)	387-389	2012
矢島知治 日比紀文	炎症性腸疾患—因解明と診断・治療の最新知見】炎症性腸疾患の内科的治療 炎症性腸疾患に合併する大腸癌の予防	日本臨床	70(1)	390-394	2012
松岡克善 日比紀文	消化管 潰瘍性大腸炎治療の進歩	Annual Review消化器2012		26-30	2012
三枝慶一郎 松岡克善 日比紀文	【クローン病-最新の診療戦略】クローン病の治療方針の立て方	消化器の臨床	14(6)	559-564	2012
矢島知治 岩男 泰 日比紀文	【IBDの最近の治療】免疫調節薬の使い方 潰瘍性大腸炎、クローン病治療におけるAZA/6-MP	臨床消化器内科	27(1)	35-40	2012

松岡克善 日比紀文 岩男 泰	診療controversy medical decision makingのために 潰瘍性大腸炎のサイトメガロウイルス感染はどこまで治療すべきか 慎重に治療すべきという立場から	内科	109(5)	877–880	2012
丸山悠里子 松岡克善 日比紀文	【慢性疾患患者への最新薬物療法の鉄則】消化器疾患 潰瘍性大腸炎	診断と治療	100(Suppl)	173–178	2012
金井隆典 松岡克善 久松理一 岩男 泰 緒方晴彦 日比紀文	【クローン病診療のトピックス】インフレキシマブ二次無効の機序と対策、治療方針	日本消化器病学会雑誌	109(3)	364–369	2012
井上 詠 松岡克善 緒方晴彦 岩男 泰 日比紀文	【薬剤による腸管障害】免疫調節薬投与中に遭遇する腸病変 IBD患者における腸管感染症	Intestine	16(1)	47–52	2012
三好 潤 松岡克善 日比紀文	【炎症性腸疾患の薬物療法の極意】難治性潰瘍性大腸炎に対するタクロリムス経口投与の治療効果	消化器内科	54(1)	5月8日	2012
筋野智久 金井隆典 日比紀文	炎症性腸疾患の病態の解明と最新の疫学	診断と治療	100(6)	969–974	2012
日比紀文 金井隆典 筋野智久	炎症性腸疾患の腸内細菌	日本臨床腸内微生物学会誌	14(1)	7月15日	2012
筋野智久 金井隆典 日比紀文	【大腸疾患 最新の診断と治療アップデート】大腸の炎症 炎症性腸疾患 炎症性腸疾患の病態の解明と最新の疫学	診断と治療	100(6)	969–974	2012
Araki A Suzuki S Tsuchiya K Oshima S Okada E Watanabe M	Modified single-operator method for double-balloon endoscopy.	Digestive Endoscopy	24(6)	470–474	2012
Araki A Tsuchiya K Oshima S Okada E Suzuki S Morio-Akiyama J Fujii T Okamoto R Watanabe M	Endoscopic ultrasound with double-balloon endoscopy for the diagnosis of inverted Meckel's diverticulum: a case report.	Journal of Medical Case Reports	6(1)	328	2012

Fujita K Naganuma M Saito E Suzuki S Araki A Negi M Kawachi H Watanabe M	Histologically confirmed IgG4-related small intestinal lesions diagnosed via double balloon enteroscopy.	Dig Dis Sci	57(12)	3303–3308	2012
<u>Hibi T</u> Sakuraba A <u>Watanabe M</u> Motoya S Ito H Motegi K Kinouchi Y Takazoe M Suzuki Y <u>Matsumoto T</u> Kawakami K Matsumoto T <u>Hirata I</u> Tanaka S Ashida T <u>Matsui T</u>	Retrieval of serum infliximab level by shortening the maintenance infusion interval is correlated with clinical efficacy in Crohn's disease.	Inflamm Bowel Dis	18	1480–1487	2012
Kuwahara E Asakura K Nishiwaki Y Inoue N <u>Watanabe M</u> <u>Hibi T</u> <u>Takebayashi T</u>	Effects of family history on inflammatory bowel disease characteristics in Japanese patients.	J Gastroenterol	47	961–968	2012
Mizutani T Nakamura T Morikawa R Fukuda M Mochizuki W Yamauchi Y Nozaki K Yui S Nemoto Y Nagaishi T Okamoto R Tsuchiya K <u>Watanabe M</u>	Real-time analysis of P-glycoprotein-mediated drug transport across primary intestinal epithelium three-dimensionally cultured in vitro.	Biochem Biophys Res Commun	419	238–243	2012
Naganuma M Fujii T Kunisaki R Yoshimura N Takazoe M Takeuchi Y Saito E Nagahori M Asakura K <u>Takebayashi T</u> <u>Watanabe M</u>	Incidence and characteristics of the 2009 influenza (H1N1) infections in inflammatory bowel disease patients.	Journal of Crohn's & colitis.	Epub ahead of print		2012

Naganuma M Kunisaki R Yoshimura N Takeuchi Y <u>Watanabe M</u>	A prospective analysis of the incidence and risk factors for opportunistic infections in patients with inflammatory bowel disease.	J Gastroenterol	Epub ahead of print		2012
Nemoto Y <u>Kanai T</u> Takahara M Oshima S Nakamura T <u>Okamoto R</u> Tsuchiya K <u>Watanabe M</u>	Bone marrow-mesenchymal stem cells are a major source of interleukin-7 and sustain colitis by forming the niche for colitogenic CD4+ memory T cells.	Gut	Epub ahead of print		2012
Okada E Araki A Suzuki S Watanabe H Ikeda T Watanabe T Kurata M Eishi M <u>Watanabe M</u>	Histological diagnosis of follicular lymphoma by biopsy of small intestinal normal mucosa.	Digestive Endoscopy	39(7)	533-539	2012
Ono Y <u>Kanai T</u> Sujino T Nemoto Y Kanai Y Mikami Y Hayashi A Matsumoto A Takaishi H Ogata H <u>Matsuoka K</u> Hisamatsu T <u>Watanabe M</u> Hibi T	T-helper 17 and interleukin-17-producing lymphoid tissue inducer-like cells make different contributions to colitis in mice .	Gastroenterology	143(5)	1288-1297	2012
Ohyagi M Ohkubo T Yagi Y Ishibashi S Akiyama J Nagahori M <u>Watanabe M</u> Yokota T Mizusawa H	Chronic inflammatory demyelinating polyradiculoneuropathy in a patient with crohn's disease.	Intern Med	52	125-128	2012
<u>Watanabe M</u> Hanai H Nishino H Yokoyama T Terada T Suzuki Y	Comparison of QD and TID oral mesalazine for maintainance of remission in quiescent ulcerative colitis: a double-blind, double-dummy, randomized multicenter study	Inflammatory Bowel Dis	Epub ahead of print		2012

Watanabe T Sasaki I Sugita A Fukushima K Futami K <u>Hibi T</u> <u>Watanabe M</u>	Interval of less than 5 years between the first and second operation is a risk factor for a third operation for Crohn's disease.	Inflamm Bowel Dis	18	17–24	2012
Watanabe T Sasaki I Sugita A Fukushima K Futami K <u>Hibi T</u> <u>Watanabe M</u>	Time trend and risk factors for reoperation in Crohn's disease in Japan.	Hepatogastroenterology	59	1081– 1086	2012
Yui S Nakamura T Sato T Nemoto Y Mizutani T Zheng X Ichinose S Nagaishi T <u>Okamoto R</u> Tsuchiya K Clevers H <u>Watanabe M</u>	Functional engraftment of colon epithelium expanded in vitro from a single adult Lgr5+ stem cell.	Nat Med	18	618–623	2012
Yamaji O Nagaishi T Totsuka T Onizawa M Suzuki M Tsuge N Hasegawa A <u>Okamoto R</u> Tsuchiya K Nakamura T Arase H Kanai T <u>Watanabe M</u>	The development of colitogenic CD4+ T cells is regulated by IL-7 in collaboration with NK cell function in a murine model of colitis.	J Immunol	188(6)	2524–2536	2012

Suzuki K Uchiyama S Imajyo K Tomeno W Sakai E Yamada E Tanida E Akiyama T Watanabe S Endo H Fujita K Yoneda M Takahashi H Koide T Tokoro C Abe Y Kawaguchi M Gotoh E Maeda S <u>Nakajima A</u> Inamori M	Risk factors for colonic diverticular hemorrhage: Japanese multicenter study.	Digestion	85(4)	261–265	2012
Masaki T Sugihara K <u>Nakajima A</u> Muto T	Nationwide survey on adult type chronic intestinal pseudo-obstruction in surgical institutions in Japan.	Surg Today	42(3)	264–71	2012
Homma Y Akiyama H Matsuyama R Makino H Sakamoto Y Inamori M <u>Nakajima A</u> Maeda S Tanaka K Kunisaki C Endo I	Assessment of Gastric Emptying Function after Gastrectomy using a Real-Time ¹³ C Breath Test.	Hepatogastroenterology	59(119)	2335–8	2012
Ohkubo H Takahashi H Yamada E Sakai E Higurashi T Uchiyama T Hosono K Endo H Taguri M <u>Nakajima A</u>	Natural history of human aberrant crypt foci and correlation with risk factors for colorectal cancer.	Oncol Rep	27(5)	1475–80	2012