

Hamada T, Tsuruta D, Fukuda S, Ishii N, Teye K, Numata S, Danichi T, Karashima T, Ohata C, Furumura M, <u>Hashimoto T</u>	How do keratinizing disorders and blistering disorders overlap?	Exp Dermatol	22(2):83-87, 2013
Haneda T, Imai Y, Koga H, <u>Hashimoto T</u> , Yamanishi K	Case of paraneoplastic pemphigus with follicular lymphoma treated with rituximab.	J Dermatol	40(4):283-285, 2013
Hiroyasu S, Ozawa T, Kobayashi H, Ishii M, Aoyama Y, Kitajima Y, <u>Hashimoto T</u>	Jones JC, Tsuruta D: Bullous pemphigoid IgG induces BP180 internalization via a macropinocytic pathway.	Am J Pathol	182(3):828-840, 2013
Imamura K, Tsuruta D, Tsuchisaka A, Mori T, Ohata C, Furumura M, <u>Hashimoto T</u>	Anaphylaxis caused by ingestion of jellyfish.	Eur J Dermatol	23(3): 392-5, 2013
Kanwar AJ, Tsuruta D, Vinay K, Koga H, Ishii N, Dainichi T, <u>Hashimoto T</u>	Efficacy and safety of rituximab treatment in Indian pemphigus patients.	J Eur Acad Dermatol Venereol	27(1):e17-23, 2013
Kim J, Teye K, Koga H, Yeoh SC, Wakefield D, <u>Hashimoto T</u> , Murrell DF	Successful single-cycle rituximab treatment in a patient with pemphigus vulgaris and squamous cell carcinoma of the tongue and IgG antibodies to desmocollins.	J Am Acad Dermatol	69(1):e26-27, 2013.
Koga H, Ishii N, Danichi T, Tsuruta D, Hamada T, Ohata C, Karashima T, Furumura M, <u>Hashimoto T</u>	An attempt to develop mouse model for anti-laminin gamma1 pemphigoid	J Dermatol Sci	70(2):108-115, 2013
Koga H, Tsuruta D, Ohyama B, Ishii N, Hamada T, Ohata C, Furumura M, <u>Hashimoto T</u>	Desmoglein 3, its pathogenicity and a possibility for therapeutic target in pemphigus vulgaris.	Expert Opin Ther Targets	17(3):293-306, 2013
Miyashima S, Honda M, Hashimoto K, Tatematsu K, <u>Hashimoto T</u> , Sato-Nara K, Okada K, Nakajima K.	A comprehensive expression analysis of the <i>Arabidopsis</i> MICRORNA165/6 gene family during embryogenesis reveals a conserved role in meristem specification and a non-cell-autonomous function	Plant Cell Physiol	54(3):375-84. 2013
Komorowski L, Muller R, Vorobyev A, Probst C, Recke A, Jonkman MF, <u>Hashimoto T</u> , Kim SC, Groves R, Ludwig RJ, Zillikens D, Stocker W, Schmid	Sensitive and specific assays for routine serological diagnosis of epidermolysis bullosa acquisita.	J Am Acad Dermatol	68(3):e89-95, 2013

t E			
Kurashige Y, Minemura T, Nagatani T, Koga H, <u>Hashimoto T</u>	Acute blistering disease presenting IgG autoantibodies against NC16A and COOH-terminal domains of BP 180 and laminin-332, with characteristic distribution of eruptions.	Eur J Dermatol	23(1):109-110, 2013
Majima Y, Yagi H, Tateishi C, Groth S, Schmidt E, Zillikens D, Koga H, <u>Hashimoto T</u> , Tokura Y	A successful treatment with ustekinumab in a case of antilaminin-gamma1 pemphigoid associated with psoriasis.	Br J Dermatol	168(6):1367-1369, 2013
Maruta Y, Ohata C, Ishii N, Koga H, Ohyama B, Dainichi T, Hamada T, Furumura M, Tsuruta D, Nakama T, <u>Hashimoto T</u>	Linear IgA bullous dermatosis with a prurigo nodularis-like appearance	Eur J Dermatol	23(1):107-109, 2013
Matsukura S, Takahashi K, Hirokado M, Ikezawa Y, Nakamura K, Fukuda S, <u>Hashimoto T</u> , Ikezawa Z, Aihara M, Kambara T	Recalcitrant pemphigus herpetiformis with high titer of immunoglobulin G antibody to desmoglein 1 and positive IgG antibody to desmocollin 3, elevating thymus and activation-regulated chemokine	Int J Dermatol	2013. Feb 22. doi: 10.1111/j.1365-4632.2012.05725.x. [Epub ahead of print]
Mitate E, Kawano S, Nakao Y, Goto Y, Kobayashi I, Onozawa K, <u>Hashimoto T</u> , Nakamura S	Concurrence of autoantibodies to both laminin gamma1 and gamma2 subunits in a patient with kidney rejection response.	Acta Derm Venereol	93(1):114-115, 2013
Nin M, Tokunaga D, Ishii N, Komai A, <u>Hashimoto T</u> , Katoh N	Case of coexisting psoriatic arthritis and bullous pemphigoid improved by etanercept.	J Dermatol	40(1):55-56, 2013
Numata S, Teye K, Tsuruta D, Sogame R, Ishii N, Koga H, Natsuaki Y, Tsuchisaka A, Hamada T, Karashima T, Nakama T, Furumura M, Ohata C, Kawakami T, Schepens I, Borradori L, <u>Hashimoto T</u>	Anti-alpha-2-macroglobulin-like-1 autoantibodies are detected frequently and may be pathogenic in paraneoplastic pemphigus.	J Invest Dermatol	133(7):1785-1793, 2013
Ohata C, Higashi Y, Yamagami J, Koga H, Ishii N, Kanekura T, Furumura M, <u>Hashimoto T</u>	Coexistence of Pemphigus Herpetiformis With IgG Antibodies to Desmocollin 1 and Pemphigoid With IgG Antibodies to BP180 C-Terminal Domain and Laminin gamma2.	JAMA Dermatol	149(4):502-504, 2013
Ohata C, Koga H, Teye K, Ishii N, Hamada T, Dainichi T, Furukawa T	Concurrence of bullous pemphigoid and herpetiform pemphigus with IgG antibodies to desmogleins 1/3 a	Br J Dermatol	168(4):879-881, 2013

mura M, Sato M, Sue ki H, <u>Hashimoto T</u>	nd desmocollins 1-3.		
Ohata C, Saiki M, Ko ga H, Ono F, Ohyam a B, Ishii N, Hamada T, Tsuruta D, Furum ura M, <u>Hashimoto T</u>	Discoid lupus erythematosus with t he presence of a lupus band in the hair follicle basement membrane z one and IgA anti-BP230 autoantib odies.	Eur J Dermatol	2013. Jun 19. [Epub ahead of print]
Ohata C, Yasunaga M , Tsuruta D, Ishii N, Hamada T, Dainichi T , Karashima T, Nak ama T, <u>Hashimoto T</u>	Nodular morphea (NM): report of a case of concurrent NM and morph ea profunda associated with limited type systemic sclerosis, and overvi ew and definition for NM.	Eur J Dermatol	23(1):87-93, 2013
Ono S, Tanioka M, T anizaki H, Fujisawa A , Koga H, <u>Hashimoto</u> T, Kamiya K, Aoyam a Y, Iwatsuki K, Miy achi Y	Concurrence of autoantibodies to b ullous pemphigoid antigens and des moglein 3: analysis of pathogenic a nd nonpathogenic antibodies	Br J Dermatol	168(6):1357-1360, 2013
Parmar NV, Kanwar AJ, Minz RW, Parsad D, Vinay K, Tsuruta D, Ishii N, <u>Hashimot o T</u>	Assessment of the therapeutic benef it of dexamethasone cyclophospham ide pulse versus only oral cycloph osphamide in phase II of the dexam ethasone cyclophosphamide pulse th erapy: a preliminary prospective ran domized controlled study.	Indian J Dermato l Venereol Lepro l	79(1):70-76, 2013
Poot AM, Diercks GF , Kramer D, Schepens I, Klunder G, <u>Hashi moto T</u> , Borradori L , Jonkman MF, Pas HH	Laboratory diagnosis of paraneoplas tic pemphigus.	Br J Dermatol	169(5):1016-1024, 2013
Sato H, Toriyama K, Yagi S, Takanari K, Takama H, Sawada M , <u>Hashimoto T</u> , Kamei Y	Surgical Correction of Microstomia in a Patient With Antilaminin 332 Mucous Membrane Pemphigoid.	Annals of plastic surgery	2013. Mar 12. [Epub ahead of print]
Shimizu A, Funakoshi T, Ishibashi M, Yosh ida T, Koga H, <u>Hashi moto T</u> , Amagai M, I shiko A	Immunoglobulin G deposition to no nhemidesmosomal lamina lucida an d early neutrophil involvement are characteristic features in a case of anti-p200 pemphigoid.	Br J Dermatol	168(3):647-655, 2013
Sugiura K, Koga H, I shikawa R, Matsumoto T, Matsubara M, Ha giwara R, Muro Y, <u>H ashimoto T</u> , Akiyama M	Paraneoplastic pemphigus with anti- laminin-332 autoantibodies in a pati ent with follicular dendritic cell sar coma	JAMA Dermatol	149(1):111-113, 2013
Suzuki K, Nishiwaki K, Yamada H, Baba H, Hori K, Takeuchi	Case of paraneoplastic pemphigus a ssociated with retroperitoneal diffus e large B-cell lymphoma and fatal	J Dermatol	40(2):142-144, 2013

T, Fukuda S, <u>Hashimoto</u> T	bronchiolitis obliterans-like lung disease.		
Waki T, Miyashima S, Nakanishi M, Ikeda Y, <u>Hashimoto</u> T, Nakajima K	A GAL4-based targeted activation tagging system in <i>Arabidopsis thaliana</i> .	Plant J	73(3):357-67, 2013
Takegami Y, Makino T, Matsui K, Ueda C, Fukuda S, <u>Hashimoto</u> T, Shimizu T	Coexistence of antilaminin-332-type mucous membrane pemphigoid, lamina lucida-type linear IgA bullous dermatosis and Sjogren syndrome	Clin Exp Dermatol	38(2):194-196, 2013
Tashima S, Konishi K, Koga H, <u>Hashimoto</u> T	A case of vancomycin-induced linear IgA bullous dermatosis with circulating IgA antibodies to the NC16a domain of BP180.	Int J Dermatol	53(3): e207-9, 2014
Tsuruta D, Brzezinski P, Koga H, Ohata C, Furumura M, <u>Hashimoto</u> T	Bullous pemphigoid with prominent milium formation.	Acta Dermatovenereol Croat	21(1):35-38, 2013
Tsuruta D, Dainichi T, Hamada T, Ishii N, <u>Hashimoto</u> T	Molecular diagnosis of autoimmune blistering diseases.	Methods Mol Biol	961:17-32, 2013
Tsuruta D, Ohzono A, Ishii N, Ono F, Hamada T, Dainichi T, Ohata C, Furumura M, Noda K, <u>Hashimoto</u> T	Overlap syndrome comprised of systemic sclerosis and systemic lupus erythematosus associated with spinocerebellar atrophy type 6 and MALT lymphoma.	Eur J Dermatol	23(1):117, 2013
Ueda A, Ishii N, Temporin K, Yamazaki R, Murakami F, Fukuda S, Hamada T, Dainichi T, Kyoya M, Saito C, Matsunaga R, Kimura S, Kawakami T, Soma Y, <u>Hashimoto</u> T	IgA pemphigus with paraneoplastic pemphigus-like clinical features showing IgA antibodies to desmoglein 1/3 and desmocollin 3, and IgG and IgA antibodies to the basement membrane zone	Clin Exp Dermatol	38(4):370-373, 2013
Ueda A, Ishii N, Teye K, Dainichi T, Ohama B, Hamada T, Tsuruta D, Kamioka N, Mitsui K, Hosaka H, Soh I, Nakada T, <u>Hashimoto</u> T	Unique herpetiform bullous dermatosis with IgG antibodies to desmocollins 1/3 and LAD-1.	British Journal of Dermatology	169(3):719-721, 2013
Ueo D, Hamada T, <u>Hashimoto</u> T, Hatano Y, Okamoto O, Fujiwara S	Late-onset Darier's disease due to a novel missense mutation in the ATP2A2 gene: a different missense mutation affecting the same codon has been previously reported in acrokeratosis verruciformis.	J Dermatol	40(4):280-281, 2013
Wakumoto-Nakashima	Rare appearance of toxic epidermal	J Dermatol	40(1):63-64, 2013

K, Yoshida Y, Adachi K, Yamamoto O, <u>Hashimoto T</u>	necrolysis-like histopathological features in a case of atypical pemphigus with serological pemphigus vulgaris character.		
Washio K, Nakamura A, Fukuda S, <u>Hashimoto T</u> , Horikawa T	A case of lichen planus pemphigoides successfully treated with a combination of cyclosporine a and prednisolone. Case reports in dermatology	J Dermatol	5(1):84-87, 2013
Wozniak K, <u>Hashimoto T</u> , Ishii N, Koga H, Huczek M, Kowalewski C	Fluorescence overlay antigen mapping using laser scanning confocal microscopy differentiates linear IgA bullous dermatosis from epidermolysis bullosa acquisita mediated by IgA	Br J Dermatol	168(3):634-638, 2013
Yamada T, Nakamura S, Demitsu T, Nakamura T, Iida E, Yoneda K, Fukuda S, <u>Hashimoto T</u>	Paraneoplastic pemphigus mimicking toxic epidermal necrolysis associated with B-cell lymphoma.	J Dermatol	40(4):286-288, 2013
Yashiro M, Nakano T, Taniguchi T, Katsuoka K, Tadera N, Miyazaki K, Teye K, Koga H, <u>Hashimoto T</u>	IgA Paraneoplastic Pemphigus in Angioimmunoblastic T-cell Lymphoma with Antibodies to Desmocollin 1, Type VII Collagen and Laminin 332.	Acta Derm Venereol	2013. Jul 4. doi: 10.2340/00015555-1660. [Epub ahead of print]
Yoshimura K, Nakano S, Tsuruta D, Ohata C, <u>Hashimoto T</u>	Successful treatment with 308-nm monochromatic excimer light and subsequent tacrolimus 0.03% ointment in refractory plasma cell cheilitis	J Dermatol	40(6):471-474, 2013
Tani N, Ogoshi M, Kawakubo C, Tajima S, Hamada T, Ishii N, Furumura M, Tsuruta D, Ohata C, <u>Hashimoto T</u>	Case of relapsing polychondritis showing elevation of anti-type II collagen antibody titer	J Dermatol	40(9):767-768, 2013
Yoshida Y, Tsuruta D, Nagata H, Ishii N, Nakama T, Yomoda M, Furumura M, Ohata C, <u>Hashimoto T</u>	Second reported case of unilateral angiokeratoma of the vulva.	J Dermatol	40(9):763-764, 2013
Li X, Hamada T, Ohata C, Furumura M, <u>Hashimoto T</u>	Potential mesenchymal stem cell therapy for skin diseases	Exp Dermatol	22(8):515-516, 2013
Saruta H, Ishii N, Teye K, Ono F, Ohyama B, Koga H, Ohata C, Furumura M, Tsuruta D, <u>Hashimoto T</u>	Two cases of pemphigus vegetans with IgG anti-desmocollin 3 antibodies.	JAMA Dermatol	149(10):1209-1213, 2013

Kawano H, Ohata C, Ono F, Ishii N, Hamada T, Nakama T, Furumura M, Tsuruta D, Hashimoto T	Edema and ulcers on the legs and dilated abdominal veins caused by thromboembolism of inferior vena cava in a patient with protein C deficiency	Indian J Dermatol Venereol Leprol	79(5):725, 2013
Yoneda K, Demitsu T, Kakurai M, Narita T, Nakai K, Kubota Y, Ishii N, Hashimoto T	Detection of Apoptotic Keratinocytes in a Case of Bullous Pemphigoid Developed after Graft-versus-host Disease.	Acta Derm Venereol,	2013. Aug 8. doi: 10.2340/00015555-1676. [Epub ahead of print]
Kato K, Moriyama Y, Saito H, Koga H, Hashimoto T	A Case of Mucous Membrane Pemphigoid Involving the Trachea and Bronchus with Autoantibodies to beta3 Subunit of Laminin-332.	Acta Derm Venereol	2013. Aug 27. doi: 10.2340/00015555-1659. [Epub ahead of print]
Tsuruta D, Brzezinski P, Koga H, Ohata C, Furumura M, Hashimoto T	Bullous pemphigoid with prominent milium formation.	Acta Dermatovenereol Croat	21(1):35-38, 2013
Tsuruta D, Dainichi T, Hamada T, Ishii N, Hashimoto T	Molecular diagnosis of autoimmune blistering diseases.	Methods Mol Biol	961:17-32, 2013
Tsuruta D, Ohzono A, Ishii N, Ono F, Hamada T, Dainichi T, Ohata C, Furumura M, Noda K, Hashimoto T	Overlap syndrome comprised of systemic sclerosis and systemic lupus erythematosus associated with spinocerebellar ataxia type 6 and MALT lymphoma.	Eur J Dermatol	23(1):117, 2013
Ueda A, Ishii N, Temporin K, Yamazaki R, Murakami F, Fukuda S, Hamada T, Dainichi T, Kyoya M, Saito C, Matsunaga R, Kimura S, Kawakami T, Soma Y, Hashimoto T	IgA pemphigus with paraneoplastic pemphigus-like clinical features showing IgA antibodies to desmoglein 1/3 and desmocollin 3, and IgG and IgA antibodies to the basement membrane zone	Clin Exp Dermatol	38(4):370-373, 2013
Ueda A, Ishii N, Teye K, Dainichi T, Ohama B, Hamada T, Tsuruta D, Kamioka N, Mitsui K, Hosaka H, Soh I, Nakada T, Hashimoto T	Unique herpetiform bullous dermatosis with IgG antibodies to desmocollins 1/3 and LAD-1.	British Journal of Dermatology	169(3):719-721, 2013
Ueo D, Hamada T, Hashimoto T, Hatano Y, Okamoto O, Fujiwara S	Late-onset Darier's disease due to a novel missense mutation in the ATP2A2 gene: a different missense mutation affecting the same codon has been previously reported in acrokeratosis verruciformis.	J Dermatol	40(4):280-281, 2013
Wakumoto-Nakashima	Rare appearance of toxic epidermal	J Dermatol	40(1):63-64, 2013

K, Yoshida Y, Adachi K, Yamamoto O, <u>Hashimoto T</u>	necrolysis-like histopathological features in a case of atypical pemphigus with serological pemphigus vulgaris character.		
Washio K, Nakamura A, Fukuda S, <u>Hashimoto T</u> , Horikawa T	A case of lichen planus pemphigoides successfully treated with a combination of cyclosporine a and prednisolone. Case reports in dermatology	J Dermatol	5(1):84-87, 2013
Wozniak K, <u>Hashimoto T</u> , Ishii N, Koga H, Huczek M, Kowalewski C	Fluorescence overlay antigen mapping using laser scanning confocal microscopy differentiates linear IgA bullous dermatosis from epidermolysis bullosa acquisita mediated by IgA	Br J Dermatol	168(3):634-638, 2013
Yamada T, Nakamura S, Demitsu T, Nakamura T, Iida E, Yoneda K, Fukuda S, <u>Hashimoto T</u>	Paraneoplastic pemphigus mimicking toxic epidermal necrolysis associated with B-cell lymphoma.	J Dermatol	40(4):286-288, 2013
Yashiro M, Nakano T, Taniguchi T, Katsuoka K, Tadera N, Miyazaki K, Teye K, Koga H, <u>Hashimoto T</u>	IgA Paraneoplastic Pemphigus in Angioimmunoblastic T-cell Lymphoma with Antibodies to Desmocollin 1, Type VII Collagen and Laminin 332.	Acta Derm Venereol,	2013. Jul 4. doi: 10.2340/00015555-1660. [Epub ahead of print]
Yoshimura K, Nakano S, Tsuruta D, Ohata C, <u>Hashimoto T</u>	Successful treatment with 308-nm monochromatic excimer light and subsequent tacrolimus 0.03% ointment in refractory plasma cell cheilitis	J Dermatol	40(6):471-474, 2013
Tani N, Ogoshi M, Kawakubo C, Tajima S, Hamada T, Ishii N, Furumura M, Tsuruta D, Ohata C, <u>Hashimoto T</u>	Case of relapsing polychondritis showing elevation of anti-type II collagen antibody titer	J Dermatol	40(9):767-768, 2013
Yoshida Y, Tsuruta D, Nagata H, Ishii N, Nakama T, Yomoda M, Furumura M, Ohata C, <u>Hashimoto T</u>	Second reported case of unilateral angiokeratoma of the vulva.	J Dermatol	40(9):763-764, 2013
Li X, Hamada T, Ohata C, Furumura M, <u>Hashimoto T</u>	Potential mesenchymal stem cell therapy for skin diseases	Exp Dermatol	22(8):515-516, 2013
Saruta H, Ishii N, Teye K, Ono F, Ohyama B, Koga H, Ohata C, Furumura M, Tsuruta D, <u>Hashimoto T</u>	Two cases of pemphigus vegetans with IgG anti-desmocollin 3 antibodies.	JAMA Dermatol	149(10):1209-1213, 2013

Kawano H, Ohata C, Ono F, Ishii N, Hamada T, Nakama T, Furumura M, Tsuruta D, Hashimoto T	Edema and ulcers on the legs and dilated abdominal veins caused by thromboembolism of inferior vena cava in a patient with protein C deficiency	Indian J Dermatol Venereol Leprol	79(5):725, 2013
Yoneda K, Demitsu T, Kakurai M, Narita T, Nakai K, Kubota Y, Ishii N, <u>Hashimoto T</u>	Detection of Apoptotic Keratinocytes in a Case of Bullous Pemphigoid Developed after Graft-versus-host Disease.	Acta Derm Venereol	2013. Aug 8. doi: 10.2340/00015555-1676. [Epub ahead of print]
Kato K, Moriyama Y, Saito H, Koga H, <u>H</u> ashimoto T	A Case of Mucous Membrane Pemphigoid Involving the Trachea and Bronchus with Autoantibodies to beta3 Subunit of Laminin-332.	Acta Derm Venereol	2013. Aug 27. doi: 10.2340/00015555-1659. [Epub ahead of print]
Nishimura R, Fujimoto N, Kito K, Uchiyama K, Koga H, Hodohara K, <u>Hashimoto T</u> , Fujiiyama Y, Tanaka T	Refractory mucous membrane pemphigoid which developed after allogeneic stem cell transplantation and was successfully treated with rituximab.	Eur J Dermatol	23(4):562-564, 2013
Fukuda S, Li X, Mimosaki N, Hamada T, Nakama T, Yasumoto S, Awazawa R, Uezato H, <u>Hashimoto T</u>	Detection of human papilloma virus type 60 in a case of ridged wart.	Eur J Dermatol	23(4):558-559, 2013
Sakaguchi M, Bito T, Oda Y, Kikusawa A, Nishigori C, Munetsugu T, Yokozeki H, Itotani Y, Niguma T, Tsuruta D, Tateishi C, Ishii N, Koga H, <u>Has</u> himoto T	Three Cases of Linear IgA/IgG Bullous Dermatoses Showing IgA and IgG Reactivity With Multiple Antigens, Particularly Laminin-332	JAMA Dermatol	2013. Sep 4. doi: 10.1001/jamadermatol.2013.5691. [Epub ahead of print]
Numata S, Hamada T, Teye K, Matsuda M, Ishii N, Karashima T, Kabashima K, Furumura M, Ohata C, <u>Ha</u> shimoto T	Complete Maternal Isodisomy of Chromosome 5 in a Japanese Patient with Netherton Syndrome.	J Invest Dermatol	2013. Sep 16. doi: 10.1038/jid.2013.398. [Epub ahead of print]
Tsuruta D, Kanwar AJ, Vinay K, Fukuda S, Koga H, Dainichi T, Ohata C, Ishii N, <u>Ha</u> shimoto T	Clinical and immunologic characterization in 26 Indian pemphigus patients.	J Cutan Med Surg	17(5):321-331, 2013
Ueo D, Hamada T, <u>H</u> ashimoto T, Hatano Y, Okamoto O, Fujiwara S	Late-onset Darier's disease due to a novel missense mutation in the ATP2A2 gene: a different missense mutation affecting the same codon has been previously reported in acrokeratosis verruciformis.	J Dermatol	40(4):280-281, 2013.
Garcia-Martin P, Fraga A	Brunsting-perry type cicatricial	Br J Dermatol	2013. Oct 11. doi: 10.1111/bjde.12321

J, Hashimoto T, Garcia-Diez A	pemphigoid with IgG autoantibodies to LAD-1		1/bjd.12677. [Epub ahead of print]
Gohara M, Yagami A, Suzuki K, Morita Y, Sano A, Iwata Y, Hashimoto T, Matsunaga K	Allergic contact dermatitis caused by phenylethyl resorcinol [4-(1-phenylethyl)-1,3-benzenediol], a skin-lightening agent in cosmetics.	Contact dermatitis	69(5):319-320, 2013
Sakaguchi M, Tsuruta D, Ishii N, Hamada T, Ohata C, Furumura M, Hashimoto T	Development of acquired idiopathic generalized anhidrosis in a case of Vogt-Koyanagi-Harada disease.	Eur J Dermatol	2013. Oct 14. [Epub ahead of print]
Shintani T, Ohata C, Koga H, Ohyama B, Hamada T, Nakama T, Furumura M, Tsuruta D, Ishii N, Hashimoto T	Combination therapy of fexofenadine and montelukast is effective in prurigo nodularis and pemphigoid nodularis.	Dermatol Ther	2013. Sep 17. doi: 10.1111/dth.12094. [Epub ahead of print]
Ohata C, Fukuda S, Ishii N, Koga H, Hamada T, Furumura M, Hashimoto T	Refractory anti-laminin gamma1 pemphigoid with psoriasis vulgaris successfully treated by double-filtration plasmapheresis.	Eur J Dermatol	2013. Sep 17. doi: 10.1111/dth.12094. [Epub ahead of print]
Kawakami T, Koga H, Saruta H, Ueda A, Inoue Y, Soma Y, Ishii N, Hashimoto T	Four mild but refractory cases of pemphigus foliaceus successfully treated with intravenous immunoglobulin.	J Dermatol	2013. Oct 16. doi: 10.1111/1346-8138.12280. [Epub ahead of print]
Saruta H, Tsuruta D, Hashikawa K, Ohyama B, Ishii N, Furumura M, Ohata C, Yasumoto S, Ohshima K, Hashimoto T	Old-aged case of indolent grade III lymphomatoid granulomatosis successfully treated only with oral prednisolone.	J Dermatol	2013. Oct 16. doi: 10.1111/1346-8138.12261. [Epub ahead of print]
Tanaka N, Ohata C, Ishii N, Imamura K, Ueda A, Furumura M, Yasumoto S, Kawakami T, Tsuruta D, Hashimoto T	Comparative study for the effect of photodynamic therapy, imiquimod immunotherapy and combination of both therapies on 40 lesions of actinic keratosis in Japanese patients.	J Dermatol	2013. Oct 22. doi: 10.1111/1346-8138.12310. [Epub ahead of print]
Kamata M, Fujita H, Hamanaka T, Takahashi K, Koga H, Hashimoto T, Sato S	Anti-Laminin gamma1 Pemphigoid Accompanied by Autoantibodies to Laminin alpha3 and gamma2 Subunits of Laminin-332.	JAMA Dermatol	2013. Oct 23. doi: 10.1001/jamadermatol.2013.5358. [Epub ahead of print]
Kitagawa C, Nakajima K, Aoyama Y, Fujio ka A, Nakajima H, Tarutani M, Tsuruta D, Hashimoto T, Sano S	A Typical Case of Paraneoplastic Pemphigus Without Detection of Malignancy: Effectiveness of Plasma Exchange. Acta Derm Venereol		2013. Oct 25. doi: 10.2340/00015555-1742. [Epub ahead of print]
Ohzono A, Tsuruta D, Hashikawa K, Yoshida Y, Arakawa M, Ma	Three cases of pseudolymphoma successfully treated with amoxicillin.	Eur J Dermatol	2013. Oct 10. [Epub ahead of print]

eyama Y, Nakama T, Furumura M, Ohata C, <u>Hashimoto T</u>			
Krol RP, Yasukochi A, <u>Hashimoto T</u>	Towards understanding mechanisms of autoimmune bullous skin diseases.	N Am J Med Sci i	5(10):609-610, 2013
Otten JV, <u>Hashimoto T</u> , Hertl M, Payne AS, Sitaru C	Molecular Diagnosis in Autoimmune Skin Blistering Conditions.	Current molecular medicine	2013. Oct 27. [Epub ahead of print]
Kanwar AJ, Vinay K, Parmar NV, Koga H, Ishii N, <u>Hashimoto T</u> .	Anti-desmoglein antibody-negative paraneoplastic pemphigus with coexisting bullous pemphigoid, successfully treated with rituximab.	Int J Dermatol	2013, in press
Iijima S, Hamada T, Kanzaki M, Ohata C, <u>Hashimoto T</u>	Sibling cases of Hailey-Hailey disease showing atypical clinical features and unique disease course.	JAMA Dermatol	2013, in press
Kanwar AJ, Vinay K, Saikia UN, Koga H, Teye K, Tsuruta D, <u>Hashimoto T</u>	The first reported Indian case of IgG/IgA pemphigus reactive with desmoglein 1 with additional undetermined reactivity with epidermal basement membrane zone.	Indian J of Dermatol Venerol Leprol	2013, in press
Fumimori T, Tsuruta D, Kawakami T, Ohata C, Furumura M, <u>Hashimoto T</u>	The effect of monochromatic excimer light on palmoplantar pustulosis: A clinical study performed in a private clinic by a dermatological specialist.	J Dermatol	2013, in press
Saruta H, Ono F, Hamada T, Ishii N, Matsuda M, Ohata C, Furumura M, Tsuruta D, <u>Hashimoto T</u>	Multiple unilocular epidermal cysts presented as a single lesion on the toe web.	J Dermatol	2013, in press
Dermitsu T, Yamada T, Nakamura S, Kaku rai M, Dohmoto T, Kamiya K, Aoyama Y, Iwatsuki K, Yamagami J, Ohyama B, Ohata C, Koga H, <u>Hashimoto T</u>	Detection of autoantibodies to precursor proteins of desmogleins in sera of a patient with Bowen carcinoma.	Acta Derm Venereol	2013, in press
Inaba Y, Kanazawa N, Furukawa F, Sakurane Y, Nakano H, Sawamura D, Yoneda K, Hamada T, <u>Hashimoto T</u>	Pachyonychia congenita in Japan: report of familial cases with a recurrent KRT16 mutation and review of the literature.	Eur J Dermatol	2013, in press
Jinbu Y, Kashiwazaki A, Munemasa N, Ozawa M, Kusama M, Ishii N, Ohyama B, Oh	Oral lesions of a patient with anti-desmoglein 1 antibody-positive and anti-desmoglein 3 antibody-negative pemphigus.	J Oral Maxillofac Surg Med Pathol	2013, in press

ata C, <u>Hashimoto T</u>			
Karashima T, Tsuruta D, Hamada T, Ishii N, Ono F, Ueda A, Abe T, Nakama T, Dainichi T, <u>Hashimoto T</u>	Morphological changes of the hair roots in alopecia areata: a scanning electron microscopic study.	J Dermatol	2013, in press
Florea F, Bernards C, Caproni M, Kleindienst J, <u>Hashimoto T</u> , Koch M, Sitaru C	Ex vivo pathogenicity of anti-laminin $\gamma 1$ autoantibodies	Am J Pathol	2013, in press
Zenke Y, Nakano T, Eto H, Koga H, <u>Hashimoto T</u>	A case of vancomycin-associated linear IgA bullous dermatosis and IgA antibodies to the $\alpha 3$ subunit of laminin-332.	Br J Dermatol	2013, in press
España A, Koga H, Suárez-Fernández R, Ohata C, Ishii N, Irarrázaval I, Teye K, Ohya ma B, <u>Hashimoto T</u>	Antibodies to amino-terminal domain of desmoglein 1 are retained during transition from pemphigus vulgaris to pemphigus foliaceus.	Eur J Dermatol	2013, in press
Muro Y, Sugiura K, Shiraki A, Ishii N, <u>Hashimoto T</u> , Akiyama M	Detection of autoantibodies to periplakin and envoplakin in paraneoplastic pemphigus but not idiopathic pulmonary fibrosis using full-length recombinant proteins	Clin Chim Acta	2013, in press
Inaba Y, <u>Kanazawa N</u> , Furukawa F, Sakurane Y, Nakano H, Sawamura D, Yoneda K, Hamada T, Hashimoto T	Pachyonychia congenita in Japan: report of familial cases with a recurrent KRT16 mutation.	Eur J Dermatol	in press
<u>Kanazawa N</u> , Nakamura T, Mikita N, Furukawa F	A novel IL36RN mutation in a Japanese case of early-onset generalized pustular psoriasis	J Dermatol	40: 749-751, 2013
Kunimoto K, Kimura A, Uede K, Okuda M, Aoyagi N, Furukawa F, <u>Kanazawa N</u>	A new infant case of Nakajo-Nishimura syndrome with a genetic mutation in the immunoproteasome subunit: an overlapping entity with JMP and CANDLE syndrome related to PSMB8 mutations.	Dermatology	227: 26-30, 2013
<u>Kanazawa N</u> , Tchernev G, Kambe N	Monogenic early-onset sarcoidosis is no longer a variant of "idiopathic" sarcoidosis.	J Am Acad Dermatol	69: 164-165, 2013
<u>Kanazawa N</u>	Comprehensive review of rare hereditary autoinflammatory disorders.	J Genet Disord Genet Rep	2: 2, 2013
Kanazawa N	Hereditary disorders presenting with urticaria.	Immunol Allergy Clin N Am	34: 169-179, 2014
Kokunai Y, Tsuji M, Yuko Ito Y, Kurokawa	Immunohistochemical analysis of O 6-methylguanine-DNA methyltransferase	Medical Molecular Morphology	in press

<u>a T</u> , Otsuki K, <u>Moriwaki S</u>	Rase in human skin tumor		
<u>Moriwaki S</u>	Hereditary disorders with deficient repair of UV-induced DNA damage	Jpn Clin Med	4: 29-35, 2013
Brooks BP, Thompson AH, Bishop RJ, Clayton JA, Chan CC, Tsilou ET, Zein WM, Tamura D, Khan SG, Ueda T, Boyle J, Oh KS, Imoto K, Inui H, <u>Moriwaki S</u> , Emmert S, Iliff NT, Bradford P, Digiovanna JJ, Kraemer KH	Ocular Manifestations of Xeroderma Pigmentosum: Long-Term Follow-up Highlights the Role of DNA Repair in Protection from Sun Damage	Ophthalmology	120: 1324-1336, 2013
Imoto K, Nadem C, <u>Moriwaki S</u> , Nishigori C, Oh KS, Sikandar G, Khan SG, Goldstein AM, K Kraemer KH	Ancient origin of a Japanese xeroderma pigmentosum founder mutation	J Derm Sci	69: 175-176, 2013
Nakai K, <u>Yoneda K</u> and Kubota Y	Oxidative stress in allergic and irritant dermatitis; from basic research to clinical management.	Recent Pat Inflamm Allergy Drug Discov	6: 202-209, 2012
Nakai K, <u>Yoneda K</u> , Morie T and Kubota Y	A possible link between the vascular dysfunction and skin manifestation in Fabry disease.	Open Access Scientific Reports	1 doi: 10.4172/scientificreports.221
Munehiro A, Murakami Y, Shirahige Y, Nakai K, Morie T, Matsunaka H, <u>Yoneda K</u> and Kubota Y	Combination effects of cosmetic moisturisers in the topical treatment of acne vulgaris.	J Dermatol Treat	23: 172-176, 2012
Kameda T, Dobashi H, <u>Yoneda K</u> , Susaki K, Kuno T, Murao K and Ishida T	A case of Degos disease successfully treated with corticosteroid combined with cyclophosphamide.	Rheumatol Int	32: 2169-2173, 2012
<u>Yoneda K</u> , Nakai K, Morie T, Ishikawa E, Demitsu T, Ohkusu K and Kubota Y	Scedosporium apiospermum skin infection mimicking tuberous xanthoma.	J Dermatol	39: 316-318, 2012
<u>Yoneda K</u> , Morie J, Nakai K, Demitsu T, Morie T, Yokoi I, Munehiro A, Dobashi H and Kubota Y	Numerous mucin nodules in a patient with seropositive wide spread discoid lupus erythematosus.	Ann Dermatol	24: 112-114, 2012
<u>Yoneda K</u> , Presland RB, Demitsu T, Shimizu T and Kubota Y	The profilaggrin N-terminal domain is absent in pityriasis rotunda.	Br J Dermatol	166: 227-229, 2012

<u>Yoneda K</u> , Demitsu T and Kubota Y	Juvenile xanthogranuloma with lichenoid appearance.	J Dermatol	39: 462-465, 2012
<u>Yoneda K</u> , Nakagawa T, Lawrence OT, Huard J, Demitsu T, Kubota Y and Presland RB	Interaction of the profilaggrin N-terminal domain with loricrin in human cultured keratinocytes and epidermis.	J Invest Dermatol	132: 1206-1214, 2012
Kubota Y, Munehiro A, Shirahige Y, Nakai K, Katsuura J, Morioe T, Murakami Y, Matsunaka H and <u>Yoneda K</u>	Effect of sequential application of topical adapalene and clindamycin phosphate in the treatment of Japanese patients with acne vulgaris.	J Dermatol Treat	23: 37-45, 2012
Wakatabi K, Kakurai M, Yamada T, Umemoto N, Demitsu T and <u>Yoneda K</u>	Inflammatory disseminated superficial porokeratosis with an unusual clinical feature of the pruritic, erythematous papules preceding annular brownish pigmentation.	J Dermatol	39: 946-948, 2012
Demitsu T, Yamada T, Umemoto N, Narita T, Kakurai M and <u>Yoneda K</u>	Cutaneous Mycobacterium marinum infection mimicking felon in a patient with psoriatic arthritis treated with infliximab.	J Dermatol	39: 970-971, 2012
Ishikawa E, <u>Yoneda K</u> , Nakai K, Morioe J, Yokoi I, Munehiro A and Kubota Y	Primary cutaneous cryptococcosis in a patient with CREST syndrome.	Eur J Dermatol	22: 421-422, 2012
Munehiro A, <u>Yoneda K</u> , Koura A, Nakai K and Kubota Y	Macular lymphocytic arteritis in a patient with rheumatoid arthritis.	Eur J Dermatol	22: 427-428, 2012
Morioe T, <u>Yoneda K</u> , Morioe J, Nakai K, Yokoi I, Fujita N, Munehiro A, Maeda R and Kubota Y	Pinch and ligation method: a new non-surgical approach to viral warts.	J Dermatol	39: 1108-1109, 2012
Morioe J, <u>Yoneda K</u> , Nakai K, Hosokawa Y, Morioe T, and Kubota Y	A survey of the factors associated with concerns about oral antihistamine use in Japanese pruritic skin disease patients.	J Dermatol Treat	24(6): 450-3, 2013
<u>Yoneda K</u> , Matsuoka-Shirahige Y, Demitsu T and Kubota Y	Pustular psoriasis precipitated by cytomegalovirus infection.	Br J Dermatol	167: 1186-1189, 2012
Nakai K, <u>Yoneda K</u> , Hosokawa Y, Morioe T, Presland RB, Fallon PG, Kabashima K, Kosaka H and Kubota Y	Reduced expression of epidermal growth factor receptor, E-cadherin, and occludin in the skin of flaky tail mice is due to filaggrin and loricrin deficiencies.	Am J Pathol	181: 969-977, 2012
Hosokawa Y, <u>Yoneda K</u> , Nakai K, Morioe J	Completely thrombosed venous aneurysm in great saphenous vein.	Ann Dermatol	25: 268-270, 2013

and Kubota Y			
Yamada T, Nakamura S, Demitsu T, Nakamura T, Iida E, <u>Yoneda K</u> , Fukuda S and Hashimoto T	Paraneoplastic pemphigus mimicking toxic epidermal necrolysis associated with B-cell lymphoma.	J Dermatol	40: 286-288, 2013
Igarashi J, Hashimoto T, Shoji K, <u>Yoneda K</u> , Tsukamoto I, Morie T, Kubota Y and Kosaka H	Dexamethasone induces caveolin-1 in vascular endothelial cells: implications for attenuated responses to VEGF.	Am J Physiol Cell Physiol	304: C790-800, 2013
Morie T, Igarashi J, <u>Yoneda K</u> , Hashimoto T, Nakai K, Kosaka H and Kubota Y	Sphingosine 1-phosphate attenuates peroxide-induced apoptosis in HaCaT cells cultured in vitro.	Clin Exp Dermatol	38: 638-645, 2013
Morie J, <u>Yoneda K</u> , Morie T, Nakai K, Katsuki N, Haba R, Ikeda M and Kubota Y	Primary dermal melanoma latent for more than 10 years.	Ann Dermatol	25: 385-386, 2013
Kubota Y, Nakai K, Munehiro A, Morie J and <u>Yoneda K</u>	Zosteriform cutaneous metastasis of lung adenocarcinoma.	J Clin Exp Dermatol Res	in press
<u>Yoneda K</u> , Demitsu T, Kakurai M, Narita T, Nakai K, Kubota Y, Ishii N and Hashimoto T	Detection of apoptotic keratinocytes in a case of bullous pemphigoid developed after graft-versus-host disease.	Acta Derm Venereol	94(2): 231-232, 2014
Morie T, <u>Yoneda K</u> , Morie J, Nakai K and Kubota Y	Multi-branched acquired periungual fibrokeratoma.	JAMA Dermatol	in press
Yokoi I, Ishikawa E, Koura A, Hosokawa Y, Tamai A, Nakai K, Morie J, Morie T, <u>Yoneda K</u> and Kubota Y	Successful treatment of primary cutaneous anaplastic large cell lymphoma with intralesional methotrexate therapy.	Acta Derm Venereol	2013 Sep 3. doi: 10.2340/00015555-1692. [Epub ahead of print]
Inaba Y, Kanazawa N, Furukawa F, Sakurane Y, Nakano H, Sawamura D, <u>Yoneda K</u> , Hamada T and Hashimoto T	Pachyonychia congenita in Japan: report of familial cases with a recurrent KRT16 mutation and review of the literature.	Eur J Dermatol	in press
Nakai K, <u>Yoneda K</u> , Haba R, Kushida Y, Katsuki N, Morie T, Kosaka H, Kubota Y and Inoue S	Deranged epidermal differentiation in kl/kl mouse and the effects of β -Klotho siRNA on the differentiation of HaCaT cells.	Exp Dermatol	22(11): 772-4, 2013

Nakai K, <u>Yoneda K</u> , Haba R, Kushida Y, Katsuki N, Moriue J, Moriue T, Ishikawa E, Inoue S and Kubota Y	Two cases of nevus sebaceous accompanying secondary tumors with β -Klotho expression.	J Dermatol	in press
Nakai K, <u>Yoneda K</u> , Murakami Y, Koura A, Maeda R, Tamai A, Ishikawa E, Yokoi I, Moriue J, Moriue T and Kubota Y	Effects of topical N-acetylcysteine on skin hydration/transepidermal water loss in healthy volunteers and a topic dermatitis patients.	Ann Dermatol	in press
Tanioka M, <u>Utani A</u> , Tamura H, Yoshimura N, Kashiwagi N, Kondo E, Konishi I, Miyachi Y	Calcification of the placenta in a woman with pseudoxanthoma elasticum with a mutation of the ABCC6 gene	J Dermatol	in press
Hayashi S, <u>Utani A</u> , Iwanaga A, Yagi Y, Morisaki H, Morisaki T, Hamasaki Y, Hatomochi A	Co-existence of mutations in the FBXO31 gene and the ABCC6 gene in a patient with Marfan syndrome associated with pseudoxanthoma elasticum [Letter to the Editor]	J Dermatol Sci	72(3): 325-7, 2013
Yagi Y, Muroga E, Naitoh M, Isogai Z, Matsui S, Ikebara S, Suzuki S, Miyachi Y, <u>Utani A</u>	An ex vivo model employing keloid-derived cell-seeded collagen sponges for therapy development	J Invest Dermatol	133(2): 386-93, 2013

和文

発表者氏名	論文タイトル名	発表誌名	巻：頁, 西暦年号
澤城 晴名, 白田 阿美子, 金岡 美和, 中村 和子, 橋本 隆, 高橋 一夫, 相原 道子	抗VII型コラーゲン抗体価の経時的測定が有用であった後天性表皮水疱症の1例.	西日本皮膚科	75(5):409-414, 2013
合原 みち, 石井 文人, 大畑 千佳, 橋本 隆	5年間の観察中、腫瘍隨伴性天疱瘡から尋常性天疱瘡に移行した例	Visual Dermatology	12(10):1072-1073, 2013
大塚 明奈, 石井 文人, 小野 文武, 濱田 尚宏, 大畑 千佳, 古村 南夫, 橋本 隆	14年間の観察中、落葉状天疱瘡に水疱性類天疱瘡を併発した例	Visual Dermatology	12(10):1069-1071, 2013
大泉 亜美, 春名 邦隆, 根木 治, 木村 有太子, 濱田 尚弘, 橋本 隆, 須賀 康	二次感染により紅皮症化したDarier病の1例.	皮膚科の臨床	55(9):1091-1095, 2013
六戸 大樹, 赤坂 英二郎, 北村 英夫, 原田 研, 古賀 浩嗣, 橋本 隆	後腹膜腔原発B細胞リンパ腫を伴った腫瘍隨伴性天疱瘡.	皮膚病診療	35(9):889-892, 2013
三宅 美帆, 竹内 明子, 前田 進太郎, 西島 千博, 稲沖 真, 古賀 浩	コルヒチンが奏効した表皮下水疱症の1例	皮膚科の臨床	55(7):849-853, 2013

嗣, 橋本 隆			
山本 真由美, 加納 宏行, 清島 真理子, 濱田 尚宏, 橋本 隆	エトレチナートが有効であったHailey-Hailey病	皮膚科の臨床	55(7):845-847, 2013
武藤 真悠子, 松岡 摩耶, 松浦 哲彦, 中野 敦子, 土井 里沙子, 竹内 そら, 堤 祐子, 三井 浩, 川上 民裕, 相馬 良直, 小川 考平, 古賀 浩嗣, 橋本 隆	口腔内病変が難治であった腫瘍隨伴性天疱瘡と水疱性類天疱瘡の合併例	皮膚科の臨床	55(7):829-832, 2013
五木田 麻里, 高橋 阿起子, 仲田 かおり, 堀川 達弥, 田中 康博, 高蓋 寿朗, 井上 友介, 古賀 浩嗣, 橋本 隆	BP180のNC16a部位とC末端部位に対するIgG抗体も検出された腫瘍隨伴性天疱瘡の1例	皮膚科の臨床	55(7):823-828, 2013
山下 紗子, 栄木 美寿紀, 松浦 大輔, 福田 恭子, 鈴木 寛丈, 橋本 隆, 落合 豊子	ジアフェニルスルホンが奏効した線状IgA水疱性皮膚症(Lamina Lucida型).	皮膚科の臨床	55(7):819-822, 2013
扇谷 咲子, 込山 悅子, 福田 理永, 池田 志孝, 大山 文悟, 橋本 隆	線状IgA水疱性皮膚症の1例	皮膚科の臨床	55(5):666-667, 2013
武藤 真悠子, 松岡 摩耶, 松浦 哲彦, 中野 敦子, 土井 里沙子, 竹内 そら, 堤 祐子, 三井 浩, 川上 民裕, 相馬 良直, 小川 考平, 古賀 浩嗣, 橋本 隆	口腔内病変が難治であった腫瘍隨伴性天疱瘡と水疱性類天疱瘡の合併例.	皮膚科の臨床	55(7):807-808, 2013
飯川 まどか, 室井 栄治, 石井 千寸, 持田 耕介, 濱戸山 充, 黒川 基樹, Schmidt Enno, Zillikens Detlef, 福田 俊平, 橋本 隆	皮膚型結節性多発動脈炎に合併した抗ラミニンγ1類天疱瘡の1例.	西日本皮膚科	75(1):7-10, 2013
十亀 良介, 石井 文人, 古賀 浩嗣, 平子 善章, 橋本 隆	眼型粘膜類天疱瘡	Visual Dermatology	12(2):168-169, 2013
石田 修一, 日野 賴真, 廣田 理映, 高村 直子, 千葉 由幸, 堀内 義仁, 福田 俊平, 橋本 隆	尋常性乾癬に水疱性類天疱瘡を合併した1例	臨床皮膚科	67(3):209-213, 2013
金澤伸雄	サルコイドーシス	Monthly Book Derma 「肉芽腫のすべて」	204: 15-23, 2013
金澤伸雄、有馬和彦、井田弘明、吉浦孝一郎、古川福実	日本で見出された自己炎症疾患—中條—西村症候群—	皮膚アレルギー・接触皮膚炎学会雑誌	7: 158-168, 2013
金澤伸雄	中條 - 西村症候群	アレルギー・免疫	20: 1456-1462, 2013
有馬和彦、井田弘明、金澤伸雄、吉浦孝一郎	中條—西村症候群の原因遺伝子	感染・免疫・炎症	42: 322-325, 2013
古川福実、金澤伸雄、国本佳代	中條—西村症候群	臨床免疫・アレルギー科	60: 542-547, 2013

荻野篤彦、 <u>金澤伸雄</u> 、古江増隆	皮膚を編む—小児掌蹠丘疹性皮膚炎（砂かぶれ様皮膚炎）や自己炎症性症候群の臨床と病態	ラジオNIKKEI マルホ皮膚科セミナー特別番組「明日の治療指針」	印刷中
<u>金澤伸雄</u>	中條－西村症候群：和歌山発・プロテアソーム不全による新しい自己炎症疾患	日本臨床皮膚科医会近畿ブロック会誌	印刷中
<u>森脇真一</u>	光線過敏症～分類と確定診断へのアプローチ	日本皮膚科学会雑誌	123: 2938-2939, 2013
<u>森脇真一</u>	サンスクリーンと子供の肌	日本小児皮膚科学会雑誌	32: 181-182, 2013
<u>森脇真一</u>	光線過敏症：確定診断へのアプローチ	皮膚科の臨床	印刷中
<u>森脇真一</u>	光線過敏を疑う皮膚症状	Visual Dermatology	12: 424-427, 2013
<u>森脇真一</u>	皮膚老化～DNA修復からみた考察	日本美容皮膚科学会雑誌	23: 117-123, 2013
<u>森脇真一</u>	宿主因子（遺伝性疾患、移植患者）皮膚悪性腫瘍	日本美容皮膚科学会雑誌	別冊: 441-445, 2013
細川洋一郎、石川絵美子、森上純子、森上徹也、中井浩三、横井郁美、宗廣明日香、前田麗子、藤田名都子、小浦綾子、米田耕造、芳地一、窪田泰夫	香川県内皮膚科医を対象としたステロイド含有抗ヒスタミン薬の使用状況調査-院外処方薬局における調査も含めて-	日本臨床皮膚科医会雑誌	29: 75-78, 2012
窪田泰夫、森上徹也、森上純子、中井浩三、横井郁美、藤田名都子、宗廣明日香、前田麗子、石川絵美子、細川洋一郎、小浦綾子、 <u>米田耕造</u>	アトピー性皮膚炎患者のスキンケアにおける各種ヘパリン類似物質含有ローション製剤の使用感および患者満足度の比較検討	西日本皮膚科	74: 432-438, 2012
窪田泰夫、中井浩三、森上純子、森上徹也、横井郁美、前田麗子、宗廣明日香、石川絵美子、細川洋一郎、小浦綾子、藤田名都子、 <u>米田耕造</u>	成人アトピー性皮膚炎に対するステロイド軟膏とタクロリムス軟膏による外用連続療法の有用性と患者QOLに及ぼす影響	西日本皮膚科	74: 541-547, 2012
小浦綾子、宗廣明日香、森上純子、森上徹也、中井浩三、 <u>米田耕造</u> 、窪田泰夫	帯状疱疹に伴った運動神経麻痺の2例	皮膚科の臨床	54: 1901-1905, 2012
窪田泰夫、宗廣明日香、小浦綾子、白髭由恵、横井郁美、前田麗子	ざ瘡患者を対象としたダラシンTローション1%を用いた直接塗布法とコツ	西日本皮膚科	74: 630-635, 2012

、石川絵美子、細川洋一郎、森上純子、森上徹也、中井浩三、 <u>米田耕造</u>	トンパフ使用法との臨床的有用性ならびに患者使用感に関する比較検討		
宇谷厚志	【展望】真皮マトリックス異常による全身疾患—弹性線維性仮性黄色腫—	皮膚病診療	35(9): 827-832, 2013
三長孝輔、松本久和、東俊二郎、山下幸孝ほか (宇谷厚志)	胃ポリープ生検後に大量出血を来たした弹性線維性仮性黄色腫の1例	日本消化器内視鏡学会雑誌	印刷中

2. 書籍

欧文

著者名	題目	書名	編集者名	発行社 (発行地)	頁、西暦年号
Kanazawa N	Rare hereditary autoinflammatory disorders	Dermatology Research Advances		NOVA Science Publishers, Inc(Hauppauge)	in press

和文

著者名	題目	書名	編集者名	発行社 (発行地)	頁、西暦年号
金澤伸雄	誤診:アトピー性皮膚炎 3. 本当は「Early-onset sarcoidosis」	皮膚科フォトクリニックスシリーズ「誤診されている皮膚疾患」	宮地良樹	メディカルレビュー社(東京)	48-51, 2013
金澤伸雄	Blau 症候群と若年発症サルコイドーシス	皮膚科臨床アセット14「肉芽腫性皮膚疾患 サルコイドーシス・他の肉芽腫」	古江増隆 岡本祐之	中山書店(東京)	132-138, 2013
金澤伸雄	自己炎症疾患に対する抗 IL-1 療法	皮膚科サブスペシャリティーシリーズ第7巻「1冊でわかる最新皮膚科治療」	五十嵐敦之 宮地良樹 清水宏	文光堂(東京)	176-177, 2013
金澤伸雄	中條-西村症候群の概念・病態	皮膚科臨床アセット18「紅斑症と痒疹群 フロントガイド」	古江増隆 横関博雄	中山書店(東京)	136-141, 2013
金澤伸雄	中條-西村症候群の診	皮膚科臨床アセット	古江増隆	中山書店(東京)	142-148, 2013

	断・鑑別診断・治療	ト 18「紅斑症と痒疹群 フロントガイド」	横関博雄		
金澤伸雄	中條-西村症候群	『日本臨床』別冊 「神經症候群 II-その他の神經疾患を含めて一」		日本臨床社(東京)	印刷中
金澤伸雄	中條-西村症候群	自己炎症症候群の臨床	井田弘明 西小森隆太	新興医学出版社	印刷中
森脇真一	誤診：シミ、本当は色素性乾皮症	誤診されている皮膚疾患	宮地良樹	メディカルレビュー社(東京)	304-307, 2013
森脇真一	コケイン症候群	皮膚科アセット 20	古江増隆	中山書店(東京)	102-105, 2013
森脇真一	光線力学療法	光と生命の事典	日本光生物学会	朝倉書店(東京)	印刷中
森脇真一	子どもの異常な日焼け診断の決め手	苦手な皮膚疾患 100 の解決法	宮地良樹	メディカルビュ一社(東京)	印刷中
森脇真一	光線力学療法の皮膚科への応用	一冊でわかる最新皮膚科治療	宮地良樹	文光堂(東京)	211-214, 2013
米田耕造	思春期に顕在化しやすい角化異常症への対処法は？	思春期の皮膚トラブル FAQ	宮地良樹	診断と治療社(日本)	131-136, 2012
米田耕造	Case11 皮脂欠乏性皮膚炎	内科で役立つ 一発診断から迫る皮膚疾患の鑑別診断	出光俊郎	羊土社(日本)	102-106, 2013
宇谷厚志	しわ：本当は弾性線維性仮性黄色腫	誤診されている皮膚疾患	宮地良樹	メディカルレビュ一社(東京)	328-331, 2013
宇谷厚志	頸部・腋窩の敷石状黄色局面から疑う Gronblad-Strandberg 症候群	日常診療において忘れてはならない皮膚科症候群	土田哲也 (専門編集)	中山書店(東京)	198-201, 2013
宇谷厚志	【皮膚の構造と機能】皮下組織	標準皮膚科学	監修：富田靖 、編集：橋本隆・岩月啓氏 ・照井正	医学書院(東京)	19-20, 2013

[IV]

研究成果の刊行物・別冊