

研究成果の刊行に関する一覧表レイアウト（色素異常班）

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
Kono M, Akiyama M	Dyschromatosis symmetrica hereditaria and RNA editing enzyme.	Naoki Oiso	Current Genetics in Dermatology	InTech	Rijeka, Croatia	2013	105-20
Kurimoto T, Oiso N, Miyake M, Kawada A	CYLD cutaneous syndrome: familial cylindromatosis	Oiso, N	Current Genetics in Dermatology	Intech	Rijeka	2013	155-158
Oiso N, Kawada A	Hermansky-Pudlak syndrome.	Oiso, N	Current Genetics in Dermatology	Intech	Rijeka	2013	97-104
Oiso N, Kawada A	LEKTI: Netherton syndrome and atopic dermatitis.	Oiso, N	Current Genetics in Dermatology	Intech	Rijeka	2013	67-72
金田眞理	母斑と母斑症	古江増田隆編集、金田眞理 専門編集	皮膚科臨床アセット 15 母斑と母斑症	中山書店	東京	2013	
金田眞理	シグナル伝達病としての母斑症	古江増田隆編集、金田眞理 専門編集	皮膚科臨床アセット 15 母斑と母斑症	中山書店	東京	2013	30-41
金田眞理	結節性硬化症	古江増田隆編集、金田眞理 専門編集	皮膚科臨床アセット 15 母斑と母斑症	中山書店	東京	2013	194-204
金田眞理	Birt-Hogg-Dube 症候群	古江増田隆編集、金田眞理 専門編集	皮膚科臨床アセット 15 母斑と母斑症	中山書店	東京	2013	205-208
錦織千佳子	遺伝子修復機構とその異常	一瀬白帝、鈴木宏治	図説分子病態学改訂 5 版	中外医学社	東京	in press	

錦織千佳子	物理・化学的皮膚障害	富田靖監修 橋本隆、岩月啓氏、照井正編集	標準皮膚科学 第10版	医学書院	東京	2013	124-146
佐藤美保	斜視と弱視	木下茂、中澤満、天野史郎	標準眼科学	医学書院	東京	2013	309-322
西村栄美	毛包再生のメデイカルサイエンス	西村栄美	細胞工学	秀潤社	東京	2013	
大磯直毅	伊藤白斑	専門編集 金田眞理, 総編集 古江増隆	皮膚科臨床アセット 15 診療最前線の母斑と母斑症	中山書店	東京	2013	253-258
大磯直毅、鈴木民夫	Hermansky-Pudlak 症候群	専門編集 土田哲也, 総編集 古江増隆	皮膚科臨床アセット 20 忘れてはならない皮膚科症候群	中山書店	東京	2013	169-173
鈴木民夫	尋常性白斑	山口 徹ら	今日の治療指針 2013 私はこう治療している	医学書院	東京	2013	1067
鈴木民夫	尋常性白斑	滝川雅浩ら	皮膚疾患最新の治療 2013-2014	南江堂	東京	2013	234-235

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Abe Y, Tamiya G, Nakamura T, Hozumi Y, Suzuki T	Association of melanogenesis genes with skin color variation among Japanese females.	J Dermatol Sci	vol 69	167-172	2013
Araki Y, Ishii Y, Abe Y, Yoshizawa J, Okamoto F, Hozumi Y, Suzuki T	Hermansky-Pudlak Syndrome Type 4 with a novel mutation.	J Dermatol	in press		

Arase N, Wataya-Kaneda M, Oiso N, Arase H, Katayama I	CD1a-positive familial cutaneous mastocytosis without germ-line or somatic mutations in c-kit.	Br J Dermatol	169(1)	201-204	2013
Chiba Y, Mizoguchi I, Mitobe K, Higuchi K, Nagai H, Nishigori C, Mizuguchi J, Yoshimoto T	IL-27 enhances the expression of TRAIL and TLR3 in human melanomas and inhibits their tumor growth in cooperation with a TLR3 agonist poly(I:C) partly in a TRAIL-dependent manner.	PLoS One	8(10)	e76159	2013
Darcy A. Krueger MD PhDa,*, Hope Northrup MDb, on behalf of the International Tuberous Sclerosis Complex Consensus Group M Wataya-Kaneda et al.	Tuberous Sclerosis Complex Surveillance and Management: Recommendations of the 2012 International Tuberous Sclerosis Complex Consensus Conference	Pediatric Neurology	49	255-265	2013
Endo H, Oiso N, Kawada A	Early solitary angiokeratoma with a single dark lacuna and a peripheral whitish veil-like ring in dermoscopy.	Acta Med Kinki Univ	in press		
Endo H, Oiso N, Kawada A.	Early pulsed dye laser treatment for infantile hemangiomas: an open study for 50 Japanese infancies.	J Cosmet Dermatol Sci	3(3)	216-221	2013
Fujiwara S, Nagai H, Shimoura N, Oniki S, Yoshimoto T, Nishigori C	Intratumoral CD4+ T lymphodepletion sensitizes poorly immunogenic melanomas to immunotherapy with an OX40 agonist.	J Invest Dermatol	in press		
Hama M, Oiso N, Kawada A	Ulcerated hydradenoma papilliferum.	Int J Dermatol	52(2)	198-199	2013
Hane H, Yokota K, Kono M, Muro Y, Akiyama M	Extraordinarily large, giant spider angioma in an alcoholic cirrhotic patient.	Int J Dermatol	in press		
Hashimoto N, Tanemura A, Yamada M, Itoi S, Katayama I	Hepatitis C-related mix type vitiligo in a patient with Ivemark syndrome.	J Dermatol	in press		2014
Hayashi M, Suzuki T	Dyschromatosis symmetrica hereditaria. (review article)	J Dermatol	vol 40	336-343	2013
Hope Northrup MD, ,Darcy A Kruger MD PhDa on behalf of the International Tuberous Sclerosis Complex Consensus Group M Wataya-Kaneda et al.	Tuberous Sclerosis Complex Diagnostic Criteria Update: Recommendations of the 2012 International Tuberous Sclerosis Complex Consensus Conference	Pediatric Neurology	49	243-254	2013

Imoto K, Nadem C, Moriwaki SI, Nishigori C, Oh KS, Khan SG, Goldstein AM, Kraemer KH	Ancient origin of a Japanese xeroderma pigmentosum founder mutation.	J Dermatol Sci	69(2)	175-176	2013
Itoi S, Tanemura A, Kotobuki Y, Wataya-Kaneda M, Tsuruta D, Ishii M, Katayama I	Coexistence of Langerhans cells activation and immune cells infiltration in progressive nonsegmental vitiligo.	J DermatolSci	73(1)	83-85	2013
Kawada A, Matsuda H, Oiso N	Efficacy and safety of targeted narrowband ultraviolet B therapy using a flat-type fluorescent lamp for the treatment of palmoplantar pustulosis.	J Dermatol	40(9)	754-755	2013
Kawaguchi M, Suzuki T	Gene expression and in situ localization of ADAM17 during skin wound healing.	Int J Dermatol	in press		
Kawaguchi M, Suzuki T	ADAM17 is involved in the regulation of chemokine expression in keratinocytes.	Int J Dermatol	in press		
Kawaguchi M, Suzuki T	Gene expression and in situ localization of ADAM17 during skin wound healing.	Int J Dermatol		PMID: 23834487	2013
Kawakami T, Otaguchi R, Kyoya M, Soma Y, Suzuki T	Patient with dyschromatosis symmetrica hereditaria treated with miniature punch grafting, followed by excimer light therapy.	J Dermatol	vol 40	771-772	2013
Kawakami T, Otaguchi R, Kyoya M, Soma Y, Suzuki T	A patient with dyschromatosis symmetrica hereditaria treated with mini punch grafting, followed by excimer light therapy.	J Dermatol.	40(9)	771-772	2013
Kono M, Akiyama M, Suganuma M, Sanchez-Valle A, Tomita Y	Dyschromatosis symmetrica hereditaria by ADAR1 mutations and viral encephalitis: a hidden link?	Int J Dermatol	52	1582-4	2013
Kono M, Suganuma M, Ito Y, Ujiie H, Morimoto K, Akiyama M	Novel ADAR1 mutations including single amino acid deletion in the deaminase domain underlying dyschromatosis symmetrica hereditaria in Japanese families	Int J Dermatol	in press		

Kono M, Sugiura K, Suganuma M, Hayashi M, Takama H, Suzuki T, Matsunaga K, Tomita Y, Akiyama M	Whole-exome sequencing identifies ADAM10 mutations as a cause of reticulate acropigmentation of Kitamura, a clinical entity distinct from Dowling-Degos disease.	Hum Mol Genet	vol 22	3524-33	2013
Kunisada M, Masaki T, Ono R, Morinaga H, Nakano E, Yogianti F, Okunishi K, Sugiyama H, Nishigori C	Hydrochlorothiazide enhances UVA-induced DNA damage.	Photochem Photobiol	89(3)	649-654	2013
Makino T, Yanagihara M, Oiso N, Mizawa M, Shimizu T	Repigmentation of the epidermis around the acrosyringium in piebald skin: an ultrastructural examination.	Br J Dermatol	168(4)	910-912	2013
Makita S, Kono M, Yamada M, Suzuki N, Karasawa T, Tanahashi C, Akiyama M.	Spindle cell angiosarcoma almost exclusively made up of spindle cells.	Eur J Dermatol	in press		
Mari Wataya-Kaneda ¹ , Mari Tanaka ¹ , Toshimitsu Hamasaki, Ichiro Katayama	Trends in the Prevalence of Tuberous Sclerosis Complex Manifestations: An Epidemiological Study of 166 Japanese Patients	PLOS ONE	vol 8 issue5	e63910	2013
Miyake M, Oiso N, Yoshinaga E, Kawada A	Fixed drug eruption due to garenoxacin mesilate hydrate.	Eur J Dermatol	23(1)	111-112	2013
Montoliu L, Grønskov K, Wei AH, Martínez-García M, Fernández A, Arveiler B, Morice-Picard F, Riazuddin S, Suzuki T, Ahmed ZM, Rosenberg T, Li W	Increasing the complexity: new genes and new types of albinism.	Pigment Cell Melanoma Res	in press		
Mori M, Sugiura M, Kono M, Matsumoto T, Sawada M, Yokota K, Yasue S, Shibata S, Sakakibara A, Nakamura S, Tomita Y, Akiyama M	Clinico-pathologic analysis of 66 Japanese thin melanomas with metastasis of sentinel or regional lymph node.	J CutanPathol	40	1027-34	2013
N. ARASE, M. WATAYA-KANEDA. N. OISO, H. ARASE, I KATAYAMA	CD1a-positive familial cutaneous mastocytosis without germ-line or somatic mutations in c-kit	Br J Dermatol	169(1)	201-4	2013
Naoki Oiso, Tamio Suzuki, Mari Wataya-Kaneda, Atsushi Tanemura, Miki Tanioa Ichiro Katayama	Guidelines for the diagnosis and treatment of vitiligo in Japan	Journal of Dermatology	40	344-354	2013

Nikaido M, Yamada M, Konno T, Hara K, Yamamoto T, Suzuki T	Agminated pigmented matricoma: a case of a unique tumor with a multifocal appearance composed of neoplastic matrical cells with a significant component of melanocyte.	J Cutan Pathol	vol 40	823-828	2013
Oiso N*, Tanemura A* (*co-first authors), Kotobuki Y, Kimura M, Katayama I, Kawada A	Role of macrophage infiltration in successful repigmentation in a new periphery-spreading vitiligo lesion in a male Japanese patient.	J Dermatol	40(11)	915-918	2013
Oiso N, Fukai K, Kawada A, Suzuki T	Piebaldism	J Dermatol	40(5)	330-335	2013
Oiso N, Hirase C, Morita Y, Hirao A, Uchida S, Sasakawa A, Toyomasu M, Tatsumi Y, Matsumura I, Kawada A	Localized giant haematoma and subsequent widespread purpura as a sign of acquired haemophilia A.	Australas J Dermatol	54(3)	e67-e69	2013
Oiso N, Itoh T, Miyake M, Satou T, Kawada A.	Cutaneous lymphangioma circumscriptum with marked blood presence: histopathologic evaluation of the endothelial cells.	Eur J Dermatol	in press		
Oiso N, Kawada A	Erythema dyschroicum perstans with both a macular lesion and a linear lesion following the line of Blaschko.	J Dermatol	40(2)	127-128	2013
Oiso N, Kawada A	Biosafety for management of skin eruptions caused by telaprevir in hepatitis C virus genotype 1a-infected patients.	Biosafety	2(2)	e137	2013
Oiso N, Kawada A	Idiopathic eruptive macular pigmentation following a Christmas tree pattern	J Dermatol	40(11)	934-935	

Oiso N, Kawada A	Acral melanocytic nevus of the sole with the parallel ridge pattern.	Eur J Dermatol	in press		
Oiso N, Kurokawa I, Kimura M, Tsubura A, Kawada A	Porokeratotic eccrine ostial and dermal duct naevus and aberrantly regulated keratinization.	Acta Derm Venereol	93(4)	489-490	2013
Oiso N, Matsuda H, Kawada A	Various colour gradations as a dermatoscopic feature of cutaneous angiosarcoma of the scalp.	Australas J Dermatol	54(1)	36-38	2013
Oiso N, Matsuda H, Kawada A	Cutis tricolor of pure cutaneous trait as leukoderma and nevus spilus.	J Dermatol	40(6)	490-491	2013
Oiso N, Matsuda H, Kawada A	Eruptive vellus hair cysts of the labia majora: detection of openings of the cysts to the epidermis by dermoscopy.	Eur J Dermatol	23(3)	417-418	2013
Oiso N, Matsuda H, Kawada A	Biopsy-proven pigmented poroma with no vascular structure in dermoscopy.	Int Dermatol	in press		
Oiso N, Narita T, Kawada A	Diagnostic usefulness of ultrasonography for plantar angioleiomyoma.	Eur J Dermatol	23(4)	568-570	2013
Oiso N, Sato M, Kawada A	Vitiligo after combination therapy of pegylated interferon- α -2a, ribavirin and vitamin D in a patient with chronic hepatitis C.	J Dermatol	40(9)	772-773	2013

Oiso N, Suzuki T, Wataya-Kaneda M, Tanemura A, Tanioka M, Fujimoto T, Fukai K, Kawakami T, Tsukamoto K, Yamaguchi Y, Sano S, Mitsuhashi Y, Nishigori C, Morita A, Nakagawa H, Mizoguchi M, Katayama I	Guidelines for the diagnosis and treatment of vitiligo in Japan.	J Dermatol	40(5)	344-354	2013
Oiso N, Tanemura A, Kotobuki Y, Kimura M, Katayama I, Kawada A	Role of macrophage infiltration in successful repigmentation in a new periphery-spreading vitiligo lesion in a male Japanese patient.	J Dermatol	in press		2013
Okamura K, Munkhbat B, Batchimeg B, Tamiya G, Hozumi Y, Suzuki T	Case of a Mongolian child with extensive Mongolian spots in mucopolysaccharidosis type VI: Identification of a novel mutation in the arylsulfatase B gene.	J Dermatol	vol 40	758-759	2013
Okita M, Nakanishi G, Fujimoto N, Shiomi M, Yamada T, Wataya-Kaneda M, Takijiri C, Yokoyama Y, Sunohara A, Tanaka T.	NEMO gene rearrangement (exon 4-10 deletion) and genotype-phenotype relationship in Japanese patients with incontinentia pigmenti and review of published cases in Japanese.	J Dermatol	40(4)	272-6	2013
Ono R, Fukunaga A, Masaki T, Yu X, Yodoi J, Nishigori C	Suppressive effect of administration of recombinant human thioredoxin on cutaneous inflammation caused by UV.	Bioengineered	4(4)	254-257(Addenda)	2013
Ono R, Masaki T, Takeuchi S, Shimizu A, Tanioka M, Kambe N, Matsue H, Kamide R, Nishigori C	Three school-age cases of xeroderma pigmentosum variant type.	Photodermatol Photoimmunol Photomed	29(3)	132-139	2013
Saito A, Kuratomi G, Ito C, Matsuoka H, Suzuki T, Ozeki Y, Watanabe T, Fujii K, Shimoda K, Fukushima Y, Inukai T, Ohmori K, Akiyama K	An association study of the Hermansky-Pudlak syndrome type 4 gene in schizophrenia patients.	Psychiatric Genetics	vol 234	163-173	2013
Sakamoto S, Kawada A, Oiso N, S	Successful treatment of psoriasis with interrupted adalimumab use: a case report.	J Dermatol	40(6)	477-478	2013

Sawada M, Yokota K, Matsumoto T, Shibata S, Yasue S, Sakakibara A, Kono M, Akiyama M	Proposed classification of longitudinal melanonychia based on clinical and dermoscopic criteria.	Int J Dermatol	in press		
Sugiura K, Oiso N, Kawada A, Akiyama M.	Six-year-old boy with palmoplantar keratoderma with ichthyosis.	J Am Acad Dermatol	in press		
Sugiura K, Takemoto A, Yamaguchi M, Takahashi H, Shoda Y, Mitsuma T, Tsuda K, Nishida E, Togawa Y, Nakajima K, Sakakibara A, Kawachi S, Shimizu M, Ito Y, Takeichi T, Kono M, Ogawa Y, Muro Y, Ishida-Yamamoto A, Sano S, Matsue H, Morita A, Mizutani H, Iizuka H, Muto M, Akiyama M.	The Majority of Generalized Pustular Psoriasis without Psoriasis Vulgaris Is Caused by Deficiency of Interleukin-36 Receptor Antagonist.	J Invest Dermatol	133	2514-21	2013
Taguchi K, Fukunaga A, Ogura K, Nishigori C	The Role of Epidermal Langerhans Cells in NB-UVB-Induced Immunosuppression.	Kobe J Med Sci	59(1)	E1-9	2013
Takata T, Tarutani M, Sano S	A failure in endothelin-1 production from vitiligo keratinocytes in response to ultraviolet B irradiation.	J DermatolSci	71	210-212	2013
Takeichi T, Sugiura K, Arai H, Ishii K, Kono M, Akiyama M	Sporadic VACTERL association in a Japanese family of Sjögren-Larsson syndrome with ALDH3A2 heterozygous mutations.	ActaDermato-Venereol	93	579-580	2013
Takeichi T, Sugiura K, Matsuda K, Kono M, Akiyama M	Novel ABCA12 splice site deletion mutation and ABCA12 mRNA analysis of pulled hair samples in harlequin ichthyosis.	J DermatolSci	69	259-61	2013
Takeuchi S, Abe Y, Yamada T, Kawano S, Hozumi Y, Ito S, Suzuki T, Nishigori C	A case of Hermansky-Pudlak syndrome 1 (HPS1) patient with milder symptoms in Japanese.	J Dermatol	in press		

Tanaka M, Wataya-Kaneda M, Nakamura A, Matsumoto S, Katayama I	First left-right comparative study of topical rapamycin versus vehicle for facial angiofibromas in patients with tuberous sclerosis complex.	Br J Dermatol			2013
Tanemura A*, Oiso N* (*co-first authors), Mayuko Nakano M, Itoi S, Akira Kawada A, Ichiro Katayama I	Alopecia areata: infiltration of Th17 cells in the dermis, particularly around the hair follicles.	Dermatology	226(4)	333-336	2013
Tian H, Matsuo Y, Fukunaga A, Ono R, Nishigori C, Yodoi J	Thioredoxin ameliorates cutaneous inflammation by regulating the epithelial production and release of pro-Inflammatory cytokines.	Front Immunol	4	Article269	2013
Uchida S, Oiso N, Matsunaga K, Kawada A.	Patch test reaction to p-phenylenediamine can persist for more than 1 month.	Contact Dermatitis	69(12)	382-383	
Yukako MURAKAMI, Mari WATAYA-KANEDA, Mari TANAKA, Ichiro KATAYAMA	A case of tuberous sclerosis complex complicated by segmental neurofibromatosis type 1	Journal of Dermatology	2013	413-414	2013
浅井克則、豊田真吾、早川航一、藤本康倫、岩本文徳、若山暁、金田眞理、簗持淳、吉峰俊樹	内頸動脈海面動脈洞瘻で発症し頸動脈コイル塞栓術後に出血性合併症を繰り返した血管型 Ehlers-Danlos 症候群の 1 例	Journal of Neuroendovascular therapy	vol7 No2		2013
片山一朗、金田眞理	老年病・認知症 9 皮膚	(予防とつきあい方シリーズ) 老年病・認知症	2013	191-196	2013
金田眞理	結節性硬化症皮膚病変に対するラパマイシン外用療法	臨床皮膚科	vol 67 No5	162-164	2013
錦織千佳子	有棘細胞癌(日光角化症・Bowen 病)有棘細胞癌の危険因子 生活習慣と環境因子	日本臨牀 皮膚悪性腫瘍 基礎と臨床の最新研究動向	71 増刊号 4	436-440	2013

錦織千佳子	V.基底細胞癌 危険因子：生活習慣と環境因子・宿主因子	日本臨床 皮膚悪性腫瘍 基礎と臨床の最新研究動向	71 増刊号 4	582-586	2013
錦織千佳子	紫外線と美容・老化	Visual Dermatology	12(6)	623-627	2013
西村栄美	色素幹細胞とそのニッチ：毛包幹細胞の新しい役割	細胞工学	Vol.32 No.10	p1038—1041	2013
西村栄美	がんの不均一性とメラノーマ幹細胞	日本臨床	増刊号 皮膚悪性腫瘍	p116—121	2013
西村栄美	毛包幹細胞による色素幹細胞の維持制御	加齢皮膚医学セミナー	第 8 巻	p7—10	2013
川口雅一・鈴木民夫	遺伝性色素異常症のスキルアップ 「診断のポイントと最新の知見」	MB Derma	203	79-84	2013
大磯直毅	皮膚科日常診療レベルアップエッセンス 章 治療 15. 尋常性白斑	皮膚科の臨床	55(11)(増)	in press	2013
大磯直毅	新・皮膚科セミナーウム 色素異常症の診断と治療 2 尋常性白斑	日皮会誌	123(9)	1765-1772	2013
大磯直毅	臨床医にとっての研究 基礎研究的手法を用いた色素異常症の病態解析	日皮会誌	in press		

大磯直毅	わかりやすい色素異常症 尋常性白斑研究と臨床的意義	日皮会誌	in press		
竹内聖二、中野英司、山下大介、井川健、森田明理、苅田典生、錦織千佳子	軽症型 A 群色素性乾皮症の 1 例	小児皮膚科	in press		
中野英司、錦織千佳子	光老化のモデルとしての色素性乾皮症	医学のあゆみ	in press		
鈴木民夫、林 昌浩	新・皮膚科セミナーウム色素異常症の診断と治療 遺伝性対側性色素異常症	日本皮膚科学会誌	123 巻	1757-1763	2013
高田智也、佐野栄紀	白斑に対する 1mm ミニグラウト：採皮部への術前紫外線照射の有効性について	MB Derma	203	85-88	2013