

研究成果の刊行に関する一覧表レイアウト（色素異常班）

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
Oiso N, Kawada A	Melanin: biosynthesis, functions and health effects in skin anatomy and physiology research developments.	X-P Ma and X-X Sun	Melanin: Biosynthesis, Functions and Health Effects	Nova Science Publishers Inc	New York, USA	2012	167-189
Oiso N, Kawada A	Dermoscopy in the diagnosis of tick-bite lesions in humans and identification of the involved ticks.	Woldemeske M.	Ticks: disease, management and control	Nova Science Publishers Inc	New York, USA	2012	247-253
Oiso N, Kawada A	Alopecia: causes, diagnosis and treatment.	Miller ET and Allen MD.	The power of the gene: the origin and impact of genetic disorders.	Nova Science Publishers Inc.,	New York, USA	2012	45-66
Suzuki T, and Tomita Y	Oculocutaneous albinism in Asians.	HC Eun, SC Kim, and WS Lee	Asian Skin and Skin Diseases.	Medrang Inc.	Seoul	2012	175-180
錦織千佳子	色素性乾皮症の病態・診断・鑑別診断	古江増隆総編集市橋正光専門編集	皮膚科臨床アセット 11シミと白斑 最新治療ガイド	中山書店	東京	2012	141-147
佐藤美保	小児眼科検査法	遠藤文夫	小児科診断・治療指針	中山書店	東京	2012	972-974
佐藤美保	眼球運動、斜視、弱視	坪田一男、大鹿哲郎	TEXT 眼科学	南山堂	東京	2012	115-126
佐藤美保	弱視治療に関する多施設研究	仁科幸子	専門医のための眼科診療クオリファイ	中山書店	東京	2012	62-66
深井和吉	自己免疫疾患と白斑	古江増隆総編集	皮膚科臨床アセット 11	中山書店	東京	2012	197-199
大磯直毅	LEOPARD 症候群の病態・診断・鑑別診断	市橋正光編	皮膚科臨床アセット 11シミと白斑 最新診療ガイド	中山書店	東京	2012	132-136
大磯直毅	Cole-Engman 症候群	市橋正光編	皮膚科臨床アセット 11シミと白斑 最新診療ガイド	中山書店	東京	2012	137-140

大磯直毅	加齢と白斑	市橋正光 編	皮膚科臨床アセット 11 シミと白斑 最新診療ガイド	中山書店	東京	2012	191-196
大磯直毅	小児白斑の治療	市橋正光 編	皮膚科臨床アセット 11 シミと白斑 最新診療ガイド	中山書店	東京	2012	220-226
片山一朗	白斑の定義と頻度	市橋正光 編	皮膚科臨床アセット 11 シミと白斑 最新診療ガイド	中山書店	東京	2012	172-175
片山一朗	白斑の病態と診断	市橋正光 編	皮膚科臨床アセット 11 シミと白斑 最新診療ガイド	中山書店	東京	2012	176-180
林昌浩、鈴木民夫	色素異常症	上出良一編	匠に学ぶ皮膚科外用療法	全日本病院出版会	東京	2012	85-88
鈴木民夫	びまん性色素沈着をきたす疾患	塩原哲夫ら 編	今日の皮膚疾患治療指針第4版	医学書院	東京	2012	43-47
鈴木民夫	色素異常症	塩原哲夫ら 編	今日の皮膚疾患治療指針第4版	医学書院	東京	2012	605-614
Kono M, Akiyama M	Dyschromatosis symmetrica hereditaria and RNA editing enzyme.	Naoki Oiso	Current Genetics in Dermatology	InTech	Rijeka, Croatia	2013	105-20
Kurimoto T, Oiso N, Miyake M, Kawada A	CYLD cutaneous syndrome: familial cylindromatosis, Brooke-Spiegler syndrome, and multiple familial trichoepithelioma.	Oiso, N	Current Genetics in Dermatology	Intech	Rijeka	2013	155-158
Oiso N, Kawada A	Hermansky-Pudlak syndrome.	Oiso, N	Current Genetics in Dermatology	Intech	Rijeka	2013	97-104
Oiso N, Kawada A	LEKTI: Netherton syndrome and atopic dermatitis.	Oiso, N	Current Genetics in Dermatology	Intech	Rijeka	2013	67-72
金田真理	母斑と母斑症	古江増田隆 編集、金田真理 専門編集	皮膚科臨床アセット 15 母斑と母斑症	中山書店	東京	2013	

金田眞理	シグナル伝達病としての母斑症	古江増田隆 編集、金田眞 理 専門編 集	皮膚科臨床アセ ット 15 母斑 と母斑症	中山書店	東京	2013	30-41
金田眞理	結節性硬化症	古江増田隆 編集、金田眞 理 専門編 集	皮膚科臨床アセ ット 15 母斑 と母斑症	中山書店	東京	2013	194-204
金田眞理	Birt-Hogg-Dube 症候群	古江増田隆 編集、金田眞 理 専門編 集	皮膚科臨床アセ ット 15 母斑 と母斑症	中山書店	東京	2013	205-208
金田眞理、片山一 朗	老年病・認知症 9 皮膚	荻原俊男(監 修)池上博 司・樂木宏実 (編集)	(予防とつきあ い方シリーズ) 老年病・認知症	中山書店	東京	2013	191-196
錦織千佳子	物理・化学的皮膚 障害	富田靖監修 橋本隆、岩月 啓氏、照井正 編集	標準皮膚科学第 10 版	医学書院	東京	2013	124-146
佐藤美保	斜視と弱視	木下茂、中澤 満、天野史郎	標準眼科学	医学書院	東京	2013	309-322
深井和吉	Chediak-Higashi 症候群	古江増隆総 編集	皮膚科臨床アセ ット 20	中山書店	東京	2013	174-177
西村栄美	毛包再生のメディ カルサイエンス	西村栄美	細胞工学	秀潤社	東京	2013	
大磯直毅	伊藤白斑	専門編集 金田眞理, 総 編集 古江 増隆	皮膚科臨床アセ ット 15 診療最 前線の母斑と母 斑症	中山書店	東京	2013	253-258
鈴木民夫	尋常性白斑	山口 徹ら	今日の治療指針 2013 私はこう治 療している	医学書院	東京	2013	1067
鈴木民夫	尋常性白斑	滝川雅浩ら	皮膚疾患最新の 治療 2013 2014	南江堂	東京	2013	234-235
錦織千佳子	遺伝子修復機構と その異常	一瀬白帝、鈴 木宏治	図説分子病態学 改訂 5 版	中外医学 社	東京		印刷中
大磯直毅、鈴木 民夫	Hermansky-Pudl ak 症候群	専門編集 土田哲也, 総 編集 古江 増隆	皮膚科臨床アセ ット 20 忘れて はならない皮膚 科症候群	中山書店	東京		169-173

雑誌

発表者氏名	論文タイトル名	発表誌名	巻 号	ページ	出版年
Arase N, Wataya-Kaneda M, Oiso N, Tanemura A, Kawada A, Suzuki T, Katayama I.	Repigmentation of leukoderma in a piebald patient associated with a novel c-KIT gene mutation, G592E, of the tyrosine kinase domain.	J Dermatol Sci.	64(2)	147-9	2011
Hiratsuka Y, Yamada M, Murakami A, Okada AA, Yamashita H, Ohashi Y, Yamagishi N, Tamura H, Fukuhara S, Takura T.	Eye Care Comparative Effectiveness Research Team (ECCERT) Eye Care Comparative Effectiveness Research Team (ECCERT): Cost-effectiveness of cataract surgery in Japan.	Jpn J Ophthalmol	55(4)	333-42	2011
Kashiwagi Y, Nishitsuka K, Yamamoto T, Takamura H, Yamashita H.	Hyaluronan production and hyaluronan synthase expression in three human conjunctiva-derived cell strains.	Jpn J Ophthalmol	55(6)	660-669	2011
Kawasaki R, Tanaka S, Tanaka S, Yamamoto T, Sone H, Ohashi Y, Akanuma Y, Yamada N, Yamashita H, for the Japan Diabetes Complications Study Group.	Incidence and progression of diabetic retinopathy in Japanese adult with type 2 diabetes: 8-year follow-up study of the Japan Diabetes Complications Study (JDACS)	Diabetologia	54	2288-94	2011
Namiki T, Tanemurab A, Julio C. (12 番目 21 人中)	3AMP kinase-related kinase NUA2 affects tumor growth, migration, and clinical outcome of human melanoma	PNAS	108.16	6597-6602	2011
Narita T, Oiso N, Fukai K, Kabashima K, Kawada A, Suzuki T.	Generalized vitiligo and associated autoimmune diseases in Japanese patients and their families.	Allergol Int.	60(4)	505-8	2011
Nishitsuka K, Kawasaki R, Kanno M, Tanabe Y, Saito K, Honma K, Oizumi T, Daimon M, Kato T, Kayama T, Yamashita H. for the Funagata Study.	Determinants and risk factors for central corneal thickness in Japanese persons: the Funagata Study.	Ophthalmic Epidemiology	18(5)	244-9	2011
Oiso N, Hirase C, Morita Y, Hirao A, Uchida S, Sasakawa A, Toyomasu M, Tatsumi Y, Matsumura I, Kawada A	Localized giant haematoma and subsequent widespread purpura as a sign of acquired haemophilia A.	Australas J Dermatol	54(3)	e67-e69	2011

Oiso N, Suzuki T, Fukai K, Katayama I, Kawada A.	Nonsegmental vitiligo and autoimmune mechanism.	Dermatol Res Pract	2011	518090	2011
Saito K, Nagao Y, Yamashita H, Kawasaki R.	Screening for retinal vessel caliber and its association with metabolic syndrome in Japanese adults.	Metabolic Syndrome and Related Disorders	9(6)	427-32	2011
Saito K, Tanabe Y, Kawasaki R, Daimon M, Oizumi T, Kato T, Kawata S, Kayama T, Yamashita H.	Is retinal vasculature change associated with risk of obesity? Longitudinal cohort study in Japanese adult: the Funagata Study.	Journal of Diabetes Investigation	2(3)	225-232	2011
Wataya-Kaneda M, Tanaka M, Nakamura A, Matsumoto S, Katayama I.	A topical combination of rapamycin and tacrolimus for the treatment of angiofibroma due to tuberous sclerosis complex (TSC): a pilot study of nine Japanese patients with TSC of different disease severity.	Br J Dermatol.	165(4): Related citations	912-6	2011
Yukako Murakami Mari Wataya-Kaneda Mika Terao Hiroaki Azukizawa Hiroyuki Murota Yukiko Nakata Ichiro Katayama	Peculiar Distribution of Tumors Xanthomas in an Adult Case of Erdheim-Chester Disease Complicated by Atopic Dermatitis	Case Reports in Dermatolog	3	107-112	2011
Bilen N, Aktürk AS, Kawaguchi M, Salman S, Erçin C, Hozumi Y, and Suzuki T.	Dyschromatosis symmetrica hereditaria: a case report from Turkey, a new association and a novel gene mutation.	J Dermatol	vol 39	857-858	2012
Chiyomaru K, Nagano T, Nishigori C	XRCC1 Arg194Trp polymorphism, risk of nonmelanoma skin cancer and extramammary Paget's disease in a Japanese population.	Arch Dermatol Res	304(5)	363-370	2012

Ezzedine K, Lim H, Suzuki T, Katayama I, Hamzavi I, Lan C, Goh B, Anbar T, de Castro CS, Lee A, Parsad D, van Geel N, Le Poole I, Oiso N, Benzekri L, Spritz R, Gauthier Y, Hann S, Picardo M, Taieb A; On behalf of the Vitiligo Global Issue Consensus Conference panelists	Revised classification/nomenclature of vitiligo and related issues: the Vitiligo Global Issues Consensus Conference.	Pigment Cell Melanoma Res.	25(3)	E1-13	2012
Fujita M, Oiso N, Kawada A.	Reed nevus (pigmented spindle cell nevus) in an 11-month-old Japanese infant.	J Cosmet Dermatol Sci Appl	vol 2	239-240	2012
Funasaka Y, Abdel-Daim M, Kawana S, Nishigori C	Effect of chemical peeling on the skin in relation to UV irradiation.	Exp Dermatol	21 Suppl1	31-35	2012
Hirao A, Oiso N, Hama M, Higashimori N, Tatsumi Y, Kawada A.	Allergic contact dermatitis from diethyl sebacate in a topical antimycotic medicament.	J Cosmet Dermatol Sci Appl	vol 2	216-218	2012
Itoi S, Tanemura A, Nishioka M, Sakimoto K, Iimuro E, Katayama I.	Evaluation of the clinical safety and efficacy of a newly developed 308-nm excimer lamp for vitiligo vulgaris.	J Dermatol.	39(6)	559-61	2012
Kanayama Y, Tsuruta D, Tateishi C, Hasegawa Y, Amo K, Fukai K, Kobayashi H, Ishii M.	Two cases of infantile linear immunoglobulin A/immunoglobulin G bullous dermatosis.	J Dermatol	39(2)	176-8	2012
Kantaputra PN, Chinadet W, Ohazama A, Kono M.	Dyschromatosis symmetrica hereditaria with long hair on the forearms, hypo/hyperpigmented hair, and dental anomalies: report of a novel ADAR1 mutation.	Am J Med Genet	vol 158A	2258-2265	2012
Kawada A, Wada T, Oiso N.	Clinical effectiveness of once-daily levofloxacin for inflammatory acne with high concentrations in the lesions.	J Dermatol	vol 39	94-96	2012

Kawaguchi M, Hayashi M, Murata I, Hozumi Y, Suzuki N, Ishii Y, Wataya-Kaneda M, Funasaka Y, Kawakami T, Fukai K, Ochiai T, Nishigori C, Mitsuhashi Y, Suzuki T	Eleven novel mutations of the ADAR1 gene in dyschromatosis symmetrica hereditaria.	J Dermatol Sci	66	244-245	2012
Kawaguchi M, Valencia JC, Namiki T, Suzuki T, Hearing VJ.	Diacylglycerol kinase regulates tyrosinase expression and function in human melanocytes	J Invest Dermatol	vol 132	2791-2799	2012
Kawakami T, Soma Y	Tyrosinase-related protein1 in mouse melanocytes at early embryonic stage.	J Dermatol Sci	67 (3)	194-196	2012
Kono M, Akiyama M, Kondo T, Suzuki T, Suganuma M, Wataya-Kaneda M, Lam J, Shibaki A, Tomita Y.	Four novel ADAR1 gene mutations in patients with dyschromatosis symmetrica hereditaria.	J Dermatol	vol 39	819-821	2012
Kono M, Kondo T, Ito S, Suzuki T, Wakamatsu K, Ito S, and Tomita Y.	Oculocutaneous albinism 1 minimal pigment type: A case report on the analysis of genotype of an OCA1MP patient.	Br J Dermatol	vol 166	896-898	2012
Kono M, Kondo T, Ito S, Suzuki T, Wakamatsu K, Ito S, Tomita Y.	Genotype analysis in a patient with oculocutaneous albinism 1 minimal pigment type.	Br J Dermatol	vol 166	896-898	2012
Kotobuki Y, Tanemura A, Yang L, Itoi S, Wataya-Kaneda M, Murota H, Fujimoto M, Serada S, Naka T, Katayama I.	Dysregulation of melanocyte function by Th17-related cytokines: significance of Th17 cell infiltration in autoimmune vitiligo vulgaris.	Pigment Cell Melanoma Res.	25(2)	219-30	2012
Matsuda H, Oiso N, Fujita Y, Ikegami H, Kawada A.	Scleredema diabeticorum in a patient with the normal range of the hemoglobin A1c level and impaired glucose tolerance.	J Cosmet Dermatol Sci Appl	vol 2	141-143	2012
Matsumoto Y, Mitsuhashi Y, Monma F, Kawaguchi M, Suzuki T, Miyabe C, Igarashi A, Tsuboi R.	Nephrogenic systemic fibrosis: a case report and review on Japanese patients.	J Dermatol	vol 39	449-453	2012
Miyake M, Oiso N, Kawada A.	Dermoscopic appearances in the superficial and deep type of infantile hemangioma.	J Cosmet Dermatol Sci Appl	vol 2	212-213	2012

Miyake M, Oiso N, Kawada A.	Occupational contact dermatitis in hairdressers.	Acta Med Kinki Univ	vol 37	77-80	2012
Morita R, Oiso N, Kawada A.	Concomitant occurrence of segmental neurofibromatosis and lung adenocarcinoma.	J Cosmet Dermatol Sci Appl	vol 2	265-266	2012
Nakano S, Oiso N, Kawada A.	Coexisting pustular and ulcerative pyoderma gangrenosum.	Eur J Dermatol	vol 22	153-154	2012
Nakayama T, Highchi T, Oiso N, Kawada A, Yoshie O.	Expression and function of FRA2/JUND in cutaneous T-cell lymphomas.	Anticancer Res	vol 32	1367-1374	2012
Oiso N	Allergic examination for Biodefense.	J Bioterr Biodef	vol 3	1000e108	2012
Oiso N	Biosafety for global society.	Biosafety	vol 1	1000e114	2012
Oiso N	Biosafety for targeted therapy.	Biosafety	vol 1	1000e127	2012
Oiso N*, Kawada A* (*co-first authors)	Pigmentary mosaicism and specific forms of phylloid hypo- and hypermelanosis.	World J Dermatol	vol 1	6-9	2012
Oiso N, Kawada A.	Cervical auricles in a family.	Eur J Dermatol	vol 22	395-396	2012
Oiso N, Kawada A.	Erythema dyschroicum perstans showing an ash-colored hyperpigmented lesion and an adjacent incompletely hypopigmented lesion surrounded by an erythematous border: a boundary spectrum to annular lichenoid dermatitis of youth?	Eur J Dermatol	vol 22	793-734	2012
Oiso N, Kawada A.	Freckling promoted by topical tacalcitol in a Japanese boy with left eyelid vitiligo.	Pediatr Dermatol	vol 29	71-672	2012
Oiso N, Kawada A.	House cat scratching-induced linear vitiligo as Köbner phenomena.	J Dermatol	vol 39	798-799	2012

Oiso N, Kawada A.	Renbök phenomenon in a patient with alopecia areata universalis and psoriasis.	J Dermatol	vol 39	288-289	2012
Oiso N, Kawada A.	Unusual exophytic inclusion warts as a cutaneous horn on the dorsum of the hand.	Eur J Dermatol	vol 22	152-153	2012
Oiso N, Kimura M, Itoh T, Kawada A.	Variant of linear atrophoderma of Moulin: Hyper- and hypopigmented linear atrophoderma with aberrant area cutanea and lentiginosis following the lines of Blaschko.	J Dermatol	vol 39	1097-1099	2012
Oiso N, Kimura M, Tanemura A, Tsuruta D, Itoh T, Suzuki T, Katayama I, Kawada A.	Blaschkitis-like eruptions with hypodontia and low IκB kinase gamma expression.	J Dermatol	vol 39	941-943	2012
Oiso N, Kurokawa I, Kawada A.	Nail isthmus: a distinct region of the nail apparatus.	Dermatol Res Pract	vol 2012	925023 (3 pages)	2012
Oiso N, Morotomi T, Tanabe F, Isogai N, Tatsumi T, Kawada A.	Dermoscopic assessment for a brushing treatment for a patient pelted with metal fragments in an industrial explosion.	J Dermatol	vol 39	1104-1105	2012
Oiso N, Murata I, Hayashi M, Amatsu A, Yoshida M, Suzuki T, and Kawada A	Dermoscopic features of dyschromosis symmetrica hereditaria.	J Dermatol	vol 38	91-93	2012
Oiso N, Tatsumi Y, Arao T, Rai S, Kimura M, Nakamura S, Itoh T, Nishio K, Matsumura I, Kawada A.	Loss of genomic DNA copy numbers in the p18, p16, p27 and RB loci in blastic plasmacytoid dendritic cell neoplasm.	Eur J Dermatol	vol 22	393-394	2012
Oiso N, Tsuruta D, Imanishi H, Kobayashi H, Kawada A.	Erythema dyschromicum perstans in a Japanese child.	Pediatr Dermatol	vol 29	637-640	2012
Oshimo T, Fukai K, Abe Y, Hozumi Y, Yokoi T, Tanaka A, Yamanishi K, Ishii M, Suzuki T.	Pediatric case report: Clinical profile of a patient with PCWH with p.Q377X nonsense mutation in the SOX10 gene.	J Dermatol	40(5)	1022-5	2012
Rice GI, Kawaguchi M, Suzuki T, Crow YJ et al.	Mutations in ADAR1 cause Aicardi-Goutières syndrome associated with a type I interferon signature.	Nat Genet	vol 44	1243-1248	2012

Sakaguchi M, Oka M, Iwasaki T, Fukami Y, Nishigori C	Role and regulation of STAT3 phosphorylation at Ser727 in melanocytes and melanoma cells.	J Invest Dermatol	132(7)	1877-1885	2012
Sakamoto S, Oiso N, Emoto M, Uchida S, Hirao A, Tatsumi Y, Matsumura I, Kawada A.	Cellulitis with leukocytopenia as an initial sign of acute promyelocytic leukemia.	Case Rep Dermatol	vol 4	47-49	2012
Shimanuki M, Takeda K, Kawaguchi M, Suzuki T, Shibahara S.	Lipocalin-type prostaglandin D synthase as a marker for the proliferative potential of melanocyte-lineage cells in the human skin.	J Dermatol	vol 39	699-704	2012
Sugiura K, Takeichi T, Kono M, Ito Y, Ogawa Y, Muro Y, Akiyama M.	Severe Chilblain Lupus Is Associated with Heterozygous Missense Mutations of Catalytic Amino Acids or their Adjacent Mutations in the Exonuclease Domains of 3'-Repair Exonuclease 1.	J Invest Dermatol	132(12)	2855-57	2012
Sugiura K, Takeichi T, Kono M, Ogawa Y, Shimoyama Y, Muro Y, Akiyama M.	A novel IL36RN/IL1F5 homozygous nonsense mutation, p.Arg10X, in a Japanese patient with adult-onset generalized pustular psoriasis.	Br J Dermatol	vol 167	699-701	2012
Sunohara M, Ozawa T, Morimoto K, Harada T, Ishii M, Fukai K.	Dye laserphotodynamic therapy for Bowen's disease in a patient with epidermodysplasiaverruciformis.	Osaka City Med J.	58(2)	77-82	2012
Takeda M, Okamoto I, Tsurutani J, Oiso N, Kawada A, Nakagawa K.	Clinical impact of switching to a second EGFR-TKI after a severe AE related to a first EGFR-TKI in EGFR-mutated NSCLC.	Jpn J Clin Oncol	vol 42	528-533	2012
Tanemura A, Kotobuki Y, Itoi S, Takata T, Sano S, Katayama I.	Positive link between STAT3 activation and Th17 cell infiltration to the lesional skin in vitiligo vulgaris.	J Dermatol Sci.	67(3)	207-9	2012
Tanemura A, Nakano M, Iwasaki T, Yokomi A, Arase N, Wataya-Kaneda M, Miyazaki M, Yakushijin T, Takehara T, Katayama I.	An extremely rare case of Merkel cell carcinoma metastasized to the duodenum.	Eur J Dermatol.	22(4)	568-70	2012

Tanemura A, Takahashi A, Ueki Y, Murota H, Yamaguchi Y, Katayama I.	Therapeutic comparison between sun irradiation vs. narrowband UVB phototherapy along with concomitant topical tacalcitol for vitiligo vulgaris	JCDSA.	vol 2	88-91	2012
Tanemura A, Yajima T, Nakano M, Nishioka M, Itoi S, Kotobuki Y, Higashiyama M, Katayama I.	Seven cases of vitiligo complicated by atopic dermatitis: suggestive new spectrum of autoimmune vitiligo.	Eur J Dermatol.	22(2)	279-80	2012
Terao M, Tanemura A, Katayama I.	Vitiligo exacerbated after herpes zoster.	J Dermatol.	39(11)	938-9	2012
Uchida S, Oiso N, Suzuki T, Kawada A.	Dermoscopic features of hyperpigmented dots in crista cutis in two siblings in a Japanese family with inherited acanthosis nigricans.	J Cosmet Dermatol Sci Appl	vol. 2	252-253	2012
Wada T, Kawada A, Hirao A, Sasaya H, Oiso N.	Efficacy and safety of a low-energy double-pass 1450-nm diode laser for the treatment of acne scars.	Photomed Laser Surg	vol 30	107-111	2012
Wataya-Kaneda M, Tanaka M, Nakamura A, Matsumoto S, Katayama I.	A novel application of topical rapamycin formulation, an inhibitor of mTOR, for patients with hypomelanotic macules in tuberous sclerosis complex.	Arch Dermatol.	148(1)	138-9	2012
Yajima I, Kumasaka YM, Naito Y, Yoshikawa T, Takahashi H, Funasaka Y, Suzuki T and Kato M.	Reduced GNG2 expression levels in mouse malignant melanomas and human melanoma cell lines.	Am J Can Res	vol 2	322-329	2012
Yamamoto T, Nakano Goto S, Abe S, Kirii E, Yamashita H.	Difluprednate ophthalmic emulsion 0.05% as adjunctive treatment to panretinal photocoagulation for proliferative diabetic retinopathy with clinically significant macular edema.	Retinal Cases & Brief Reports	6(3)	228-231	2012

Yogianti F, Kunisada M, Ono R, Sakumi K, Nakabeppu Y, Nishigori C	Skin Tumours Induced by Narrowband UVB Have Higher Frequency of p53 Mutations than Tumours Induced by Broadband UVB Independent of Ogg1 Genotype.	Mutagenesis	27(6)	637-643	2012
Abe Y, Tamiya G, Nakamura T, Hozumi Y, Suzuki T	Association of melanogenesis genes with skin color variation among Japanese females.	J Dermatol Sci	vol 69	167-172	2013
Arase N, Wataya-Kaneda M, Oiso N, Arase H, Katayama I	CD1a-positive familial cutaneous mastocytosis without germ-line or somatic mutations in c-kit.	Br J Dermatol	169(1)	201-204	2013
Chiba Y, Mizoguchi I, Mitobe K, Higuchi K, Nagai H, Nishigori C, Mizuguchi J, Yoshimoto T	IL-27 enhances the expression of TRAIL and TLR3 in human melanomas and inhibits their tumor growth in cooperation with a TLR3 agonist poly(I:C) partly in a TRAIL-dependent manner.	PLoS One	8(10)	e76159	2013
Darcy A. Krueger MD PhDa,*, Hope Northrup MD ^b , on behalf of the International Tuberous Sclerosis Complex Consensus Group M Wataya-Kaneda et al.	Tuberous Sclerosis Complex Surveillance and Management: Recommendations of the 2012 International Tuberous Sclerosis Complex Consensus Conference	Pediatric Neurology	49	255-265	2013
Endo H, Oiso N, Kawada A.	Early pulsed dye laser treatment for infantile hemangiomas: an open study for 50 Japanese infancies.	J Cosmet Dermatol Sci	3(3)	216-221	2013
Fumimori T, Tsuruta D, Kawakami T, Ohata C, Furumura M, Hashimoto T.	The effect of monochromatic excimer light on palmoplantar pustulosis: A clinical study performed in a private clinic by a dermatological specialist.	J Dermatol	in press		2013
Hama M, Oiso N, Kawada A	Ulcerated hydradenoma papilliferum.	Int J Dermatol	52(2)	198-199	2013
Hayashi M, Suzuki T	Dyschromatosis symmetrica hereditaria. (review article)	J Dermatol	vol 40	336-343	2013

Imoto K, Nadem C, Moriwaki SI, Nishigori C, Oh KS, Khan SG, Goldstein AM, Kraemer KH	Ancient origin of a Japanese xeroderma pigmentosum founder mutation.	J Dermatol Sci	69(2)	175-176	2013
Itoi S, Tanemura A, Kotobuki Y, Wataya-Kaneda M, Tsuruta D, Ishii M, Katayama I	Coexistence of Langerhans cells activation and immune cells infiltration in progressive nonsegmental vitiligo.	J DermatolSci	73(1)	83-85	2013
Kawada A, Matsuda H, Oiso N	Efficacy and safety of targeted narrowband ultraviolet B therapy using a flat-type fluorescent lamp for the treatment of palmoplantar pustulosis.	J Dermatol	40(9)	754-755	2013
Kawaguchi M, Suzuki T	Gene expression and in situ localization of ADAM17 during skin wound healing.	Int J Dermatol		PMID: 23834487	2013
Kawakami T, Otaguchi R, Kyoya M, Soma Y, Suzuki T	Patient with dyschromatosis symmetrica hereditaria treated with miniature punch grafting, followed by excimer light therapy.	J Dermatol	vol 40	771-772	2013
Kawakami T, Otaguchi R, Kyoya M, Soma Y, Suzuki T	A patient with dyschromatosis symmetrica hereditaria treated with mini punch grafting, followed by excimer light therapy.	J Dermatol.	40(9)	771-772	2013
Kono M, Akiyama M, Suganuma M, Sanchez-Valle A, Tomita Y	Dyschromatosis symmetrica hereditaria by ADAR1 mutations and viral encephalitis: a hidden link?	Int J Dermatol	52	1582-4	2013
Kono M, Sugiura K, Suganuma M, Hayashi M, Takama H, Suzuki T, Matsunaga K, Tomita Y, Akiyama M	Whole-exome sequencing identifies ADAM10 mutations as a cause of reticulate acropigmentation of Kitamura, a clinical entity distinct from Dowling-Degos disease.	Hum Mol Genet	vol 22	3524-33	2013
Kunisada M, Masaki T, Ono R, Morinaga H, Nakano E, Yogi F, Okunishi K, Sugiyama H, Nishigori C	Hydrochlorothiazide enhances UVA-induced DNA damage.	Photochem Photobiol	89(3)	649-654	2013

Makino T, Yanagihara M, Oiso N, Mizawa M, Shimizu T	Repigmentation of the epidermis around the acrosyringium in piebald skin: an ultrastructural examination.	Br J Dermatol	168(4)	910-912	2013
Mari Wataya-Kaneda1, Mari Tanaka1, Toshimitsu Hamasaki, Ichiro Katayama	Trends in the Prevalence of Tuberous Sclerosis Complex Manifestations: An Epidemiological Study of 166 Japanese Patients	PLOS ONE	vol 8 issue5	e63910	2013
Miyake M, Oiso N, Yoshinaga E, Kawada A	Fixed drug eruption due to garenoxacin mesilate hydrate.	Eur J Dermatol	23(1)	111-112	2013
Mori M, Sugiura M, Kono M, Matsumoto T, Sawada M, Yokota K, Yasue S, Shibata S, Sakakibara A, Nakamura S, Tomita Y, Akiyama M	Clinico-pathologic analysis of 66 Japanese thin melanomas with metastasis of sentinel or regional lymph node.	J CutanPathol	40	1027-34	2013
Naoki Oiso, Tamio Suzuki, Mari Wataya-Kaneda, Atsusi Tanemura, Miki Tanioa Ichiro Katayama	Guidelines for the diagnosis and treatment of vitiligo in Japan	Journal of Dermatology	40	344-354	2013
Nikaido M, Yamada M, Konno T, Hara K, Yamamoto T, Suzuki T	Agminated pigmented matricoma: a case of a unique tumor with a multifocal appearance composed of neoplastic matrical cells with a significant component of melanocyte.	J Cutan Pathol	vol 40	823-828	2013
Oiso N*, Tanemura A* (*co-first authors), Kotobuki Y, Kimura M, Katayama I, Kawada A	Role of macrophage infiltration in successful repigmentation in a new periphery-spreading vitiligo lesion in a male Japanese patient.	J Dermatol	40(11)	915-918	2013
Oiso N, Fukai K, Kawada A, Suzuki T	Piebaldism	J Dermatol	40(5)	330-335	2013
Oiso N, Kawada A	Biosafety for management of skin eruptions caused by telaprevir in hepatitis C virus genotype 1a-infected patients.	Biosafety	2(2)	e137	2013

Oiso N, Kawada A	Erythema dyschromicum perstans with both a macular lesion and a linear lesion following the line of Blaschko.	J Dermatol	40(2)	127-128	2013
Oiso N, Kurokawa I, Kimura M, Tsubura A, Kawada A	Porokeratotic eccrine ostial and dermal duct naevus and aberrantly regulated keratinization.	Acta Derm Venereol	93(4)	489-490	2013
Oiso N, Matsuda H, Kawada A	Cutis tricolor of pure cutaneous trait as leukoderma and nevus spilus.	J Dermatol	40(6)	490-491	2013
Oiso N, Matsuda H, Kawada A	Eruptive vellus hair cysts of the labia majora: detection of openings of the cysts to the epidermis by dermoscopy.	Eur J Dermatol	23(3)	417-418	2013
Oiso N, Matsuda H, Kawada A	Various colour gradations as a dermatoscopic feature of cutaneous angiosarcoma of the scalp.	Australas J Dermatol	54(1)	36-38	2013
Oiso N, Narita T, Kawada A	Diagnostic usefulness of ultrasonography for plantar angioleiomyoma.	Eur J Dermatol	23(4)	568-570	2013
Oiso N, Sato M, Kawada A	Vitiligo after combination therapy of pegylated interferon- α -2a, ribavirin and vitamin D in a patient with chronic hepatitis C.	J Dermatol	40(9)	772-773	2013
Okamura K, Munkhbat B, Batchimeg B, Tamiya G, Hozumi Y, Suzuki T	Case of a Mongolian child with extensive Mongolian spots in mucopolysaccharidosis type VI: Identification of a novel mutation in the arylsulfatase B gene.	J Dermatol	vol 40	758-759	2013
Okita M, Nakanishi G, Fujimoto N, Shiomi M, Yamada T, Wataya-Kaneda M, Takijiri C, Yokoyama Y, Sunohara A, Tanaka T.	NEMO gene rearrangement (exon 4-10 deletion) and genotype-phenotype relationship in Japanese patients with incontinentia pigmenti and review of published work in Japanese patients.	J Dermatol	40(4)	272-6	2013

Ono R, Fukunaga A, Masaki T, Yu X, Yodoi J, Nishigori C	Suppressive effect of administration of recombinant human thioredoxin on cutaneous inflammation caused by UV.	Bioengineered	4(4)	254-257(A ddenda)	2013
Ono R, Masaki T, Takeuchi S, Shimizu A, Tanioka M, Kambe N, Matsue H, Kamide R, Nishigori C	Three school-age cases of xeroderma pigmentosum variant type.	Photodermatol Photoimmunol Photomed	29(3)	132-139	2013
Saito A, Kuratomi G, Ito C, Matsuoka H, Suzuki T, Ozeki Y, Watanabe T, Fujii K, Shimoda K, Fukushima Y, Inukai T, Ohmori K, Akiyama K	An association study of the Hermansky-Pudlak syndrome type 4 gene in schizophrenia patients.	Psychiatric Genetics	vol 234	163-173	2013
Sakamoto S, Kawada A, Oiso N. S	Successful treatment of psoriasis with interrupted adalimumab use: a case report.	J Dermatol	40(6)	477-478	2013
Sugiura K, Takemoto A, Yamaguchi M, Takahashi H, Shoda Y, Mitsuma T, Tsuda K, Nishida E, Togawa Y, Nakajima K, Sakakibara A, Kawachi	The Majority of Generalized Pustular Psoriasis without Psoriasis Vulgaris Is Caused by Deficiency of Interleukin-36 Receptor Antagonist.	J Invest Dermatol	133	2514-21	2013
Taguchi K, Fukunaga A, Ogura K, Nishigori C	The Role of Epidermal Langerhans Cells in NB-UVB-Induced Immunosuppression.	Kobe J Med Sci	59(1)	E1-9	2013
Takata T, Tarutani M, Sano S	A failure in endothelin-1 production from vitiligo keratinocytes in response to ultraviolet B irradiation.	J DermatolSci	71	210-212	2013
Takeichi T, Sugiura K, Arai H, Ishii K, Kono M, Akiyama M	Sporadic VACTERL association in a Japanese family of Sjögren-Larsson syndrome with ALDH3A2 heterozygous mutations.	ActaDermato- Venereol	93	579-580	2013
Takeichi T, Sugiura K, Matsuda K, Kono M, Akiyama M	Novel ABCA12 splice site deletion mutation and ABCA12 mRNA analysis of pulled hair samples in harlequin ichthyosis.	J DermatolSci	69	259-61	2013

Tanaka M, Wataya-Kaneda M, Nakamura A, Matsumoto S, Katayama I.	First left-right comparative study of topical rapamycin versus vehicle for facial angiofibromas in patients with tuberous sclerosis complex.	Br J Dermatol	169	314-1318	2013
Tanemura A*, Oiso N* (*co-first authors), Mayuko Nakano M, Itoi S, Akira Kawada A, Ichiro Katayama I	Alopecia areata: infiltration of Th17 cells in the dermis, particularly around the hair follicles.	Dermatology	226(4)	333-336	2013
Tian H, Matsuo Y, Fukunaga A, Ono R, Nishigori C, Yodoi J	Thioredoxin ameliorates cutaneous inflammation by regulating the epithelial production and release of pro-inflammatory cytokines.	Front Immunol	4	Article269	2013
Yukako MURAKAMI, Mari WATAYA-KANEDA, Mari TANAKA, Ichiro KATAYAMA	A case of tuberous sclerosis complex complicated by segmental neurofibromatosis type 1	Journal of Dermatology	2013	413-414	2013
Hashimoto N, Tanemura A, Yamada M, Itoi S, Katayama I	Hepatitis C-related mix type vitiligo in a patient with Ivemark syndrome.	J Dermatol	in press		2014
Fujiwara S, Nagai H, Shimoura N, Oniki S, Yoshimoto T, Nishigori C	Intratumoral CD4 ⁺ T lymphodepletion sensitizes poorly immunogenic melanomas to immunotherapy with an OX40 agonist.	J Invest Dermatol	in press		
Kono M, Suganuma M, Ito Y, Ujiie H, Morimoto K, Akiyama M	Novel ADAR1 mutations including single amino acid deletion in the deaminase domain underly dyschromatosis symmetrica hereditaria in Japanese families	Int J Dermatol	in press		
Makita S, Kono M, Yamada M, Suzuki N, Karasawa T, Tanahashi C, Akiyama M.	Spindle cell angiosarcoma almost exclusively made up of spindle cells.	Eur J Dermatol	in press		
Araki Y, Ishii Y, Abe Y, Yoshizawa J, Okamoto F, Hozumi Y, Suzuki T	Hermansky-Pudlak Syndrome Type 4 with a novel mutation.	J Dermatol	in press		
Hane H, Yokota K, Kono M, Muro Y, Akiyama M.	Extraordinarily large, giant spider angioma in an alcoholic cirrhotic patient.	Int J Dermatol	in press		

Joyce Teng ¹ MD PhD, Edward W. Cowen ² MD MHSc, Mari Wataya-Kaneda ³ MD PhD, Elizabeth S. Gosnell ⁴ DMD, Patricia M. Witman ⁵ MD, Adelaide Herbert ⁶ MD, Greg Mlynarczyk ⁷ DDS, Keyoumars Soltani ⁸ MD, and Thomas N. Darling ⁹ MD PhD	Dermatologic and Dental Aspects of the 2012 International Tuberous Sclerosis Complex Consensus Statement	Archives of Dermatology	in press		
Kawaguchi M, Suzuki T	ADAM17 is involved in the regulation of chemokine expression in keratinocytes.	Int J Dermatol	in press		
Montoliu L, Grønskov K, Wei AH, Martínez-García M, Fernández A, Arveiler B, Morice-Picard F, Riazuddin S, Suzuki T, Ahmed ZM, Rosenberg T, Li W	Increasing the complexity: new genes and new types of albinism.	Pigment Cell Melanoma Res	in press		
Oiso N, Itoh T, Miyake M, Satou T, Kawada A.	Cutaneous lymphangioma circumscriptum with marked blood presence: histopathologic evaluation of the endothelial cells.	Eur J Dermatol	in press		
Oiso N, Kawada A	Acral melanocytic nevus of the sole with the parallel ridge pattern.	Eur J Dermatol	in press		
Oiso N, Kawada A	Idiopathic eruptive macular pigmentation following a Christmas tree pattern	J Dermatol	40(11)	934-935	
Oiso N, Matsuda H, Kawada A	Biopsy-proven pigmented poroma with no vascular structure in dermoscopy.	Int Dermatol	in press.		
Sawada M, Yokota K, Matsumoto T, Shibata S, Yasue S, Sakakibara A, Kono M, Akiyama M.	Proposed classification of longitudinal melanonychia based on clinical and dermoscopic criteria.	Int J Dermatol	in press		
Sugiura K, Oiso N, Kawada A, Akiyama M.	Six-year-old boy with palmoplantar keratoderma with ichthyosis.	J Am Acad Dermatol	in press		

Takeuchi S, Abe Y, Yamada T, Kawano S, Hozumi Y, Ito S, Suzuki T, Nishigori C	A case of Hermansky-Pudlak syndrome 1 (HPS1) patient with milder symptoms in Japanese.	J Dermatol	in press		
Uchida S, Oiso N, Matsunaga K, Kawada A.	Patch test reaction to p-phenylenediamine can persist for more than 1 month.	Contact Dermatitis	69(12)	382-383	
Yukako MURAKAMI1, MD; Mari WATAYA-KANEDA1, MD, PhD; Mari TANAKA1, MD; Aya TAKAHASHI1, MD; Akira TSUJIMURA2, MD, PhD; Koji INOUE3, MD, PhD; Norio NONOMURA2, MD, PhD; Ichiro KATAYAMA1, MD, PhD	Two Japanese Cases of Birt-Hogg-Dube syndrome with Pulmonary Cysts, Fibrofolliculomas and Renal Cell Carcinoma	Case Reports in Dermatolog	in press		
浅井克則、豊田真吾、早川航一、藤本康倫、岩本文徳、若山暁、金田眞理、旗持淳、吉峰俊樹	内頸動脈海面動脈洞瘻で発症し頸動脈コイル塞栓術後に出血性合併症を繰り返した血管型 Ehlers-Danlos 症候群の1例	Journal of Neuroendovascular therapy	vol7 No2		2013
片山一朗、金田眞理	老年病・認知症 9 皮膚	(予防とつきあい方シリーズ) 老年病・認知症	2013	191-196	2013
金田眞理	結節性硬化症皮膚病変に対するラパマイシン外用療法	臨床皮膚科	vol 67 No5	162-164	2013
稲垣理佐子、青島明子、藤田由美子、鷺山愛、浅野麻衣、根岸貴志、佐藤美保、堀田喜裕	浜松医大における視覚障害をもつ乳幼児に対する早期療育相談	眼臨紀	4(10)	945-947	2012
錦織千佳子	.有棘細胞癌(日光角化症・Bowen病)有棘細胞癌の危険因子 生活習慣と環境因子	日本臨牀 皮膚悪性腫瘍 基礎と臨床の最新研究動向	71 増刊号 4	436-440	2013
錦織千佳子	V.基底細胞癌 危険因子: 生活習慣と環境因子・宿主因子	日本臨牀 皮膚悪性腫瘍 基礎と臨床の最新研究動向	71 増刊号 4	582-586	2013
錦織千佳子	紫外線と美容・老化	Visual Dermatology	12(6)	623-627	2013

錦織千佳子	紫外線発癌の機序とその 予防（前編）	日本医事新報	No.4595	67-70	2012
錦織千佳子	紫外線発癌の機序とその 予防（後編）	日本医事新報	No.4599	67-70	2012
錦織千佳子	しわは生活習慣から!?	健康ぶらざ（日 医ニュース 第 1220号）	No.367		2012
種村 篤、高橋 彩、上 木裕理子、山中隆嗣、室 田浩之、片山一朗、山口 裕史	尋常性白斑に対する活性 型ビタミン D3 外用と紫外 線照射併用療法の有効性 についての検討	皮膚の科学	vol 10	485-493	2012
種村 篤、壽 順久、片 山一朗	尋常性白斑の病態 update	Aesthetic Dermatology.	vol 22	11-17	2012
小野竜輔、錦織千佳子	色素性乾皮症に合併する 顔面の皮膚腫瘍	MB Derma	vol 199	1-6	2012
西村栄美	色素幹細胞とそのニッ チ：毛包幹細胞の新しい役 割	細胞工学	Vol.32 No.10	p1038—1 041	2013
西村栄美	がんの不均一性とメラノ ーム幹細胞	日本臨床	増刊号 皮膚悪性 腫瘍	p116—12 1	2013
西村栄美	毛包幹細胞による色素幹 細胞の維持制御	加齢皮膚医学 セミナー	第 8 巻	p7—10	2013
石橋淳子、鈴木高子、吉 永英司、大磯直毅、川原 繁、川田 暁、橋本 隆	線状 IgA 水疱症の 1 例	皮膚科の臨床	vol 54	91-94	2012
川口雅一・鈴木民夫	遺伝性色素異常症のスキ ルアップ 「診断のポイント と最新の知見」	MB Derma	203	79-84	2013
大磯直毅	皮膚科日常診療レベルア ップエッセンス 章 治 療 15. 尋常性白斑	皮膚科の臨床	55(11)(増)	in press	2013
大磯直毅	新・皮膚科セミナリウム 色素異常症の診断と治療 2 尋常性白斑	日皮会誌	123(9)	1765-1772	2013
大磯直毅	臨床医にとっての研究 基礎研究的手法を用いた 色素異常症の病態解析	日皮会誌		in press	
大磯直毅	わかりやすい色素異常症 尋常性白斑研究と臨床的 意義	日皮会誌		in press	

大磯直毅	【白斑を知る】 脱色素性母斑と pigmentary mosaicism の病態	日本美容皮膚科学会雑誌	vol 22	18-24	2012
大磯直毅	【疣贅治療 now】活性型ビタミン D3 軟膏を用いた疣贅治療	MB derma	vol 193	47-51	2012
大磯直毅	色素異常症の診断と治療 尋常性白斑研究最前線	日皮会誌	vol 122	3147-3149	2012
大磯直毅	ダーモスコピー：アドバンストコース 血管病変のみかた	日皮会誌	vol 122	3511-3513	2012
竹内聖二、錦織千佳子	先天性光線過敏症の概説と最新の知見	MB Derma	191	7-14	2012
竹内聖二、中野英司、山下大介、井川健、森田明理、苅田典生、錦織千佳子	軽症型 A 群色素性乾皮症の 1 例	小児皮膚科		印刷中	
中川恵子、芳賀恒夫、布施恵理、川上民裕、相馬良直	14 トリソミーが見出された Linear and Whorled Nevroid Hypermelanosis の 1 例	皮膚科の臨床	vol 54	999-1002	2012
中野英司、錦織千佳子	光老化のモデルとしての色素性乾皮症	医学のあゆみ			印刷中
鶴原昭史、齊藤三佳、新宅治夫、深井和吉	目で見る小児科 点状軟骨異形成症の 1 例	小児科	53(3)	273-274	2012
片山一朗	尋常性白斑の診断と治療の現状と展望	日本美容皮膚科学会雑誌	22	1-10	2012
野村隆仁、佐藤美保、細野克博、彦谷明子、根岸貴志、澤田麻友、堀田喜裕	眼白子症が疑われた姉妹例	眼臨紀	5(4)	367-372	2012
鈴木民夫、金田眞理、種村 篤、谷岡未樹、藤本智子、深井和吉、大磯直毅、川上民裕、塚本克彦、山口裕史、佐野栄紀、三橋善比古、錦織千佳子、森田明理、中川秀巳、溝口昌子、片山一朗	尋常性白斑診療ガイドライン	日皮会誌	122	1725-40	2012

鈴木加余子、松永佳世子、 矢上晶子、足立厚子、伊 藤政俊、乾 重樹、宇宿 一成、海老原 全、大磯 直毅、岡 恵子、河合敬 一、鹿庭正昭、関東裕美、 佐々木和美、杉浦真理子、 杉山真理子、大迫順子、 高山かおる、角田孝彦、 尾藤利憲、中田土起丈、 西岡和恵、堀川達弥、横 関博雄	ジャパニーズスタンダー ドアレルギー (1994) の 2005 年度 ~ 2007 年度陽性 率とジャパニーズスタン ダードアレルギー (2008) の 2009 年度陽性率	J Environ Dermatol Cutan Allergol	vol 6	67-84	2012
鈴木民夫、林 昌浩	新・皮膚科セミナーウム色 素異常症の診断と治療 遺伝性対側性色素異常症	日本皮膚科学 会誌	123 巻	1757-1763	2013
高田智也、佐野栄紀	白斑に対する 1mm ミニグ ラフト：採皮部への術前 紫外線照射の有効性につ いて	MB Derma	203	85-88	2013