

〔IV〕

研究成果の刊行に関する一覧表

研究成果の刊行に関する一覧表

書籍

著者氏名	論文タイトル名	書籍全体の 編集者名	書籍名	出版社名	出版地	出版年	ページ
Ogi T, Nakazawa Y, Sasaki K, Guo C, Yoshiura K, Utani A, Nagayama Y.	Molecular cloning and characterisation of UVSSA, the responsible gene for UV-sensitive syndrome	公益社団 法人日本 生化学会	Journal of Biochemistry		Tokyo	2013	85: 133-144
吉浦孝一郎	遺伝性疾患におけるエクソーム解析の有用性と近将来。	松本直通	医学の歩み	医師薬出版株式会社	東京	2013	245: 363-368
黒滝直弘, 小野慎二, 小澤寛樹, 吉浦孝一郎	発作性運動誘発性 舞踏アテトーゼの 分子メカニズム。		神経内科	化学評論 社	東京	2013	79: 718-725
齋藤伸治	Prader-Willi 症候群 と Angelman 症候群	佐々木裕 之	エピジェネティクスと病気 (遺伝子医学 MOOK 25)	メディカルドウ	東京	2013	189-94.
森崎裕子、 森崎隆幸	遺伝性大動脈疾患 の診断	高本眞一	大動脈外科の 要点と盲点	文光堂	東京	2013	53-58
森崎裕子、 森崎隆幸	大動脈疾患による 遺伝子異常	山口徹 他	Annual Review 循環器 2012	中外医学 社	東京	2012	240-246
森崎裕子	ロイス・ディーツ症 候群	遠藤文夫	先天代謝異常 症候群	日本臨床 社	大阪	2012	731-735
Kosho T, Mizumoto S, Sugahara K	Carbohydrate (N-acetylgalactosami ne 4-O) sulfotransferase 14 (CHST14)	Taniguchi N, Honke K, Fukuda M, Narimatsu H, Yamaguchi Y, Angata T	Handbook of glycosyltransfer ases and related genes	Springer		In press	

Kosho T	Discovery and delineation of dermatan 4-O-sulfotransferase-1 (D4ST1)-deficient Ehlers-Danlos syndrome	Oiso N, Kawada A	Current Genetics in Dermatology	InTech	Croatia	2013	73-86
古庄知己	その他の遺伝性大動脈瘤・大動脈解離—血管型エーラス・ダンロス症候群.	鈴木亭, 永井良三	最新医学別冊 新しい診断と治療のABC(42) 大動脈瘤・大動脈解離	最新医学社	大阪	2013	85-92
古庄知己	エーラス・ダンロス症候群		先天代謝異常症候群	日本臨牀社	大阪	2012	721-726
古庄知己	Marfan症候群, Ehlers-Danlos症候群	五十嵐隆	小児疾患の診断治療基準 第4版	東京医学社	東京	2012	850-853
増井徹	第10章バイオバンク	玉井真理子、松田純	シリーズ生命倫理学 11巻 遺伝子と医療	丸善出版	東京	2013	188-203
増井徹	バイオバンクプロジェクトの開始と終了に向けて検討すべき ELSI	個人の遺伝情報に応じた医療の実現プロジェクト ELSI 委員会	平成 16 年度～平成 24 年度個人の遺伝情報に応じた医療の実現プロジェクト	個人の遺伝情報に応じた医療の実現プロジェクト ELSI 委員会	東京	2013	51-67

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Kosaki R, Takenouchi T, Takeda N, Kagami M, Nakabayashi K, Hata K, Kosaki K.	Somatic CTNNB1 mutation in hepatoblastoma from a patient with Simpson-Golabi-Behmel syndrome and germline GPC3 mutation.	<i>Am J Med Genet A</i>	164(4)	993-7	2014
Takenouchi T, Hashida N, Torii C, Kosaki R, Takahashi T, Kosaki K.	1p34.3 deletion involving GRIK3: Further clinical implication of GRIK family glutamate receptors in the pathogenesis of developmental delay.	<i>Am J Med Genet A</i>	164(2)	456-60	2014
Nomura T, Takenouchi T, Fukushima H, Shimozato S, Kosaki K, Takahashi T.	Catastrophic Autonomic Crisis With Cardiovascular Collapse in Spinal Muscular Atrophy With Respiratory Distress Type 1.	<i>J Child Neurol.</i>	28(7)	949-951.	2013
Takenouchi T, Nishina S, Kosaki R, Torii C, Furukawa R, Takahashi T, Kosaki K.	Concurrent deletion of BMP4 and OTX2 genes, two master genes in ophthalmogenesis.	<i>Eur J Med Genet.</i>	56(1)	50-53.	2013
Ueda K, Awazu M, Konishi Y, Takenouchi T, Shimozato S, Kosaki K, Takahashi T.	Persistent hypertension despite successful dilation of a stenotic renal artery in a boy with neurofibromatosis type 1.	<i>Am J Med Genet A</i>	161(5)	1154-1157.	2013
Takenouchi T, Saito H, Maruoka R, Oishi N, Torii C, Maeda J, Takahashi T, Kosaki K.	Severe obstructive sleep apnea in Loeys-Dietz syndrome successfully treated using continuous positive airway pressure.	<i>Am J Med Genet A</i>	161(7)	1733-1736.	2013
Hirasawa A, Zama T, Akahane T, Nomura H, Kataoka F, Saito K, Okubo K, Tominaga E, Makita K, Susumu N, Kosaki K, Tanigawara Y, Aoki D.	Polymorphisms in the UGT1A1 gene predict adverse effects of irinotecan in the treatment of gynecologic cancer in Japanese patients.	<i>J Hum Genet.</i>	58(12)	794-798.	2013
Takenouchi T, Hida M, Sakamoto Y, Torii C, Kosaki R, Takahashi T, Kosaki K.	Severe congenital lipodystrophy and a progeroid appearance: Mutation in the penultimate exon of FBN1 causing a recognizable phenotype.	<i>Am J Med Genet A</i>	161(1-2)	3057-3062.	2013

Kubo A, Shiohama A, Sasaki T, Nakabayashi K, Kawasaki H, Atsugi T, Sato S, Shimizu A, Mikami S, Tanizaki H, Uchiyama M, Maeda T, Ito T, Sakabe J, Heike T, Okuyama T, Kosaki R, Kosaki K, Kudoh J, Hata K, Umezawa A, Tokura Y, Ishiko A, Niizeki H, Kabashima K, Mitsuhashi Y, Amagai M.	Mutations in SERPINB7, Encoding a Member of the Serine Protease Inhibitor Superfamily, Cause Nagashima-type Palmoplantar Keratosis.	<i>Am J Hum Genet.</i>	93(5)	945-956.	2013
Takagi M, Ishii T, Torii C, Kosaki K, Hasegawa T.	A novel mutation in SOX3 polyalanine tract: a case of kabuki syndrome with combined pituitary hormone deficiency harboring double mutations in MLL2 and SOX3.	<i>Pituitary</i>		[Epub ahead of print]	2013
Mutai H, Suzuki N, Shimizu A, Torii C, Namba K, Morimoto N, Kudoh J, Kaga K, Kosaki K, Matsunaga T.	Diverse spectrum of rare deafness genes underlies early-childhood hearing loss in Japanese patients: A cross-sectional, multi-center next-generation sequencing study.	<i>Orphanet J. Rare Dis.</i>	8(1)	172	2013
Takenouchi T, Kosaki R, Torii C, Kosaki K	Daytime Somnolence in an Adult with Smith-Magenis Syndrome	<i>Am J Med Genet A.</i>	161A (7)	1803-5	2013
Takenouchi T, Nakazawa M, Kanemura Y, Shimozato S, Yamasaki M, Takahashi T, Kosaki K.	Hydrocephalus with Hirschsprung disease: severe end of X-linked hydrocephalus spectrum.	<i>Am J Med Genet A.</i>	158(4)	812-815.	2012
Tanaka R, Takenouchi T, Uchida K, Sato T, Fukushima H, Yoshihashi H, Takahashi T, Tsubota K, Kosaki K.	Congenital corneal staphyloma as a complication of Kabuki syndrome.	<i>Am J Med Genet A.</i>	158(8)	2000-2002.	2012
Takenouchi T, Enomoto K, Nishida T, Torii C, Okazaki T, Takahashi T, Kosaki K.	12q14 microdeletion syndrome and short stature with or without relative macrocephaly.	<i>Am J Med Genet A.</i>	158(10)	2542-2544	2012
Takenouchi T, Okuno H, Kosaki R, Ariyasu D, Torii C, Momoshima S, Harada N, Yoshihashi H, Takahashi T, Awazu M, Kosaki K.	Microduplication of Xq24 and Hartsfield syndrome with holoprosencephaly, ectrodactyly, and clefting.	<i>Am J Med Genet A.</i>	158(10)	2537-2541.	2012

Takenouchi T, Yagihashi T, Tsuchiya H, Torii C, Hayashi K, Kosaki R, Saitoh S, Takahashi T, Kosaki K.	Tissue-limited ring chromosome 18 mosaicism as a cause of Pitt-Hopkins syndrome.	<i>Am J Med Genet A.</i>	158(10)	2621-2623.	2012
Osumi T, Miharu M, Fuchimoto Y, Morioka H, Kosaki K, Shimada H.	The germline TP53 mutation c.722 C>T promotes bone and liver tumorigenesis at a young age.	<i>Pediatr Blood Cancer.</i>	59(7)	1332-1333.	2012
Sasaki K, Mishima H, Miura K, Yoshiura KI.	Uniparental disomy analysis in trios using genome-wide SNP array and whole-genome sequencing data imply segmental uniparental isodisomy in general populations.	<i>Gene</i>	512(2)	267-274	2013
Yamada A, Ishikawa T, Ota I, Kimura M, Shimizu D, Tanabe M, Chishima T, Sasaki T, Ichikawa Y, Morita S, Yoshiura KI,	High expression of ATP-binding cassette transporter ABCC11 in breast tumors is associated with aggressive subtypes and low disease-free survival.	<i>Breast Cancer Res Treat</i>	137(3)	773-782	2013
Ishikawa T, Toyoda Y, Yoshiura K, Niikawa N.	Pharmacogenetics of human ABC transporter ABCC11: new insights into apocrine gland growth and metabolite secretion.	<i>Front. Genet.</i>	3	306	2013
Higashijima A, Miura K, Mishima H, Kinoshita A, Jo O, Abe S, Hasegawa Y, Miura S, Yamasaki K, Yoshida A, Yoshiura K, Masuzaki H.	Characterization of placenta-specific microRNAs in fetal growth restriction pregnancy.	<i>Prenat Diagn.</i>	33(3)	214-222	2013
Abe S, Miura K, Kinoshita A, Mishima H, Miura S, Yamasaki K, Hasegawa Y, Higashijima A, Jo O, Sasa K, Yoshida A, Yoshiura K, Masuzaki H.	Copy number variation of the antimicrobial-gene, defensin beta 4, is associated with susceptibility to cervical cancer.	<i>J Hum Genet</i>	58(5)	250-253	2013

Kashiyama K, Nakazawa Y, Pilz D, Guo C, Shimada M, Sasaki K, Fawcett H, Wing J, Lewin S, Carr L, Yoshiura K, Utani A, Hirano A, Yamashita S, Greenblatt D, Nardo T, Stefanini M, McGibbon D, Sarkany R, Fassihi H, Takahashi Y, Nagayama Y, Mitsutake N, Lehmann AR, and Ogi T.	Malfunction of the ERCC1/XPF endonuclease results in diverse clinical manifestations and causes three nucleotide excision-repair-deficient disorders, Cockayne Syndrome, xeroderma pigmentosum and Fanconi Anemia.	<i>Am J Hum Genet</i>	92(5)	807-819	2013
Nakao K, Oikawa M, Arai J, Mussazhanova Z, Kondo H, Shichijo K, Nakashima M, Hayashi T, Yoshiura K, Hatachi T, Nagayasu T.	A Predictive Factor of the Quality of Microarray Comparative Genomic Hybridization Analysis for Formalin-fixed Paraffin-embedded Archival Tissue.	<i>Diagn Mol Pathol</i>	22(3)	174-180	2013
Hasegawa Y, Miura K, Furuya K, Yoshiura K, Masuzaki H.	Identification of Complete Hydatidiform Mole Pregnancy-Associated MicroRNAs in Plasma.	<i>Clin Chem</i>	59(9)	1410-1412	2013
Higashimoto K, Maeda T, Okada J, Ohtsuka Y, Sasaki K, Hirose A, Nomiyama M, Takayanagi T, Fukuzawa R, Yatsuki H, Koide K, Nishioka K, Joh K, Watanabe Y, Yoshiura KI, Soejima H.	Homozygous deletion of DIS3L2 exon 9 due to non-allelic homologous recombination between LINE-1s in a Japanese patient with Perlman syndrome.	<i>Eur J Hum Genet</i>	21(11)	1316-1319	2013
Hamaguchi D, Miura K, Abe S, Kinoshita A, Miura S, Yamasaki K, Yoshiura KI, Masuzaki H.	Initial viral load in cases of single human papillomavirus 16 or 52 persistent infection is associated with progression of later cytopathological findings in the uterine cervix.	<i>J Med Virol</i>	85(12)	2093-2100	2013

Nakazawa Y, Sasaki K, Mitsutake N, Matsuse M, Shimada M, Nardo T, Takahashi Y, Ohyama K, Ito K, Mishima H, Nomura M, Kinoshita A, Ono S, Takenaka K, Masuyama R, Kudo T, Slor H, Utani A, Tateishi S, Yamashita S, Stefanini M, Lehmann AR, Yoshiura K, Ogi T.	Mutations in UVSSA cause UV-sensitive syndrome and impair RNA polymerase IIo processing in transcription-coupled nucleotide-excision repair.	<i>Nature Genet</i>	44(5)	586-592	2012
Matsuse M, Sasaki K, Nishihara E, Minami S, Hayashida C, Kondo H, Suzuki K, Saenko V, Yoshiura K, Mitsutake N, Yamashita S.	Copy number alteration and uniparental disomy analysis categorizes Japanese papillary thyroid carcinomas into distinct groups.	<i>PLoS One</i>	7(4)	e36063	2012
Ono S, Yoshiura K, Kinoshita A, Kikuchi T, Nakane Y, Kato N, Sadamatsu M, Konishi T, Nagamitsu S, Matsuura M, Yasuda A, Komine M, Kanai K, Inoue T, Osamura T, Saito K, Hirose S, Koide H, Tomita H, Ozawa H, Niikawa N, Kurotaki N.	Mutations in PRRT2 responsible for paroxysmal kinesigenic dyskinesias also cause benign familial infantile convulsions.	<i>J Hum Genet</i>	57(5)	338-341	2012
Arai J, Tsuchiya T, Oikawa M, Mochinaga K, Hayashi T, Yoshiura K, Tsukamoto K, Yamasaki N, Matsumoto K, Miyazaki T, Nagayasu T.	Clinical and molecular analysis of synchronous double lung cancers.	<i>Lung Cancer</i>	77(2)	281-287	2012
Mishima H, Aerts J, Katayama T, Bonnal JP R, Yoshiura K.	The Ruby UCSC API: accessing the UCSC genome database using Ruby.	<i>BMC Bioinformatics</i>	13	240	2012
Hikida M, Tsuda M, Watanabe A, Kinoshita A, Akita S, Hirano A, Uchiyama T, Yoshiura K.	No evidence of association between 8q24 and susceptibility to nonsyndromic cleft lip with or without palate in Japanese population.	<i>Cleft Palate Craniofac J</i>	49(6)	714-717	2012
Kawakami A, Migita K, Ida H, Yoshiura K, Arima K, Eguchi K.	Autoinflammatory syndrome	<i>Nihon Naika Gakkai Zasshi</i>	101(9)	2733-2739	2012

Sekiguchi K, Maeda T, Suenobu S, Kunisaki N, Shimizu M, Kiyota K, Handa YS, Akiyoshi K, Korematsu S, Aoki Y, Matsubara Y, Izumi T.	A transient myelodysplastic/myeloproliferative neoplasm in a patient with cardio-facio-cutaneous syndrome and a germline BRAF mutation	<i>Am J Med Genet A</i>	161(10)	2600-3	2013
Aoki Y, Niihori T, Banjo T, Okamoto N, Mizuno S, Kurosawa K, Ogata T, Takada F, Yano M, Ando T, Hoshika T, Barnett C, Ohashi H, Kawame H, Hasegawa T, Okutani T, Nagashima T, Hasegawa S, Funayama R, Nagashima T, Nakayama K, Inoue S, Watanabe Y, Ogura T, Matsubara Y.	Gain-of-function mutations in RIT1 cause Noonan syndrome, a RAS/MAPK pathway syndrome.	<i>Am J Hum Genet</i>	93(1)	173-80	2013
Izumi R, Niihori T, Aoki Y, Suzuki N, Kato M, Warita H, Takahashi T, Tateyama M, Nagashima T, Funayama R, Abe K, Nakayama K, Aoki M, Matsubara Y.	Exome sequencing identifies a novel TTN mutation in a family with hereditary myopathy with early respiratory failure.	<i>J Hum Genet.</i>	58(5)	259-66	2013
Narisawa A, Komatsuzaki S, Kikuchi A, Niihori T, Aoki Y, Fujiwara K, Tanemura M, Hata A, Suzuki Y, Relton CL, Grinham J, Leung KY, Partridge D, Robinson A, Stone V, Gustavsson P, Stanier P, Copp AJ, Greene ND, Tominaga T, Matsubara Y, Kure S	Mutations in genes encoding the glycine cleavage system predispose to neural tube defects in mice and humans.	<i>Hum Mol Genet.</i>	21	1496-503	2013
Abe Y, Aoki Y, Kuriyama S, Kawame H, Okamoto N, Kurosawa K, Ohashi H, Mizuno S, Ogata T, Kure S, Niihori T, Matsubara Y	Costello and CFC syndrome study group in Japan. Prevalence and clinical features of Costello syndrome and cardio-facio-cutaneous syndrome in Japan: findings from a nationwide epidemiological survey	<i>Am J Med Genet A</i>	158A	1083-94	2012
Komatsuzaki S, Sakamoto O, Fuse N, Uematsu M, Matsubara Y, Ohura T	Clinical Reasoning: A young man with progressive subcortical lesions and optic nerve atrophy.	<i>Neurology</i>	79	E63-8	2012

Kikuchi A, Arai-Ichinoi N, Sakamoto O, Matsubara Y, Saheki T, Kobayashi K, Ohura T, Kure S.	Simple and rapid genetic testing for citrin deficiency by screening 11 prevalent mutations in SLC25A13.	<i>Mol Genet Metab.</i>	105	553-8	2012
Asano M, Fujimura T, Wakusawa C, Aoki Y, Matsubara Y, Aiba S.	A Case of Almost Unilateral Focal Dermal Hypoplasia Resulting From a Novel Mutation in the Gene.	<i>Acta Derm Venereol.</i>	93	120-121	2012
Patrinos GP, Smith TD, Howard H, Al-Mulla F, Chouchane L, Hadjisavvas A, Hamed SA, Li XT, Marafie M, Ramesar RS, Ramos FJ, de Ravel T, El-Ruby MO, Shrestha TR, Sobrido MJ, Tadmouri G, Witsch-Baumgartner M, Zilfalil BA, Auerbach AD, Carpenter K, Cutting GR, Dung VC, Grody W, Hasler J, Jorde L, Kaput J, Macek M, Matsubara Y, Padilla C, Robinson H, Rojas-Martinez A, Taylor GR, Vihinen M, Weber T, Burn J, Qi M, Cotton RG, Rimoin D; (International Confederation of Countries Advisory Council).	Human variome project country nodes: Documenting genetic information within a country.	<i>Hum Mutat.</i>	33	1513-9	2012
Kato F, Hamajima T, Hasegawa T, Ogata T, et al.	IMAGe syndrome: clinical and genetic implications based on investigations in three Japanese patients.	<i>Clin Endocrinol</i>	80(5)	706-13	2014
Tsuchiya T, Shibata M, Numabe H, Ogata T, Fukami M, et al.	Compound heterozygous deletions in pseudoautosomal region 1 in an infant with mild manifestations of Langer mesomelic dysplasia.	<i>Am J Med Genet A</i>	64 A(2):	505-10.	2014
Nakashima S, Watanabe Y, Okada J, Ogata T, et al.	Critical role of Yp inversion in PRKX/PRKY-mediated Xp;Yp translocation in a patient with 45,X testicular disorder of sex development.	<i>Endocr J</i>	Oct 3	Epub ahead of print	2013
Shihara D, Miyado M, Nakabayashi K, Ogata T, Fukami M, et al.	Aromatase excess syndrome in a family with upstream deletion of CYP19A1.	<i>Clin Endocrinol</i>	Sep 18	Epub ahead of print	2013

Fujisawa Y, Yamaguchi R, Satake E, Ogata T, et al.	Identification of <i>AP2S1</i> Mutation and Effects of Low Calcium Formula in an Infant with Hypercalcemia and Hypercalciuria.	<i>J Clin Endocrinol Metab</i>	98 (12)	E2022–2 027	2013
Fukami M, Suzuki J, Ogata T, Shozu M, Noguchi S, et al.	Lack of genomic rearrangements involving the aromatase gene <i>CYP19A1</i> in breast cancer.	<i>Breast Cancer</i>	Apr 30	Epub ahead of print	2013
Fukami M, Tsuchiya T, Vollbach H, Ogata T, et al.	Genomic basis of aromatase excess syndrome: recombination- and replication-mediated rearrangements leading to <i>CYP19A1</i> overexpression.	<i>J Clin Endocrinol Metab</i>	98 (12)	E2013–2 021	2013
Igarashi M, Dung VC, Suzuki E, Ogata T, Fukami M, et al	Cryptic genomic rearrangements in three patients with 46,XY disorders of sex development.	<i>PLoS One</i>	8 (7)	e68194	2013
Fukami M, Iso M, Sato N, Ogata T, et al.	Submicroscopic deletion involving the fibroblast growth factor receptor 1 gene in a patient with combined pituitary hormone deficiency.	<i>Endocr J</i>	60 (8)	1013–10 20	2013
Yamaguchi R, Kato F, Hasegawa T, Ogata T, et al.	A novel homozygous mutation of the nicotinamide nucleotide transhydrogenase gene in a Japanese patient with familial glucocorticoid deficiency.	<i>Endocr J</i>	60 (7)	855–859	2013
Moritani M, Yokota I, Tsubouchi K, Ogata T, et al.	Identification of INS and KCNJ11 gene mutations in type 1B diabetes in Japanese children with onset of diabetes before 5 yr of age.	<i>Pediatr Diabetes</i>	14(2)	112-20	2013
Suzuki-Swanai A, Ishii T, Haruna H, Ogata T, et al.	A report of two novel NR5A1 mutation families: possible clinical phenotype of psychiatric symptoms of anxiety and/or depression.	<i>Clin Endocrinol</i>	78(6)	957-65	2013
Sekii K*, Itoh H, Ogata T, Iwashima S*	Possible contribution of fetal size and gestational age to myocardial tissue Doppler velocities in preterm fetuses.	<i>Eur J Obstet Gynecol Reprod Biol</i>	167(1)	121	2013

Nagasaki K*, Tsuchuya S, Saitoh A, Ogata T, Fukami M.	Neuromuscular symptoms in a patient with familial pseudohypoparathyroidism type Ib diagnosed by methylation-specific multiplex ligation-dependent probe amplification.	<i>Endocr J</i>	60(2)	231-6	2013
Ohishi A*, Ueno D, Matsuoka, H, Kawamoto, F Ogata T	Glucose-6-phosphate dehydrogenase deficiency and adrenal hemorrhage in a Filipino neonate with hyperbilirubinemia.	<i>Am J Perinatol Reports</i>	3(1)	5-8.	2013
Fuke T, Mizuno S, Nagai T, Hasegawa T, Ogata T*et al.	Molecular and clinical studies in 138 Japanese patients with Silver-Russell syndrome.	<i>PLoS ONE</i>	8(3)	e60105	2013
Ayabe T, Matsubara K, Ogata T, Ayabe A, Murakami N, Nagai T, Fukami M*	Birth seasonality in Prader-Willi syndrome resulting from chromosome 15 microdeletion.	<i>Am J Med Genet A</i>	161A (6)	1495-7	2013
Fukami M, Homma K, Hasegawa T, Ogata T*	Backdoor pathway for dihydrotestosterone biosynthesis: implications for normal and abnormal human sex development.	<i>Dev Dyn</i>	242(4)	320-9	2013
Inoue H, Mukai T, Sakamoto Y, Ogata T, et al.	Identification of a novel mutation in the exon 2 splice donor site of the POU1F1/PIT-1 gene in Japanese identical twins with mild combined pituitary hormone deficiency.	<i>Clin Endocrinol</i>	76 (1)	78–87	2012
Sugihara S*, Ogata T, Kawamura T, Urakami T, et al.	Genetic characteristics on HLA-class II and class I among Japanese type 1A and type 1B diabetic children and their families.	<i>Pediatr Diabetes</i>	13 (1)	33–44	2012
Kagami M, Kato F, Matsubara K, Sato T, Nishimura G, Ogata T*	Relative frequency of underlying genetic causes for the development of UPD(14)pat-like phenotype.	<i>Eur J Hum Genet</i>	20 (9)	928–932	2012
Oto Y*, Obata K, Matsubara K, Ogata T,et al.	Growth hormone secretion and its effect on height in pediatric patients with different genotypes of Prader-Willi syndrome.	<i>Am J Med Genet A</i>	158A (6)	1477–1480	2012

Fuke-Sato T, Yamazawa K, Nakabayashi K, Ogata T* et al.	Mosaic upd(7)mat in a patient with Silver-Russell syndrome: correlation between phenotype and mosaic ratio in the body and the placenta.	<i>Am J Med Genet A</i>	158A (2)	465–468	2012
Stoppa-Vaucher S, Ayabe T, Paquette J, Ogata T, et al.	46, XY gonadal dysgenesis: new <i>SRY</i> point mutation in two siblings with paternal germ line mosaicism.	<i>Clin Genet</i>	82 (6)	505–513	2012
Abe Y, Aoki Y*, Kuriyama S, Ogata T, et al.	Prevalence and clinical features of Costello syndrome and cardio-facio-cutaneous syndrome in Japan: Findings from a nationwide epidemiological survey.	<i>Am J Med Genet A</i>	158A (5)	1083–1094	2012
Koyama Y*, Homma K, Fukami M, Ogata T, et al.	Two-step biochemical differential diagnosis of classical 21-hydroxylase deficiency and cytochrome P450 oxidoreductase deficiency in Japanese infants using urinary Pregnanetriolone / Tetrahydroxycortisone Ratio and 11b-hydroxyandrosterone by Gas chromatography - mass spectrometry.	<i>Clin Chem</i>	58 (4)	741–747	2012
Sekii K*, Itoh H, Ogata T, et al.	Deterioration of myocardial tissue Doppler indices in a case of fetal hydrothorax as a promising indication for clinical intervention before the development of nonimmune hydrops fetalis.	<i>Arch Gynecol Obstet</i>	286 (4)	1079–1080	2012
Kalfa N, Fukami M, Philibert P, Ogata T, et al.	Screening of <i>MAMLD1</i> mutations in 70 Children with 46,XY DSD: Identification and functional analysis of two new mutations.	<i>PLoS One</i>	7 (3)	e32505	2012
Qin X-Y, Miyado M, Kojima Y, Ogata T, et al	Identification of novel low-dose bisphenol a targets in human foreskin fibroblast cells derived from hypospadias patients.	<i>PLoS ONE</i>	7 (5)	e36711	2012

Sekii K*, Ishikawa T, Ogata T, Itoh H, Iwashima S.	Fetal myocardial tissue Doppler indices before birth physiologically change in proportion to body size adjusted for gestational age in low-risk term pregnancies.	<i>Early Hum Dev</i>	88 (7)	517–523	2012
Fukami M*, Tsuchiya T, Takada S, Ogata T, et al.	Complex genomic rearrangements in the <i>SOX9</i> 5' region in a patient with Pierre Robin sequence and hypoplastic left scapula.	<i>Am J Med Genet A</i>	158A (7)	1529–1534	2012
Ogata T*, Fukami M, Yoshida R, Nagata E, Fujisawa Y, Yoshida A, Yoshimura Y	Haplotype analysis of <i>ESR2</i> in Japanese patients with spermatogenic failure.	<i>J Hum Genet</i>	57 (7)	449–452	2012
Qin X-Y, Kojima Y, Ogata T, et al.	Association of variants in genes involved in environmental chemical metabolism and risk of cryptorchidism and hypospadias	<i>J Hum Genet</i>	57 (7)	434–441	2012
Nagasaki K, Iida T, Ogata T, et al.	<i>PRKARIA</i> mutation affecting cAMP-mediated G-protein-coupled receptor signaling in a patient with acrodysostosis and hormone resistance.	<i>J Clin Endocrinol Metab</i>	97 (9)	E1808–1813	2012
Kagami M, Matsuoka K, Nagai T, Ogata T, et al.	Paternal uniparental disomy 14 and related disorders: placental gene expression analyses and histological examinations.	<i>Epigenetics</i>	7 (10)	1142–1150	2012
Miyado M, Nakamura M, Miyado K, Ogata T*, et al.	<i>Mamld1</i> deficiency significantly reduces mRNA expression levels of multiple genes expressed in mouse fetal Leydig cells but permits normal genital and reproductive development.	<i>Endocrinology</i>	153 (12)	6033–40	2012
Fukami M*, Shozu M, Ogata T	Molecular bases and phenotypic determinants of aromatase excess syndrome.	<i>Int J Endocrinol</i>	2012	584807	2012
Ogata T*, Sano S, Nagata E, kato F, Fumaki M	<i>MAMLD1</i> and 46,XY disorders of sex development.	<i>Semi Reprod Med</i>	30 (5)	410–416	2012

Ueda H, et al.	Combination of Miller-Dieker syndrome and VACTERL association causes extremely severe clinical presentation.	<i>Eur J Pediatr</i>		in press	2013
Suzumori N, et al.	Prenatal diagnosis of X-linked recessive Lenz microphthalmia syndrome.	<i>J Obstet Gynaecol Res</i>	39	1545-7	2013
Hamajima N, et al.	Increased protein stability of CDKN1C causes a gain-of-function phenotype in patients with IMAge syndrome.	<i>PLoS One</i>	8	e75137.	2013
Yoneda Y, et al.	Phenotypic spectrum of COL4A1 mutations: porencephaly to schizencephaly.	<i>Ann Neurol</i>	73	48-57.	2013
Hosoki et al.	Hand-foot-genital syndrome with a 7p15 deletion demonstrates a clinically recognizable syndrome.	<i>Pediatr Int</i>	54	e22-25.	2012
Hosoki et al.	Clinical Phenotype and Candidate Genes for the 5q31.3 Microdeletion Syndrome.	<i>Am J Med Genet A</i>	158A	1891-1896.	2012
Kawamura et al.	Visualization of the spatial positioning of the <i>SNRPN</i> , <i>UBE3A</i> , and <i>GABRB3</i> genes in the normal human nucleus by three-color 3D-fluorescence in situ hybridization.	<i>Chromosome Res</i>	20	659-672.	2012
Tsurusaki et al.	A <i>DYNC1H1</i> mutation causes a dominant spinal muscular atrophy with lower extremity predominance.	<i>Neurogenetics</i>	13	327-332.	2012
Egawa et al.	Decreased tonic inhibition in cerebellar granule cells causes motor dysfunction in a mouse model of Angelman syndrome.	<i>Sci Transl Med</i>	4	163ra157.	2012
Yatsuki H, Higashimoto K, Jozaki K, Koide K, Okada J, Watanabe Y, Okamoto N, Tsuno Y, Yoshida Y, Ueda K, Shimizu K, Ohashi H, Mukai T, Soejima H.	Novel Mutations of CDKN1C in Japanese Patients with Beckwith-Wiedemann Syndrome.	<i>Genes Genom</i>	35(2)	141-147	2013

Adachi H, Takahashi I, Higashimoto K, Tsuchida S, Noguchi A, Tamura H, Arai H, Ito T, Masue M, Nishibori H, Takahashi T, Soejima H.	Congenital hyperinsulinism in an infant with paternal uniparental disomy on chromosome 11p15: Few clinical features suggestive of Beckwith-Wiedemann syndrome.	<i>Endocr J</i>	60(4)	403-408	2013
Misago N, Joh K, Soejima H, Narisawa Y.	Multiple mucocutaneous (palisaded encapsulated) neuromas may be a distinct entity.	<i>JAMA Dermatol</i>	149(4)	498-500	2013
Soejima H, Higashimoto K	Epigenetic and genetic alterations of the imprinting disorder Beckwith-Wiedemann syndrome and related disorders.	<i>J Hum Genet</i>	58(7)	402-409	2013
Fukuda K, Ichiyanagi K, Yamada Y, Go Y, Udono T, Wada S, Maeda T, Soejima H, Saitou N, Ito T, Sasaki H.	Regional DNA methylation differences between humans and chimpanzees are associated with genetic changes, transcriptional divergence and disease genes.	<i>J Hum Genet</i>	58(7)	446-454	2013
Miyazaki H [†] , Higashimoto K [†] , Yada Y [†] , A. Endo T [¶] , Sharif J [¶] , Komori T, Matsuda M, Koseki Y, Nakayama M, Soejima H, Handa H, Koseki H, Hirose S, Nishioka K.(†, ¶ equal contribution)	Ash1l methylates Lys36 of histone H3 independently of transcriptional elongation to counteract Polycomb silencing.	<i>PLoS Genet</i>	9(11)	e1003897	2013
Rumbajan JM, Maeda T, Souzaki R, Mitsui K, Higashimoto K, Nakabayashi K, Yatsuki H, Nishioka K, Harada R, Aoki S, Kohashi K, Oda Y, Hata K, Saji T, Taguchi T, Tajiri T, Soejima H, Joh K.	Comprehensive analyses of imprinted differentially methylated regions reveal epigenetic and genetic characteristics in hepatoblastoma.	<i>BMC Cancer</i>	13	608	2013
Higashimoto K, Jozaki K, Kosho T, Matsubara K, Fuke T, Yamada D, Yatsuki H, Maeda T, Ohtsuka Y, Nishioka K, Joh K, Koseki H, Ogata T, Soejima H.	A novel de novo point mutation of the OCT-binding site in the IGF2/H19-imprinting control region in a Beckwith-Wiedemann syndrome patient.	<i>Clin Genet</i>			2013
Higashimoto K, Nakabayashi K, Yatsuki H, Yoshinaga H, Jozaki K, Okada J, Watanabe Y, Aoki A, Shiozaki A, Saito S, Koide K, Mukai T, Hata K, Soejima H.	Aberrant methylation of H19-DMR acquired after implantation was dissimilar in soma versus placenta of patients with Beckwith-Wiedemann syndrome.	<i>Am J Med Genet Part A</i>	158A	1670–1675	2012

Hiura H, Okae H, Miyauchi N, Sato F, Sato A, Van De Pette M, John RM, Kagami M, Nakai K, Soejima H, Ogata T, Arima T.	Characterization of DNA methylation errors in patients with imprinting disorders conceived by assisted reproduction technologies.	<i>Hum Reprod</i>	27(8)	2541-2548	2012
Higashimoto K, Nakabayashi K, Yatsuki H, Yoshinaga H, Jozaki K, Okada J, Watanabe Y, Aoki A, Shiozaki A, Saito S, Koide K, Mukai T, Hata K, Soejima H.	Aberrant methylation of H19-DMR acquired after implantation was dissimilar in soma versus placenta of patients with Beckwith-Wiedemann syndrome.	<i>Am J Med Genet Part A</i>	158A	1670–1675	2012
Takahashi Y, Fujii K, Yoshida A, Morisaki H, Kohno Y, and Morisaki T,	Artery tortuosity syndrome exhibiting early-onset emphysema with novel compound heterozygous SLC2A10 mutations	<i>Am J Med Genet A</i>	12(10)	35776	2013
JCS Joint Working Group	Guidelines for Diagnosis and Treatment of Aortic Aneurysm and Aortic Dissection (JCS 2011)	<i>Circ J</i>	77(3)	789-828	2013
Katsuragi S, Neki N, Yoshimatsu J, Ikeda T, Morisaki H, Morisaki T	Acute aortic dissection (Stanford type B) during pregnancy	<i>J Perinatol</i>	33	484-485	2013
Kono AK, Higashi M, Morisaki H, Morisaki T, Naito H, Sugimura K	Prevalence of dural ectasia in loeys-dietz syndrome: comparison with marfan syndrome and normal controls	<i>PLoS One</i>	8	e75264	2013
Hayashi S, Utani A, Iwanaga A, Yagi Y, Morisaki H, Morisaki T, Hamasaki Y, Hatamochi A	Co-existence of mutations in the FBN1 gene and the ABCC6 gene in a patient with Marfan syndrome associated with pseudoxanthoma elasticum.	<i>J Dermatol Sci</i>	72	325-327	2013
Akizu N, Cantagrel V, Schroth J, Cai N, Vaux V, McCloskey D, Naviaux RK, Van Vleet J, Fenstermaker AG, Silhavy JL, Scheliga JS, Toyama K, Morisaki H, Sonmez FM, Celep F, Oraby A, Zaki MS, Al-Baradie R, Faqeih EA, Saleh MAM, Spencer E, Rosti RO, Scott E, Nickerson E, Gabriel S, Morisaki T, Holmes EW, Gleeson JG	AMPD2 regulates GTP synthesis and is mutated in a potentially treatable neurodegenerative brainstem disorder	<i>Cell</i>	154	505-517	2013

Li P, Ogino K, Hoshikawa Y, Morisaki H, Toyama K, Morisaki T, Morikawa K, Ninomiya H, Yoshida A, Hashimoto K, Shirayoshi Y, Hisatome I	AMP deaminase 3 plays a critical role in remote reperfusion lung injury	<i>Biochem Biophys Res Commun</i>	434	131-136	2013
森崎裕子	大動脈瘤と遺伝子	<i>Heart View</i>	17	60-65	2013
Katsuragi S, Neki N, Yoshimatsu J, Ikeda T, Morisaki H, Morisaki T	Acute aortic dissection (Stanford type B) during pregnancy	<i>J Perinatol</i>	33(6)	484-5	2013
Morisaki H, Yamanaka I, Iwai N, Miyamoto Y, Kokubo Y, Okamura T, Okayama A, and Morisaki T	CDH13 gene coding T-cadherin influences variations in plasma adiponectin levels in the Japanese population	<i>Hum Mutat.</i>	33(2)	402-410	2012
Kawazu Y, Inamura N, Kayatani F, Okamoto N, and Morisaki H	Prenatal complex congenital heart disease with Loeys-Dietz syndrome.	<i>Cardiol Young</i>	22(1)	116-119	2012
Iba Y, Minatoya K, Matsuda H, Sasaki H, Tanaka H, Morisaki H, Morisaki T, Kobayashi J, and Ogino H	Surgical experience with aggressive aortic pathologic process in Loeys-Dietz syndrome	<i>Ann Thorac Surg.</i>	94(5)	1413-1417	2012
Toyama K, Morisaki H, Cheng J, Kawachi H, Shimizu F, Ikawa M, Okabe M, and Morisaki T	Proteinuria in AMPD2-deficient mice.	<i>Genes Cells</i>	17(1)	28-38	2012
Cheng J, Morisaki H, Toyama K, Ikawa M, Okabe M, and Morisaki T	AMPD3-deficient mice exhibit increased erythrocyte ATP levels but anemia not improved due to PK deficiency	<i>Genes Cells</i>	17(11)	913-922	2012
森崎裕子、吉田晶子、森崎隆幸	稀少遺伝性循環器疾患に対する包括的医療体制 -「結合織病外来」・臨床遺伝専門医および認定遺伝カウンセラーの役割	日本遺伝カウンセリング学会誌	33(1)	77-81	2012
森崎裕子、平田恭信、森崎隆幸	第4回遺伝カウンセリングアドバンストセミナー マルファン症候群	日本遺伝カウンセリング学会誌	33(4)	209-212	2012
森崎裕子	エーラス・ダンロス症候群	臨床雑誌内科	109(6)	1049-1051	2012
Cheng J, Morisaki H, Toyama K, Ikawa M, Okabe M, and Morisaki T	AMPD3-deficient mice exhibit increased erythrocyte ATP levels but anemia not improved due to PK deficiency	<i>Genes Cells</i>	17(11)	913-922	2012
森崎裕子	エーラス・ダンロス症候群	臨床雑誌内科	109(6)	1049-1051	2012

Fujita D, Takahashi M, Doi K, Abe M, Tazaki J, Kiyosue A, Myojo M, Ando J, Fujita H, Noiri E, Sugaya T, Hirata Y, Komuro I.	Response of urinary liver-type fatty acid-binding protein to contrast media administration has a potential to predict one-year renal outcome in patients with Ischemic heart disease.	<i>Heart and Vessel</i>		In press	2014
藤田大司、今井靖、平田恭信	循環器遺伝子診療の新展開-遺伝子型から臨床へ- マルファン症候群	心臓	46(1)	21-26	2014
藤田大司、今井靖、平田恭信	大動脈瘤・大動脈解離 改訂 第2版第4章 管理・治療 マルファン症候群の経過・治療・予後 1.内科治療	最新医学・別冊 新しい診断と治療のABC 42		244-252	2013
Ogawa N, Imai Y, Nishimura H, Kato M, Takeda N, Nawata K, Taketani T, Morota T, Takamoto S, Nagai R, Hirata Y	Circulating transforming growth factor β -1 level in Japanese patients with Marfan syndrome.	<i>Int Heart J</i>	54	23-6	2013
Ashigaki N, Suzuki J, Ogawa M, Watanabe R, Aoyama N, Kobayashi N, Hanatani T, Sekinishi A, Zempo H, Tada Y, Takamura C, Wakayama K, Hirata Y, Nagai R, Izumi Y, Isobe M.	Periodontal bacteria aggravate experimental autoimmune myocarditis in mice.	<i>Am J Physiol Heart Circ Phys</i>	304	H740-8	2013
Takeda N, Jain R, Li D, Li L, Lu MM, Epstein JA.	Lgr5 identifies progenitor cells capable of taste bud regeneration after injury.	<i>PLoS One.</i>	8	e66314.	2013
Takeda N, Jain R, Leboeuf MR, Padmanabhan A, Wang Q, Li L, Lu MM, Millar SE, Epstein JA.	Hopx expression defines a subset of multipotent hair follicle stem cells and a progenitor population primed to give rise to K6+ niche cells.	<i>Development</i>	140	1655-64	2013

Takata M, Amiya E, Watanabe M, Omori K, Imai Y, Fujita D, Nishimura H, Kato M, Morota T, Nawata K, Ozeki A, Watanabe A, Kawarasaki S, Hosoya Y, Nakao T, Maemura K, Nagai R, Hirata Y, Komuro I.	Impairment of flow-mediated dilation correlates with aortic dilation in patients with Marfan syndrome.	<i>Heart Vessel</i>		epub	2013
Miyairi T, Miyata H, Taketani T, Sawaki D, Suzuki T, Hirata Y, Shimizu H, Motomura N, Takamoto S.	Risk Model of Cardiovascular Surgery in 845 Marfan Patients Using the Japan Adult Cardiovascular Surgery Database	<i>Intern Heart J</i>	54	401-404	2013
藤田大司、今井靖、平田恭信	マルファン症候群の経過・治療・予後 1.内科治療	<i>最新医学・別冊「新しい診断と治療のABC42」</i>		244-252	2013
Tanaka T, Ogawa M, Suzuki JI, Sekinishi A, Itai A, Hirata Y, Nagai R, Isobe M.	Inhibition of I kappaB phosphorylation prevents load-induced cardiac dysfunction in mice.	<i>Am J Physiol Heart Circ Physiol</i>	303	H1435-1445	2012
Kobayashi N, Suzuki J, Ogawa M, Aoyama N, Hanatani T, Hirata Y, Nagai R, Izumi Y, Isobe M.	Periodontal pathogen accelerates neointimal formation after arterial injury with enhanced expression of matrix metalloproteinase-2.	<i>J Vasc Res</i>	49	417-424	2012
Sekinishi A, Suzuki J, Aoyama N, Ogawa M, Watanabe R, Kobayashi N, Hanatani T, Ashigaki N, Hirata Y, Nagai R, Izumi Y, Isobe M.	Periodontal pathogen Aggregatibacter actinomycetemcomitans deteriorates pressure overload-induced myocardial hypertrophy in mice.	<i>Int Heart J</i>	53	324-330	2012
Myojo M, Iwata H, Kohro T, Sato H, Kiyosue A, Ando J, Sawaki D, Takahashi M, Fujita H, Hirata Y, Nagai R.	Prognostic implication of macrocytosis on adverse outcomes after coronary intervention.	<i>Atherosclerosis.</i>	221	148-53	2012
Suzuki JI, Ogawa M, Hishikari K, Watanabe R, Takayama K, Hirata Y, Nagai R, Isobe M.	Novel effects of macrolide antibiotics on cardiovascular diseases.	<i>Cardiovasc Ther.</i> 2012;30:	30	301-7	2012