

## 研究成果の刊行に関する一覧表

## 書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
杉江秀夫、福田冬季子、杉江陽子	糖原病「糖原病0型」「糖原病I型」「糖原病V型」「糖原病VI型」	遠藤文夫	先天代謝異常ハンドブック	中山書店	東京	2013	Pp172-174, 180-1820
杉江秀夫	ミオグロビン尿症の診断と鑑別	内野誠、青木正志	筋疾患診療ハンドブック	中外医学社	東京	2013	pp99 - 103
森雅人、杉江秀夫	ミトコンドリア病	小林祥泰、水澤英洋	神経疾患の最新の治療2012 - 2014	南光堂	東京	2012	pp340 - 343

## 雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Shintaku H, Ohwada M.	Long-term follow-up of tetrahydrobiopterin therapy in patients with tetrahydrobiopterin deficiency in Japan.	Brain Dev.	35(5)	406-10	2013
新宅治夫	小児神経伝達物質病	脳と発達	44 ( 5 )	361-367	2012
Watanabe Y, Sasahara Y, Ramesh N, Massaad MJ, Yeng Looi C, Kumaki S, Kure S, Geha RS, Tsuchiya S.	T-cell receptor ligation causes Wiskott-Aldrich syndrome protein degradation and F-actin assembly downregulation.	J Allergy Clin Immunol.	132	648-655	2013
Kakisaka Y, Ohara T, Hino-Fukuyo N, Uematsu M, Kure S.	Abdominal and lower back pain in pediatric idiopathic stabbing headache.	Pediatrics.	133	e245-7	2014

Horino S, Sasahara Y, Sato M, Niizuma H, Kumaki S, Abukawa D, Sato A, Imaizumi M, Kanegane H, Kamachi Y, Sasaki S, Terui K, Ito E, Kobayashi I, Ariga T, Tsuchiya S, Kure S.	Selective expansion of donor-derived regulatory T cells after allogeneic bone marrow transplantation in a patient with IPEX syndrome.	Pediatr Transplant.	18	E25-30	2014
Okano Y, Kobayashi K, Ihara K, Ito T, Yoshino M, Watanabe Y, Kaji S, Ohura T, Nagao M, Noguchi A, Mushiake S, Hoshino N, Hashimoto-Tamaoki T.	Fatigue and quality of life in citrin deficiency during adaptation and compensation stage.	Mol Genet Metab.	109	9-13	2013
Kikuchi A, Arai-Ichinoi N, Sakamoto O, Matsubara Y, Saheki T, Kobayashi K, Ohura T, Kure S.	Simple and rapid genetic test for citrin deficiency by screening 11 prevalent mutations in SLC25A13.	Mol Genet Metab.	105	553-558	2012
高柳 正樹	Reye症候群はどこへ行った？	小児内科	4 5	2052-2055	2013
高柳 正樹	カルニチンの臨床	生物試料分析	3 5	281-292	2012
高柳 正樹	カルニチン欠乏症および2次性カルニチン欠乏症	小児科	5 3	1271-1279	2012
Yamazaki T, Murayama K, Compton AG, Sugiana C, Harashima H, Amemiya S, Ajima M, Tsuruoka T, Fujinami A, Kawachi E, Kurashige Y, Matsushita K, Wakiguchi H, Mori M, Iwasa H, Okazaki Y, Thorburn DR, Ohtake A.	Molecular diagnosis of mitochondrial respiratory chain disorders in Japan: Focusing on mitochondrial DNA depletion syndrome.	Pediatr Int	56 (2)	in press	2014
Ohtake A, Murayama K, Mori M, Harashima H, Yamazaki T, Tamaru S, Yamashita I, Kishita Y, Kohda M, Tokuzawa Y, Mizuno Y, Moriyama Y, Kato H, Okazaki Y	Diagnosis and molecular basis of mitochondrial respiratory chain disorders: exome sequencing for disease gene identification.	Biochim Biophys Acta (General Subjects on Special Issue: Frontiers of Mitochondria.)	1840(4)	1355-1359	2014

Enkai S, Koinuma S, Ito R, Igaki J, Hasegawa Y, Murayama K, <b>Ohtake A</b>	Case of an infant with hepatic cirrhosis caused by mitochondrial respiratory chain disorder.	Pediatr Int	55 (4)	e103-6	2013
Nagasaka H, Okano Y, Kimura A, Mizuochi T, Sanayama Y, Takatani T, Nakagawa S, Hasegawa E, Hirano K, Mochizuki H, Ohura T, Ishige-Wada M, Usui H, Yorifuji T, Tsukahara H, Hirayama S, <b>Ohtake A</b> , Yamato S, Miida T	Oxysterol changes along with cholesterol and vitamin D changes in adult phenylketonuric patients diagnosed by newborn mass-screening.	Clin Chim Acta	416 (1)	54-9	2013
Arakawa C, Endo A, Kohira R, Fujita Y, Fuchigami T, Mugishima H, <b>Ohtake A</b> , Murayama K, Mori M, Miyata R, Hatai Y	Liver-specific mitochondrial respiratory chain complex I deficiency in fatal influenza encephalopathy.	Brain Dev	34(2)	115-7	2012
Akamizu T, Sakura N, Shigematsu Y, Tajima G, <b>Ohtake A</b> , Hosoda H, Iwakura H, Ariyasu H, Kangawa K	Analysis of plasma ghrelin in patients with medium-chain acyl-CoA dehydrogenase deficiency and glutaric aciduria type II.	Eur J Endocrinol	166(2)	235-240	2012
Tanigawa J, Kaneko K, Honda M, Harashima H, Murayama K, Wada T, Takano K, Iai M, Yamashita S, Shimbo H, Aida N, <b>Ohtake A</b> , Osaka H	Two Japanese patients with Leigh syndrome caused by novel SURF1 mutations.	Brain Dev	34(10)	861-5	2012
Yamamoto T, Emoto Y, Murayama K, Tanaka H, Kuriu Y, <b>Ohtake A</b> , Matoba R	Metabolic autopsy with postmortem cultured fibroblasts in sudden unexpected death in infancy: Diagnosis of mitochondrial respiratory chain disorders.	Mol Genet Metab	106(4)	474-7	2012
Muto A, Takei H, Unno A, Murai T, Kurosawa T, Ogawa S, Iida T, Ikegawa S, Mori J, <b>Ohtake A</b> , Hoshina T, Mizuochi T, Kimura A, Hofmann AF, Hagey LR, Nittono H	Detection of (4)-3-oxo-steroid 5 -reductase deficiency by LC-ESI-MS/MS measurement of urinary bile acids.	J Chromatogr B Analyt Technol Biomed Life Sci	900(1)	24-31	2012

Purevsuren J, Kobayashi H, Hasegawa Y, Yamada K, Takahashi T, Takayanagi M, Fukao T, Fukuda S, Yamaguchi S	Intracellular in vitro probe acylcarnitine assay for identifying deficiencies of carnitine transporter and carnitine palmitoyltransferase-1	Analytical and Bioanalytical Chemistry	405(4)	1345-1351	2013
Tomatsu S, Fujii T, Fukushima M, Oguma T, Shimada T, Maeda M, Kida K, Shibata Y, Futatsumori H, Montaña AM, Mason RW, Yamaguchi S, Suzuki Y, Orii T	Newborn screening and diagnosis of mucopolysaccharidoses	Molecular Genetics and Metabolism	110(1-2)	42-53	2013
Yamaguchi S, Purevsuren J, Kobayashi H, Hasegawa Y, Mushimoto Y, Yamada K, Takahashi T, Furui M, Taketani T, Fukuda S, Fukao T, Shigematsu Y	Expanded newborn mass screening with MS/MS and medium-chain acyl-CoA dehydrogenase (MCAD) deficiency in Japan	日本マススクリーニング学会誌	23(3)	270-276	2013
山口清次	MS 解析による代謝障害の診断	分子消化器病	10(1)	72-78	2013
山口清次	新生児スクリーニングの新時代 ; タンデムマス法の導入	日本周産期・新生児医学会雑誌	48(4)	827-829	2013
山口清次	タンデムマススクリーニングとは	チャイルドヘルス	16(2)	81-87	2013
山口清次	タンデムマスを用いた新生児マススクリーニングによる先天代謝異常症の早期診断	小児科臨床	66(2)	193-198	2013
花井潤師, 吉永美和, 高橋広夫, 佐々木泰子, 野町祥介, 佐々木純子, 磯部充久, 石毛伸之, 穴沢昭, 安片恭子, 木下洋子, 山上祐次, 酒本和也, 田崎隆二, 小林弘典, 山口清次, 重松陽介	タンデムマス・スクリーニングのカットオフ値(2)-患者データ、再採血率、精査率から考える-	日本マス・スクリーニング学会誌	23(1)	61-67	2013
高橋知男, 山田健治, 虫本雄一, 小林弘典, 長谷川有紀, ジャミヤン・プレブスレン, 坂本修, 大浦敏博, 山口清次	新生児マススクリーニングで発見された軽症型プロピオン酸血症 : 有機酸とアシルカルニチンの推移	日本マス・スクリーニング学会誌	23(1)	49-53	2013

山口清次	小児科領域におけるタンデムマスと GC/MS の臨床応用：最近の進歩	臨床病理	61(9)	817-824	2013
Yamaguchi S, Li H, Purevsuren J, Yamada K, Furui M, Takahashi T, Mushimoto Y, Kobayashi H, Hasegawa Y, Taketani T, Fukao T, Fukuda S	Bezafibrate can be a new treatment option for mitochondrial fatty acid oxidation disorders: Evaluation by in vitro probe acylcarnitine assay	Molecular Genetics and Metabolism	107	87-91	2012
Purevsuren J, Hasegawa Y, Fukuda S, Kobayashi H, Mushimoto Y, Yamada K, Takahashi T, Fukao T, Yamaguchi S	Clinical and molecular aspects of Japanese children with medium chain acyl-CoA dehydrogenase deficiency	Molecular Genetics and Metabolism	107	237-240	2012
深尾 敏幸	脂肪酸代謝異常症、ケトン体代謝異常症の最近の進歩	日本小児科学会雑誌	116(12)	1801-1812	2012
花井潤師, 野町祥介, 高橋広夫, 三髯雄, 佐々木純子, 磯部充久, 石毛信之, 穴澤昭, 安片恭子, 木下洋子, 山上祐次, 酒本和也, 田崎隆二, 小林弘典, 山口清次, 重松陽介	タンデムマス・スクリーニングのカットオフ値 -各指標の施設間差の検討-	日本マス・スクリーニング学会誌	22(1)	49-60	2012
山田健治, 虫本雄一, 高橋知男, 小林弘典, 長谷川有紀, 臼田信光, 山口清次	遊離カルニチンおよびアシルカルニチンの安定性の検討	日本マス・スクリーニング学会誌	22(1)	29-34	2012
山口清次	タンデムマス法を導入した新生児マススクリーニングの現状	小児科	53	1101-1110	2012
Imagawa E, Osaka H, Yamashita A, Shiina M, Takahashi E, Sugie H, Nakashima M, Tsurusaki Y, Saitu H, Ogata K, Matsumoto N, Miyake N.	A hemizygous GYG2 mutation and Leigh syndrome: a possible link?	Hum Genet	133	225-34	2014

Murata KY, <b>Sugie H</b> , Nishino I, Kondo T, Ito H.	A primigravida with very-long-chain acyl-CoA dehydrogenase deficiency.	Muscle Nerve	49	295-6	2014
Tsuburaya RS, Monma K, Oya Y, Nakayama T, Fukuda T, <b>Sugie H</b> , Hayashi YK, Nonaka I, Nishino I	Acid phosphatase-positive globular inclusions is a good diagnostic marker for two patients with adult-onset Pompe disease lacking disease specific pathology.	Neuromuscul Disord.	22	389-93	2012
Sukigara S, Liang WC, Komaki H, Fukuda T, Miyamoto T, Saito T, Saito Y, Nakagawa E, Sugai K, Hayashi YK, <b>Sugie H</b> , Sasaki M, Nishino I	Muscle glycogen storage disease 0 presenting recurrent syncope with weakness and myalgia.	Neuromuscul Disord	22	162-5	2012
Hori T, <b>Fukao T</b> , Murase K, Sakaguchi N, Harding CO, Kondo N.	Molecular basis of two exon skipping (exons 12 and 13) by c.1248+5g>a in OXCT1 gene. Study on intermediates of OXCT1 transcripts in fibroblasts.	Hum Mutat	34	473-480	2013
Shafqat N, Kavanagh KL, Sass JO, Christensen E, <b>Fukao T</b> , Lee WH, Oppermann U, Yue WW.	A structural mapping of mutations causing succinyl-CoA:3-ketoacid CoA transferase (SCOT) deficiency.	J Inherit Metab Dis.	In press		
Buhaş D, Bernard G, <b>Fukao T</b> , Lortie A, Décarie J-C, Chouinard S, Mitchell GA.	A treatable new cause of cholea: beta-ketothiolase deficiency.	Movement Disorders	28	1054-1056	2013
<b>Fukao T</b> , Aoyama Y, Murase K, Hori T, Wierenga R, Boneh A, Kondo N.	Development of MLPA for Human ACAT1 Gene and Identification of a Heterozygous Alu-mediated Deletion of Exons 2 and 3 in a Patient with Mitochondrial Acetoacetyl-CoA Thiolase (T2) Deficiency.	Mol Genet Metab	110	184-187	2013
Fukushima T, Kaneoka H, Yasuno T, Sasaguri Y, Tokuyasu T, Tokoro K, <b>Fukao T</b> , Saito T.	Three novel mutations in the carnitine-acylcarnitine translocase (CACT) gene in patients with CACT deficiency and in healthy individuals.	J Hum Genet	58(12)	788-93	2013

Akella RR, Aoyama Y, Mori C, Lingappa L, Cariappa R, <b>Fukao T.</b>	Metabolic encephalopathy in beta-ketothiolase deficiency: The first report from India.	Brain Dev.	In press		
<b>Fukao T</b> , Maruyama S, Ohura T, Hasegawa Y, Toyoshima M, Haapalainen AM, Kuwada N, Imamura M, Yuasa I, Wierenga RK, Yamaguchi S, Kondo N.	Three Japanese patients with beta-ketothiolase deficiency who share a mutation, c.431A>C (H144P) in ACAT1: subtle abnormality in urinary organic acid analysis and blood acylcarnitine analysis using tandem mass spectrometry.	JIMD reports	3	107-115	2012
Purevsuren J, Hasegawa Y, Fukuda S, Kobayashi H, Mushimoto Y, Yamada K, Takahashi T, <b>Fukao T</b> , Yamaguchi S.	Clinical and Molecular Aspects of Japanese Children with Medium Chain Acyl-CoA Dehydrogenase Deficiency.	Mol Genet Metab	107 (1-2)	237-40	2012
Tajima G, Sakura N, Kosuga M, <u>Okuyama T</u> , Kobayashi M	Effects of idursulfase enzyme replacement therapy for Mucopolysaccharidosis type II when started in early infancy: comparison in two siblings.	Mol Genet Metab.	108	172-177	2013
後藤由紀、柿島裕樹、藤直子、渡辺靖、小関満、松林守、木田和宏、小須賀基通、奥山虎之	ポンペ病を対象とした新生児マススクリーニングの運用	日本マススクリーニング学会誌	23	51-55	2013
Tanaka A, <u>Okuyama T</u> , Suzuki Y, Sakai N, Takakura H, Sawada T, Tanaka T, Otomo T, Ohashi T, Ishige-Wada M, Yabe H, Ohura T, Suzuki N, Kato K, Adachi S, Kobayashi R, Mugishima H, Kato S	Long-term efficacy of hematopoietic stem cell transplantation on brain involvement in patients with mucopolysaccharidosis type II: A nationwide survey in Japan.	Mol Genet Metab.	107	513-520	2012
Sasaki T, Niizeki H, Shimizu A, Shiohama A, Hirakiyama A, <u>Okuyama T</u> , Seki A, Kabashima K, Otsuka A, Ishiko A, Tanese K, Miyakawa SI, Sakabe JI, Kuwahara M, Amagai M, Okano H, Suematsu M, Kudoh J.	Identification of mutations in the prostaglandin transporter gene SLC02A1 and its phenotype-genotype correlation in Japanese patients with pachydermoperiostosis.	J Dermatol Sci.	68	36-44	2012

Hwu WL, <u>Okuyama T</u> , But WM, Estrada S, Gu X, Hui J, Kosuga M, Lin SP, Ngu LH, Shi H, Tanaka A, Thong MK, Wattanasirichaigoon D, Wasant P, McGill	Current diagnosis and management of mucopolysaccharidosis VI in the Asia-Pacific region.	J. Mol Genet Metab.	107	136-144	2012
D'Aco K, Underhill L, Rangachari L, Arn P, Cox GF, Giugliani R, Okuyama T, Wijburg F, Kaplan P	Diagnosis and treatment trends in mucopolysaccharidosis I: findings from the MPS I Registry.	Eur J Pediatr.	171	911-919	2012
Kido J, <u>Nakamura K</u> , Matsumoto S, Mitsubuchi H, Ohura T, Shigematsu Y, Yorifuji T, Kasahara M, Horikawa R and Endo F	Current status of hepatic glycogen storage disease in Japan: clinical manifestations, treatments and long-term outcomes.	J. Hum. Genet		in press	2013
Yamamoto A, <u>Nakamura K</u> , Matsumoto S, Iwai M, Shigematsu Y, Tajima G, Tsumura M, Okada S, Mitsubuchi H, Endo F.	VLCAD deficiency in a patient who recovered from VF, but died suddenly of an RSV infection.				2013
<u>Nakamura K</u> , Sekijima Y, <u>Nakamura K</u> , Hattori K, Nagamatsu K, Shimizu Y, Yazaki M, Sakurai A, Endo F, Fukushima Y, Ikeda S	p.E66Q Mutation in the GLA Gene is Associated with a High Risk of Cerebral Small-Vessel Occlusion in Elderly Japanese Males.	Eur J Neurol			2013
Inoue T, Hattori K, Ihara K, Ishii A, <u>Nakamura K</u> , Hirose S	Newborn screening for Fabry disease in Japan: Prevalence and genotypes of Fabry disease in a pilot study.	J. Hum. Genet.			2013
Nishino T, Obata Y, Furusu A, Hirose M, Shinzato K, Hattori K, Nakamura K, Matsumoto T, Endo F, Kohno S	Identification of a novel mutation and prevalence study for fabry disease in Japanese dialysis patients.	Ren Fail	34	566-570	2012



Katsuren K, Nakamura K, Ohta T	Effect of body mass index-z score on adverse levels of cardiovascular disease risk factors.	Pediatr Int.	54	200-204	2012
--------------------------------	---	--------------	----	---------	------