

(LAMOTRIGINE)

TABLETS

25 mg

R_x only

100 Tablets

CAUTION: Verify Product Dispensed

Dispense the accompanying Medication Guide to each patient.

Each scored tablet contains 25 mg of lamotrigine.

See Prescribing Information for dosage information.

Store at 25°C (77°F); excursions 15-30°C (59-86°F) in a dry place.

Dispense in a tight container as defined in the USP.

GlaxoSmithKline

Research Triangle Park, NC 27709

Made in England

10000000067774 Rev. 4/09

6 NDC 0173-0633-02 R_x only

LAMICTAL[®]
(LAMOTRIGINE)
TABLETS

25 mg

**CAUTION:
Verify
Product
Dispensed**

100 Tablets

Each scored tablet contains 25 mg of lamotrigine.
See Prescribing Information for dosage information.
Store at 25°C (77°F); excursions 15-30°C (59-86°F) in a dry place.
Dispense in a tight container as defined in the USP.
GlaxoSmithKline
Research Triangle Park, NC 27709
Made in England
10000000067774

Dispense the accompanying Medication Guide to each patient.

A067774

0173-0633-02

Rev. 4/09

Principal Display Panel

NDC 0173-0642-55

LAMICTAL[®]

(LAMOTRIGINE)

TABLETS

100 mg

R_x only

100 Tablets

CAUTION: Verify Product Dispensed

Dispense the accompanying Medication Guide to each patient.

Each scored tablet contains 100 mg of lamotrigine.

See Prescribing Information for dosage information.

Store at 25°C (77°F); excursions 15-30°C (59-86°F) in a dry place.

Dispense in a tight, light-resistant container as defined in the USP.

GlaxoSmithKline

Research Triangle Park, NC 27709

Made in England

10000000067776 Rev. 4/09

4 NDC 0173-0642-55 Rx only

LAMICTAL[®]
(LAMOTRIGINE)
TABLETS

100 mg

CAUTION:
Verify
Product
Dispensed

Each scored tablet contains 100 mg of lamotrigine.
See Prescribing Information for dosage information.
Store at 25°C (77°F); excursions 15-30°C (59-86°F) in a dry place.
Dispense in a tight, light-resistant container as defined in the USP.
GlaxoSmithKline
Research Triangle Park, NC 27709
Made in England
10000000067776 Rev. 4/09

Dispense the accompanying Medication Guide to each patient.

Principal Display Panel

NDC 0173-0643-60

LAMICTAL[®]

(LAMOTRIGINE)

TABLETS

150 mg

R_x only

60 Tablets

CAUTION: Verify Product Dispensed

Dispense the accompanying Medication Guide to each patient.

Each scored tablet contains 150 mg of lamotrigine.

See Prescribing Information for dosage information.

Store at 25°C (77°F); excursions 15-30°C (59-86°F) in a dry place.

Dispense in a tight, light-resistant container as defined in the USP.

GlaxoSmithKline

Research Triangle Park, NC 27709

Made in England

1000000067778 Rev. 4/09

Principal Display Panel

NDC 0173-0644-60

LAMICTAL[®]

(LAMOTRIGINE)

TABLETS

200 mg

R_x only

60 Tablets

CAUTION: Verify Product Dispensed

Dispense the accompanying Medication Guide to each patient.

Each scored tablet contains 200 mg of lamotrigine.

See Prescribing Information for dosage information.

Store at 25°C (77°F); excursions 15-30°C (59-86°F) in a dry place.

Dispense in a tight, light-resistant container as defined in the USP.

GlaxoSmithKline

Research Triangle Park, NC 27709

Made in England

1000000067830 Rev. 4/09

2 NDC 0173-0644-60 R_x only

LAMICTAL[®]
(LAMOTRIGINE)
TABLETS

3 0173-0644-60

A 0 6 7 8 3 0

200 mg

CAUTION:
Verify
Product
Dispensed

60 Tablets

Each scored tablet contains 200 mg of lamotrigine. See Prescribing Information for dosage information. Store at 25°C (77°F); excursions 15-30°C (59-86°F) in a dry place. Dispense in a tight, light-resistant container as defined in the USP.

GlaxoSmithKline
Research Triangle Park, NC 27709
Made in England
10000000067830

Dispense the accompanying Medication Guide to each patient.

Rev. 4/09

Principal Display Panel

NDC 0173-0633-10

LAMICTAL[®]
(LAMOTRIGINE)
TABLETS

R_x ONLY

For patients TAKING valproate*

*See prescribing information for other drugs that may affect dosing of LAMICTAL.

STARTER KIT

Contains: 35 25-mg Tablets

<i>Weeks</i>	<i>Tablets per day</i>
1&2	Take 1 (25 mg) tablet every <u>OTHER</u> day
3&4	Take 1 (25 mg) tablets once a day
5	Take 2 (25 mg) tablet once a day

Please check with your physician about proper maintenance dose before week 5.

Each LAMICTAL 25 tablet contains 25 mg of lamotrigine

CAUTION: Verify Product Dispensed

Dispense the enclosed Medication Guide to each patient.

GlaxoSmithKline

Made in India

10000000098322 Rev. 8/11

← AFFIX PHARMACY LABEL HERE →

NDC 0173-0633-10

LAMICTAL[®]
(LAMOTRIGINE)
 TABLETS

R_x only

**For patients
 TAKING valproate***

*See prescribing information for other drugs
 that may affect dosing of LAMICTAL.


STARTER KIT

Contains: **35** 25-mg Tablets


<i>Weeks</i>	<i>Tablets per day</i>
1 & 2	Take 1 (25 mg) tablet every <u>OTHER</u> day
3 & 4	Take 1 (25 mg) tablet once a day
5	Take 2 (25 mg) tablets once a day

Please check with your physician about proper maintenance dose before week 5.

Dispense the enclosed Medication Guide to each patient.

Each  tablet contains 25 mg of lamotrigine

CAUTION:
 Verify Product Dispensed

 GlaxoSmithKline

Principal Display Panel

NDC 0173-0817-28

LAMICTAL[®]
(LAMOTRIGINE)
TABLETS

R_x ONLY

For patients TAKING carbamazepine, phenytoin, phenobarbital, or primidone and NOT TAKING valproate*

*See prescribing information for other drugs that may affect dosing of LAMICTAL.

STARTER KIT

Contains: **84** 25-mg Tablets

14 100-mg Tablets

<i>Weeks</i>	<i>Tablets per day</i>
1&2	Take 2 (25 mg) tablets once a day
3&4	Take 2 (25 mg) tablets twice a day

5

Take 1 (100 mg) tablet twice a day

Please check with your physician about proper maintenance dose before week 5.

Each LAMICTAL 25 tablet contains 25 mg of lamotrigine

Each LAMICTAL 100 tablet contains 100 mg of lamotrigine

CAUTION: Verify Product Dispensed

Dispense the enclosed Medication Guide to each patient.

GlaxoSmithKline

Made in India

10000000098321 Rev. 8/11

← AFFIX PHARMACY LABEL HERE →

NDC 0173-0817-28

LAMICTAL[®]
(LAMOTRIGINE)
TABLETS

Rx only

TAKING carbamazepine, phenytoin,
phenobarbital, or primidone and
NOT TAKING valproate*

* See prescribing information for other drugs
that may affect dosing of LAMICTAL.

STARTER KIT

Contains: 84 25-mg Tablets
14 100-mg Tablets

Weeks	Tablets per day
1 & 2	Take 2 (25 mg) tablets once a day
3 & 4	Take 2 (25 mg) tablets twice a day
5	Take 1 (100 mg) tablet twice a day

Please check with your physician about proper maintenance
dose before week 5.

Dispense the
enclosed
Medication
Guide to each
patient.

Each [25 mg] tablet contains 25 mg of lamotrigine

Each [100 mg] tablet contains 100 mg of lamotrigine

gsk GlaxoSmithKline

CAUTION:
Verify Product Dispensed

Principal Display Panel

NDC 0173-0594-02

LAMICTAL[®]

(LAMOTRIGINE)

TABLETS

R_x ONLY

For patients NOT TAKING carbamazepine, phenytoin, phenobarbital, primidone, or valproate*

*See prescribing information for other drugs that may affect dosing of LAMICTAL.

STARTER KIT

Contains: **42** 25-mg Tablets

7 100-mg Tablets

<i>Weeks</i>	<i>Tablets per day</i>
1&2	Take 1 (25 mg) tablet once a day
3&4	Take 2 (25 mg) tablets once a day
5	Take 1 (100 mg) tablet once a day

Please check with your physician about proper maintenance dose before week 5.

Each LAMICTAL 25 tablet contains 25 mg of lamotrigine

Each LAMICTAL 100 tablet contains 100 mg of lamotrigine

CAUTION: Verify Product Dispensed

Dispense the enclosed Medication Guide to each patient.

GlaxoSmithKline

Made in India

10000000098270 Rev. 8/11

← AFFIX PHARMACY LABEL HERE →

NDC 0173-0584-02

LAMICTAL[®]
(LAMOTRIGINE)
TABLETS

R_x only

NOT TAKING carbamazepine, phenytoin, phenobarbital, primidone, or valproate*

**See prescribing information for other drugs that may affect dosing of LAMICTAL.*


STARTER KIT


Contains: 42 25-mg Tablets
7 100-mg Tablets

Weeks	Tablets per day
1 & 2	Take 1 (25 mg) tablet once a day
3 & 4	Take 2 (25 mg) tablets once a day
5	Take 1 (100 mg) tablet once a day


Please check with your physician about proper maintenance dose before week 5.

Dispense the enclosed Medication Guide to each patient.

Each  tablet contains 25 mg of lamotrigine

Each  tablet contains 100 mg of lamotrigine

CAUTION:
Verify Product Dispensed

 GlaxoSmithKline

Principal Display Panel

NDC 0173-0699-00

LAMICTAL[®]

(LAMOTRIGINE)

CHEWABLE DISPERSIBLE TABLETS

2 mg

30 Tablets

R_x only

CAUTION: Verify Product Dispensed

Dispense the accompanying Medication Guide to each patient.

Each tablet contains 2 mg of lamotrigine.

See Prescribing Information for dosage information.

Store at 25°C (77°F); excursions permitted to 15-30°C (59-86°F) in a dry place.

Dispense in a tight, light-resistant container as defined in the USP.

GlaxoSmithKline

Research Triangle Park, NC 27709

Made in India

10000000098065 Rev. 8/1

NDC 0173-0699-00 R_x only

LAMICTAL[®]
(LAMOTRIGINE)
CHEWABLE DISPERSIBLE TABLETS

Dispense the accompanying Medication Guide to each patient.

2 mg

CAUTION: Verify Product Dispensed

30 Tablets

Each tablet contains 2 mg of lamotrigine.
See Prescribing Information for dosage information.
Store at 25°C (77°F); excursions permitted to 15-30°C (59-86°F) in a dry place.
Dispense in a tight, light-resistant container as defined in the USP.
GlaxoSmithKline
Research Triangle Park, NC 27709
Made in India
10000000098065

Rev. 8/11

A098065

Principal Display Panel

NDC 0173-0526-00

LAMICTAL[®]

(LAMOTRIGINE)

CHEWABLE DISPERSIBLE TABLETS

5 mg

100 Tablets

R_x only

CAUTION: Verify Product Dispensed

Dispense the accompanying Medication Guide to each patient.

Each tablet contains 5 mg of lamotrigine.

See Prescribing Information for dosage information.

Store at 25°C (77°F); excursions permitted to 15-30°C (59-86°F) in a dry place.

Dispense in a tight, light-resistant container as defined in the USP.

GlaxoSmithKline

Research Triangle Park, NC 27709

Made in India

NDC 0173-0526-00 Rx only

LAMICTAL[®]
(LAMOTRIGINE)
CHEWABLE DISPERSIBLE TABLETS

Dispense the accompanying Medication Guide to each patient.

5 mg

CAUTION: Verify Product Dispensed

100 Tablets

Each tablet contains 5 mg of lamotrigine.
See Prescribing Information for dosage information.
Store at 25°C (77°F); excursions permitted to 15-30°C (59-86°F) in a dry place.
Dispense in a tight, light-resistant container as defined in the USP.
GlaxoSmithKline
Research Triangle Park, NC 27709
Made in India
1000000098063

Rev. 8/11

A098063

Principal Display Panel

NDC 0173-0527-00

LAMICTAL[®]

(LAMOTRIGINE)

CHEWABLE DISPERSABLE TABLETS

25 mg

100 Tablets

R_x only

CAUTION: Verify Product Dispensed

Dispense the accompanying Medication Guide to each patient.

Each tablet contains 25 mg of lamotrigine.

See Prescribing Information for dosage information.

Store at 25°C (77°F); excursions permitted to 15-30°C (59-86°F) in a dry place.

Dispense in a tight, light-resistant container as defined in the USP.

GlaxoSmithKline

Research Triangle Park, NC 27709

Made in India

1000000098064 Rev. 8/11