

研究成果の刊行に関する一覧表

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Nishida S, Koido S, Takeda Y, Honma S, Kimita H, Takahara A, Morita S, Ito T, Morimoto S, Hara K, Tsuboi A, Oka Y, Yanagisawa S, Toyama Y, Ikegami M, Kitagawa T, Eguchi H, Wada H, Nagano H, Nakata J, Nakae Y, Hosen N, Oji Y, Tanaka T, Kawase I, Kumanogoh A, Sakamoto J, Doki Y, Mori M, Ohkusa T, Tajiri H, Sugiyama H.	Wilms Tumor Gene 1 (WT1) Peptide-based Cancer Vaccine Combined With Gemcitabine for Patients With Advanced Pancreatic Cancer.	J Immunother	In press	In press	
Maeda T, Hosen N, Fukushima K, Tsuboi A, Morimoto S, Matsui T, Sata H, Fujita J, Hasegawa K, Nishida S, Nakata J, Nakae Y, Takashima S, Nakajima H, Fujiki F, Tatsumi N, Kondo T, Hino M, Oji Y, Oka Y, Kanakura Y, Kumanogoh A and Sugiyama H.	Maintenance of complete remission after allogeneic stem cell transplantation in leukemia patients treated with Wilms tumor 1 peptide vaccine.	Blood Cancer Journal	3	e130	2013
Tachino S, Fujiki F, Oka Y, Tsuboi A, Morimoto S, Lin Y, Tamanaka T, Kondo K, Nakajima H, Nishida S, Hosen N, Oji Y, Kumanogoh A, Sugiyama H.	Functional human Th17 clones with WT1-specific helper activity.	Cancer Immunol Immunother	62	801-10	2013
Lin Y, Fujiki F, Katsuhara A, Oka Y, Tsuboi A, Aoyama N, Tanii S, Nakajima H, Tatsumi N, Morimoto S, Hosen N, Nishida S, Oji Y, Kumanogoh A, Sugiyama H.	HLA-DPB1*05:01-restricted WT1332-specific TCR-transduced CD4(+) T lymphocytes display a helper activity for WT1-specific CTL induction and a cytotoxicity against leukemia cells.	J Immunother	36	159-170	2013
Miyatake T, Ueda Y, Morimoto A, Enomoto T, Oka Y, Nishida S, Tsuboi A, Shirak	WT1 Peptide Immunotherapy for Gynecologic Malignancies Resistant to Conventional Therapies: a	J Cancer Res Clin Oncol	139	457-63	2013

ata T, Oji Y, Hosen N, Aozasa K, Morita S, Sakamoto J, Sugiyama H, Kimura T.	Phase trial.				
Shintani Y, Funaki S, Nakagiri T, Inoue M, Sawabata N, Minami M, Kadota Y, Okumura M.	Experience with thoracoscopic resection for mediastinal mature teratoma: a retrospective analysis of 15 patients.	Interact Cardiovasc Thorac Surg.	16	441-444	2013
Shintani Y, Abulaiti A, Kimura T, Funaki S, Nakagiri T, Inoue M, Sawabata N, Minami M, Morii E, Okumura M.	Pulmonary fibroblasts induce epithelial mesenchymal transition and some characteristics of stem cells	Ann Thorac Surg	96	425-433	2013
Funaki.S, Sawabata N, Abulaiti A, Nakagiri T, Shintani Y, Inoue M, Minami M, Okumura M.	Significance of tumour vessel invasion in determining the morphology of isolated tumour cells in the pulmonary vein in non-small-cell lung cancer	Eur J Cardiothorac Surg	43	1126-1130	2013
Asamura H, Hishida T, Suzuki K, Koike T, Nakamura K, Kusumoto M, Nagai K, Tada H, Mitsudomi T, Tsuboi M, Shibata T, Fukuda H.	Radiographically determined noninvasive adenocarcinoma of the lung: survival outcomes of Japan Clinical Oncology Group 0201. ; Japan Clinical Oncology Group Lung Cancer Surgical Study Group.	The Journal of Thoracic and Cardiovascular Surgery.	146(1)	24-30	2013
Saji H, Tsuboi M, Shimada Y, Kato Y, Hamanaka W, Kudo Y, Yoshida K, Matsubayashi J, Usuda J, Ohira T, Ikeda N.	Gene expression profiling and molecular pathway analysis for the identification of early-stage lung adenocarcinoma patients at risk for early recurrence.	Oncology Reports.	29(5)	1902-6	2013
Watanabe M, Yokose T, Tetsukan W, Imai K, Tsuboi M, Ito H, Ishikawa Y, Yamada K, Nakayama H, Fujino S.	Micropapillary components in a lung adenocarcinoma predict stump recurrence 8 years after resection: a case report.	Lung Cancer.	80(2)	230-3	2013
Saji H, Tsuboi M, Shimada Y, Kato Y, Yoshida K, Nomura M, Matsubayashi J, Nagao T, Kakihana M, Usuda J, Kajiwara N, Ohira T, Ikeda N.	A proposal for combination of total number and anatomical location of involved lymph nodes for nodal classification in non-small cell lung cancer.	Chest.	143(6)	1618-25	2013
Arai H, Okudela K, Oshiro H, Komitsu N, Mitsui H, Nishii T, Tsuboi M, Nozawa A, Noishiki Y, Ohashi K, Inui K, Masuda M.	Elevated microsatellite alterations at selected tetranucleotide (EMAST) in non-small cell lung cancers --a potential determinant of susceptibility to multiple malignancies.	Int J Clin Exp Pathol.	6(3)	395-410	2013
Ikeda N, Yoshimura A, Hagiwara M, Akata S, Saji H	Three Dimensional Computed Tomography Lung Modeling is Useful in Simulation and Navigation of Lung Cancer	Ann Thorac Cardiovasc Surg	19(1)	1-5	2013

	Surgery				
Shimada Y,Saji H, Yoshida K, Kakihana M, Honda H, Nomura M, Usuda J, Kajiwara N, Ohira T, <u>Ikeda N</u> .	Prognostic factors and the significance of treatment after recurrence in completely resected stage I non-smallcell lung cancer	CHEST	143(6)	1626-1634	2013
Shimada Y,Saji H, Nomura M, Matsubayashi J, Yoshida K, Kakihana M, Kajiwara N, Ohira T, <u>Ikeda N</u>	Cancer stem cell-related marker expression in lung adenocarcinoma and relevance of histologic subtypes based on IASLC/ATS/ERS classification	Onco Targets and Therapy	6	1597-1604	2013
Saji H, Inoue T, Kato Y, Shimada Y, Hagiwara M, Kudo Y, Akata S, <u>Ikeda N</u>	Virtual segmentectomy based on high-quality three-dimensional lung modelling from computed tomography images	Interact Cardiovasc Thorac Surg	17(2)	227-232	2013
Kudo Y, Saji H, Shimada Y, Matsubayashi J, Nagao T, Kakihana M, Usuda J, Kajiwara N, Ohira T, <u>Ikeda N</u>	Proposal on incorporating blood vessel invasion into the T classification parts as a practical staging system for stage I non-small cell lung cancer	Lung Cancer	81(2)	187-193	2013
Saji H, Tsuboi M, Shimada Y, Kato Y, Yoshida K, Nomura M, Matsubayashi J, Nagao T, Kakihana M, Usuda J, Kajiwara N, Ohira T, <u>Ikeda N</u>	A proposal for Combination of Total Number and Anatomical Location of Involved Lymph Nodes for Nodal Classification in Non-small Cell Lung Cancer	CHEST	143(6)	1618-1625	2013
Shimada Y,Saji H, Yoshida K, Kakihana M, Honda H, Nomura M, Usuda J, Kajiwara N, Ohira T, <u>Ikeda N</u>	Prognostic factors and the significance of treatment after recurrence in completely resected stage I non-small cell lung cancer	CHEST	143(6)	1626-1634	2013
Saji H, Tsuboi M, Shimada Y, Kato Y, Hamanaka W, Kudo Y, Yoshida K, Matsubayashi J, Usuda J, Ohira T, <u>Ikeda N</u>	Gene expression profiling and molecular pathway analysis for the identification of early-stage lung adenocarcinoma patients at risk for early recurrence	Oncol Rep	29(5)	1902-1906	2013
Kurata A,Saji H, <u>Ikeda N</u> , Kuroda M	Intracaval and intracardiac extension of invasive thymoma complicated by superior and inferior vena cava syndrome	Pathology International	63(1)	56-62	2013
<u>Ikeda N</u> ,Saji H, Hagiwara M, Ohira T,	Recent advances in video-assisted thoracoscopic	Asian J Endosc Surg	6(1)	9-13	2013

Usuda J, Kajiwara N	surgery for lung cancer				
Matsunaga T, Suzuki K, Hattori A, Fukui M, Kitamura Y, Miyasaka Y, Takamochi K, Oh S.	Lung cancer with scattered consolidation: detection of new independent radiological category of peripheral lung cancer on thin-section computed tomography.	Interact Cardiovasc Thorac Surg	Apr; 16(4):	445-9	2013
Maeyashiki T, Suzuki K, Hattori A, Matsunaga T, Takamochi K, Oh S.	The size of consolidation on thin-section computed tomography is a better predictor of survival than the maximum tumour dimension in resectable lung cancer.	Eur J Cardiothorac Surg	May; 43(5):	915-8	2013
Hattori A, Suzuki K, Maeyashiki T, Fukui M, Kitamura Y, Matsunaga T, Miyasaka Y, Takamochi K, Oh S.	The presence of air bronchogram is a novel predictor of negative nodal involvement in radiologically pure-solid lung cancer.	Eur J Cardiothorac Surg	Oct 17.	Epub ahead of print	2013
Matsunaga T, Suzuki K, Takamochi K, Oh S.	Time to refine N2 staging? cN2a and cN2b based on local regional involvement provide a more accurate prognosis in surgically treated IIIA non-small-cell lung cancer than N2 alone or the number of node stations involved.	Eur J Cardiothorac Surg	Dec 8	Epub ahead of print	2013
Uehara H, Tsutani Y, Okumura S, Nakayama H, Adachi S, Yoshimura M, Miyata Y, Okada M.	Prognostic Role of Positron Emission Tomography and High-Resolution Computed Tomography in Clinical Stage IA Lung Adenocarcinoma	Ann Thorac Surg	96	1958-1965	2013
Tsutani Y, Miyata Y, Nakayama H, Okumura S, Adachi S, Yoshimura M, Okada M.	Solid tumor size on high-resolution computed tomography and maximum standardized uptake on positron emission tomography for new clinical T descriptors with T1 lung adenocarcinoma	Ann Oncol	24	2376-2381	2013
Murakami S, Saito H, Karino F, Kondo T, Oshita F, Ito H, Nakayama H, Yokose T, Yamada K.	¹⁸ F-fluorodeoxyglucose uptake on positron emission tomography in mucinous adenocarcinoma	European Journal of Radiology	82	e721-e725	2013
Tsutani Y, Miyata Y, Nakayama H, Okumura S, Adachi S, Yoshimura M, Okada M	Oncologic outcomes of segmentectomy compared with lobectomy for clinical stage IA lung adenocarcinoma: propensity score-matched analysis in a multicenter study	JTCO	146	358-364	2013

	dy				
Okano Y, Nezu U, Enokida Y, Lee MT M, Kinoshita H, Lezhava A, Hayashizaki Y, Morita S, Taguri M, Ichikawa Y, Kaneko T, Natsumeda Y, Yokose T, Nakayama H, Miyagi Y, Ishikawa T	SNP (-617C.A) in ARE-Like Loci of the NRF2 Gene: A New Biomarker for Prognosis of Lung Adenocarcinoma in Japanese Non-Smoking Women	PLOS ONE	8	e73794	2013
Niho S, Kenmotsu H, Sekine I, Ishii G, Ishikawa Y, Noguchi M, Oshita F, Watanabe SI, Nakajima R, Tada H, Nagai K	Combination Chemotherapy with Irinotecan and Cisplatin for Large-Cell Neuroendocrine Carcinoma of the Lung: A Multicenter Phase II Study	J Thorac Oncol.	8(7)	980-984	2013
Asamura H, Hishida T, Suzuki K, Koike T, Nakamura K, Kusumoto M, Nagai K, Tada H, Mitsudomi T, Tsuboi M, Shibata T, Fukuda H	Radiographically determined noninvasive adenocarcinoma of the lung: Survival outcomes of Japan Clinical Oncology Group 0201	J Thorac Cardiovasc Surg	146(1)	24-30	2013
Tsukioka T, Yamamoto R, Takahama M, Nakajima R, Tei K, Okada S, Tada H	Resection of a Second Primary Lung Cancer in a Lobe Where Small-Cell Lung Cancer was Previously Treated with Chemoradiotherapy: Report of a Case.	Ann Thorac Cardiovasc Surg			2013
Inoue M, Okumura M, Sawabata N, Miyaoaka E, Asamura H, Yoshino I, Tada H, Fujii Y, Nakanishi Y, Eguchi K, Mori M, Kobayashi H, Yokoi K.	Clinicopathological characteristics and surgical results of lung cancer patients aged up to 50 years: The Japanese Lung Cancer Registry Study 2004	Lung Cancer	83(2)	246-51	2014
Fujiwara A, Higashiyama M. et al.	Bilateral ovarian metastasis of non-small cell lung cancer with ALK rearrangement.	Lung Cancer	83(2)	302-4	2014
Okami J, Higashiyama M. et al.	Radiotherapy for Postoperative Thoracic Lymph Node Recurrence of Non-Small-Cell Lung Cancer Provides Better Outcomes If the Disease Is Asymptomatic and a Single-Station Involvement.	J Thorac Oncol	8(11)	1417-24	2013
Kodama K, Higashiyama M. et al.	Cytoreductive surgery and post-operative heated pleural chemotherapy for the management of pleural surface malignancy.	Int J Hypertermia	29(7)	653-62	2013
Kodama K, Higashiyama M. et al.	A possible abscopal effect of post-irradiation immunotherapy in two patients with metastatic lung t	Int Canc Conf J		10.1007/s13691-013-0130-x	2013

	umors.				
Morimoto D,Higashiyama M. et al.	Differentiation of lung neoplasms with lepidic growth and good prognosis from those with poor prognosis using computer-aided 3D volumetric CT analysis and FDG-PET.	Acta Radiol		10.1177/0284185113502336	2013
Tokunaga T,Higashiyama M. et al.	Pleural recurrence after surgery for pleomorphic adenoma arising from peripheral lung: computed tomography-guided percutaneous needle biopsy as a possible mechanism of local failure.	Gen Thorac Cardiovasc Surg		10.1007/s11748-013-0310-9	2013
Jiang B,Higashiyama M. et al.	Thin-section CT findings in peripheral lung cancer of 3 cm or smaller: are there any characteristic features for predicting tumor histology or do they depend only on tumor size?	Acta Radiol		10.1177/0284185113495834	2013
Shingyoji M,Higashiyama M. et al.	The significance and robustness of a plasma free amino acid (PFAA) profile-based multiplex function for detecting lung cancer.	BMC Cancer		10.1186/1471-2407-13-77201	2013
Endo H,Higashiyama M. et al.	Spheroid Culture of Primary Lung Cancer Cells with Neuregulin 1/HER3 Pathway Activation.	J Thorac Oncol	8(2)	131-9	2013
Takahashi Y,Higashiyama M. et al.	Diagnosis of Regional Node Metastases in Lung Cancer with Computer-Aided 3D Measurement of the Volume and CT-Attenuation Values of Lymph Nodes.	Acad Radiol	20(6)	740-5	2013
Takahashi Y,Higashiyama M. et al.	F18-FDG PET-CT analyses of small peripheral adenocarcinoma of the lung.	Acta Radiol	54(2)	164-8	2013
Jiang B,Higashiyama M. et al.	Adenocarcinoma of the lung with scattered consolidation: radiological-pathological correlation and prognosis.	Eur J Radiol	82(10)	e623-7	2013
Yamada T,Higashiyama M. et al.	Akt kinase-interacting protein1, a novel therapeutic target for lung cancer with EGFR-activating and gatekeeper mutations.	Oncogene	32(37)	4427-35	2013
Kawaguchi T, Ando M, Ito N, Isa S, Tamaiya A, Shimizu S, Saka H, Kubo A, Koh Y, <u>Matsumura A</u>	Rationale and design of the Japan Molecular Epidemiology for Lung Cancer Study	Clinical Lung Cancer	14(5)	596-600	2013

Sonobe M, Date H, Wada H, Okubo K, Hamakawa H, Teramukai S, <u>Matsumura A</u> , Nakagawa T, Sumitomo S, Miyamoto Y, Okumura N, Takeo S, Kawakami K, Aoki M, Kosaka S; The Japan-Multinational Trial Organization	Prognostic factors after complete resection of pN2 non-small cell lung cancer	J Thorac Cardiovasc Surg	146(4)	788-795	2013
Hirano H, Maeda H, Takeuchi Y, Susaki Y, Kobayashi R, Hayashi A, Ose N, Nakazawa Y.	Association of cigarette smoking with the expression of nuclear survivin in pathological stage IA lung adenocarcinomas.	Med Mol Morphol	DOI 10.1007	S00795-013-0061-9	2013
Nojiri T, Inoue M, Maeda H, Takeuchi Y, Sawabata N, Shintani Y, Yamamoto K, Okumura M.	Low-dose human atrial natriuretic peptide for the prevention of post-operative cardiopulmonary complications in chronic obstructive pulmonary disease patients undergoing lung cancer surgery.	Eur J Cardiothorac Surg	44	98-103	2013
Funakoshi Y, Takeuchi Y, Maeda H.	Pneumonectomy after response to gefitinib treatment for lung adenocarcinoma.	Asian Cardiovasc Thorac Ann	21	482-4	2013
Tanaka Y, Ogawa H, Uchino K, Ohbayashi C, Maniwa Y, Nishio W, Nakao A, Yoshimura M.	Immunohistochemical studies of pulmonary large cell neuroendocrine carcinoma: A possible association between staining patterns with neuroendocrine markers and tumor response to chemotherapy.	J Thorac Cardiovasc Surg	145(3)	839-46	2013
Hokka D, Maniwa Y, Nishio W, Tane S, Yoshimura M, Ohbayashi C, Sakai Y, Satoh N, Chen X, Hayashi Y	Psf3 is a novel prognostic biomarker in lung adenocarcinoma.	Lung Cancer	79(1)	77-82	2013
Tsutani Y, Miyata Y, Yamanaka T, Nakayama H, Okumura S, Adachi S, Yoshimura M, Okada M.	Solid tumor versus mixed tumors with a ground-glass opacity component in patients with clinical stage IA lung adenocarcinoma: prognostic comparison using high-resolution computed tomography findings	J Thorac Cardiovasc Surg	146(1)	17-23	2013
Tane S, Maniwa Y, Hokka D, Tauchi S, Nishio W, Okita Y, Yoshimura M.	The role of Necl-5 in the invasive activity of lung adenocarcinoma.	Exp Mol Pathol	94(3)	330-35	2013
Tsutani Y, Miyata Y, Nakayama H, Okumura S, Adachi S, Yoshimura M, Okada M.	Solid tumor size on high-resolution computed tomography and maximum standardized uptake on positron emission tomography for new clinical	Ann Oncol.	24(9)	2376-85	2013

	T descriptors with T1 lung adenocarcinoma.				
山下素弘、新海哲	肺血栓塞栓症・気胸 成人病と生活習慣病 特集- オンコロジック・エマージェンシー	日本成人病学会 準機関誌 (東京医学社)	43	460-465	2013年
Yuki Tanabe, Yoshifumi Sugawara, Rieko Nishimura, Kohei Hosokawa, Makoto Kajihara, Teruhiko Shimizu, Tadaaki Takahashi, Shinya Sakai, Shigeki Sawada, Motohiro Yamashita, Haruhiko Ohtani.	Oncocytic carcinoid tumor of the lung with intense F-18 fluorodeoxyglucose (FDG) uptake in positron emission tomography-computed tomography (PET/CT).	Annals of Nuclear Medicine.	27(8)	781-785	2013年
Shigeki Sawada, Natsumi Yamashita, Hiroshi Suehisa, Motohiro Yamashita.	Risk factors for recurrence after lung cancer resection as estimated using the survival tree method.	Chest 2013	144(4)	1238-1244	2013年
Shungo Yukumi, Motohiro Yamashita Hiraku Ichiki, Hideaki Suzuki, Kei Ishimaru, Seiya Ueda, Akira Watanabe, Chika Sato, Masahiro Abe.	A case report of tuberculous abscess of the chest wall accompanied with pulmonary carcinoma.	Respiratory Medicine Case report 2013	10	31-33	2013年
宮部貴識 所明宏、山下素弘	がん補完代替療法における薬剤管理指導による医療コミュニケーションに関する検討	日本補完代替医療学会誌	6	29-33	2013
Yamaguchi M, Toyokawa G, Ohba T, Sasaki T, Kometani T, Hamatake M, Hirai F, Taguchi K, Yamanaka T, Seto T, Takenoyama M, Sugio K, Ichinose Y	Preoperative Concurrent Chemoradiotherapy of S-1/Cisplatin for Stage III Non-Small Cell Lung Cancer.	Ann Thorac Surg	96	1783-1789	2013
Toyokawa G, Takenoyama M, Taguchi K, Arakaki K, Inamasu E, Toyozawa R, Kojima M, Shiraishi Y, Morodomi Y, Takenaka T, Hirai F, Yamaguchi M, Seto T, Leone A, Graziano P, Ichinose Y	The first case of lung carcinosarcoma harboring in-frame deletions at exon 19 in the EGFR gene.	Lung Cancer	81	491-494	2013
Toyokawa G, Takenoyama M, Taguchi K, Toyozawa R, Inamasu E, Kojima M, Shiraishi Y, Morodomi Y, Takenaka T, Hirai F, Yamaguchi M, Seto T, Shimokawa M, Ichinose Y	An extremely rare case of small-cell lung cancer harboring variant 2 of the EML4-ALK fusion gene.	Lung Cancer	81	487-490	2013
Toyokawa G, Takenoyama M, Hirai F, To	Gemcitabine and vinorelbine as second-line or bey	Int J Clin Oncol	10	1007/s10147-1001	2013

yozaawa R, Inamasu E, Kojo M, Morodomi Y, Shiraiishi Y, Takenaka T, Yamaguchi M, Shimokawa M, Seto T, Ichinose Y	ond treatment in patients with malignant pleural mesothelioma pretreated with platinum plus pemetrexed chemotherapy.			3-10619-10145	
Toyokawa G, Takenoyama M, Ichinose Y	Do mutations of the enhancer of zeste homolog 2 gene exist in small-cell lung cancer?	J Thorac Oncol	8	e103	2013
Hishida,T., Yoshida, J.,Ohe,Y., Aokage, K., Ishii,G., Nagai, K.	Surgical Outcomes after Initial Surgery for Clinical Single-station N2 Non-small-cell Lung Cancer.	Jpn J Clin Oncol	44 (1)	85-92	2014
Ichinokawa,H., Ishii, G., Nagai,K., Kawasue,A., Yoshida,J., Nishimura,M., Hishida,T., Ogasawara,N., Tsuchihara,K., Ochiai,A.	Distinct clinicopathologic characteristics of lung mucinous adenocarcinoma with KRAS mutation.	Hum Pathol	44 (12)	2636-42	2013
Kinoshita,T., Yoshida, J., Ishii,G., Aokage, K., Hishida,T., Nagai,K.	The differences of biological behavior based on the clinicopathological data between resectable large-cell neuroendocrine carcinoma and small-cell lung carcinoma.	Clin Lung Cancer	14 (5)	535-40	2013
Kaseda,K., Ishii,G., Aokage,K., Takahashi, A., Kuwata,T., Hishida,T., Yoshida,J., Kohno,M., Nagai,K., Ochiai,A.	Identification of intravascular tumor microenvironment features predicting the recurrence of pathological stage I lung adenocarcinoma.	Cancer Sci	104 (9)	1262-9	2013
Aokage,K., Yoshida, J., Ishii,G., Matsumura,Y., Haruki,T., Hishida,T., Nagai,K.	Identification of early t1b lung adenocarcinoma based on thin-section computed tomography findings.	J Thorac Oncol	8 (10)	1289-94	2013
Kawase,A., Yoshida, J., Miyaoka,E., Asamura,H., Fujii,Y., Nakanishi,Y., Eguchi,K., Mori,M., Sawabata, N., Okumura,M., Yokoi,K., Japanese Joint Committee of Lung Cancer Registry.	Visceral pleural invasion classification in non-small-cell lung cancer in the 7th edition of the tumor, node, metastasis classification for lung cancer: validation analysis based on a large-scale nationwide database.	J Thorac Oncol	8 (5)	606-11	2013
Kinoshita,T., Ishii,G., Hiraoka,N., Hirayama,S., Yamauchi,C., Aokage,K., Hishida, T., Yoshida,J., Nagai, K., Ochiai,A.	Forkhead box P3 regulatory T cells coexisting with cancer associated fibroblasts are correlated with a poor outcome in lung adenocarcinoma.	Cancer Sci	104 (4)	409-15	2013
Ono,S., Ishii,G., Nagai,K., Takuwa,T., Yoshida,J., Nishimura,M., Hishida,T., Aokage, K., Fujii,S., Ikeda,N., Ochiai,A.	Podoplanin-positive cancer-associated fibroblasts could have prognostic value independent of cancer cell phenotype in stage I lung squamous cell carcinoma: usefulness of combi	Chest	143 (4)	963-70	2013

	ning analysis of both cancer cell phenotype and cancer-associated fibroblast phenotype.				
Hishida,T., Yoshida, J., Maeda,R., Ishii,G., Aokage,K., Nishimura,M., Nagai,K.	Prognostic impact of intratumoural microvascular invasion and microlymphatic permeation on node-negative non-small-cell lung cancer: which indicator is the stronger prognostic factor?	Eur J Cardiothorac Surg	43 (4)	772-7	2013
Kumanogoh A and Kikutani H.	Immunological functions of the neuropilins and plexins as receptors for semaphorin.	Nature Reviews Immunology	13 Pages	802	2013
Nojima S, Toyofuku T, Kamao H, Ishigami C, Kaneko J, Okuno T, Takamatsu H, Ito D, Kang S, Kimura T, Yoshida Y, Morimoto K, Maeda Y, Ogata A, Ikawa M, Morii E, Aozasa K, Takagi J, Takahashi M, Kumanogoh A.	A point mutation in Semaphorin 4A associates with defective endosomal sorting and causes retinal degeneration.	Nature communications.	4	1406	2013
Jin Y, Tachibana I, Takeda Y, He P, Kang S, Suzuki M, Kuhara H, Tetsumoto S, Tsujino K, Minami T, Iwasaki T, Nakanishi K, Kohmo S, Hirata H, Takahashi R, Inoue K, Nagatomo I, Kida H, Kijima T, Ito M, Saya H, Kumanogoh A.	Statins Decrease Lung Inflammation in Mice by Upregulating Tetraspanin CD9 in Macrophages.	PloS one	8(9)	e73706	2013
Minami T, Kijima T, Kohmo S, Arase H, Otani Y, Nagatomo I, Takahashi R, Miyake K, Higashiguchi M, Morimura O, Ihara S, Tsujino K, Hirata H, Inoue K, Takeda Y, Kida H, Tachibana I, Kumanogoh A.	Overcoming chemoresistance of small-cell lung cancer through stepwise HER2-targeted antibody-dependent cell-mediated cytotoxicity and VEGF-targeted antiangiogenesis.	Scientific reports.	3	2669	2013
Nishino K, Imamura F, Morita S, Mori M, Komuta K, Kijima T, Namba Y, Kumagai T, Yamamoto S, Tachibana I, Nakazawa Y, Uchida J, Minami S, Takahashi R, Yano Y, Okuyama T, Kumanogoh A.	A retrospective analysis of 335 Japanese lung cancer patients who responded to initial gefitinib treatment.	Lung cancer.	82	299	2013
He P, Kuhara H, Ta	Calretinin mediates apop	FEBS open	3	225.	2013.

chibana I, Jin Y, Takeda Y, Tetsumoto S, Minami T, Kohmo S, Hirata H, Takahashi R, Inoue K, Nagatomo I, Kida H, Kijima T, Naka T, Morii E, Kawase I, Kumanogoh A.	tosis in small cell lung cancer cells expressing tetraspanin CD9.	bio.			
Coenen A, Honda O, van der Jagt EJ, Tomiyama N.	Computer-assisted solid lung nodule 3D volumetry on CT: influence of scan mode and iterative reconstruction: a CT phantom study	Jpn J Radiol.	31	677-84	2013
Kono T, Hata T, Morita S, Munemoto Y, Matsui T, Kojima H, Takemoto H, Fukunaga M, Nagata N, Shimada M, Sakamoto J, Mishima H	Goshajinkigan oxaliplatin neurotoxicity evaluation (GONE): a phase 2, multicenter, randomized, double-blind, placebo-controlled trial of goshajinkigan to prevent oxaliplatin-induced neuropathy	Cancer Chemother Pharmacol	72(6)	1283-90	2013
Oba K, Paoletti X, Alberts S, Bang YJ, Benedetti J, Bleiberg H, Catalano P, Lordick F, Michiels S, Morita S, Ohashi Y, Pignon JP, Rougier P, Sasako M, Sakamoto J, Sargent D, Shitara K, Cutsem EV, Buyse M, Burzykowski T; on behalf of the GASTRIC group	Disease-Free Survival as a Surrogate for Overall Survival in Adjuvant Trials of Gastric Cancer: A Meta-Analysis	J Natl Cancer Inst	105(21)	1600-7	2013
Paoletti X, Oba K, Bang YJ, Bleiberg H, Bokun N, Bouch? O, Catalano P, Fuse N, Michiels S, Moehler M, Morita S, Ohashi Y, Ohtsu A, Roth A, Rougier P, Sakamoto J, Sargent D, Sasako M, Shitara K, Thuss-Patience P, Van Cutsem E, Burzykowski T, Buyse M; on behalf of the GASTRIC group	Progression-Free Survival as a Surrogate for Overall Survival in Advanced/Recurrent Gastric Cancer Trials: A Meta-Analysis	J Natl Cancer Inst	105(21)	1667-70	2013
Hazama S, Mishima H, Tsunedomi R, Okuyama Y, Kato T, Takahashi KI, Nozawa H, Ando H, Kobayashi M, Takemoto H, Nagata N, Kanekiyo S, Inoue Y, Hamamoto Y, Fujita Y, Hinda Y, Okayama N, Oba K, Sakamoto J, Oka M	UGT1A1*6, 1A7*3, and 1A9*22 genotypes predict severe neutropenia in FOLFIRI-treated metastatic colorectal cancer in two prospective studies in Japan	Cancer Sci	104(12)	1662-9	2013

Kitagawa Y, Takeuchi H, Takagi Y, Natsugoe S, Terashima M, Murakami N, Fujimura T, Tsujimoto H, Hayashi H, Yoshimizu N, Takagane A, Mohri Y, Nobeshima K, Uenosono Y, Kinami S, Sakamoto J, Morita S, Aikou T, Miwa K, Kitajima M	Sentinel node mapping for gastric cancer: a prospective multicenter trial in Japan	J Clin Oncol	31(29)	3704-10	2013
Khamlub S, Harun-Or-Rashid M, Sarker MAB, Hirose T, Ootavong P, Sakamoto J	Job satisfaction of health-care workers at health centers in Vientiane capital and Bolikhamsai province, Lao PDR	Nagoya J Med Sci	75(3-4)	233-41	2013
Srisawang P, Harun-Or-Rashid M, Hirose T, Sakamoto J	Knowledge, attitudes and barriers of physicians, policy makers/regulators regarding use of opioids for cancer pain management in Thailand	Nagoya J Med Sci	75(3-4)	201-12	2013
Serker MAB, Rahman M, Harun-Or-Rashid M, Hossain S, Kasuya H, Sakamoto J, Hamajima N	Association of smoked and smokeless tobacco use with migraine: a hospital-based case-control study in Dhaka, Bangladesh	Tob Induc Dis	11(1)	15	2013
Tezuka T, Hamada C, Ishida H, Ooshiro M, Matsuoka H, Kawasaki S, Mishima H, Maeda K, Sakamoto J, Koda K	Phase II clinical study of modified FOLFOX7 (intermittent oxaliplatin administration) plus bevacizumab in patients with unresectable metastatic colorectal cancer - CRAFT study	Invest New Drugs	31(5)	1321-9	2013
Yoshikawa T, Tanabe K, Nishikawa K, Ito Y, Matsui T, Kimura Y, Hirabayashi N, Mikata S, Iwahashi M, Fukushima R, Takiguchi N, Miyashiro I, Morita S, Miyashita Y, Tsuburaya A, Sakamoto J	Induction of a pathological complete response by four courses of neoadjuvant chemotherapy for gastric cancer: early results of the randomized phase II COMPASS trial	Ann Surg Oncol	21(1)	213-9	2013
Tsuburaya A, Nagata N, Cho H, Hirabayashi N, Kobayashi M, Kojima H, Munakata Y, Fukushima R, Kameda Y, Shimoda T, Oba K, Sakamoto J	Phase II trial of paclitaxel and cisplatin as neoadjuvant chemotherapy for locally advanced gastric cancer	Cancer Chemother Pharmacol	71(5)	1309-14	2013
Okada K, Kawai M, Uesaka K, Kodera Y, Nagano H, Murakami Y, Morita S, Sakamoto J, Yamaue H; JAPAN-PD Investig	Effect of Daikenchuto (TJ-100) on postoperative bowel motility and on prevention of paralytic ileus after pancreaticoduodenectomy: a multicenter, ran	Jpn J Clin Oncol	43(4)	436-8	2013

actors	domized, placebo-controlled phase II trial (the JAPAN-PD study)				
Hamrah MS, Harun-Or-Rashid M, Hiroswa T, Sakamoto J, Hashemi H, Emami n MH, Shariati M, Fotouhi A.	Smoking and associated factors among the population aged 40-64 in Shahrood, Iran.	Asian Pacific J Cancer Prev	14(3)	1919-1923	2013
Shitara K, Morita S, Fujitani K, Kadowaki S, Takiguchi N, Hirabayashi N, Takahashi M, Takagi M, Tokunaga Y, Fukushima R, Munakata Y, Nishikawa K, Takagane A, Tanaka T, Sekishita Y, Kang Y, Sakamoto J, Tsuburaya A.	Combination Chemotherapy with S-1 plus Cisplatin for Gastric Cancer that Recurs after Adjuvant Chemotherapy with S-1: Multi-institutional Retrospective Analysis.	Gastric Cancer	15	245-251	2012
Yamada A, Ishikawa T, Ota I, Kimura M, Shimizu D, Tanabe M, Chishima T, Sasaki T, Ichikawa Y, Morita S, Yoshimura K, Takabe K, Endo I.	High expressions of ATP-binding cassette transporter ABC11 in the breast tumors are associated with aggressive subtypes and worse disease-free survival.	Breast Cancer Research and Treatment	137	773-782	2013.

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
Ikeda N, Lam S	Optical Coherence Tomography	Diaz-Jimenez J P, Rodriguez A N	Interventions in Pulmonary Medicine	Springer	アメリカ	2013	231-236
多田弘人	最新肺癌学 - 基礎と臨床の最新研究動向 - 肺癌の治療戦略 外科治療 肺癌の外科治療	日本臨床社 日本臨床社	日本臨床	日本臨床社	日本	2013	445-449