

### 3 研究成果の刊行に関する一覧表

| 発表者氏名  | 論文タイトル名  | 発表誌名            | 巻号  | ページ     | 出版年  |
|--|--|-----------------|-----|---------|------|
| Ogura M, <b><u>Ishida T</u></b> , Hat<br>ake K, Taniwaki M, An<br>do K, Tobinai K, Fujim<br>oto K, Yamamoto K, M<br>iyamoto T, Uike N, Tan<br>imoto M, Tsukasaki K,<br>Ishizawa K, Suzumiya J,<br>Inagaki H, Tamura K,<br>Akinaga S, Tomonaga<br>M, <b><u>Ueda R</u></b> .   | Multicenter phase II study<br>of mogamulizumab (KW-07<br>61), a defucosylated anti-C<br>CR4 antibody, in patients<br>with relapsed peripheral T-<br>cell lymphoma and cutaneo<br>us T-cell lymphoma. | J Clin Oncol.   | 32  | 1157-63 | 2014 |
| Narita T, <b><u>Ishida T</u></b> , Mas<br>aki A, Suzuki S, Ito A,<br>Mori F, Yamada T, M<br>asaki Ri, Kusumoto S,<br>Komatsu H, Miyazaki<br>Y, Takatsuka Y, Utsuno<br>miya A, Niimi A, <b><u>Iida<br/>S, Ueda R</u></b> .  | HTLV-1 bZIP factor specif<br>ic CD4 T cell responses in<br>ATL patients after allogene<br>ic hematopoietic stem cell<br>transplantation.   | J Immunol.      | 192 | 940-7   | 2014 |
| Mizote Y, Wakamatsu<br>K, Ito S, Uenaka A, Oh<br>ue Y, Kurose K, Isobe<br>M, Ito A, Tamura Y, H<br>onda H, Yamashita T,<br>Nohara S, <b><u>Oka M</u></b> , Jimb<br>ow K, and <b><u>Nakayama<br/>E</u></b> .  | TLR4 and NLRP3 inflammm<br>asome activation in monoc<br>ytes by N-propionyl cystea<br>minylphenol-maleimid-dextr<br>an (NPCMD).  | J Dermatol Sci, | 73  | 209-15  | 2014 |
| Mizote Y, Uenaka A, Is<br>obe M, Wada H, <b><u>Kaki<br/>mi K</u></b> , Saika T, Kita S,<br>Koide Y, <b><u>Oka M</u></b> , and<br><b><u>Nakayama E</u></b> .  | Production of NY-ESO-1 p<br>eptide/DRB1*08:03 tetramer<br>s and ex vivo detection of<br>CD4 T-cell responses in v<br>accinated cancer patients.  | Vaccine         | 32  | 957-64  | 2014 |
| Wada H, Isobe M, <b><u>Kaki<br/>mi K</u></b> , Mizote Y, Eikaw<br>a S, Sato E, Takigawa<br>N, Kiura K, Tsuji K, I<br>watsuki K, Yamasaki M,<br>Miyata H, Matsushita<br>H, <b><u>Udono H</u></b> , Seto Y,<br>Yamada K, <b><u>Nishikawa<br/>H</u></b> , Pan L, Venhaus R,<br><b><u>Oka M</u></b> , <b><u>Doki Y</u></b> , <b><u>Naka<br/>yama E</u></b> . | Vaccination with NY-ESO-<br>1 overlapping peptides mix<br>ed with Picibanil OK-432<br>and montanide ISA-51 in p<br>atients with cancers express<br>ing the NY-ESO-1 antigen.                         | J Immunother    | 37  | 84-92   | 2014 |

|  |  |                           |     |                      |      |
|--|--|---------------------------|-----|----------------------|------|
| Nakano N, Kusumoto S, Tanaka Y, <b>Ishida T</b> , T akeuchi S, Takatsuka Y, Akinaga S, Mizokami M, <b>Ueda R</b> , Utsunomiya A.   | Utsunomiya A. Reactivation of hepatitis B virus in a patient with adult T-cell leukemia-lymphoma receiving the anti-CC chemokine receptor 4 antibody mogamulizumab.              | Hepatol Res.              | 44  | 354-7                | 2014 |
| <b>Nishikawa H</b> , Sakaguchi S   | Regulatory T cells in cancer immunotherapy.  | Eur J Haematol.           | 27  | 1-7                  | 2014 |
| Sugiyama D, <b>Nishikawa H</b> , Maeda Y, Nishioka M, Tanemura A, Katayama I, Ezoe S, Kanakura Y, Sato E, Fukumori Y, Karbach J, Jager E and Shakaguchi S  | Anti-CCR4 mAb selectively depletes effector-type FoxP3+CD4+ regulatory T cells, evoking anti-tumor immune responses in humans.   | Proc. Natl. Acad Sci USA. | 110 | 17945-50             | 2014 |
| Mori F, <b>Ishida T</b> , Ito A, Sato F, Masaki A, Narita T, Suzuki S, Yamada T, Takino H, Ri M, Kusumoto S, Komatsu H, Hishizawa M, Imada K, Takaori-Kondo A, Niimi A, <b>Ueda R</b> , Inagaki H, <b>Iida S</b> . | Antitumor effects of bevacizumab in a microenvironment-dependent human adult T-cell leukemia/lymphoma mouse model.   | Eur J Haematol.           | 92  | 219-28               | 2014 |
| Zwick C, Held G, Auth M, Bernal-Mizrachi L, Roback JD, Sunay S, <b>Iida S</b> , Kuroda Y, Sakai A, Ziepert M, <b>Ueda R</b> , Pfreundschuh M, Preuss K-D.  | Over one third of African-American MGUS and multiple myeloma patients are carriers of hyperphosphorylated paratarg-7, an autosomal-dominantly inherited risk factor for MGUS/MM. | Int J Cancer              |     | Epub ahead of print. | 2014 |
| Nishikawa S. Konno M., Hamabe A., Hasegawa S., Ogawa H., Kano Y., Fukusumi T., Ohta K., Noguchi Y, Ozaki M., Kudo T., Sakai D., Haraguchi N., Satoh T., <b>Doki Y.</b> , Mori M. and Ishii.                        | Aldehyde dehydrogenasehigh gastric cancer stem cells are resistant to chemotherapy.  | Int J Oncol               | 42  | 1437-42              | 2014 |
| Ogino T., Nishimura J., Barman S., Kayama H., Uematsu S., Okuzaki D., Osawa H., Haraguchi N., Uemura M., Hata T., Takemasa I., Mizushima T., Yamamoto H., Takeda K., <b>Doki Y.</b> , Mori M.                      | Increased Th17-inducing activity of CD14+ CD163 low myeloid cells in intestinal lamina propria of patients with Crohn's disease.   | Gastroenterol             | 145 | 1380-91              | 2014 |

|   |  |                               |     |                     |      |
|---|--|-------------------------------|-----|---------------------|------|
| Wada I, Matsushita H, Noji S, Mori K, Yamashita H, Nomura S, Shimizu N, Seto Y, <b><u>Kakimi K.</u></b>   | Intraperitoneal injection of in vitro expanded V $\gamma$ 9V $\delta$ 2 T cells together with zoledronate for the treatment of malignant ascites due to gastric cancer.  | Cancer Med.                   | 3   | 362-75              | 2014 |
| Ichimura T, Morikawa T, Kawai T, Nakagawa T, Matsushita H, <b><u>Kakimi K.</u></b> , Kume H, Ishikawa S, Homma Y, Fukayama M.   | Prognostic Significance of CD204-Positive Macrophages in Upper Urinary Tract Cancer.   | Ann Surg Oncol.               |     | Epub ahead of print | 2014 |
| Xia H, Yamada S, Aoyama M, Sato F, Masaki A, Ge Y, Ri M, <b><u>Ishida T.</u></b> , <b><u>Ueda R.</u></b> Utsunomiya A, Asai K, Inagaki H.   | Prognostic impact of miR-145 down-regulation in adult T-cell leukemia/ lymphoma.   | Human Pathol                  |     | in press            | 2014 |
| <b><u>Ishida T.</u></b> , Hishizawa M, Kato K, Tanosaki R, Fukuda T, Takatsuka Y, Eto T, Miyazaki Y, Hidaka M, Uike N, Miyamoto T, Tsudo M, Sakamaki H, Morishima Y, Suzuki R, Utsunomiya A.      | Impact of GVHD on allogeneic hematopoietic cell transplantation for adult T-cell leukemia-lymphoma focusing on preconditioning regimens: nationwide retrospective study Biology of Blood and Marrow Transplantation. | Biol Blood Marrow Transplant. | 19  | 1731-9              | 2013 |
| Suzuki T, Kusumoto S, Yoshida T, Mori F, Ito A, Ri M, <b><u>Ishida T.</u></b> , Komatsu H, Niimi A, <b><u>Iida S.</u></b>   | Successful salvage therapy using lenalidomide in a patient with relapsed multiple myeloma after allogeneic hematopoietic stem cell transplantation.  | Int J Hematol.                | 97  | 540-3               | 2013 |
| Masaki A, <b><u>Ishida T.</u></b> , Suzuki S, Ito A, Mori F, Sato F, Narita T, Yamada T, Ri M, Kusumoto S, Komatsu H, Tanaka Y, Niimi A, Inagaki H, <b><u>Iida S.</u></b> , <b><u>Ueda R.</u></b> | Autologous Tax-specific CTL therapy in a primary ATL cell-bearing NOD/Shi-scid, IL-2R $\gamma$ <sup>null</sup> mouse model.  | J Immunol.                    | 191 | 135-44              | 2013 |
| Sato F, <b><u>Ishida T.</u></b> , Ito A, Mori F, Masaki A, Takino H, Narita T, Ri M, Kusumoto S, Suzuki S, Komatsu H, Niimi A, <b><u>Ueda R.</u></b> , Inagaki H, <b><u>Iida S.</u></b>           | Angioimmunoblastic T-cell lymphoma mice model.   | Leuk Res.                     | 37  | 21-27               | 2013 |

|   |   |                             |     |          |      |
|---|---|-----------------------------|-----|----------|------|
| Inagaki A, Tajima E, Ur anishi M, Totani H, Asa o Y, Ogura H, Masaki A, Yoshida T, Mori F, Ito A, Yano H, Ri M, Kayukawa S, Kataoka T, Kusumoto S, <b><u>Ishida T</u></b> , Hayami Y, Hanamura I, Komatsu H, Inagaki H, Matsuda Y, <b><u>Ueda R, Iida S</u></b> . | Global real-time quantitative reverse transcription-polymerase chain reaction detecting proto-oncogenes associated with 14q32 chromosomal translocation as a valuable marker for predicting survival in multiple myeloma. | Leuk Res.                   | 37  | 1648-55  | 2013 |
| Miyazaki Y, Fujiwara H, Asai H, Ochi F, Ochi T, Azuma T, <b><u>Ishida T</u></b> , Okamoto S, Mineno J, Kuzushima K, Shiku H, Yasukawa M.  | Development of a novel redirected T cell-based adoptive immunotherapy targeting human telomerase reverse transcriptase for adult T-cell leukemia.   | Blood                       | 121 | 4894-901 | 2013 |
| Kato H, Saito C, Ito E, Furuhashi T, Nishida E, <b><u>Ishida T, Ueda R</u></b> , Inagaki H, Morita A.   | Bath-PUVA Therapy Decreases Infiltrating CCR4-Expressing Tumor Cells and Regulatory T Cells in Patients With Mycosis Fungoides.   | Clin Lymphoma Myeloma Leuk. | 13  | 273-80   | 2013 |
| <b><u>Ishida T</u></b> , Ito A, Sato F, Kusumoto S, <b><u>Iida S</u></b> , Inagaki H, Morita A, Akinaga S, Ueda R.  | Stevens-Johnson Syndrome associated with mogamulizumab treatment of adult T-cell leukemia / lymphoma.   | Cancer Sci.                 | 104 | 647-50   | 2013 |
| Takaki A, Yagi T, Yasunaka T, Sadamori H, Shinoura S, Umeda Y, Yoshida R, Sato D, Nobuo ka D, Utsumi M, Yasuda Y, <b><u>Nakayama E</u></b> , Miyake Y, Ikeda F, Shiraha H, Nouse K, Fujiwara T, and Yamamoto K.   | Which patients respond best to hepatitis B vaccination after a hepatitis B virus-related liver transplantation?   | J Gastroenterol             | 48  | 1373-83  | 2013 |
| Pandey J, Namboodiri A, Ohue Y, <b><u>Oka M, Nakayama E</u></b> .   | Genetic variants of immunoglobulin and chains influence humoral immunity to the cancer-testis antigen XAGE-1b (GAGED2a) in patients with non-small cell lung cancer.  | Clin Exp Immunol            | 176 | 78-83    | 2013 |
| Reis BS, Jungbluth AA, Frosina D, Holz M, Ritter E, <b><u>Nakayama E</u></b> , Ishida T, Obata Y, Carver B, Scher H, Scardino P, Slovin S, Subudhi S K, Reuter VE, Savage C, Allison JP, Melamed JM, J?ger E, Ritter G, Old LJ, Gnjatich S.                       | Prostate cancer progression correlates with increased humoral immune response to a human endogenous retrovirus GAG protein.   | Clin Cancer Res             | 19  | 6112-25  | 2013 |

|   |   |                |     |          |      |
|---|---|----------------|-----|----------|------|
| Ito A, Yamaguchi M, Okamoto N, Sanematsu Y, Kawabe Y, Wakamatsu K, Ito S, Honda H, Kobayashi T, <b><u>Nakayama E</u></b> , Tamura Y, Okura M, Yamashita T, Jimbow K, and Kamihira M.  | T-cell receptor repertoires of tumor-infiltrating lymphocytes after hyperthermia using functionalized magnetite nanoparticles.                                | Nanomedicine   | 8   | 891-902  | 2013 |
| Muraoka D, <b><u>Nishikawa H</u></b> , Noguchi T, Wang L, Harada N, Guilaume P, Luescher I, Uenaka A, <b><u>Nakayama E</u></b> , Old LJ, Kato T, and Shiku H.   | Establishment of animal models to analyze the kinetics and distribution of human tumor antigen-specific CD8+ T cells.   | Vaccine        | 31  | 2110-8   | 2013 |
| Jimbow K, Ishii-Osai Y, Ito S, Tamura Y, Ito A, Yoneta A, Kamiya T, Yamashita T, Honda H, Wakamatsu K, Muraoka K, Nohara S, <b><u>Nakayama E</u></b> , Hasegawa T, Yamamoto I, and Kobayashi T.   | Melanoma-targeted chemotherapy and in situ peptide immunotherapy through HSP production by using melanogenesis substrate, NPrCAP and magnetite nanoparticles. | J. Skin Cancer |     |          | 2013 |
| Fujiwara S, Wada H, Kawada J, Kawabata R, Fujita J, Hirao T, Makari Y, Shibata K, Iijima S, Jungbluth AA, Nakamura Y, Takahashi T, Kurokawa Y, Yamasaki M, Miyata H, Nakajima K, Takiguchi S, <b><u>Nakayama E</u></b> , Mori M, and <b><u>Doki Y</u></b> . | NY-ESO-1 antibody as a novel tumor marker of gastric cancer.  | Br. J. Cancer  | 108 | 1119-25  | 2013 |
| Atarashi K, Tanoue T, Suda W, Oshima K, Naganuma Y, <b><u>Nishikawa H</u></b> , Fukuda S, Saito T, Nishishima S, Hase K, Kimura S, Fritz JV, Wilmes P, Ueha S, Matsushima K, Ohno H, Ode B, Sakaguchi S, Taniguchi T, Morita H, Hattori M and Honda K       | Treg induction by a rationally selected Clostridia cocktail from the human microbiota.  | Nature         | 500 | 232-6    | 2013 |
| Hirayama M, <b><u>Nishikawa H</u></b> , Nagata Y, Tsuji T, Kato T, Kageyama S, Ueda S, Sugiyama D, Hori S, Sakaguchi S, Ritter G, Old LJ, Gnani S, and Shiku H  | Overcoming regulatory T-cell suppression by a lyophilized preparation of Streptococcus pyogenes.  | Eur J Immunol. | 43  | 989-1000 | 2013 |

|  |  |                          |     |         |      |
|--|--|--------------------------|-----|---------|------|
| Adeegbe DO, <b><u>Nishikawa H.</u></b>   | Natural and induced T regulatory cells in cancer.  | Frontiers in Immunology. | 4   | 190     | 2013 |
| Noguchi T, Ritter G, <b><u>Nishikawa H.</u></b>  | Antibody-based therapy in colorectal cancer.   | Immunotherapy            | 5   | 533-45  | 2013 |
| Liu B, Ohishi K, Orito Y, Nakamori Y, <b><u>Nishikawa H.</u></b> , Ino K, Suzuki K, Matsumoto T, Masuya M, Hamada H, Mineno J, Ono R, Nosaka T, Shiku H, Katayama N.   | Manipulation of human early T lymphopoiesis by coculture on human bone marrow stromal cells: Potential utility for adoptive immunotherapy.                                     | Exp Hematol.             | 41  | 367-76  | 2013 |
| Suzuki T, Kusumoto S, <b><u>Iida S.</u></b> , Tada T, Mori F.  | Amelanotic malignant melanoma of unknown primary origin metastasizing to the bone marrow: case report and review of the literature.  | Int Med.                 | 53  | 325-28  | 2013 |
| Kageyama S, Wada H, Muro K, Niwa Y, Ueda S, Miyata H, Takiguchi S, Sugino SH, Miyahara Y, Ikeda H, Imai N, Sato E, Yamada T, Osaka M, Ohnishi M, Harada N, Hishida T, <b><u>Doki Y.</u></b> , Shiku H.                                       | Dose-dependent effects of NY-ESO-1 protein vaccine complexed with cholesteryl pullulan (CHP-NY-ESO-1) on immune responses and survival benefits of esophageal cancer patients. | J Transl Med.            | 11  | 246     | 2013 |
| Takahashi T, Serada S., Ako M., Fujimoto M., Miyazaki Y., Nakatsuka R., Ikezoe T., Yokoyama A., Taguchi T., Shimada K., Kurokawa Y., Yamasaki M., Miyata H., Nakajima K., Takiguchi S., Mori M., <b><u>Doki Y.</u></b> , Naka T., Nishida T. | New findings of kinase switching in gastrointestinal stromal tumor under imatinib using phosphoproteomic analysis.   | Int J Cancer             | 133 | 2737-43 | 2013 |
| Suzuki R., Yamamoto H., Ngan CY., Ohtsuka M., Kitani K., Uemura M., Nishimura J., Takemasa I., Mizushima T., Sekimoto M., Minamoto T., <b><u>Doki Y.</u></b> , Mori M.   | Inhibition of angiopoietin 2 attenuates lumen formation of tumour-associated vessels in vivo.  | Int J Oncol              | 43  | 1447-55 | 2013 |

|  |  |              |     |         |      |
|--|--|--------------|-----|---------|------|
| Nagano H., Tomimaru Y., Eguchi H., Hama N., Wada H., Kawamoto K., Kobayashi S., Mori M., <b><u>Doki Y.</u></b>   | MicroRNA-29a induces resistance to gemcitabine through the Wnt/ $\beta$ -catenin signaling pathway in pancreatic cancer cells.   | Int J Oncol  | 43  | 1066-72 | 2013 |
| Tsujinaka T. Yamamoto K., Fujita J., Endo S., Kawada J., Nakahira S., Shimokawa T., Kobayashi S., Yamasaki M., Akamaru Y., Miyamoto A., Mizushima T., Shimizu J., Umeshita K., Ito T., <b><u>Doki Y.</u></b> , Mori M. | Clinical Study Group of Osaka University on Section of Risk Management. Subcuticular sutures versus staples for skin closure after open gastrointestinal surgery: a phase 3, multicentre, open-label, randomised controlled trial. | Lancet       | 382 | 1105-12 | 2013 |
| Iwagami Y., Eguchi H., Nagano H., Akita H., Hama N., Wada H., Kawamoto K., Kobayashi S., Tomokuni A., Tomimaru Y., Mori M., <b><u>Doki Y.</u></b>  | miR-320c regulates gemcitabine-resistance in pancreatic cancer via SMARCC1.  | Br J Cancer  | 109 | 502-11  | 2013 |
| Eikawa S, <b><u>Kakimi K.</u></b> , Iisobe M, Kazushima K, Luescher I, Ohue Y, Ikeuchi K, Uenaka A, <b><u>Nishikawa H.</u></b> , <b><u>Udono H.</u></b> , <b><u>Oka M.</u></b> , <b><u>Nakayama E.</u></b>             | Induction of CD8 T-cell responses restricted to multiple HLA class I alleles in a cancer patient by immunization with a 20-mer NY-ESO-1f (NY-ESO-1 91-110) peptide.  | Int J Cancer | 132 | 345-54  | 2013 |

| 発表者氏名                    | 論文タイトル名                    | 発表誌名        | 巻号  | ページ     | 出版年  |
|--------------------------|----------------------------|-------------|-----|---------|------|
| 和田 尚、 <b><u>中山書一</u></b> | 免疫バイオマーカーと抗腫瘍効果            | 実験医学増刊      | 31  | 204 - 8 | 2013 |
| 和田 尚、 <b><u>中山書一</u></b> | がん患者における免疫モニタリング 評価法と国際標準化 | 医学のあゆみ      | 244 | 871-77  | 2013 |
| 前田優香、 <b><u>西川博嘉</u></b> | 成人T細胞白血病・リンパ腫における免疫応答      | 臨床免疫・アレルギー科 | 59  | 367-76  | 2013 |
| 杉山大介、 <b><u>西川博嘉</u></b> | 免疫抑制の克服による抗腫瘍免疫応答増強の可能性    | 医学のあゆみ      | 246 | 913-20  | 2013 |
| 西塔拓郎、 <b><u>西川博嘉</u></b> | Tregs制御による抗腫瘍免疫応答増強の可能性    | 医学のあゆみ      | 246 | 913-20  | 2013 |

|                    |  |      |    |         |      |
|--------------------|--|------|----|---------|------|
| 西岡めぐみ、 <b>西川博嘉</b> | 制御性T細胞による抗腫瘍免疫抑制 そのコントロールによる効果的ながん免疫療法の可能性 | 実験医学 | 31 | 1864-72 | 2013 |
|--------------------|--|------|----|---------|------|