

Arata S, Nozaki A, Takizawa K, Kondo M, Morimoto M, Numata K, Hayashi S, <u>Watanabe T</u> , Tanaka Y, Tanaka K.	Hepatic failure in pregnancy successfully treated by online hemodiafiltration: Chronic hepatitis B virus infection without viral genome mutation.	Hepatol Res	43(12)	1356-60	2013
Sakamoto T, Tanaka Y, <u>Watanabe T</u> , and Mizokami M.	Mechanism of the dependence of hepatitis B virus genotype G on co-infection with other genotypes for viral replication.	J Viral Hepat	20(4)	e27-36	2013
<u>Watanabe T</u> , and Tanaka Y.	Reactivation of hepatitis viruses following immunomodulation systemic chemotherapy.	Hepatol Res.	43(2)	113-21	2013
<u>Watanabe T</u> , Sugauchi F, Tanaka Y, and Mizokami M.	Hepatitis C virus kinetics by administration of pegylated interferon- α in human and chimeric mice carrying human hepatocytes with variants of the IL28B gene.	GUT	62(9)	1340-6	2013
1) Sandalova E, Laccabue D, Boni C, <u>Watanabe T</u> , Tan A, Zong ZH, Ferrari C, Bertoletti A.	Increased Levels of Arginase in Patients With Acute Hepatitis B Suppress Antiviral T Cells.	Gastroenterology	143(1)	78-87	2012
Kani S, Tanaka Y, Matsuura K, <u>Watanabe T</u> , Yatsuhashi H, Orito E, Inose K, Motojuku N, Wakimoto Y, and Mizokami M.	Development of new IL28B genotyping method using Invader Plus assay.	Microbiol Immunol.	56(5)	318-23	2012
吉岡健太郎、橋本千樹、川部直人、原田雅生、西川徹、市野直浩、刑部恵介	FibroScanを用いた治療後肝硬度変化の測定	肝胆膵	67(6)	1059-1064	2013
K. Hayashi, Y. Katano, H. Masuda, Y. Ishizu, T. Kuzuya, T. Honda, M. Ishigami, A. Itoh, Y. Hirooka, I. Nakano, T. Ishikawa, F. Urano, K. <u>Yoshioka</u> , H. Toyoda, T. Kumada and H. Goto	Pegylated interferon monotherapy in patients with chronic hepatitis C with low viremia and its relationship to mutations in the NS5A region and the single nucleotide polymorphism of interleukin-28B	Hepatol Res	43(6)	580-8	2013
<u>K. Yoshioka</u>	What is the benefit of computer-assisted image analysis of liver fibrosis area?	J Gastroenterol	48(8)	996-7	2013

<u>K. Yoshioka</u>	How to adjust the inflammation-induced overestimation of liver fibrosis using transient elastography?	Hepatol Res	43(2)	182-4	2013
<u>Yoshioka K</u> , Hashimoto S	Can non-invasive assessment of liver fibrosis replace liver biopsy?	Hepatol Res	42(3)	233-40	2012
Hayashi K, Katano Y, Kuzuya T, Tachi Y, Honda T, Ishigami Nakano M, Urano F, <u>Yoshioka K</u> , Toyoda H, Kumada T, Goto H	Prevalence of hepatitis C virus genotype 1a in Japan and correlation of mutations in the NS5A region and single-nucleotide polymorphism of interleukin-28B with the response to combination therapy with pegylated-interferon-alpha 2b and ribavirin	J Med Virol	84(3)	438-44	2012
中野若香菜、池夏希、石渡朝子、伊藤広子、菱田麻由佳、伊藤志歩、花下順子、池田綾子、原田雅生、川部直人、橋本千樹、 <u>吉岡健太郎</u>	C型肝炎患者に対する分岐鎖アミノ酸製剤による late evening snackを含む栄養管理の長期効果	栄養評価と治療	29(4)	357-363	2012
<u>吉岡健太郎</u> 、橋本千樹、川部直人、原田雅生、西川徹、市野直浩、刑部恵介	Fibroscanによる線維化診断と発癌予測	肝胆膵	65(6)	1029-1034	2012
川部直人、橋本千樹、原田雅生、有馬裕子、西川徹、 <u>吉岡健太郎</u>	C型慢性肝炎における肝線維化推定と抗ウイルス治療	臨床消化器内科	27(11)	1467-1474	2012
Osakabe K, Ichino N, Nishikawa T, Sugiyama H, Kato M, Kitahara S, Hashimoto S, Kawabe N, Harata M, Nitta Y, Murao M, Nakano T, Shimazaki H, Arima Y, Suzuki K, <u>Yoshioka K</u>	Reduction of liver stiffness by antiviral therapy in chronic hepatitis B	J Gastroenterol	46(11)	1324-34	2011
Chayama K, Hayes CN, <u>Yoshioka K</u> , Moriwaki H, Okanoue T, Sakisaka S, Takehara T, Oketani M, Toyota J, Izumi N, Hiasa Y, Matsumoto A, Nomura H, Seike M, Ueno Y, Yotsuyanagi H, Kumada H	Factors predictive of sustained virological response following 72 weeks of combination therapy for genotype 1b hepatitis C	J Gastroenterol	46(4):	545-555	2011
Hayashi K, Katano Y, Ishigami M, Itoh A, Hirooka Y, Nakano I, Urano F, <u>Yoshioka K</u> , Toyoda H, Kumada T, Goto H	Mutations in the core and NS5A region of hepatitis C virus genotype 1b and correlation with response to pegylated-interferon-alpha 2b and ribavirin combination therapy.	J Viral Hepat	18(4)	280-286	2011

Hayashi K, Katano Y, Honda T, Ishigami M, Itoh A, Hirooka Y, Ishikawa T, Nakano I, <u>Yoshioka K</u> , Toyoda H, Kumada T, Goto H.	Association of interleukin 28B and mutations in the core and NS5A region of hepatitis C virus with response to peg-interferon and ribavirin therapy	Liver Int	31(9)	1359-65.	2011
Harata M, Hashimoto S, Kawabe N, Nitta Y, Murao M, Nakano T, Arima Y, Shimazaki H, Ishikawa T, Okumura A, Ichino N, Osakabe K, Nishikawa T, <u>Yoshioka K</u> .	Liver stiffness in extrahepatic cholestasis correlates positively with bilirubin and negatively with alanine aminotransferase	Hepatol Res	41(5)	423-429	2011
矢野元義、吉岡健太郎、林久男	C型慢性肝炎に対する治療学の進歩C型肝炎に対するインターフェロン以外の治療法 瀉血療法	日本臨床	64 (4)	262-266	2011
Matsunaga M, Isowa T, Yamakawa K, Tsuboi H, Kawanishi Y, Kaneko H, Kasugai K, <u>Yoneda M</u> , Ohira H	Association between perceived happiness levels and peripheral circulating pro-inflammatory cytokine levels in middle-aged adults in Japan.	Neuro Endocrinol Lett.	32(4)	458-63	2011
<u>Nakao H</u> , <u>Yoneda M</u>	Liver stiffness measurement using transient elastography and hepatocellular carcinoma.	Hepatol Res.	41(10)	921-4	2011
Kono T, Kashiwade Y, Asama T, Chisato N, Ebisawa Y, <u>Yoneda M</u> , Kasai S.	Preventive effect of urinary trypsin inhibitor on the development of liver fibrosis in mice.	Exp Biol Med	236(11)	1314-21	2011
Iida A, Konagaya T, Kaneko H, Funaki Y, Kanazawa T, Tokudome K, Hijikata Y, Masui R, Ogasawara N, Sasaki M, <u>Yoneda M</u> , Kasugai K.	Usefulness of a slow nutrient drinking test for evaluating gastric perception and accommodation.	Digestion.	84(4)	253-60	2011
Qin Y, Zhang J, Garcia T, <u>Ito K</u> , Gutelius D, Li J, Wands J, Tong S.	Improved method for rapid and efficient determination of genome replication and protein expression of clinical hepatitis B virus isolates.	J Clin Microbiol	49(4)	1226-33	2011
Kurosaki M, Tanaka Y, Nishida N, Sakamoto N, Enomoto N, Honda M, Sugiyama M, Matsuura K, Sugauchi F, Asahina Y, Nakagawa M, Watanabe M, Sakamoto M, Maekawa S, Sakai A, Kaneko S, <u>Ito K</u> , Masaki N, Tokunaga K, Izumi N, Mizokami M.	Pre-treatment prediction of response to pegylated-interferon plus ribavirin for chronic hepatitis C using genetic polymorphism in IL28B and viral factors.	J Hepatol	54(3)	439-48	2011
Kuno A, Ikehara Y, Tanaka Y, Angata T, Unno S, Sogabe M, Ozaki H, <u>Ito K</u> , Hirabayashi J, Mizokami M, Narimatsu H.	Multilectin assay for detecting fibrosis-specific glyco-alteration by means of lectin microarray.	Clin Chem	57(1)	48-56	2011
Furui Y, Hoshi Y, Murata K, <u>Ito K</u> , Suzuki K, Uchida S, Satake M, Mizokami M, Tadokoro K.	Prevalence of amino acid mutation in hepatitis C virus core region among Japanese volunteer blood donors.	J Med Virol	83(11)	1924-9	2011

Sugiyama M, Inui A, Shin-I T, Komatsu H, Mukaide M, Masaki N, Murata K, Ito K, Nakanishi M, Fujisawa T, Mizokami M.	Easy-to-use phylogenetic analysis system for hepatitis B virus infection.	Hepatol Res	41(10)	936-45	2011
Kuno A, Ikehara Y, Tanaka Y, Saito K, Ito K, Tsuruno C, Nagai S, Takahama Y, Mizokami M, Hirabayashi J, Narimatsu H.	LecT-Hepa: A triplex lectin-antibody sandwich immunoassay for estimating the progression dynamics of liver fibrosis assisted by a bedside clinical chemistry analyzer and an automated pretreatment machine.	Clin Chim Acta	412(19-20)	1767-72	2011
Ito K, Higami K, Masaki N, Sugiyama M, Mukaide M, Saito H, Aoki Y, Sato Y, Imamura M, Murata K, Nomura H, Hige S, Adachi H, Hino K, Yatsuhashi H, Orito E, Kani S, Tanaka Y, Mizokami M.	The rs8099917 polymorphism, when determined by a suitable genotyping method, is a better predictor for response to pegylated alpha interferon/ribavirin therapy in Japanese patients than other single nucleotide polymorphisms associated with interleukin-28B.	J Clin Microbiol	49(5)	1853-60	2011
Kono T, Asama T, Chisato N, Ebisawa Y, Okayama T, Imai K, Karasaki H, Furukawa H, Yoneda M.	Polaprezinc prevents ongoing thioacetamide-induced liver fibrosis in rats.	Life Sci.	90(3-4)	122-30	2012
Tamano M, Kojima K, Akima T, Murohisa T, Hashimoto T, Uetake C, Sugaya T, Nakano M, Hiraishi H, Yoneda M	The usefulness of measuring liver stiffness by transient elastography for assessing hepatic fibrosis in patients with various chronic liver diseases.	Hepatogastroenterology	59(115)	826-30	2012
Sawai H, Nishida N, Mbarek H, Matsuda K, Mawatari Y, Yamaoka M, Hige S, Kang JH, Abe K, Mochida S, Watanabe M, Kurosaki M, Asahina Y, Izumi N, Honda M, Kaneko S, Tanaka E, Matsuura K, Itoh Y, Mita E, Korenaga M, Hino K, Murawaki Y, Hiasa Y, Ide T, Ito K, Sugiyama M, Ahn SH, Han KH, Park JY, Yuen MF, Nakamura Y, Tanaka Y, Mizokami M, Tokunaga K.	No association for Chinese HBV-related hepatocellular carcinoma susceptibility SNP in other East Asian populations.	BMC Med Genet	13	47	2012

Sugiyama M, Kimura T, Naito S, Mukaide M, Shinauchi T, Ueno M, <u>Ito K</u> , Murata K, Mizokami M.	Development of specific and quantitative real-time detection PCR and immunoassays for λ 3-interferon.	Hepatol Res	42(11)	1089-99	2012
Nomura H, Miyagi Y, Tanimoto H, Yamashita N, <u>Ito K</u> , Masaki N, Mizokami M.	Increase in platelet count based on inosine triphosphatase genotype during interferon beta plus ribavirin combination therapy.	J Gastroenterol Hepatol	27(9)	1461-6	2012
Saito H, <u>Ito K</u> , Sugiyama M, Matsui T, Aoki Y, Imamura M, Murata K, Masaki N, Nomura H, Adachi H, Hige S, Enomoto N, Sakamoto N, Kurosaki M, Mizokami M, Watanabe S.	Factors responsible for the discrepancy between IL28B polymorphism prediction and the viral response to peginterferon plus ribavirin therapy in Japanese chronic hepatitis C patients.	Hepatol Res	42(10)	958-965	2012
<u>Ito K</u> , Kuno A, Ikehara Y, Sugiyama M, Saito H, Aoki Y, Matsui T, Imamura M, Korenaga M, Murata K, Masaki N, Tanaka Y, Hige S, Izumi N, Kurosaki M, Nishiguchi S, Sakamoto M, Kage M, Narimatsu H, Mizokami M.	LecT-Hepa, a glyco-marker derived from multiple lectins, as a predictor of liver fibrosis in chronic hepatitis C patients.	Hepatology	56(4)	1448-56	2012
Tamaki Y, Nakade Y, Yamauchi T, Makino Y, Yokohama S, Okada M, Aso K, Kanamori H, Ohashi T, Sato K, Nakao H, Haneda M, <u>Yoneda M</u> .	Angiotensin II type 1 receptor antagonist prevents hepatic carcinoma in rats with nonalcoholic steatohepatitis.	J Gastroenterol	48(4)	491-503	2013
Yotsuyanagi H, <u>Ito K</u> , Yamada N, Takahashi H, Okuse C, Yasuda K, Suzuki M, Moriya K, Mizokami M, Miyakawa Y, Koike K.	High Levels of Hepatitis B Virus After the Onset of Disease Lead to Chronic Infection in Patients With Acute Hepatitis B.	Clin Infect Dis	57(7)	935-42	2013
Kuno A, Ikehara Y, Tanaka Y, Ito K, Matsuda A, Sekiya S, Hige S, Sakamoto M, Kage M, Mizokami M, Narimatsu H.	A Serum A "sweet-doughnut" protein facilitates fibrosis evaluation and therapy assessment in patients with viral hepatitis.	Sci Rep	3	1065	2013
Miyagi Y, Nomura H, Yamashita N, Tanimoto H, <u>Ito K</u> , Masaki N, Mizokami M, Shibuya T.	Estimation of two real-time RT-PCR assays for quantitation of hepatitis C virus RNA during PEG-IFN plus ribavirin therapy by HCV genotypes and IL28B genotype.	J Infect Chemother	19(1)	63-69	2013
<u>Ito K</u> , Yotsuyanagi H, Yatsuhashi H, Krino Y, Takikawa Y, Saito t, Arase Y, Imazeki F, Kurosaki M, Umemura T, Ichida T, Toyoda H, <u>Yoneda M</u> , Mita E, Yamamoto K, Michitaka K, Meshiro T, Tanuma J, Tanaka Y, Sugiyama M, Murata K, Masaki N, Mizokami M; Japanese AHB Study Group.	Risk factors for long-term persistence of serum hepatitis B surface antigen following acute hepatitis B virus infection in Japanese adults.	Hepatology	59(1)	89-97	2014

Murata K, Sugiyama M, Kimura T, Yoshio S, Kanto T, Kirikae I, Saito H, Aoki Y, Hiramine S, Matsui T, <u>Ito K</u> , Korenaga M, Imamura M, Masaki N, Mizokami M.	Ex vivo induction of IFN- λ 3 by a TLR7 agonist determines response to Peg-IFN/Ribavirin therapy in chronic hepatitis C patients.	J Gastroenterol	49(1)	126-37	2014
<u>Yoneda M</u>	Is the measurement of serum cytokeratin-18 useful for diagnosis or screening nonalcoholic steatohepatitis?	Hepatol Res (in press).			
Nakade Y, <u>Yoneda M</u>	Prognostic factors for Regression from impaired glucose tolerance to Normal Glucose Regulation in Japanese patients with nonalcoholic fatty liver disease.	Intern Med (in press)			
Hayashi K, Katano Y, Masuda H, Ishizu Y, Kuzuya T, Honda T, <u>Ishigami M</u> , Itoh A, Hirooka Y, Nakano I, Ishikawa T, Urano F, Yoshioka K, Toyoda H, Kumada T, Goto H.	Pegylated interferon monotherapy in patients with chronic hepatitis C with low viremia and its relationship to mutations in the NS5A region and the single nucleotide polymorphism of interleukin-28B.	Hepatol Res	43	580-588	2013
Honda T, Katano Y, Kuzuya T, Hayashi K, <u>Ishigami M</u> , Itoh A, Hirooka Y, Nakano I, Ishikawa T, Toyoda H, Kumada T, Yamamoto K, Matsushita T, Kojima T, Takamatsu J, Goto H.	Comparison of the efficacy of ribavirin plus peginterferon alfa-2b for chronic hepatitis C infection in patients with and without coagulation disorders.	J Med Virol	85	228-234	2013
Hayashi K, Katano Y, Kuzuya T, Tachi Y, Honda T, <u>Ishigami M</u> , Itoh A, Hirooka Y, Ishikawa T, Nakano I, Urano F, Yoshioka K, Toyoda H, Kumada T, Goto H.	Prevalence of hepatitis C virus genotype 1a in Japan and correlation of mutations in the NS5A region and single-nucleotide polymorphism with the response to combination therapy with pegylated-interferon-alpha 2b and ribavirin.	J Med Virol	84	438-444	2012

Ishizu Y, Katano Y, Honda T, Hayashi K, <u>Ishigami M</u> , Itoh A, Hirooka Y, Nakano I, Goto H.	Clinical impact of HFE mutations in Japanese patients with chronic hepatitis C.	J Gastroenterol Hepatol	27	1112-1116	2012
田中弘教, 飯島尋子	造影超音波検査－厚生労働省有井班の診断アルゴリズムを含めて－.	臨床と研究	90	188-93	2013
飯島尋子	超音波造影剤による肝腫瘍診断	Mebio	30	39-45	2013
田中弘教, 池田直人, 岩田一也, 高嶋智之, 楊和典, 石井昭生, 坂井良行, 會澤信弘, 岩田恵典, 榎本平之, 齋藤正紀, 今西宏安, 西口修平, 飯島尋子	穿刺針ナビゲーションシステムVirtuTRAXTM安全使用のための短縮クリップ法.	肝臓	54	291-3	2013
田中弘教, 飯島尋子	肝細胞がんのVascular Invasion-画像診断から脈管浸潤の限界にせまる-.	肝胆膵	66	935-40	2013
Mitsunori Y, Tanaka S, Nakamura N, Ban D, Irie T, Noguchi N, Kudo A, <u>Iijima H</u> , Ariei S.	Contrast-enhanced intraoperative ultrasound for hepatocellular carcinoma: high sensitivity of diagnosis and therapeutic impact.	J Hepatobiliary Pancreat Sci.	20	234-42	2013
Bota S, Sporea I, Peck-Radosavljevic M, Sirli R, Tanaka H, <u>Iijima H</u> , Saito H, Ebinuma H, Lupsor M, Badea R, Fierbinteanu-Braticevici C, Petrisor A, Friedrich-Rust M, Sarrazin C, Takahashi H, Ono N, Piscaglia F, Marinelli S, D'Onofrio M, Gallotti A, Salzl P, Popescu A, Danila M.	The influence of aminotransferase levels on liver stiffness assessed by Acoustic Radiation Force Impulse Elastography: A retrospective multicentre study.	Dig Liver Dis.		Epub ahead of print	2013
Tamura Y, Suda T, Ariei S, Sata M, Moriyasu F, Imamura H, Kawasaki S, Izumi N, Takayama T, Kokudo N, Yamamoto M, <u>Iijima H</u> , Aoyagi Y.	Value of Highly Sensitive Fucosylated Fraction of Alpha-Fetoprotein for Prediction of Hepatocellular Carcinoma Recurrence After Curative Treatment.	Dig Dis Sci.	58	2406-12	2013
Enomoto H, Sakai Y, Aizawa N, Iwata Y, Tanaka H, Ikeda N, Kunihiro H, You K, Ishii A, Takashima T, Iwata K, Saito M, Imanishi H, <u>Iijima H</u> , Nishiguchi S.	Association of amino acid imbalance with the severity of liver fibrosis and esophageal varices.	Ann Hepatol.	12	471-8	2013

Tanaka H, <u>Iijima H</u> , Higashiura A, Yoh K, Ishii A, Takashima T, Sakai Y, Aizawa N, Iwata K, Ikeda N, Iwata Y, Enomoto H, Saito M, Imanishi H, Hirota S, Fujimoto J, Nishiguchi S.	New malignant grading system for hepatocellular carcinoma using the Sonazoid contrast agent for ultrasonography.	J Gastroenterol.		Epub ahead of print	2013
飯島尋子, 井倉技, 中山晴夫, 小林正宏, 熊田博光, 井廻道夫.	血清アルブミン濃度が軽度～中等度に低下した肝硬変患者のQOLに及ぼすリーバクトR 配合顆粒の影響.	Medicine and Drug Journal.	49	127-39	2013
Singh S, Eaton JE, Murad MH, Tanaka H, <u>Iijima H</u> , Talwalkar JA.	Accuracy of Spleen Stiffness Measurement in Detection of Esophageal Varices in Patients With Chronic Liver Disease: Systematic Review and Meta-analysis.	Clin Gastroenterol Hepatol.		Epub ahead of print	2013
Aizawa N, Enomoto H, Takashima T, Sakai Y, Iwata K, Ikeda N, Tanaka H, Iwata Y, Saito M, Imanishi H, <u>Iijima H</u> , Nishiguchi S.	Thrombocytopenia in pegylated interferon and ribavirin combination therapy for chronic hepatitis C.	J Gastroenterol.		Epub ahead of print	2013
Inoue T, Hyodo T, Murakami T, Takayama Y, Nishie A, Higaki A, Korenaga K, Sakamoto A, Osaki Y, Aikata H, Chayama K, Suda T, Takano T, Miyoshi K, Koda M, Numata K, Tanaka H, <u>Iijima H</u> , Ochi H, Hirooka M, Imai Y, Kudo M.	Hypovascular Hepatic Nodules Showing Hypointense on the Hepatobiliary-Phase Image of Gd-EOB-DTPA-Enhanced MRI to Develop a Hypervascular Hepatocellular Carcinoma: A Nationwide Retrospective Study on Their Natural Course and Risk Factors.	Dig Dis.	31	472-9	2013
Sakata K, Hara M, Terada T, Watanabe N, Takaya D, Yaguchi S, Matsumoto T, Matsuura T, Shirouzu M, Yokoyama S, Yamaguchi T, Miyazawa K, <u>Aizaki H</u> , Suzuki T, Wakita T, Imoto M, Kojima S.	CV NS3 protease enhances liver fibrosis via binding to and activating TGF- β type I receptor.	Sci Rep.	22	3243	2013
Nakajima S, Watashi K, Kamisuki S, Tsukuda S, Takemoto K, Matsuda M, Suzuki R, <u>Aizaki H</u> , Sugawara F, Wakita T.	Specific inhibition of hepatitis C virus entry into host hepatocytes by fungi-derived sulochrin and its derivatives.	Biochem Biophys Res Commun.	440	515-20	2013

Watashi K, Liang G, Iwamoto M, Marusawa H, Uchida N, Daito T, Kitamura K, Muramatsu M, Ohashi H, Kiyohara T, Suzuki R, Li J, Tong S, Tanaka Y, Murata K, <u>Aizaki H</u> , Wakita T.	Interleukin-1 and Tumor Necrosis Factor- α Trigger Restriction of Hepatitis B Virus Infection via a Cytidine Deaminase Activation-induced Cytidine Deaminase (AID).	J Biol Chem.	288	31715-27	2013
Suzuki R, Matsuda M, Watashi K, <u>Aizaki H</u> , Matsuura Y, Wakita T, Suzuki T.	Signal peptidase complex subunit 1 participates in the assembly of hepatitis C virus through an interaction with E2 and NS2.	PLoS Pathog.	9	e1003589	2013
Matsumoto Y, Matsuura T, Aoyagi H, Matsuda M, Hmwe SS, Date T, Watanabe N, Watashi K, Suzuki R, Ichinose S, Wake K, Suzuki T, Miyamura T, Wakita T, <u>Aizaki H</u> .	Antiviral activity of glycyrrhizin against hepatitis C virus in vitro.	PLoS One.	18	e68992	2013
Akazawa D, Moriyama M, Yokokawa H, Omi N, Watanabe N, Date T, Morikawa K, <u>Aizaki H</u> , Ishii K, Kato T, Mochizuki H, Nakamura N, Wakita T.	Neutralizing antibodies induced by cell culture-derived hepatitis C virus protect against infection in mice.	Gastroent erology.	145	447-55	2013
Suzuki R, Ishikawa T, Konishi E, Matsuda M, Watashi K, <u>Aizaki H</u> , Takasaki T, Wakita T.	Production of single-round infectious chimeric flaviviruses with DNA-based Japanese encephalitis virus replicon.	J Gen Virol.	95	60-65	2014
Iwamoto M, Watashi K, Tsukuda S, Aly1 HH, Fukasawa M, Suzuki R, <u>Aizaki H</u> , Ito T, Koiwai O, Kusuhara H, Wakita T	Evaluation and Identification of hepatitis B virus entry inhibitors using HepG2 cells overexpressing a membrane transporter NTCP.	Biochem Biophys Res Commun.	443	808-13	2014
Helene Minyi Liu, <u>Hideki Aizaki</u> , Keigo Machida, J.-H. James Ou, Michael M. C. Lai	Hepatitis C Virus Translation Preferentially Depends on Active RNA Replication	PLoS One	7(8)	e43600	2012

Ryosuke Suzuki, Kenji Saito, Takanobu Kato, Masayuki Shirakura, Daisuke Akazawa, Koji Ishii, <u>Hideki Aizaki</u> , Yumi Kanegae, Yoshiharu Matsuura, Izumu Saito, Takaji Wakita, Tetsuro Suzuki	Trans-complemented hepatitis C virus particles as a versatile tool for study of virus assembly and infection	Virology	432	29-38	2012
Asako Murayama, Nao Sugiyama, Koichi Watashi, Takahiro Masaki, Ryosuke Suzuki, <u>Hideki Aizaki</u> , Toshiaki Mizuochi, Takaji Wakita, Takanobu Kato	Japanese Reference Panel of Blood Specimens for Evaluation of Hepatitis C Virus RNA and Core Antigen Quantitative Assays	Journal of Clinical Microbiology	50(6)	1943-1949	2012
Tomomi Ando, Hiromi Imamura, Ryosuke Suzuki, <u>Hideki Aizaki</u> , Toshiki Watanabe, Takaji Wakita, Tetsuro Suzuki	Visualization and Measurement of ATP Levels in Living Cells Replicating Hepatitis C Virus Genome RNA	Pathogens	8(3)		2012
Yamamoto M, <u>Aizaki H</u> , Fukasawa M, Teraoka T, Miyamura T, Wakita T, Suzuki T	The structural requirements of virion-associated cholesterol for infectivity, buoyant density and apolipoprotein association of hepatitis C virus.	J Gen. Virol.	92	Jul-82	2011
Watanabe N, <u>Aizaki H</u> , Matsuura T, Kojima S, Wakita T, Suzuki T	Hepatitis C virus RNA replication in human stellate cells regulates gene expression of extracellular matrix-related molecules.	Biochem Biophys Res Commun.	407	135-40	2011
Inoue Y, <u>Aizaki H</u> , Hara H, Matsuda M, Ando T, Shimoji T, Murakami K, Masaki T, Shoji I, Homma S, Matsuura Y, Miyamura T, Wakita T, Suzuki T	Chaperonin TRiC/CCT participates in replication of hepatitis C virus genome via interaction with the viral NS5B protein.	Virology	410	38-47	2011

