

別紙 5

研究成果の刊行に関する一覧表

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
正木尚彦	第 章 肝疾患診療に関する病診連携 1. 肝疾患診療連携拠点病院ならびに肝疾患診療連携ネットワーク. 第 章 肝疾患診療に関連する法律、制度 2. 肝炎対策基本法、3. 肝炎治療特別促進事業(医療費助成制度)	日本肝臓学会	肝臓専門医テキスト	南江堂	東京	2013	pp460-464、pp472-473、pp474-479
坂本穰、榎本信幸	慢性肝炎・肝硬変(C型)	一瀬雅夫、岡政志、持田智	治療過程で一目でわかる消化器薬物療法 STEP 1・2・3	メジカルビュー社	東京	2013	174-178
辰巳明久、坂本穰、榎本信幸	メタボ肝癌とファイブプロスカン	小俣政男	メタボ肝癌	アークメディア	東京	2013	163-168
坂本穰、榎本信幸	C型肝炎	浅香正博、菅野健太郎、千葉勉	カラー版消化器病学基礎と臨床	西村書店	東京	2013	1177-1188
吉岡健太郎	Wilson 病	小俣政男、千葉勉	専門医のための消化器病学第2版	医学書院	東京	2013	399-401
吉岡健太郎	ヘモクロマトーシス	小俣政男、千葉勉	専門医のための消化器病学第2版	医学書院	東京	2013	401-403

吉岡健太郎	α_1 -アンチトリプシン欠乏症	矢崎義雄	内科学 (第10版)	朝倉書店	東京	2013	69-70
吉岡健太郎	肝腫大	矢崎義雄	内科学(第10版)	朝倉書店	東京	2013	1162-1163
川部直人、橋本千樹、原田雅生、有馬裕子、西川徹、吉岡健太郎	C型慢性肝炎における肝線維化推定と抗ウイルス治療	林紀夫	臨床消化器内科	日本メディカルセンター	東京	2012	1467-1474
伊藤清顕、溝上雅史	全国調査からみたB型慢性肝炎の病態	佐田通夫 田中榮司 田中英夫 長尾由実子	コホート研究からみたウイルス性肝炎の解明	メディカルレビュー社	大阪府	2013	152-160
飯島尋子	画像検査を用いた新しい線維化診断法.	西口修平編	別冊医学のあゆみ 肝硬度 Update-肝硬変死の根絶をめざして.	医歯薬出版	東京	2013	43-8
飯島尋子, 田中弘教		日本肝臓学会編	肝臓専門医テキスト.	南江堂	東京	2013	
田中弘教, 飯島尋子	実地での留意点. 実地での留意点.	高山忠利, 泉並木編.	診療ガイドラインに沿った肝癌治療の要点と盲点.	文光堂	東京	2013	26-8
飯島尋子	Sonazoidの特性.	工藤正俊・國分茂博編	EOB-MRI/Sonazoid超音波による肝癌の診断と治療.	医学書院	東京	2013	202-4
田中弘教, 飯島尋子	肝癌のスクリーニングや確定診断で造影エコーはどのように使うのが効果的でしょうか?.	池田健次編	肝癌診療Q&A.	中外医学社	東京	2013	48-50

飯島尋子 , 山平正浩	エラストグラフィ・画像診断 .	竹井謙之・竹原徹郎・持田智編 .	Hepatology Practice第2巻 NASH・アルコール性肝障害の診療を極める	文光堂	東京	2013	141-5
相崎英樹	HCV感染と代謝異常(脂質・エネルギー)		医学のあゆみ	医歯薬出版株式会社	東京	2013	245;666-667

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
<u>正木尚彦</u>	ウイルス肝炎に関する国の対策事業、公費助成や受診勧奨など .特集 ウイルス肝炎の新展開	診断と治療	101(9)	1375-1380	2013
<u>Kudo M</u>	Advances in Liver Fibrosis Imaging and Hepatocellular Carcinoma: Update in 2013.	Oncology	84	1-2	2013
Fujimoto K, Kato M, <u>Kudo M</u> , Yada N, Shiina T, Ueshima K, Yamada Y, Ishida T, Azuma M, Ymasaki M, Yamamoto K, Hayashi N, Takehara T	Novel image analysis method using ultrasound elastography for non-invasive evaluation of hepatic fibrosis in patients with chronic hepatitis C.	Oncology	84	3-12	2013
Yada N, Morikawa H, Fujimoto K, Kato M, Kawada N, <u>Kudo M</u>	Assessment of liver fibrosis with real-time tissue elastography in chronic viral hepatitis.	Oncology	84	13-20	2013
<u>Kudo M</u> , Matsui O, Sakamoto M, Kitao A, Kim T, Ariizumi S, Ichikawa T, Kobayashi S, Imai Y, Izumi N, Fujinaga Y, Arii S	Role of gadolinium-ethoxybenzyl-diethyl enetriamine pentaacetic acid-enhanced magnetic resonance imaging (Gd-EOB-DTPA MRI) in the	Oncology	84	21-27	2013

	management of hepatocellular carcinoma: Consensus at the Symposium of the 48th Annual Meeting of the Liver Cancer Study Group of Japan.				
Inoue T, <u>Kudo M</u> , Hatanaka K, Arizumi T, Takita M, Kitai S, Yada N, Hagiwara S, Minami Y, Sakurai T, Ueshima k, Nishida N	Usefulness of contrast-enhanced ultrasonography to evaluate the post treatment responses of radiofrequency ablation for hepatocellular carcinoma; comparison with dynamic CT.	Oncology	84	51-57	2013
Minami Y, <u>Kudo M</u>	Therapeutic response assessment of transcatheter arterial chemoembolization for hepatocellular carcinoma: US, CT and MRI.	Oncology	84	58-63	2013
Minata M, Harada K, <u>Kudo M</u> , Ikai I, Nishida N	The prognostic value of vascular endothelial growth factor in hepatocellular carcinoma for predicting metastasis after curative resection.	Oncology	84	75-81	2013
Nishida N, Arizumi T, Takita M, Nagai T, Kitai S, Yada N, Hagiwara S, Inoue T, Minami Y, Ueshima K, Sakurai T, Ida H, <u>Kudo M</u>	Quantification of tumor DNA in serum and vascular invasion of human hepatocellular carcinoma.	Oncology	84	82-87	2013
Minata M, <u>Kudo M</u> , Harada K, Ikai I, Nishida N	Expression of E-cadherin and vascular endothelial growth factor in non-cancerous liver is associated with recurrence of HCC after curative resection.	Oncology	84	88-92	2013
Nishida N, <u>Kudo M</u>	Recent advancements in comprehensive genetic analyses for human hepatocellular carcinoma.	Oncology	84	93-97	2013
Claudon M, Dietrich CF, Choi BI, Cosgrove DO, <u>Kudo M</u> , Nolsoe	Guidelines and good clinical practice recommendations for contrast enhanced ultrasound	Ultrasound Med Biol	39	187-210	2013

CP, Piscaglia F, Wilson SR, Barr RG, Chammas MC, Chaubal NG, Chen MH, Clevert DA, Correas JM, Ding H, Forsberg F, Fowlkes JB, Gibson RN, Goldberg BB, Lassau N, Leen EL, Mattrey RF, Moriyasu F, Solbiati L, Weskott HP, Xu HX	(CEUS) in the liver-update 2012: a WFUMB-EFSUMB initiative in cooperation with representatives of AFSUMB, AIUM, ASUM, FLAUS and ICUS.				
Hasegawa K, Kokudo N, Makuuchi M, Izumi N, Ichida T, <u>Kudo M</u> , Ku Y, Sakamoto M, Nakashima O, Matsui O, Matsuyama Y, for the Liver Cancer Study Group of Japan.	Comparison of resection and ablation for hepatocellular carcinoma: a cohort study based on a Japanese nationwide survey.	J Hepatol	58	724-729	2013
Sakurai T, <u>Kudo M</u> , Umemura A, He G, Elsharkawy AM, Seki E, Karin M	p38 α inhibits liver fibrogenesis and consequent hepatocarcinogenesis by curtailing accumulation of reactive oxygen species.	Cancer Res	73	215-224	2013
Claudon M, Dietrich CF, Choi BI, Cosgrove DO, <u>Kudo M</u> , Nolsoe CP, Piscaglia F, Wilson SR, Barr RG, Chammas MC, Chaubal NG, Chen MH, Clevert DA, Correas JM, Ding H, Forsberg F, Fowlkes JB, Gibson RN, Goldberg BB, Lassau N, Leen EL, Mattrey RF, Moriyasu F, Solbiati L, Weskott HP, Xu HX	Guidelines and good clinical practice recommendations for contrast enhanced ultrasound (CEUS) in the liver-update 2012: a WFUMB-EFSUMB initiative in cooperation with representatives of AFSUMB, AIUM, ASUM, FLAUS and ICUS.	Ultraschall Med	34	11-29	2013

Watanabe T, Yamashita K, Sakurai T, <u>Kudo M</u> , Shiokawa M, Uza N, Kadoma Y, Uchida K, Okazaki K, Chiba T	Toll-like receptor activation in basophils contributes to the development of IgG4-related disease.	J Gastroenterol	48	247-253	2013
Nagata Y, <u>Kudo M</u> , Nagai T, Watanabe T, Kawasaki M, Asakuma Y, Hagiwara S, Nishida N, Matsui S, Kashida H, Sakurai T	Heat shock protein 27 expression is inversely correlated with atrophic gastritis and intraepithelial neoplasia.	Digest Dis Sci	58	381-388	2013
Park JW, Amarapurkar D, Chao Y, Chen PJ, Geschwind JF, Goh KL, Han KH, <u>Kudo M</u> , Lee HC, Lee RC, Lesmana LA, Lim HY, Paik SW, Poon RT, Tan CK, Tanwandee T, Teng G, Ceng AL	Consensus recommendations and review by an International Expert Panel on Interventions in Hepatocellular Carcinoma (EPOIHCC).	Liver Int	33	327-337	2013
Minami Y, <u>Kudo M</u>	Radiofrequency ablation of liver metastases from colorectal cancer: a literature review.	Gut Liver	7	1-6	2013
Arao T, Ueshima K, Matsumoto K, Nagai T, Kimura H, Hagiwara S, Sakurai T, Haji S, Kanazawa K, Hidaka H, Iso Y, Kubota K, Shimada M, Utsunomiya T, Hirooka M, Hiasa Y, Toyoki Y, Hakamada K, Yasui K, Kumada T, Hidenori Toyoda, Sato S, Hisai H, Kuzuya T, Tsuchiya K, Izumi N, Ariei S, Nishio K, <u>Kudo M</u>	FGF3/FGF4 Amplification and Multiple lung Metastases in responders to sorafenib in hepatocellular carcinoma.	Hepatology	57	1407-1415	2013

Izumi N, Asahina Y, Kurosaki M, Yamada G, Kawai T, Kajiwara E, Okamura Y, Takeuchi T, Yokosuka O, Kariyama K, Toyoda J, Inao M, Tanaka E, Moriwaki H, Adachi K, Katsushima S, <u>Kudo M</u> , Takaguchi K, Hiasa Y, Chayama K, Yatsunami H, Oketani M, Kumada H	Inhibition of hepatocellular carcinoma by PegIFN α -2a in patients with chronic hepatitis C: a nationwide multicenter cooperative study.	J Gastroenterol	48	382-390	2013
Takayasu K, Arii S, Sakamoto M, Matsuyama Y, <u>Kudo M</u> , Ichida T, Nakashima O, Matsui O, Izumi N, Ku Y, Kokudo N, Makuuchi M, Liver Cancer Study Group of Japan	Clinical implication of hypovascular hepatocellular carcinoma studied in 4,474 patients with solitary tumour equal or less than 3 cm.	Liver Int	33	762-770	2013
Hyodo T, Murakami T, Imai Y, Okada M, Hori M, Kagawa Y, Kogita S, Kumano S, <u>Kudo M</u> , Mochizuki T	Hypovascular nodules in patients with chronic liver disease: risk factors for development of hypervascular hepatocellular carcinoma.	Radiology	266	480-490	2013
Hagiwara S, <u>Kudo M</u> , Osaki Y, Matsuo H, Inuzuka T, Matsumoto A, Tanaka E, Sakurai T, Ueshima K, Inoue T, Yada Y, Nishida N	Impact of peginterferon Alpha-2b and entecavir hydrate combination therapy on persistent viral suppression in patients with chronic hepatitis B.	J Med Virol	85	987-95	2013
<u>Kudo M</u>	Early Hepatocellular Carcinoma: Definition and Diagnosis.	Liver Cancer	2(2)	69-72	2013
Matsui S, Kashida H, <u>Kudo M</u>	Senile systemic amyloidosis localized to the stomach.	Digest Endosc	25	468-469	2013

Mine H, Sakurai T, Kashida H, Matsui S, Nishida N, Nagai T, Hagiwara S, Watanabe T, <u>Kudo M</u>	Association of gankyrin and stemness factor expression in human colorectal cancer.	Dig Dis Sci	58	2337-2344	2013
Inaba Y, Kanai F, Aramaki T, Yamamoto T, Tanaka T, Yamakado K, Kaneko S, <u>Kudo M</u> , Imanaka K, Kora S, Nishida N, Kawai N, Seki H, Matsui O, Arioka H, Arai Y	A randomized phase II study of TSU-68 in patients with hepatocellular carcinoma treated by transarterial chemoembolization.	Eur J Cancer	49	2832-2840	2013
Takayama M, Matsui S, Kawasaki M, Asakuma Y, Sakurai T, Kashida H, <u>Kudo M</u>	Efficacy of treatment with rebamipide for endoscopic submucosal dissection-induced ulcers.	World J Gastroenterol	19	5706-5712	2013
<u>Kudo M</u>	[Preface] Chronic liver diseases and hepatocellular carcinoma: update in 2013.	Digest Dis	31	405-407	2013
Nishida N, Iwamura S, Ida H, Hagiwara S, Kagioka Y, Minami Y, Maetani Y, Itoh K, <u>Kudo M</u>	Clinical and histological features of different types of Budd-Chiari syndrome: A Comparison of 4 cases.	Digest Dis	31	408-414	2013
Yada N, <u>Kudo M</u> , Chung H, Watanabe T	Autoimmune hepatitis and immunoglobulin G4-associated autoimmune Hepatitis.	Digest Dis	31	415-420	2013
Sugimoto K, Kim SR, Shamy AE, Imoto S, Ando K, Kim KI, Tanaka Y, Yano Y, Kim SK, Hasegawa Y, Fujinami A, Ohta M, Takashi H, Hotta H, Hayashi Y, <u>Kudo M</u>	Factors of response to pegylated interferon/ribavirin combination therapy and mechanism of viral clearance.	Digest Dis	31	421-425	2013

Kim SR, Shamy AE, Imoto S, Kim KI, Sugimoto K, Kim SK, Tanaka Y, Hatae T, Hasegawa Y, Fujinami A, Ohta M, Hotta H, <u>Kudo M</u>	Prediction of response to pegylated interferon/ribavirin combination therapy for chronic hepatitis C genotypes 2a and 2b and high viral load.	Digest Dis	31	426-433	2013
Sugimoto K, Kim SR, Shamy AE, Imoto S, Fujioka H, Kim KI, Tanaka Y, Yano Y, Kim SK, Hasegawa Y, Fujinami A, Ohta M, Hatae T, Hotta H, Hayashi Y, <u>Kudo M</u>	Outcome of double-filtration plasmapheresis plus IFN treatment in non-responders to pegylated IFN plus ribavirin combination therapy.	Digest Dis	31	434-439	2013
Sakurai T, <u>Kudo M</u> , Watanabe T, Itoh K, Higashitsuji H, Arizumi T, Inoue T, Hagiwara S, Ueshima K, Nishida N, Fukumoto M, Fujita J	Hypothermia Protects against Fulminant Hepatitis in Mice by Reducing Reactive Oxygen Species Production.	Digest Dis	31	440-446	2013
Nishida N, <u>Kudo M</u>	Oxidative stress and epigenetic instability in human hepatocarcinogenesis.	Digest Dis	31	447-453	2013
Kim SK, Marusawa H, Eso Y, Chiba T, <u>Kudo M</u>	Novel mouse models of hepatocarcinogenesis with stepwise accumulation of genetic alterations.	Digest Dis	31	454-458	2013
Nishida N, Arizumi T, Takita M, Kitai S, Yada N, Hagiwara S, Inoue T, Minami Y, Ueshima K, Sakurai T, <u>Kudo M</u>	Reactive oxygen species induce epigenetic instability through the formation of 8-hydroxydeoxyguanosine in human hepatocarcinogenesis.	Digest Dis	31	459-466	2013
Tsuji N, Ishiguro S, Sasaki Y, <u>Kudo M</u>	CD-34 expression in noncancerous liver tissue predicts multicentric recurrence of hepatocellular carcinoma.	Digest Dis	31	467-471	2013

Inoue T, Hyodo T, Murakami T, Takayama Y, Nishie A, Higaki A, Korenaga K, Sakamoto A, Osaki Y, Aikata H, Chayama K, Suda T, Takano T, Miyoshi K, Koda M, Numata K, Tanaka H, Iijima H, Ochi H, Hirooka M, Imai Y, <u>Kudo M</u>	Hypovascular hepatic nodules showing hypointense on the hepatobiliary phase image of Gd-EOB-DTPA enhanced MRI to develop a hyper-vascular hepatocellular carcinoma: a nationwide retrospective study on their Natural course and Risk factors.	Digest Dis	31	472-479	2013
Minami Y, Hayaishi S, <u>Kudo M</u>	Radiofrequency ablation for hepatic malignancies: is the needle tract cauterization necessary for preventing iatrogenic bleeding?	Digest Dis	31	480-484	2013
Makino Y, Imai Y, Igura T, Kogita S, Sawai Y, Fukuda K, Horii M, <u>Kudo M</u> , Murakami T	Usefulness of the extracted-overlay function in CT/MR-ultrasonography fusion imaging for radiofrequency ablation of hepatocellular carcinoma.	Digest Dis	31	485-489	2013
<u>Kudo M</u> , Osaki Y, Matsunaga T, Kasugai H, Oka H, Seki T, the Osaka Liver Cancer Study Group	Hepatocellular carcinoma in Child-Pugh C cirrhosis: prognostic factors and survival benefit of nontransplant treatments.	Digest Dis	31	490-498	2013
<u>Kudo M</u>	Alpha-fetoprotein-L3: Useful or Useless for Hepatocellular Carcinoma?	Liver Cancer	2(3-4)	151-152	2013
Sakurai T, <u>Kudo M</u>	Molecular link between liver fibrosis and hepatocellular carcinoma.	Liver Cancer	2(3-4)	365-366	2013
<u>Kudo M</u> , Shiina T, Moriyasu F, Iijima H, Tateishi R, Yada N, Fujimoto K, Morikawa H, Hirooka M, Sumino Y, Kumada T	JSUM ultrasound elastography practice guidelines: liver.	J Med Ultrason	40	325-357	2013

Kagawa Y, Okada M, Yagyū Y, Kumano S, Kanemitsu M, <u>Kudo M</u> , Murakami T	Optimal scan timing of hepatic arterial-phase imaging of hypervascular hepatocellular carcinoma determined by multiphase fast CT imaging technique.	Acta Radiol	54	843-850	2013
Nouso K, Miyahara K, Uchida D, Kuwaki K, Izumi N, Omata M, Ichida T, <u>Kudo M</u> , Ku Y, Kokudo N, Sakamoto M, Nakashima O, Takayama T, Matsui O, Matsuyama Y, Yamamoto K, the Liver Cancer Study Group of Japan	Effect of hepatic arterial infusion chemotherapy of 5-fluorouracil and cisplatin for advanced hepatocellular carcinoma in the Nationwide Survey of Primary Liver Cancer in Japan.	Brit J Cancer	109	1904-1907	2013
Cheng AL, Kang YK, Lin DY, Park JW, <u>Kudo M</u> , Qin S, Chung HC, Song X, Xu J, Poggi G, Omata M, Lowenthal SP, Lanzaone S, Yang L, Lechuga MJ, Raymond E, for the SUN1170 HCC Study Group	Sunitinib versus sorafenib in advanced hepatocellular cancer: results of a randomized phase III trial.	J Clin Oncol	10; 31	4067-4075	2013
Johnson PJ, Qin S, Park JW, Poon RT, Raoul JL, Philip PA, Hsu CH, Hu TH, Heo J, Xu J, Lu L, Chao Y, Boucher E, Han KH, Paik SW, Avina JR, <u>Kudo M</u> , Yan L, Sobhonslidsuk A, Komov D, Decaens T, Tak WY, Jeng LB, Liu D, Ezzeddine R, Walters I, Cheng AL	Brivanib versus Sorafenib as first-line therapy in patients with unresectable, advanced hepatocellular carcinoma: results from the randomized Phase 3 BRISK-FL study.	J Clin Oncol	1; 31	3517-3524	2013

Llovet JM, Decaens T, Raoul JL, Boucher E, <u>Kudo M</u> , Chang C, Kang YK, Assenat E, Lim HY, Boige V, Mathurin P, Fartoux L, Lin DY, Bruix J, Poon RT, Sherman M, Blanc, JF, Finn RS, Tak WY, Chao Y, Ezzeddine R, Liu D, Walters I, Park JW	Brivanib in patients with advanced hepatocellular carcinoma who failed or were intolerant to sorafenib: or for whom sorafenib failed results from the randomized phase 3 BRISK-PS study.	J Clin Oncol	1; 31	3509-3516	2013
Lencioni R, <u>Kudo M</u> , Ye SL, Bronowicki JP, Chen XP, Dagher L, Furuse J, Geschwind JF, Guevara LL, Papandreou C, Takayama T, Yoon SK, Nakajima K, Lehr R, Heldner S, Sanyal AJ	GIDEON (Global Investigation of therapeutic DEcisions in hepatocellular carcinoma and Of its treatment with sorafeNIB): second interim analysis.	Int J Clin Pract		1-9	2013
Nishida N, <u>Kudo M</u> , Nishimura T, Arizumi T, Takita M, Kitai S, Yada N, Hagiwara S, Inoue T, Minami Y, Ueshima K, Sakurai T, Yokomichi N, Nagasaka T, Goel A	Unique association between global DNA hypomethylation and chromosomal alterations in human hepatocellular carcinoma.	Plos One	8(9)	e72312	2013
Nishijima T, Gatanaga H, Shimbo T, Komatsu H, Nozaki Y, Nagata N, <u>Kikuchi Y</u> , Yanase M, Oka S.	Traditional but Not HIV-Related Factors Are Associated with Nonalcoholic Fatty Liver Disease in Asian Patients with HIV-1 Infection.	PLOS ONE	Volume 9	e87596	2014
Kurosaki M, Tanaka Y, Nishida N, Sakamoto N, Enomoto N, Matsuura K, Asahina Y, Nakagawa M, Watanabe M, <u>Sakamoto M</u> ,	Model incorporating the ITPA genotype identifies patients at high risk of anemia and treatment failure with pegylated-interferon plus ribavirin therapy for chronic hepatitis C	J Med Virol	85 (3)	449-458	2013

Maekawa S, Tokunaga K, Mizokami M, Izumi N.					
Miura M, Maekawa S, Takano S, Komatsu N, Tatsumi A, Asakawa Y, Shindo K, Amemiya F, Nakayama Y, Inoue T, Sakamoto M, Yamashita A, Moriishi K, Enomoto N.	Deep-Sequencing Analysis of the Association between the Quasispecies Nature of the Hepatitis C Virus Core Region and Disease Progression	J. Virol.	87	12541-12551	2013
坂本穰、榎本信幸	C型肝炎治療における宿主因子とウイルス因子 実地診療での臨床応用のすすめかた	Medical Practice	30 (2)	323-328	2013
坂本穰、榎本信幸	C型肝炎硬変における抗ウイルス療法	Modern physician	33 (4)	454-458	2013
坂本穰、榎本信幸	ウイルス変異と宿主ゲノムからみたインターフェロン療法の治療成績と発癌リスクを考慮した新規治療法への展望	消化器内科	56 (4)	437-442	2013
坂本穰、榎本信幸	発癌リスクと治療反応性を考慮したC型肝炎の最新治療	消化器内科	57 (3)	379-384	2013
坂本穰、榎本信幸	C型肝炎診療 up-to-date、発癌リスクと新規治療法	診断と治療	101 (9)	1277-1282	2013
坂本穰、榎本信幸	C型肝炎の自然経過と発癌リスク	成人病と生活習慣病	43 (11)	1310-1315	2013
坂本穰、榎本信幸	C型肝炎ウイルスと治療	HIV感染症とAIDSの治療	4 (2)	55-59	2013
坂本穰、榎本信幸	プロテアーゼ阻害剤に対する耐性変異と意義	肝胆膵	67 (6)	893-898	2013

坂本穰、榎本信幸	B型肝炎のインターフェロン治療: sequential therapy を含めて	Phama Medica	31 (12)	49-52	2013
Shirasaki T, Honda M, <u>Shimakami T</u> , Horii R, Yamashita T, Sakai Y, Sakai A, Okada H, Watanabe R, Murakami S, Yi M, Lemon SM, Kaneko S.	MicroRNA-27a regulates lipid metabolism and inhibits hepatitis C virus replication in human hepatoma cells.	J Virol	87	5720-86	2013
Spaniel C, Honda M, Selitsky SR, Yamane D, <u>Shimakami T</u> , Kaneko S, Lanford RE, Lemon SM.	microRNA-122 abundance in hepatocellular carcinoma and non-tumor liver tissue from Japanese patients with persistent HCV versus HBV infection.	PLoS One	8	e76867	2013
Honda M, Shirasaki T, <u>Shimakami T</u> , Sakai A, Horii R, Arai K, Yamashita T, Sakai Y, Yamashita T, Okada H, Murai K, Nakamura M, Mizukoshi E, Kaneko S.	Hepatic interferon-stimulated genes are differentially regulated in the liver of chronic hepatitis C patients with different interleukin 28B genotypes.	Hepatology	in press	in press	2013
Posuwan N, Payungporn S, Tangkijvanich P, Ogawa S, Murakami S, Iijima S, Matsuura K, Shinkai N, <u>Watanabe T</u> , Poovorawan Y, Tanaka Y.	Genetic association of human leukocyte antigens with chronicity or resolution of hepatitis B infection in thai population.	PLoS One	9(1)	e86007	2014
Matsuura K, <u>Watanabe T</u> , and Tanaka Y.	Role of IL28B for chronic hepatitis C treatment toward personalized medicine.	J Gastroenterol Hepatol.	29(2)	241-9	2014

Ragheb MM, Nemr NA, Kishk RM, Mandour MF, Abdou MM, Matsuura K, <u>Watanabe T</u> , Tanaka Y.	Strong prediction of virological response to combination therapy by IL28B gene variants rs12979860 and rs8099917 in chronic hepatitis C genotype 4.	Liver Int.	in press	doi: 10.1111/liv.12321. PMID: 24102823	2013
<u>Watanabe T</u> , Inoue T, Tanoue Y, Maekawa H, Hamada-Tsutsumi S, Yoshida S, Tanaka Y.	Hepatitis C Virus Genotype 2 May Not Be Detected by the Cobas AmpliPrep/Cobas TaqMan HCV Test, Version 1.0.	J Clin Microbiol.	51(12)	4275-4276	2013
Shinkai N, Matsuura K, Sugauchi F, <u>Watanabe T</u> , Murakami S, Iio E, Ogawa S, Nojiri S, Joh T, Tanaka Y.	Application of a Newly Developed High-Sensitivity HBsAg Chemiluminescent Enzyme Immunoassay for Hepatitis B Patients with HBsAg Seroclearance.	J Clin Microbiol	51	3484-3491	2013
Wong DK, <u>Watanabe T</u> , Tanaka Y, Seto WK, Lee CK, Fung J, Lin CK, Huang FY, Lai CL, Yuen MF.	Role of HLA-DP polymorphisms on chronicity and disease activity of hepatitis B infection in Southern Chinese.	PLoS One	8	e66920	2013
Arata S, Nozaki A, Takizawa K, Kondo M, Morimoto M, Numata K, Hayashi S, <u>Watanabe T</u> , Tanaka Y, Tanaka K.	Hepatic failure in pregnancy successfully treated by online hemodiafiltration: Chronic hepatitis B virus infection without viral genome mutation.	Hepatol Res	43(12)	1356-60	2013
吉岡健太郎、橋本千樹、川部直人、原田雅生、西川徹、市野直浩、刑部恵介	FibroScan を用いた治療後肝硬度変化の測定	肝胆膵	67(6)	1059-1064	2013
K. Hayashi, Y. Katano, H. Masuda, Y. Ishizu, T. Kuzuya, T. Honda, M. Ishigami, A. Itoh, Y. Hirooka, I. Nakano, T. Ishikawa, F. Urano, <u>K. Yoshioka</u> , H. Toyoda, T. Kumada and H. Goto	Pegylated interferon monotherapy in patients with chronic hepatitis C with low viremia and its relationship to mutations in the NS5A region and the single nucleotide polymorphism of interleukin-28B	Hepatol Res	43(6)	580-8	2013

<u>K. Yoshioka</u>	What is the benefit of computer-assisted image analysis of liver fibrosis area?	J Gastroenterol	48(8)	996-7	2013
<u>K. Yoshioka</u>	How to adjust the inflammation-induced overestimation of liver fibrosis using transient elastography?	Hepatol Res	43(2)	182-4	2013
Tamaki Y, Nakade Y, Yamauchi T, Makino Y, Yokohama S, Okada M, Aso K, Kanamori H, Ohashi T, Sato K, Nakao H, Haneda M, <u>Yoneda M.</u>	Angiotensin II type 1 receptor antagonist prevents hepatic carcinoma in rats with nonalcoholic steatohepatitis.	J Gastroenterol	48(4)	491-503	2013
Yotsuyanagi H, <u>Ito K.</u> , Yamada N, Takahashi H, Okuse C, Yasuda K, Suzuki M, Moriya K, Mizokami M, Miyakawa Y, Koike K.	High Levels of Hepatitis B Virus After the Onset of Disease Lead to Chronic Infection in Patients With Acute Hepatitis B.	Clin Infect Dis	57(7)	935-42	2013
Kuno A, Ikehara Y, Tanaka Y, Ito K, Matsuda A, Sekiya S, Hige S, Sakamoto M, Kage M, Mizokami M, Narimatsu H.	A Serum A"sweet-doughnut" protein facilitates fibrosis evaluation and therapy assessment in patients with viral hepatitis.	Sci Rep	3	1065	2013
Miyagi Y, Nomura H, Yamashita N, Tanimoto H, <u>Ito K.</u> , Masaki N, Mizokami M, Shibuya T.	Estimation of two real-time RT-PCR assays for quantitation of hepatitis C virus RNA during PEG-IFN plus ribavirin therapy by HCV genotypes and IL28B genotype.	J Infect Chemother	19(1)	63-69	2013
<u>Ito K.</u> , Yotsuyanagi H, Yatsuhashi H, Krino Y, Takikawa Y, Saito t, AraseY, Imazeki F, Kurosaki M, Umemura	Risk factors for long-term persistence of serum hepatitis B surface antigen following acute hepatitis B virus infection in Japnaese adults.	Hepatology	59(1)	89-97	2014

T, Ichida T, Toyoda H, <u>Yoneda M</u> , Mita E, Yamamoto K, Michitaka K, Meshiro T, Tanuma J, Tanaka Y, Sugiyama M, Murata K, Masaki N, Mizokami M; Japanese AHB Study Group.					
Murata K, Sugiyama M, Kimura T, Yoshio S, Kanto T, Kirikae I, Saito H, Aoki Y, Hiramane S, Matsui T, <u>Ito K</u> , Korenaga M, Imamura M, Masaki N, Mizokami M.	Ex vivo induction of IFN- λ 3 by a TLR7 agonist determines response to Peg-IFN/Ribavirin therapy in chronic hepatitis C patients.	J Gastroentero	49(1)	126-37	2014
<u>Yoneda M</u>	Is the measurement of serum cytokeratin-18 useful for diagnosis or screening nonalcoholic steatohepatitis?	Hepato Res (in press).			
Nakade Y, <u>Yoneda M</u>	Prognostic factors for Regression from impaired glucose tolerance to Normal Glucose Regulation in Japanese patients with nonalcoholic fatty liver disease.	Intern Med (in press)			
Hayashi K, Katano Y, Masuda H, Ishizu Y, Kuzuya T, Honda T, <u>Ishigami M</u> , Itoh A, Hirooka Y, Nakano I, Ishikawa T, Urano F, Yoshioka K, Toyoda H, Kumada T, Goto H.	Pegylated interferon monotherapy in patients with chronic hepatitis C with low viremia and its relationship to mutations in the NS5A region and the single nucleotide polymorphism of interleukin-28B.	Hepato Res	43	580-588	2013

田中弘教, 飯島尋子	造影超音波検査 - 厚生労働省有井班の診断アルゴリズムを含めて - .	臨床と研究	90	188-93	2013
飯島尋子	超音波造影剤による肝腫瘍診断	Mebio	30	39-45	2013
田中弘教, 池田直人, 岩田一也, 高嶋智之, 楊和典, 石井昭生, 坂井良行, 會澤信弘, 岩田恵典, 榎本平之, 齋藤正紀, 今西宏安, 西口修平, 飯島尋子	穿刺針ナビゲーションシステム VirtuTRAXTM 安全使用のための短縮クリップ法 .	肝臓	54	291-3	2013
田中弘教, 飯島尋子	肝細胞がんの Vascular Invasion-画像診断から脈管浸潤の限界にせまる - .	肝胆膵	66	935-40	2013
Mitsunori Y, Tanaka S, Nakamura N, Ban D, Irie T, Noguchi N, Kudo A, Iijima H, Arii S.	Contrast-enhanced intraoperative ultrasound for hepatocellular carcinoma: high sensitivity of diagnosis and therapeutic impact.	J Hepatobiliary Pancreat Sci.	20	234-42	2013
Bota S, Sporea I, Peck-Radosavljevic M, Sirlu R, Tanaka H, Iijima H, Saito H, Ebinuma H, Lupsor M, Badea R, Fierbinteanu-Braticevici C, Petrisor A, Friedrich-Rust M, Sarrazin C, Takahashi H, Ono N, Piscaglia F, Marinelli S, D'Onofrio M, Gallotti A, Salzl P, Popescu A, Danila M.	The influence of aminotransferase levels on liver stiffness assessed by Acoustic Radiation Force Impulse Elastography: A retrospective multicentre study.	Dig Liver Dis.		Epub ahead of print	2013
Tamura Y, Suda T, Arii S, Sata M, Moriyasu F, Imamura H, Kawasaki S, Izumi N, Takayama	Value of Highly Sensitive Fucosylated Fraction of Alpha-Fetoprotein for Prediction of Hepatocellular Carcinoma	Dig Dis Sci.	58	2406-12	2013

T, Kokudo N, Yamamoto M, <u>Iijima H</u> , Aoyagi Y.	Recurrence After Curative Treatment.				
Enomoto H, Sakai Y, Aizawa N, Iwata Y, Tanaka H, Ikeda N, Kunihiro H, You K, Ishii A, Takashima T, Iwata K, Saito M, Imanishi H, <u>Iijima H</u> , Nishiguchi S.	Association of amino acid imbalance with the severity of liver fibrosis and esophageal varices.	Ann Hepatol.	12	471-8	2013
Tanaka H, <u>Iijima H</u> , Higashiura A, Yoh K, Ishii A, Takashima T, Sakai Y, Aizawa N, Iwata K, Ikeda N, Iwata Y, Enomoto H, Saito M, Imanishi H, Hirota S, Fujimoto J, Nishiguchi S.	New malignant grading system for hepatocellular carcinoma using the Sonazoid contrast agent for ultrasonography.	J Gastroenterol.		Epub ahead of print	2013
飯島尋子, 井倉技, 中山晴夫, 小林正宏, 熊田博光, 井廻道夫.	血清アルブミン濃度が軽度～中等度に低下した肝硬変患者の QOL に及ぼすリーバクト R 配合顆粒の影響.	Medicine and Drug Journal.	49	127-39	2013
Singh S, Eaton JE, Murad MH, Tanaka H, <u>Iijima H</u> , Talwalkar JA.	Accuracy of Spleen Stiffness Measurement in Detection of Esophageal Varices in Patients With Chronic Liver Disease: Systematic Review and Meta-analysis.	Clin Gastroenterol Hepatol.		Epub ahead of print	2013
Aizawa N, Enomoto H, Takashima T, Sakai Y, Iwata K, Ikeda N, Tanaka H, Iwata Y, Saito M, Imanishi H, <u>Iijima H</u> , Nishiguchi S.	Thrombocytopenia in pegylated interferon and ribavirin combination therapy for chronic hepatitis C.	J Gastroenterol.		Epub ahead of print	2013

Inoue T, Hyodo T, Murakami T, Takayama Y, Nishie A, Higaki A, Korenaga K, Sakamoto A, Osaki Y, Aikata H, Chayama K, Suda T, Takano T, Miyoshi K, Koda M, Numata K, Tanaka H, <u>Iijima H</u> , Ochi H, Hirooka M, Imai Y, Kudo M.	Hypovascular Hepatic Nodules Showing Hypointense on the Hepatobiliary-Phase Image of Gd-EOB-DTPA-Enhanced MRI to Develop a Hypervascular Hepatocellular Carcinoma: A Nationwide Retrospective Study on Their Natural Course and Risk Factors.	Dig Dis.	31	472-9	2013
Sakata K, Hara M, Terada T, Watanabe N, Takaya D, Yaguchi S, Matsumoto T, Matsuura T, Shirouzu M, Yokoyama S, Yamaguchi T, Miyazawa K, <u>Aizaki H</u> , Suzuki T, Wakita T, Imoto M, Kojima S.	CV NS3 protease enhances liver fibrosis via binding to and activating TGF- β type I receptor.	Sci Rep.	22	3243	2013
Nakajima S, Watashi K, Kamisuki S, Tsukuda S, Takemoto K, Matsuda M, Suzuki R, <u>Aizaki H</u> , Sugawara F, Wakita T.	Specific inhibition of hepatitis C virus entry into host hepatocytes by fungi-derived sulochrin and its derivatives.	Biochem Biophys Res Commun.	440	515-20	2013
Watashi K, Liang G, Iwamoto M, Marusawa H, Uchida N, Daito T, Kitamura K, Muramatsu M, Ohashi H, Kiyohara T, Suzuki R, Li J, Tong S, Tanaka Y, Murata K, <u>Aizaki H</u> , Wakita T.	Interleukin-1 and Tumor Necrosis Factor- α Trigger Restriction of Hepatitis B Virus Infection via a Cytidine Deaminase Activation-induced Cytidine Deaminase (AID).	J Biol Chem.	288	31715-27	2013
Suzuki R, Matsuda M, Watashi K, <u>Aizaki H</u> , Matsuura Y, Wakita T, Suzuki T.	Signal peptidase complex subunit 1 participates in the assembly of hepatitis C virus through an interaction with E2 and NS2.	PLoS Pathog.	9	e1003589	2013

Matsumoto Y, Matsuura T, Aoyagi H, Matsuda M, Hmwe SS, Date T, Watanabe N, Watashi K, Suzuki R, Ichinose S, Wake K, Suzuki T, Miyamura T, Wakita T, <u>Aizaki H.</u>	Antiviral activity of glycyrrhizin against hepatitis C virus in vitro.	PLoS One.	18	e68992	2013
Akazawa D, Moriyama M, Yokokawa H, Omi N, Watanabe N, Date T, Morikawa K, <u>Aizaki H.</u> Ishii K, Kato T, Mochizuki H, Nakamura N, Wakita T.	Neutralizing antibodies induced by cell culture-derived hepatitis C virus protect against infection in mice.	Gastroenterology.	145	447-55	2013
Suzuki R, Ishikawa T, Konishi E, Matsuda M, Watashi K, <u>Aizaki H.</u> Takasaki T, Wakita T.	Production of single-round infectious chimeric flaviviruses with DNA-based Japanese encephalitis virus replicon.	J Gen Virol.	95	60-65	2014
Iwamoto M, Watashi K, Tsukuda S, Aly1 HH, Fukasawa M, Suzuki R, <u>Aizaki H.</u> Ito T, Koiwai O, Kusahara H, Wakita T	Evaluation and Identification of hepatitis B virus entry inhibitors using HepG2 cells overexpressing a membrane transporter NTCP.	Biochem Biophys Res Commun.	443	808-13	2014