

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Takemura T, Yoshida Y, Kiso S, Kizu T, Furuta K, Ezaki H, Hamano M, Egawa M, Chatani N, Kamada Y, Imai Y, Higashiyama S, Iwamoto R, Mekada E, Takehara T.	Conditional loss of heparin-binding EGF-like growth factor results in enhanced liver fibrosis after bile duct ligation in mice.	Biochem Biophys Res Commun.	437 (2)	185-191	2013 Jul
Komatsu M, Tanaka N, Shibata SI, Kimura T, Ichikawa Y, Morita S, Joshita S, Nagaya T, Umemura T, Ichijo T, Matsumoto A, Yoshizawa K, Tanaka E.	Laparoscopic findings of congenital hepatic fibrosis: A case report and review of the published work.	Hepatology Res.	In press.		2013 Jul
Tomiyama Y, Takenaka K, Kodama T, Kawanaka M, Sasaki K, Nishina S, Yoshioka N, Hara Y, Hino K.	Risk factors for survival and the development of hepatocellular carcinoma in patients with primary biliary cirrhosis.	Intern Med.	52 (14)	1553-1559	2013 Jul
Sato A, Sata M, Ikeda K, Kumada T, Izumi N, Asahina Y, Osaki Y, Chayama K, Kaneko S, Sakai A, Onji M, Hiasa Y, Omura T, Ozeki I, Yokosuka O, Shiina S, Itsubo M, Nishiguchi S, Hirano K, Ide T, Sakisaka S, Yamasaki T, Hidaka I, Tanaka M, Kim SR, Ichida T.	Clinical characteristics of patients who developed hepatocellular carcinoma after hepatitis C virus eradication with interferon therapy: current status in Japan.	Intern Med.	52 (24)	2701-2706	2013 Jul
Toyoda H, Kumada T, Tada T, Niinomi T, Ito T, Sone Y, Kaneoka Y,	Non-hypervascular hypointense nodules detected by Gd-EOB-DTPA-enhanced MRI	J Hepatol.	58 (6)	1174-1180	2013 Jun

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Maeda A.	are a risk factor for recurrence of HCC after hepatectomy.				
Miyake T, Abe M, Tokumoto Y, Hirooka M, Furukawa S, Kumagi T, Hamada M, Kawasaki K, Tada F, Ueda T, Hiasa Y, Matsuura B, Onji M.	B cell-activating factor is associated with the histological severity of nonalcoholic fatty liver disease.	Hepatol Int.	7 (2)	539-547	2013 Jun
Ikeda K, Izumi N, Tanaka E, Yotsuyanagi H, Takahashi Y, Fukushima J, Kondo F, Fukusato T, Koike K, Hayashi N, Kumada H.	Fibrosis score consisting of four serum markers successfully predicts pathological fibrotic stages of chronic hepatitis B.	Hepatol Res.	43 (6)	596-604	2013 Jun
Mancinelli R, Franchitto A, Glaser S, Meng F, Onori P, Demorrown S, Francis H, Venter J, Carpino G, Baker K, Han Y, Ueno Y, Gaudio E, Alpini G.	GABA induces the differentiation of small into large cholangiocytes by activation of Ca ²⁺ /CaMK I-dependent adenylyl cyclase 8.	Hepatology.	58 (1)	251-263	2013 Jul
Abe T, Hashiguchi A, Yamazaki K, Ebinuma H, Saito H, Kumada H, Izumi N, Masaki N, Sakamoto M.	Quantification of collagen and elastic fibers using whole-slide images of liver biopsy specimens.	Pathol Int.	63 (6)	305-310	2013 Jun
Ninomiya M, Kondo Y, Funayama R, Nagashima T, Kogure T, Kakazu E, Kimura O, Ueno Y, Nakayama K, Shimosegawa T.	Distinct microRNAs expression profile in primary biliary cirrhosis and evaluation of miR-505-3p and miR197-3p as novel biomarkers.	PloS one.	8 (6)	e66086	2013 Jun
Kaji H, Ocho M, Togayachi A, Kuno A, Sogabe M, Ohkura T,	Glycoproteomic Discovery of Serological Biomarker Candidates for HCV/HBV	J Proteome Res.	12 (6)	2630-2640	2013 Jun

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Nozaki H, Angata T, Chiba Y, Ozaki H, Hirabayashi J, Tanaka Y, Mizokami M, Ikehara Y, Narimatsu H.	Infection-Associated Liver Fibrosis and Hepatocellular Carcinoma.				
Higashitani K, Kanto T, Kuroda S, Yoshio S, Matsubara T, Kakita N, Oze T, Miyazaki M, Sakakibara M, Hiramatsu N, Mita E, Imai Y, Kasahara A, Okuno A, Takikawa O, Hayashi N, Takehara T.	Association of enhanced activity of indoleamine 2,3-dioxygenase in dendritic cells with the induction of regulatory T cells in chronic hepatitis C infection.	J Gastroenterol.	48 (5)	660-670	2013 May
Hasegawa K, Kokudo N, Makuuchi M, Izumi N, Ichida T, Kudo M, Ku Y, Sakamoto M, Nakashima O, Matsui O, Matsuyama Y.	Comparison of resection and ablation for hepatocellular carcinoma: A cohort study based on a Japanese nationwide survey.	J Hepatol.	58 (4)	724-729	2013 Apr
Arao T, Ueshima K, Matsumoto K, Nagai T, Kimura H, Hagiwara S, Sakurai T, Haji S, Kanazawa A, Hidaka H, Iso Y, Kubota K, Shimada M, Utsunomiya T, Hirooka M, Hiasa Y, Toyoki Y, Hakamada K, Yasui K, Kumada T, Toyoda H, Sato S, Hisai H, Kuzuya T, Tsuchiya K, Izumi N, Arai S, Nishio	FGF3/FGF4 amplification and multiple lung metastases in responders to sorafenib in hepatocellular carcinoma.	Hepatology.	57 (4)	1407-1415	2013 Apr

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
K, Kudo M.					
Harada N, Hiramatsu N, Oze T, Yamada R, Kurokawa M, Miyazaki M, Yakushijin T, Miyagi T, Tatsumi T, Kiso S, Kanto T, Kasahara A, Oshita M, Mita E, Hagiwara H, Inui Y, Katayama K, Tamura S, Yoshihara H, Imai Y, Inoue A, Hayashi N, Takehara T.	Incidence of hepatocellular carcinoma in HCV-infected patients with normal alanine aminotransferase levels categorized by Japanese treatment guidelines.	J Gastroenterol.	48 (4)	535-543	2013 Apr
Toyoda H, Kumada T, Tada T.	Lower incidence of hepatocellular carcinoma in patients with transient virologic response to peginterferon and ribavirin combination therapy: Is it really the effect of the therapy?	J Hepatol.	58 (4)	838-839	2013 Apr
Yoshio S, Kanto T, Kuroda S, Matsubara T, Higashitani K, Kakita N, Ishida H, Hiramatsu N, Nagano H, Sugiyama M, Murata K, Fukuhara T, Matsuura Y, Hayashi N, Mizokami M, Takehara T.	Human blood dendritic cell antigen 3 (BDCA3) (+dendritic cells are a potent producer of interferon-lambda in response to hepatitis C virus.	Hepatology.	57 (5)	1705-1715	2013 May
Harada K, Hirohara J, Ueno Y, Nakano T, Kakuda Y, Tsubouchi H, Ichida T, Nakanuma Y.	Incidence of and risk factors for hepatocellular carcinoma in primary biliary cirrhosis: National data from Japan.	Hepatology.	57 (5)	1942-1949	2013 May

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Kumada T, Toyoda H, Tada T, Kiriyaama S, Tanikawa M, Hisanaga Y, Kanamori A, Niinomi T, Yasuda S, Andou Y, Yamamoto K, Tanaka J.	Effect of nucleos (t) ide analogue therapy on hepatocarcinogenesis in chronic hepatitis B patients: A propensity score analysis.	J Hepatol.	58 (3)	427-433	2013 Mar
Kurosaki M, Tanaka Y, Nishida N, Sakamoto N, Enomoto N, Matsuura K, Asahina Y, Nakagawa M, Watanabe M, Sakamoto M, Maekawa S, Tokunaga K, Mizokami M, Izumi N.	Model incorporating the ITPA genotype identifies patients at high risk of anemia and treatment failure with pegylated-interferon plus ribavirin therapy for chronic hepatitis C.	J Med Virol.	85 (3)	449-458	2013 Mar
Kikuchi T, Hirano K, Genda T, Tsuzura H, Sato S, Kanemitsu Y, Iijima K, Ichida T.	A study of the effects of the saliva stimulation by nizatidine on dry mouth symptoms of primary biliary cirrhosis.	World J Hepatol.	5 (3)	90-96	2013 Mar
Takeji S, Hirooka M, Koizumi Y, Tokumoto Y, Abe M, Ikeda Y, Nadano S, Hiasa Y, Onji M.	Des-gamma-carboxy prothrombin identified by P-11 and P-16 antibodies reflects prognosis for patients with hepatocellular carcinoma.	J Gastroenterol Hepatol.	28 (4)	671-677	2013 Apr
Murakami Y, Tamori A, Itami S, Tanahashi T, Toyoda H, Tanaka M, Wu W, Brojigin N, Kaneoka Y, Maeda A, Kumada T, Kawada N, Kubo S, Kuroda M.	The expression level of miR-18b in hepatocellular carcinoma is associated with the grade of malignancy and prognosis.	BMC Cancer.	13	99	2013 Mar
Kawanaka M, Nishino K, Nakamura J, Suehiro M, Goto D, Urata N, Oka T,	Treatment of nonalcoholic steatohepatitis with vitamins E and C: a pilot study.	Hepatic Med Evi Res.	5	11-16	2013 Mar

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Kawamoto H, Nakamura H, Yodoi J, Hino K, Yamada G.					
Tada F, Abe M, Kawasaki K, Miyake T, Chen S, Hiasa Y, Matsuura B, Onji M.	B cell activating factor in obesity is regulated by oxidative stress in adipocytes.	Journal of Clinical Biochemistry and Nutrition.	52 (2)	120-127	2013 Mar
Miyake T, Kumagi T, Hirooka M, Furukawa S, Koizumi M, Tokumoto Y, Ueda T, Yamamoto S, Abe M, Kitai K, Hiasa Y, Matsuura B, Onji M.	Body mass index is the most useful predictive factor for the onset of nonalcoholic fatty liver disease: a community-based retrospective longitudinal cohort study.	J Gastroenterol.	48 (3)	413-422	2013 Mar
Izumi N, Asahina Y, Kurosaki M, Yamada G, Kawai T, Kajiwara E, Okamura Y, Takeuchi T, Yokosuka O, Kariyama K, Toyoda J, Inao M, Tanaka E, Moriwaki H, Adachi H, Katsushima S, Kudo M, Takaguchi K, Hiasa Y, Chayama K, Yatsuhashi H, Oketani M, Kumada H.	Inhibition of hepatocellular carcinoma by PegIFN α -2a in patients with chronic hepatitis C: a nationwide multicenter cooperative study.	J Gastroenterol.	48 (3)	382-390	2013 Mar
Kumada T, Toyoda H, Kiriya S, Tanikawa M, Hisanaga Y, Kanamori A, Tada T, Tanaka J.	Characteristics of elderly hepatitis C virus-associated hepatocellular carcinoma patients.	J Gastroenterol Hepatol.	28 (2)	357-364	2013 Feb
Honda T, Katano Y, Kuzuya T, Hayashi K, Ishigami M, Itoh A,	Comparison of the efficacy of ribavirin plus peginterferon alfa-2b for chronic hepatitis C	J Med Virol.	85 (2)	228-234	2013 Feb

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Hirooka Y, Nakano I, Ishikawa T, Toyoda H, Kumada T, Yamamoto K, Matsushita T, Kojima T, Takamatsu J, Goto H.	infection in patients with and without coagulation disorders.				
Hyodo T, Murakami T, Imai Y, Okada M, Hori M, Kagawa Y, Kogita S, Kumano S, Kudo M, Mochizuki T.	Hypovascular Nodules in Patients with Chronic Liver Disease: Risk Factors for Development of Hypervascular Hepatocellular Carcinoma.	Radiology.	266 (2)	480-49 0	2013 Feb
Kudo M, Matsui O, Sakamoto M, Kitao A, Kim T, Ariizumi S, Ichikawa T, Kobayashi S, Imai Y, Izumi N, Fujinaga Y, Arii S.	Role of Gadolinium-Ethoxybenzyl-Diethylenetriamine Pentaacetic Acid-Enhanced Magnetic Resonance Imaging in the Management of Hepatocellular Carcinoma: Consensus at the Symposium of the 48th Annual Meeting of the Liver Cancer Study Group of Japan.	Oncology.	84 (Supp 1 1)	21-27	2013 Feb
Makino Y, Imai Y, Ohama H, Igura T, Kogita S, Sawai Y, Fukuda K, Takamura M, Ohashi H, Murakami T.	Ultrasonography Fusion Imaging System Increases the Chance of Radiofrequency Ablation for Hepatocellular Carcinoma with Poor Conspicuity on Conventional Ultrasonography.	Oncology.	84 (supp 1 1)	44-50	2013 Feb
Toyoda H, Kumada T, Kiriyaama S, Tanikawa M, Hisanaga Y, Kanamori A, Tada T, Murakami Y.	Higher hepatic gene expression and serum levels of matrix metalloproteinase-2 are associated with steatohepatitis in non-alcoholic fatty liver diseases.	Biomarkers.	18 (1)	82-87	2013 Feb
Toyoda H, Kumada T, Kiriyaama S, Tanikawa	Higher hepatic gene expression and serum levels of matrix	Biomarkers.	18 (1)	82-87	2013 Feb

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
M, Hisanaga Y, Kanamori A, Tada T, Murakami Y.	metalloproteinase-2 are associated with steatohepatitis in non-alcoholic fatty liver diseases.				
Renzi A, DeMorrow S, Onori P, Carpino G, Mancinelli R, Meng F, Venter J, White M, Franchitto A, Francis H, Han Y, Ueno Y, Dusio G, Jensen KJ, Greene JJ, Jr., Glaser S, Gaudio E, Alpini G.	Modulation of the biliary expression of arylalkylamine N-acetyltransferase alters the autocrine proliferative responses of cholangiocytes in rats.	Hepatology.	57 (3)	1130-1 141	2013 Mar
Fukuma M, Tanese K, Effendi K, Yamazaki K, Masugi Y, Suda M, Sakamoto M.	Leucine-rich repeat-containing G protein-coupled receptor 5 regulates epithelial cell phenotype and survival of hepatocellular carcinoma cells.	Exp Cell Res.	319 (3)	113-12 1	2013 Feb
Oze T, Hiramatsu N, Mita E, Akuta N, Sakamoto N, Nagano H, Itoh Y, Kaneko S, Izumi N, Nomura H, Hayashi N, Takehara T.	A multicenter survey of re-treatment with pegylated interferon plus ribavirin combination therapy for patients with chronic hepatitis C in Japan.	Hepatology Res.	43 (1)	35-43	2013 Jan
Toyoda H, Kumada T, Shimada N, Takaguchi K, Ide T, Sata M, Ginba H, Matsuyama K, Izumi N.	Baseline factors and early viral response (week 4) to antiviral therapy with peginterferon and ribavirin for predicting sustained virologic response in patients infected with hepatitis C virus genotype 1: A multicenter study.	J Med Virol.	85 (1)	65-70	2013 Jan
Tamaki N, Kurosaki M, Tanaka K, Suzuki Y, Hoshioka Y, Kato T, Yasui Y, Hosokawa T,	Noninvasive estimation of fibrosis progression overtime using the FIB-4 index in chronic hepatitis C.	J Viral Hepat.	20 (1)	72-76	2013 Jan

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Ueda K, Tsuchiya K, Nakanishi H, Itakura J, Asahina Y, Izumi N.					
Hayashi K, Katano Y, Masuda H, Ishizu Y, Kuzuya T, Honda T, Ishigami M, Itoh A, Hirooka Y, Nakano I, Ishikawa T, Urano F, Yoshioka K, Toyoda H, Kumada T, Goto H.	Pegylated interferon monotherapy in patients with chronic hepatitis C with low viremia and its relationship to mutations in the NS5A region and the single nucleotide polymorphism of interleukin-28B.	Hepatol Res.	43 (6)	580-58 8	2013 Jan
Kuno A, Ikehara Y, Tanaka Y, Ito K, Matsuda A, Sekiya S, Hige S, Sakamoto M, Kage M, Mizokami M, Narimatsu H.	A serum “sweet-doughnut” protein facilitates fibrosis evaluation and therapy assessment in patients with viral hepatitis.	Sci Rep.	3	1065 (Article number)	2013 Jan
Kasawaki K, Abe M, Tada F, Tokumoto Y, Chen S, Miyake T, Furukawa S, Matsuura B, Hiasa Y, Onji M.	Blockade of B-cell-activating factor signaling enhances hepatic steatosis induced by a high-fat diet and improves insulin sensitivity.	Laboratory Investigation.	93	311-32 1	2013 Mar
Effendi K, Yamazaki K, Mori T, Masugi Y, Makino S, Sakamoto M.	Involvement of hepatocellular carcinoma biomarker, cyclase-associated protein 2 in zebrafish body development and cancer progression.	Exp Cell Res.	319 (1)	35-44	2013 Jan
Toyoda H, Kumada T, Tada T, Kaneoka Y, Maeda A.	Placement of a Sodium Hyaluronate Solution onto the Liver Surface as a Supportive Procedure for Radiofrequency Ablation of Hepatocellular Carcinomas Located on the Liver Surface: A Preliminary Report.	J Vasc Interv Radiol.	23 (12)	1639-1 645	2012 Dec
Toyoda H, Kumada T, Tada T, Niinomi T, Ito	Prognostic significance of a combination of pre- and	J Hepatol.	57 (6)	1251-1 257	2012 Dec

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
T, Kaneoka Y, Maeda A.	post-treatment tumor markers for hepatocellular carcinoma curatively treated with hepatectomy.				
Ueda T, Tsuchiya K, Hashimoto S, Inoue T, Enomoto N, Inao M, Tanaka A, Kaito M, Imazeki F, Nishiguchi S, Mochida S, Yokosuka O, Yatsuhashi H, Izumi N, Kudo M.	Retreatment with Peginterferon α -2a + Ribavirin in Patients Who Failed Previous Peginterferon α -2b + Ribavirin Combination Therapy.	Dig Dis.	30 (6)	554-560	2012 Dec
Makino Y, Imai Y, Igura T, Ohama H, Kogita S, Sawai Y, Fukuda K, Ohashi H, Murakami T.	Usefulness of the Multimodality Fusion Imaging for the Diagnosis and Treatment of Hepatocellular Carcinoma.	Dig Dis.	30 (6)	580-587	2012 Dec
Toyoda H, Kumada T, Shimada N, Takaguchi K, Ide T, Sata M, Ginba H, Matsuyama K, Izumi N.	Significance of a reduction in HCV RNA levels at 4 and 12 weeks in patients infected with HCV genotype 1b for the prediction of the outcome of combination therapy with peginterferon and ribavirin.	BMC Infect Dis.	12 (1)	324	2012 Nov
Du D, Zhu X, Kuno A, Matsuda A, Tsuruno C, Yu D, Zhang Y, Ikehara Y, Tanaka Y, Zhang X, Narimatsu H.	Comparison of LecT-Hepa and FibroScan for assessment of liver fibrosis in hepatitis B virus infected patients with different ALT levels.	Clin Chim Acta.	413 (21-22)	1796-1799	2012 Nov
Watanabe T, Sugauchi F, Tanaka Y, Matsuura K, Yatsuhashi H, Murakami S, Iijima S, Iio E, Sugiyama M, Shimada T, Kakuni M, Kohara M, Mizokami	Hepatitis C virus kinetics by administration of pegylated interferon-alpha in human and chimeric mice carrying human hepatocytes with variants of the IL28B gene.	Gut.	62 (9)	1340-1346	2012 Nov

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
M.					
Taura N, Ichikawa T, Miyaaki , Kadokawa Y, Tsutsumi T, Tsuruta S, Kato Y, Inoue O, Kinoshita N, Ohba K, Kato H, Ohata K, Masuda J, Hamasaki K, Yatsuhashi H, Nakao K.	Baseline Serum Cholesterol Is Associated with a Response to Pegylated Interferon Alfa-2b and Ribavirin Therapy for Chronic Hepatitis C Genotype 2.	Gastroenterol Res Pract.	2012	Article ID:317580, 7 pages	2012 Nov
Kobayashi T, Hige S , Terashita K, Nakai M, Horimoto H, Sho T, Nakanishi M, Ogawa K, Chuma M, Sakamoto N, Asaka M.	Anemia and thrombocytosis induced by ribavirin monotherapy in patients with chronic hepatitis C.	J Gastroenterol.	47 (11)	1228-1237	2012 Nov
Saito H, Ito K, Sugiyama M, Matsui T, Aoki Y, Imamura M, Murata K, Masaki N, Nomura H, Adachi H, Hige S , Enomoto N, Sakamoto N, Kurosaki M, Mizokami M , Watanabe S.	Factors responsible for the discrepancy between IL28B polymorphism prediction and the viral response to peginterferon plus ribavirin therapy in Japanese chronic hepatitis C patients.	Hepatol Res.	42 (10)	958-965	2012 Oct
Ito K, Kuno A , Ikehara Y, Sugiyama M, Saito H, Aoki Y, Matsui T, Imamura M, Korenaga M , Murata K, Masaki N, Tanaka Y , Hige S , Izumi N , Kurosaki M, Nishiguchi S, Sakamoto M , Kage M, Narimatsu H , Mizokami M .	LecT-hepa, a glyco-marker derived from multiple lectins, as a predictor of liver fibrosis in chronic hepatitis C patients.	Hepatology.	56 (4)	1448-1456	2012 Oct

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Toyoda H, Kumada T, Katano Y, Goto H.	Week 4 viral response to peginterferon and ribavirin: How should it be used in combination with a baseline predictive factor?	J Hepatol.	57 (4)	927-928	2012 Oct
Murakami Y, Toyoda H, Tanahashi T, Tanaka J, Kumada T, Yoshioka Y, Kosaka N, Ochiya T, Taguchi Y-h.	Comprehensive miRNA Expression Analysis in Peripheral Blood Can Diagnose Liver Disease.	PLoS One.	7 (10)	e48366	2012 Oct
Matsui T, Motoki Y, Inomoto T, Miura D, Kato Y, Suenaga H, Hino K, Nojima J.	Temperature-Related Effects of Adenosine Triphosphate-Activated Microglia on Pro-Inflammatory Factors.	Neurocrit Care.	17 (2)	293-300	2012 Oct
Matsumoto A, Tanaka E, Morita S, Yoshizawa K, Umemura T, Joshita S.	Changes in the serum level of hepatitis B virus (HBV) surface antigen over the natural course of HBV infection.	J Gastroenterol.	47 (9)	1006-1013	2012 Sep
Akiba T, Hora K, Imawari M, Sato C, Tanaka E, Izumi N, Harada T, Ando R, Kikuchi K, Tomo T, Hirakata H, Akizawa T.	2011 Japanese Society for Dialysis Therapy Guidelines for the Treatment of Hepatitis C Virus Infection in Dialysis Patients.	Ther Apher Dial.	16 (4)	289-310	2012 Aug
Kudo M, Tateishi R, Yamashita T, Ikeda M, Furuse K, Ikeda K, Kokudo N, Izumi N, Matsui O.	Current Status of Hepatocellular Carcinoma Treatment in Japan.	Clin Drug Investig.	32 (Suppl 2)	37-51	2012 Aug
Hino K, Nishina S, Hara Y.	Iron metabolic disorder in chronic hepatitis C: insights from recent evidence.	Clin J Gastroenterol.	5 (4)	251-256	2012 Aug
Toyoda H, Kumada T.	Incidence of hepatocellular carcinoma and response to interferon therapy in HCV-infected patients: effect of	Liver Int.	32 (6)	1029-1031	2012 Jul

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
	factors associated with the therapeutic response and incidence of HCC.				
Katsube T, Okada M, Kumano S, Imaoka I, Kagawa Y, Hori M, Ishii K, Tanigawa N, Imai Y , Kudo M, Murakami T.	Estimation of liver function using T2* mapping on gadolinium ethoxybenzyl diethylenetriamine pentaacetic acid enhanced magnetic resonance imaging.	Eur J Radiol.	81 (7)	1460-1464	2012 Jul
Yoshizawa K, Matsumoto A , Ichijo T, Umemura T, Joshita S, Komatsu M, Tanaka N, Tanaka E, Ota M, Katsuyama Y, Kiyosawa K, Abe M , Onji M.	Long-term outcome of Japanese patients with type 1 autoimmune hepatitis.	Hepatology.	56 (2)	668-676	2012 Aug
Nishida N, Sawai H, Matsuura K, Sugiyama M, Ahn SH, Park JY, Hige S , Kang JH, Suzuki K, Kurosaki M, Asahina Y, Mochida S, Watanabe M, Tanaka E, Honda M, Kaneko S, Orito E, Itoh Y, Mita E, Tamori A, Murawaki Y, Hiasa Y, Sakaida I, Korenaga M , Hino K , Ide T, Kawashima M, Mawatari Y, Sageshima M, Ogasawara Y, Koike A, Izumi N , Han KH, Tanaka Y , Tokunaga K, Mizokami M .	Genome-Wide Association Study Confirming Association of HLA-DP with Protection against Chronic Hepatitis B and Viral Clearance in Japanese and Korean.	PLoS One.	7 (6)		2012 Jun

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Sawai H, Nishida N, Mbarek H, Matsuda K, Mawatari Y, Yamaoka M, Hige S, Kang JH, Abe K, Mochida S, Watanabe M, Kurosaki M, Asahina Y, Izumi N, Honda M, Kaneko S, Tanaka E, Matsuura K, Itoh Y, Mita E, Korenaga M, Hino K, Murawaki Y, Hiasa Y, Ide T, Ito K, Sugiyama M, Ahn SH, Han KH, Park JY, Yuen MF, Nakamura Y, Tanaka Y, Mizokami M, Tokunaga K.	No association for Chinese HBV-related hepatocellular carcinoma susceptibility SNP in other East Asian populations.	BMC Med Genet.	13 (47)		2012 Jun
Kawaguchi T, Sumida Y, Umemura A, Matsuo K, Takahashi M, Takamura T, Yasui K, Saibara T, Hashimoto E, Kawanaka M, Watanabe S, Kawata S, Imai Y, Kokubo M, Shima T, Park H, Tanaka H, Tajima K, Yamada R, Matsuda F, Okanoue T.	Genetic Polymorphisms of the Human PNPLA3 Gene Are Strongly Associated with Severity of Non-Alcoholic Fatty Liver Disease in Japanese.	PLoS One.	7 (6)	e3832 2	2012 Jun
Fukuda K, Kogita S, Tsuchimoto Y, Sawai Y, Igura T, Ohama H, Makino Y, Matsumoto Y, Nakahara M, Zushi S, Imai Y.	Overlap syndrome of autoimmune hepatitis and primary sclerosing cholangitis complicated with hepatocellular carcinoma.	Clin J Gastroenterol.	5 (3)	183-188	2012 Jun

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Toyoda H, Kumada T, Osaki Y, Tada T, Kaneoka Y, Maeda A.	Novel method to measure serum levels of des-gamma-carboxy prothrombin for hepatocellular carcinoma in patients taking warfarin: A preliminary report.	Cancer Sci.	103 (5)	921-925	2012 May
Tamada Y, Yatsunashi H, Masaki N, Nakamuta M, Mita E, Komatsu T, Watanabe Y, Muro T, Shimada M, Hijioka T, Satoh T, Mano Y, Komeda T, Takahashi M, Kohno H, Ota H, Hayashi S, Miyakawa Y, Abiru S, Ishibashi H.	Hepatitis B virus strains of subgenotype A2 with an identical sequence spreading rapidly from the capital region to all over Japan in patients with acute hepatitis B.	Gut.	61 (5)	765-773	2012 May
Kurokawa M, Hiramatsu N, Oze T, Yakushijin T, Miyazaki M, Hosui A, Miyagi T, Yoshida Y, Ishida H, Tatsumi T, Kiso S, Kanto T, Kasahara A, Iio S, Doi Y, Yamada A, Oshita M, Kaneko A, Mochizuki K, Hagiwara H, Mita E, Ito T, Inui Y, Katayama K, Yoshihara H, Imai Y, Hayashi E, Hayashi N, Takehara T.	Long-term effect of lamivudine treatment on the incidence of hepatocellular carcinoma in patients with hepatitis B virus infection.	J Gastroenterol.	47 (5)	577-585	2012 May
Wang J, Singh US, Rawal RK, Sugiyama M, Yoo J, Jha AK, Scroggin M, Huang Z, Murray	Antiviral activity of novel 2'-fluoro-6'-methylene-carbocyclic adenosine against wild-type and drug-resistant hepatitis B virus	Bioorg MedChem Lett.	22 (7)	2641	2012 Apr

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
MG, Govindarajan R, Tanaka Y , Korba B, Chu CK.	mutants.				
Onishi H, Kim T, Imai Y , Hori M, Nagano H, Nakaya Y, Tsuboyama T, Nakamoto A, Tatsumi M, Kumano S, Okada M, Takamura M, Wakasa K, Tomiyama N, Murakami T.	Hypervascular hepatocellular carcinomas: detection with gadoxetate disodium-enhanced MR imaging and multiphase multidetector CT.	Eur Radiol.	22 (4)	845-854	2012 Apr
Kurosaki M, Hiramatsu N, Sakamoto M , Suzuki Y, Iwasaki M, Tamori A, Matsuura K, Kakinuma S, Sugauchi F, Sakamoto N, Nakagawa M, Izumi N.	Data mining model using simple and readily available factors could identify patients at high risk for hepatocellular carcinoma in chronic hepatitis C.	J Hepatol.	56 (3)	602-608	2012 Mar
Toyoda H, Kumada T .	Favorable association between genetic polymorphisms near the IL28B gene and hepatic steatosis: Direct or indirect?	J Hepatol.	56 (3)	738-739	2012 Mar
Izumi N .	Prediction and prevention of intrahepatic recurrence of hepatocellular carcinoma.	Hepatol Res.	42 (3)	226-232	2012 Mar
Hayashi K, Katano Y, Kuzuya T, Tachi Y, Honda T, Ishigami M, Itoh A, Hirooka Y, Ishikawa T, Nakano I, Urano F, Yoshioka K, Toyoda H, Kumada T , Goto H.	Prevalence of hepatitis C virus genotype 1a in Japan and correlation of mutations in the NS5A region and single-nucleotide polymorphism of interleukin-28B with the response to combination therapy with pegylated-interferon-alpha 2b and ribavirin.	J Med Virol.	84 (3)	438-444	2012 Mar
Kanke F, Kumada T , Toyoda H, Satomura S.	Reference change values for lens culinaris agglutinin-reactive α	Clin Chem Lab Med.	50 (5)	957-960	2012 Mar

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
	-fetoprotein and des- γ -carboxy prothrombin in patients with chronic hepatitis C.				
Ueno Y.	The Current Endeavors to Understand the Pathogenesis of Intractable Liver Diseases.	Tohoku J Exp Med.	226 (3)	171-175	2012 Mar
Toyoda H, Kumada T, Tada T, Sone Y, Fujimori M.	Transarterial Chemoembolization for Hepatitis B Virus-associated Hepatocellular Carcinoma: Improved Survival after Concomitant Treatment with Nucleoside Analogues.	J Vasc Interv Radiol.	23 (3)	317-322	2012 Mar
Ninomiya M, Ueno Y, Funayama R, Nagashima T, Nishida Y, Kondo Y, Inoue J, Kakazu E, Kimura O, Nakayama K, Shimosegawa T.	Use of Illumina Deep Sequencing Technology To Differentiate Hepatitis C Virus Variants.	J Clin Microbiol.	50 (3)	857-866	2012 Mar
Joshita S, Umemura T, Katsuyama Y, Ichikawa Y, Kimura T, Morita S, Kamijo A, Komatsu M, Ichijo T, Matsumoto A, Yoshizawa K, Kamijo N, Ota M, Tanaka E.	Association of IL28B gene polymorphism with development of hepatocellular carcinoma in Japanese patients with chronic hepatitis C virus infection.	Hum Immunol.	73 (3)	298-300	2012 Mar
Francis HL, DeMorrow S, Franchitto A, Venter JK, Mancinelli RA, MA White, Meng F, Ueno Y, Carpino G, Renzi A, Baker KK, Shine HE, Francis TC, Gaudio E, Alpini GD, Onori P.	Histamine stimulates the proliferation of small and large cholangiocytes by activation of both IP3/Ca ²⁺ and cAMP-dependent signaling mechanisms.	Lab Invest.	92	282-294	2012 Mar

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Tsuzura H, Genda T, Sato S, Hirano K, Kanemitsu Y, Narita Y, Kikuchi T, Iijima K, Wada R, Ichida T.	Association of visceral obesity with high viral load and histological finding in elderly patients with genotype 1 chronic hepatitis C.	Intern Med.	52 (15)	1665-1 673	2012 Mar
Oze T, Hiramatsu N, Song C, Yakushijin T, Iio S, Doi Y, Oshita M, Hagiwara H, Mita E, Ito T, Inui Y, Hijioka T, Tamura S, Yoshihara H, Inoue A, Imai Y, Hayashi E, Kato M, Miyazaki M, Hosui A, Miyagi T, Yoshida Y, Tatsumi T, Kiso S, Kanto T, Kasahara A, Hayashi N, Takehara T.	Reducing Peg-IFN doses causes later virologic response or no response in HCV genotype 1 patients treated with Peg-IFN alfa-2b plus ribavirin.	J Gastroenter ol.	47 (3)	334-34 2	2012 Mar
Matsumoto A, Tanaka E, Suzuki Y, Kobayashi M, Tanaka Y, Shinkai N, Hige S, Yatsubashi H, Nagaoka S, Chayama K, Tsuge M, Yokosuka O, Imazeki F, Nishiguchi S, Saito M, Fujiwara K, Torii N, Hiramatsu N, Karino Y, Kumada H.	Combination of hepatitis B viral antigens and DNA for prediction of relapse after discontinuation of nucleos (t) ide analogs in patient with chronic hepatitis B.	Hepato Res.	42 (2)	139-14 9	2012 Feb
Motomura T, Koga E, Taketomi A, Fukuhara T, Mano Y, Muto J, Konishi H, Toshima T, Uchiyama H, Yoshizumi T, Shirabe	Efficacy of splenectomy in preventing anemia in patients with recurrent hepatitis C following liver transplantation is not dependent on inosine triphosphate pyrophosphatase	Hepato Res.	42 (3)	288-29 5	2012 Mar

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
K, Maehara Y.	genotype.				
Asahina Y, Tsuchiya K, Muraoka M, Tanaka K, Suzuki Y, Tamaki N, Hoshioka Y, Yasui Y, Katoh T, Hosokawa T, Ueda K, Nakanishi H, Itakura J, Takahashi Y, Kurosaki M, Enomoto N, Nitta S, Sakamoto N, Izumi N.	Association of gene expression involving innate immunity and genetic variation in interleukin 28B with antiviral response.	Hepatology.	55 (1)	20-29	2012 Jan
Toyoda H, Kumada T, Tada T, Hayashi K, Honda T, Katano Y, Goto H, Kawaguchi T, Murakami Y, Matsuda F.	Predictive value of early viral dynamics during peginterferon and ribavirin combination therapy based on genetic polymorphisms near the IL28B gene in patients infected with HCV genotype 1b.	J Med Virol.	84 (1)	61-70	2012 Jan
Meng F, Francis H, Glaser S, Han Y, Morrow SD, Stokes A, Staloch D, Venter J, White M, Ueno Y, Reid LM, Alpini G.	Role of stem cell factor and granulocyte colony-stimulating factor in remodeling during liver regeneration.	Hepatology.	55 (1)	209-221	2012 Jan
Quinn M, Ueno Y, Pae HY, Huang L, Frampton G, Galindo C, Francis H, Horvat D, Millin MM, Morrow SD.	Suppression of the HPA axis during extrahepatic biliary obstruction induces cholangiocyte proliferation in the rat.	Ame J Physiol GI Liver.	302 (1)	182-193	2012 Jan
Toyoda H, Kumada T, Tada T, Sone Y, Kaneoka Y, Maeda A.	Characteristics and prognosis of patients with hepatocellular carcinoma after the year 2000 in Japan.	J Gastroenterol Hepatol.	26 (12)	1765-1771	2011 Dec
Toyoda H, Kumada T, Tada T.	Highly sensitive Lens culinaris agglutinin-reactive	Oncology.	81 (Supp)	S61-65	2011 Dec

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
	alpha-fetoprotein (hs-AFP-L3): a new tool for the management of hepatocellular carcinoma.		11)		
Murakami T, Imai Y, Okada M, Hyodo T, Lee WJ, Kim MJ, Kim T, Choi B.I.	Ultrasonography, Computed Tomography and Magnetic Resonance Imaging of Hepatocellular Carcinoma: Toward Improved Treatment Decisions.	Oncology.	81 (Supp 11)	86-99	2011 Dec
Fujino T, Nakamuta M, Aoyagi Y, Kohjima M, Satoh T, Fukuda M, Ishibashi H, Yatsuhashi H, Enjoji M.	Early dynamics of viremia in patients with genotype 1b chronic hepatitis C: Peg-IFNalpha2a shows earlier viral decline than peg-IFNalpha2b in combination therapy with ribavirin.	Med Sci Monit.	17 (12)	CR687-691	2011 Dec
Uchiyama H, Mano Y, Taketomi A, Soejima Y, Yoshizumi T, Ikegami T, Shirabe K, Maehara Y.	Kinetics of anti-blood type isoagglutinin titers and B lymphocytes in ABO-incompatible living donor liver transplantation with rituximab and plasma exchange.	Transplantation.	92 (10)	1134-1139	2011 Nov
Miyaaki H, Ichikawa T, Yatsuhashi H, Taura N, Miuma S, Usui T, Mori S, Kamihira S, Tanaka Y, Mizokami M, Nakao K.	Suppressor of cytokine signal 3 and IL28 genetic variation predict the viral response to peginterferon and ribavirin.	Hepatology Res.	41 (12)	1216-1222	2011 Dec
Francis HL, DeMorrow S, Franchitto A, Venter JK, Mancinelli RA, MA White, Meng F, Ueno Y, Carpino G, Renzi A, Baker KK, Shine HE, Francis TC, Gaudio E, Alpini GD, Onori P.	Hepatic and Pancreatic Systems Histamine stimulates the proliferation of small and large cholangiocytes by activation of both IP ₃ /Ca ²⁺ and cAMP-dependent signaling mechanisms.	Lab Invest.	92	282-294	2011 Nov