

論文一覽

1. Kawamura M, Miyagawa S, Fukushima S, Saito A, Miki K, Ito E, et al. Enhanced survival of transplanted human induced pluripotent stem cell-derived cardiomyocytes by the combination of cell sheets with the pedicled omental flap technique in a porcine heart. *Circulation*. 2013;128(11 Suppl 1):S87-94.
2. Outani H, Okada M, Yamashita A, Nakagawa K, Yoshikawa H, Tsumaki N. Direct induction of chondrogenic cells from human dermal fibroblast culture by defined factors. *PloS one*. 2013;8(10):e77365.
3. Honda H, Tamai N, Naka N, Yoshikawa H, Myoui A. Bone tissue engineering with bone marrow-derived stromal cells integrated with concentrated growth factor in *Rattus norvegicus* calvaria defect model. *Journal of artificial organs : the official journal of the Japanese Society for Artificial Organs*. 2013;16(3):305-15.
4. Kawamoto K, Konno M, Nagano H, Nishikawa S, Tomimaru Y, Akita H, et al. CD90-(Thy-1-) high selection enhances reprogramming capacity of murine adipose-derived mesenchymal stem cells. *Disease markers*. 2013;35(5):573-9.
5. Nishikawa S, Konno M, Hamabe A, Hasegawa S, Kano Y, Ohta K, et al. Aldehyde dehydrogenase high gastric cancer stem cells are resistant to chemotherapy. *International journal of oncology*. 2013;42(4):1437-42.
6. Robinson JW, Dickey DM, Miura K, Michigami T, Ozono K, Potter LR. A human skeletal overgrowth mutation increases maximal velocity and blocks desensitization of guanylyl cyclase-B. *Bone*. 2013;56(2):375-82.
7. Miura K, Kim OH, Lee HR, Namba N, Michigami T, Yoo WJ, et al. Overgrowth syndrome associated with a gain-of-function mutation of the natriuretic peptide receptor 2 (NPR2) gene. *American journal of medical genetics Part A*. 2014;164A(1):156-63.
8. Ishihara M, Mochizuki-Oda N, Iwatsuki K, Kishima H, Ohnishi YI, Moriwaki T, et al. Primary olfactory mucosal cells promote axonal outgrowth in a three-dimensional assay. *Journal of neuroscience research*. 2014.
9. Nakayama J, Takao T, Kiuchi H, Yamamoto K, Fukuhara S, Miyagawa Y, et al. Olfactory mucosal transplantation after spinal cord injury improves voiding efficiency by suppressing detrusor-sphincter dyssynergia in rats. *The Journal of urology*. 2010;184(2):775-82.
10. Iwatsuki K, Yoshimine T, Kishima H, Aoki M, Yoshimura K, Ishihara M, et al. Transplantation of olfactory mucosa following spinal cord injury promotes recovery in rats. *Neuroreport*. 2008;19(13):1249-52.
11. Furumoto T, Ozawa N, Inami Y, Toyoshima M, Fujita K, Zaiki K, et al. *Mallotus philippinensis* bark extracts promote preferential migration of mesenchymal stem cells and improve wound healing in mice. *Phytomedicine : international journal of phytotherapy and phytopharmacology*. 2014;21(3):247-53.
12. Umegaki-Arao N, Tamai K, Nimura K, Serada S, Naka T, Nakano H, et al. Karyopherin alpha2 is essential for rRNA transcription and protein synthesis in proliferative keratinocytes. *PloS one*. 2013;8(10):e76416.
13. Kioka H, Kato H, Fujikawa M, Tsukamoto O, Suzuki T, Imamura H, et al. Evaluation of intramitochondrial ATP levels identifies G0/G1 switch gene 2 as a positive regulator of oxidative phosphorylation. *Proceedings of the National Academy of Sciences of the United States of America*. 2014;111(1):273-8.

研究成果の刊行に関する一覧表

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
梅垣昌士 岩月幸一 吉峰俊樹	先進医療治療の 実際	奥村 康 中島 正治 大坪 修	先進医療 NAVIGATOR	日本医学 出版	東京	2013	第2章
玉井克人	表皮水疱症に対す る再生医療の現状 と未来	天谷雅行	皮膚科臨床アセ ット：19巻、水 疱性皮膚疾患	中山書店	東京	2014	196-201
玉井克人	表皮水疱症の再生 医療	宮地良樹	WHAT'S NEW in 皮膚科学	メディカ ルレビュー ー社	東京	2014	26-27