

III. 研究成果の刊行に関する一覧

研究成果の刊行に関する一覧表

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
武笠晃丈	がんの進展・治療に伴うゲノム変化	柴田龍弘	医学のあゆみ (がんゲノム研究の進歩)	医歯薬出版	日本	2014	1099-1104
武笠晃丈	がんゲノムの多様性解析と治療への展開	柴田龍弘	実験医学 (がんゲノム研究・分子標的最前線)	羊土社	日本	2014	102-109
武笠晃丈	成人神経膠腫の分子生物学	松谷雅雄	脳21 (成人神経膠腫の分子生物学)	金芳堂	日本	2014	49-56
小前兵衛 清水達也	組織工学の再生医学への応用		血管医学	メジカルレビュー社	日本	2013	74-76
小前兵衛 清水達也	再生医療の研究の最前線		先進医療NAVIGATOR II	日本医学出版	日本	2014	74-77
Yasui H, Ishida T, Imai K.	The role of DNA methylation in the genetics and epigenetics of multiple myeloma.	Steve Holt	Series: Cancer Etiology, Diagnosis and Treatments.	Nova Science Publisher	Hauppauge NY	2014	147-156
長村登紀子	公的臍帯血バンク	浅野 茂隆 谷口 克	臍帯血移植の基礎と臨床	医学書院	東京	2014	114-129
東條有伸	放射線による急性放射線障害 acute radiation injury (ARI)	監修: 山口 徹 / 北原 光夫 総編集: 福井 次矢 / 高木 誠 / 小室 一成	今日の治療指針2015年版-私はこう治療している	医学書院	日本	2014	990
東條有伸	慢性骨髄性白血病 chronic myelogenous leukemia (CML)	監修: 山口 徹 / 北原 光夫 総編集: 福井 次矢 / 高木 誠 / 小室 一成	今日の治療指針2015年版-私はこう治療している	医学書院	日本	2014	659-61

雑誌（和文・英文とも）

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
門脇孝、川口義弥、桑昭苑、宮島篤.	膵β細胞の再生医療と糖尿病治療への応用	Islet Equality	43(2)	4-13	2014
門脇孝	【糖尿病・メタボリックシンドローム-分子機序と治療戦略-】総論 糖尿病・メタボリックシンドローム 分子機序と治療戦略	BIO Clinica (バイオクリニカ)	29(14)	1356-1357	2014
Nakatsu D, Horiuchi Y, Kano F, Noguchi Y, Sugawara T, Takamoto I, Kubota N, Kadowaki T, Murata M.	l-cysteine reversibly inhibits glucose-induced biphasic insulin secretion and ATP production by inactivating PKM2.	Proc Natl Acad Sci U S A		[Epub ahead of print]	2015
Tanabe H, Motoyama K, Ikeda M, Wakiyama M, Terada T, Ohsawa N, Hosaka T, Hato M, Fujii Y, Nakamura Y, Ogasawara S, Hino T, Murata T, Iwata S, Okada-Iwabuchi M, Iwabuchi M, Hirata K, Kawano Y, Yamamoto M, Kimura-Someya T, Shirouzu M, Yamauchi T, Kadowaki T, Yokoyama S.	Expression, purification, crystallization, and preliminary X-ray crystallographic studies of the human adiponectin receptors, AdipoR1 and AdipoR2.	J Struct Funct Genomics	16(1)	11-23	2015
Motonishi S, Nangaku M, Wada T, Ishimoto Y, Ohse T, Matsusaka T, Kubota N, Shimizu A, Kadowaki T, Tobe K, Inagi R.	Sirtuin1 Maintains Actin Cytoskeleton by Deacetylation of Cortactin in Injured Podocytes.	J Am Soc Nephrol		[Epub ahead of print]	2014
Yamada T, Hara K, Svensson AK, Shojima N, Hosoe J, Iwasaki M, Yamauchi T, Kadowaki T.	Successfully achieving target weight loss influences subsequent maintenance of lower weight and dropout from treatment.	Obesity (Silver Spring)	23(1)	183-91	2015
Hashimoto S, Kubota N, Sato H, Sasaki M, Takamoto I, Kubota T, Nakaya K, Noda M, Ueki K, Kadowaki T.	Insulin receptor substrate-2 (irs2) in endothelial cells plays a crucial role in insulin secretion.	Diabetes	64(3)	876-86	2015

Hwang JY, Sim X, Wu Y, Liang J, Tabara Y, Hu C, Hara K, Tam CH, Cai Q, Zhao Q, Jee S, Takeuchi F, Go MJ, Ong RT, Ohkubo T, Kim YJ, Zhang R, Yamauchi T, So WY, Long J, Gu D, Lee NR, Kim S, Katsuya T, Oh JH, Liu J, Umemura S, Kim YJ, Jiang F, Maeda S, Chan JC, Lu W, Hixson JE, Adair LS, Jung KJ, Nabika T, Bae JB, Lee MH, Seielstad M, Young TL, Teo YY, Kita Y, Takashima N, Osawa H, Lee SH, Shin MH, Shin DH, Choi BY, Shi J, Gao YT, Xiang YB, Zheng W, Kato N, Yoon M, He J, Shu XO, Ma RC, Kadowaki T, Jia W, Miki T, Qi L, Tai ES, Mohlke KL, Han BG, Cho YS, Kim BJ.	Genome-wide association meta-analysis identifies novel variants associated with fasting plasma glucose in East Asians.	Diabetes	64(1)	291-8	2015
Hara K, Shojima N, Hosoe J, Kadowaki T.	Genetic architecture of type 2 diabetes.	Biochem Biophys Res Commun	452(2)	213-20	2014
Nishimura S, Nagasaki M, Okudaira S, Aoki J, Ohmori T, Ohkawa R, Nakamura K, Igarashi K, Yamashita H, Eto K, Uno K, Hayashi N, Kadowaki T, Komuro I, Yatomi Y, Nagai R.	ENPP2 contributes to adipose tissue expansion and insulin resistance in diet-induced obesity.	Diabetes	63(12)	4154-64	2014
Hirokawa M, Morita H, Tajima T, Takahashi A, Ashikawa K, Miya F, Shigemizu D, Ozaki K, Sakata Y, Nakatani D, Suna S, Imai Y, Tanaka T, Tsunoda T, Matsuda K, Kadowaki T, Nakamura Y, Nagai R, Komuro I, Kubo M.	A genome-wide association study identifies PLCL2 and AP3D1-DOT1L-SF3A2 as new susceptibility loci for myocardial infarction in Japanese.	Eur J Hum Genet	23(3)	374-80	2015

Sato T, Goyama S, Kataoka K, Nasu R, Tsuruta-Kishino T, Kagoya Y, Nukina A, Kumagai K, Kubota N, Nakagawa M, Arai S, Yoshimi A, Honda H, Kadowaki T, Kurokawa M.	Evi1 defines leukemia-initiating capacity and tyrosine kinase inhibitor resistance in chronic myeloid leukemia.	Oncogene	33(42)	5028-38	2014
Suzuki Y, Shimizu H, Ishizuka N, Kubota N, Kubota T, Senoo A, Kageyama H, Osaka T, Hirako S, Kim HJ, Matsumoto A, Shioda S, Mori M, Kadowaki T, Inoue S.	Vagal hyperactivity due to ventromedial hypothalamic lesions increases adiponectin production and release.	Diabetes	63(5)	1637-48	2014
Awazawa M, Futami T, Sakada M, Kaneko K, Ohsugi M, Nakaya K, Terai A, Suzuki R, Koike M, Uchiyama Y, Kadowaki T, Ueki K.	Deregulation of pancreas-specific oxidoreductin ERO1 β in the pathogenesis of diabetes mellitus.	Mol Cell Biol	34(7)	1290-9	2014
Takai H, Masuda K, Sato T, Sakaguchi Y, Suzuki T, Suzuki T, Koyama-Nasu R, Nasu-Nishimura Y, Katou Y, Ogawa H, Morishita Y, Kozuka-Hata H, Oyama M, Todo T, Ino Y, Mukasa A, Saito N, Toyoshima C, Shirahige K, Akiyama T.	5-Hydroxymethylcytosine Plays a Critical Role in Glioblastomagenesis by Recruiting the CHTOP-Methylosome Complex	Cell Rep	9	48-60	2014
Takami H, Mukasa A, Ikemura M, Shibahara J, Takahashi M, Momose T, Saito N.	Findings from positron emission tomography and genetic analyses for cerebellar liponeurocytoma.	Brain Tumor Pathol		[Epub ahead of print]	2014

van Thuijl HF, Mazor T, Johnson BE, Fouse SD, Aihara K, Hong C, Malmström A, Hallbeck M, Heimans JJ, Kloezezan JJ, Stenmark-Askmal M, Lamfers ML, Saito N, Aburatani H, Mukasa A, Berger MS, Söderkvist P, Taylor BS, Molinaro AM, Wesseling P, Reijneveld JC, Chang SM, Ylstra B, Costello JF.	Evolution of DNA repair defects during malignant progression of low-grade gliomas after temozolomide treatment.	Acta Neuropathol		[Epub ahead of print]	2014
Hosoi M, Kumano K, Taoka K, Arai S, Kataoka K, Ueda K, Kamikubo Y, Takayama N, Otsu M, Eto K, Nakauchi H, Kurokawa M.	Generation of induced pluripotent stem cells derived from primary and secondary myelofibrosis patient samples.	Exp Hematol.	42	816-825	2014
Kagoya Y, Yoshimi A, Kataoka K, Nakagawa M, Kumano K, Arai S, Kobayashi H, Saito T, Iwakura Y, Kurokawa M.	NF- κ B/TNF- α positive feedback loop with active proteasome machinery supports myeloid leukemia initiating cell capacity.	J Clin Invest.	124	528-542	2014
Yoshimi A, Toya T, Kawazu M, Ueno T, Tsukamoto A, Iizuka H, Nakagawa M, Nannya Y, Arai S, Harada H, Usuki K, Hayashi Y, Ito E, Kirito K, Nakajima H, Ichikawa M, Mano H, Kurokawa M.	Recurrent CDC25C mutations drive malignant transformation in FPD/AML.	Nat Commun.	5	4770	2014
Nishikawa S, Arai S, Masamoto Y, Kagoya Y, Toya T, Watanabe-Okochi N, Kurokawa M.	Thrombopoietin/MPL signaling confers growth and survival capacity to CD41-positive cells in a mouse model of Evi1 leukemia.	Blood	124	3587-3596	2014
Kagoya Y, Yoshimi A, Tsuruta-Kishino T, Arai S, Satoh T, Akira S, Kurokawa M.	JAK2V617F-positive myeloproliferative neoplasm clones evoke paracrine DNA damage to adjacent normal cells through secretion of lipocalin-2.	Blood	124	2996-3006	2014

Sato T, Goyama S, Kataoka K, Nasu R, Tsuruta-Kishino T, Kagoya Y, Nukina A, Kumagai K, Kubota N, Nakagawa M, Arai S, Yoshimi A, Honda H, Kadowaki T, Kurokawa M.	Evil defines leukemia-initiating capacity and tyrosine kinase inhibitor resistance in chronic myeloid leukemia.	Oncogene	33	5028-5038	2014
Shinohara A, Imai Y, Nakagawa M, Takahashi T, Ichikawa M, and Kurokawa M.	Intracellular reactive oxygen species mark and influence the megakaryocyte-erythrocyte progenitor fate of common myeloid progenitors.	Stem Cells	32	548-557	2014
Ueda K, Yoshimi A, Kagoya Y, Nishikawa S, Marquez VE, Nakagawa M, Kurokawa M.	Inhibition of histone methyltransferase EZH2 depletes leukemia stem cell of mixed lineage leukemia fusion leukemia through upregulation of p16.	Cancer Sci	105	512-519	2014
Kagoya Y, Nannya Y, Nakamura F, Kurokawa M.	Gene expression profiles of central nervous system lymphoma predict poor survival in patients with diffuse large B-cell lymphoma.	J Haematol.	166	794-7	2014
Nukina A, Kagoya Y, Watanabe-Okochi N, Arai S, Ueda K, Yoshimi A, Nannya Y, Kurokawa M.	Single-cell gene expression analysis reveals clonal architecture of blast-phase chronic myeloid leukaemia.	Br J Haematol.	165(3)	414-416	2014
Harms MJ, Ishibashi J, Wang W, Lim HW, Goyama S, Sato T, Kurokawa M, Won KJ, and Seale P.	Prdm16 is required for the maintenance of brown adipocyte identity and function in adult mice.	Cell Metabolism	19	593-604	2014
Kobayashi CI, Takubo K, Kobayashi H, Nakamura-Ishizu A, Honda H, Kataoka K, Kumano K, Akiyama H, Sudo T, Kurokawa M, and Suda T.	The IL-2/CD25 axis maintains distinct subsets of chronic myeloid leukemia-initiating cells.	Blood	123	2540-2549	2014
Tanaka M, Suzuki HI, Shibahara J, Kunita A, Isagawa T, Yoshimi A, Kurokawa M, Miyazono K, Aburatani H, Ishikawa S, Fukayama M.	EVI1 oncogene promotes KRAS pathway through suppression of microRNA-96 in pancreatic carcinogenesis.	Oncogene	33	2454-2463	2014

Little JL, Serzhanova V, Izumchenko E, Egleston BL, Parise E, Klein-Szanto AJ, Loudon G, Shubina M, Seo S, Kurokawa M, Ochs MF, and Golemis EA.	A requirement for Nedd9 in luminal progenitor cells prior to mammary tumorigenesis in MMTV-HER2/ErbB2 mice.	Oncogene	33	411-420	2014
Riccomagno MM, Sun LO, Brady CM, Alexandropoulos K, Seo S, Kurokawa M, and Kolodkin AL.	Cas adaptor proteins organize the retinal ganglion cell layer downstream of integrin signaling.	Neuron	81	779-786	2014
宮内将、黒川峰夫	疾患特異的iPS細胞を用いた慢性骨髄性白血病の病態解析	血液フロンティア	24	71-77	2014
黒川峰夫、宮内将	iPS細胞を用いた白血病の病態解析	臨床血液	55	494-499	2014
宮内将、黒川峰夫	疾患特異的iPS細胞を用いた白血病の病態解析	血液内科	69	194-199	2014
宮内将、黒川峰夫	骨髄増殖性疾患のiPS細胞 ～そこから明らかになること～	血液フロンティア	24	47-54	2014
宮内将、黒川峰夫	疾患特異的iPS細胞を用いた慢性骨髄性白血病の病態解明と新規治療の開発	遺伝子医学MOOK	27	141-146	2015
吉見昭秀、黒川峰夫	ゲノム創薬時代の血液疾患分子標的薬の研究	日本臨牀	72	1005-1011	2014
吉見昭秀、黒川峰夫	白血病幹細胞とclonal evolution	日本臨牀	72	1012-1017	2014
小前兵衛、清水達也	心血管再生医療のための組織工学技術の進歩	循環器内科	76	506-511	2014
Komae H, Sekine H, Dobashi I, Matsuura K, Ono M, Okano T, Shimizu T.	Three-dimensional functional human myocardial tissues fabricated from induced pluripotent stem cells.	Journal of Tissue Engineering and Regenerative Medicine			Ahead of print

Tanabe H, Motoyama K, Ikeda M, Wakiyama M, Terada T, Ohsawa N, Hosaka T, Hato M, Fujii Y, Nakamura Y, Ogasawara S, Hino T, Murata T, Iwata S, Okada-Iwabuchi M, Iwabuchi M, Hirata K, Kawano Y, Yamamoto M, Kimura-Someya T, Shirouzu M, Yamauchi T, Kadowaki T, Yokoyama S.	Expression, purification, crystallization, and preliminary X-ray crystallographic studies of the human adiponectin receptors, AdipoR1 and AdipoR2.	J Struct Funct Genomics	16(1)	11-23	2015
Yamada T, Hara K, Svensson AK, Shojima N, Hosoe J, Iwasaki M, Yamauchi T, Kadowaki T.	Successfully achieving target weight loss influences subsequent maintenance of lower weight and dropout from treatment.	Obesity (Silver Spring)	23(1)	183-91	2015
Hwang JY, Sim X, Wu Y, Liang J, Tabara Y, Hu C, Hara K, Tam CH, Cai Q, Zhao Q, Jee S, Takeuchi F, Go MJ, Ong RT, Ohkubo T, Kim YJ, Zhang R, Yamauchi T, So WY, Long J, Gu D, Lee NR, Kim S, Katsuya T, Oh JH, Liu J, Umemura S, Kim YJ, Jiang F, Maeda S, Chan JC, Lu W, Hixson JE, Adair LS, Jung KJ, Nabika T, Bae JB, Lee MH, Seielstad M, Young TL, Teo YY, Kita Y, Takashima N, Osawa H, Lee SH, Shin MH, Shin DH, Choi BY, Shi J, Gao YT, Xiang YB, Zheng W, Kato N, Yoon M, He J, Shu XO, Ma RC, Kadowaki T, Jia W, Miki T, Qi L, Tai ES, Mohlke KL, Han BG, Cho YS, Kim BJ.	Genome-wide association meta-analysis identifies novel variants associated with fasting plasma glucose in East Asians.	Diabetes	64(1)	291-8	2015

<u>Morita H</u> , Komuro I.	The metabolic syndrome and <i>DYRK1B</i> .	<i>New England Journal of Medicine</i>	371	785	2014
<u>Morita H</u> , Komuro I.	Somatic mutations in cerebral cortical malformations.	<i>New England Journal of Medicine</i>	371	2037	2014
Hirokawa M, <u>Morita H</u> , Tajima T, Takahashi A, Ashikawa K, Miya F, Shigemizu D, Ozaki K, Sakata Y, Nakatani D, Suna S, Imai Y, Tanaka T, Tsunoda T, Matsuda K, Kadowaki T, Nakamura Y, Nagai R, Komuro I, Kubo M.	A genome-wide association study identifies <i>PLCL2</i> and <i>AP3D1-DOT1L-SF3A2</i> as new susceptibility loci for myocardial infarction in Japanese.	<i>European Journal of Human Genetics</i>	23	374-380	2015
Sumida T, Naito AT, Nomura S, Nakagawa A, Higo T, Hashimoto A, Okada K, Sakai T, Ito M, Yamaguchi T, Oka T, Akazawa H, Lee JK, Minamino T, Offermanns S, Noda T, Botto M, Kobayashi Y, <u>Morita H</u> , Manabe I, Nagai T, Shiojima I, Komuro I.	Complement C1q-induced activation of β -catenin signalling causes hypertensive arterial remodelling.	<i>Nature Communications</i>	6	6241	2015
Nakayama A, <u>Morita H</u> , Hamamatsu A, Miyata T, Hoshina K, Nagayama M, Takanashi S, Sumiyoshi T, Komuro I.	Coronary atherosclerotic lesions in patients with a ruptured abdominal aortic aneurysm.	<i>Heart and Vessels</i>		in press	
Yagi H, Hatano M, Takeda N, Harada S, Suzuki Y, Taniguchi Y, Shintani Y, <u>Morita H</u> , Kanamori N, Aoyama T, Watanabe M, Manabe I, Akazawa H, Kinugawa K, Komuro I.	A case of congenital contractural arachnodactyly without <i>FBN1</i> or <i>FBN2</i> gene mutation, complicated with dilated cardiomyopathy.	<i>Internal Medicine</i>		in press	
Kimura K, Daimon M, <u>Morita H</u> , Kawata T, Nakao T, Okano T, Lee SL, Takenaka K, Nagai R, Yatomi Y, Komuro I.	Evaluation of right ventricle by speckle tracking and conventional echocardiography in rats with right ventricular	<i>International Heart Journal</i>		in press	
<u>森田啓行</u>	脈圧と心房細動新規発症	<i>Medical Practice</i>	31(5)	836	2014
<u>森田啓行</u>	ファブリー病患者における血管障害	<i>Medical Practice</i>	31(7)	1172,	2014

森田啓行	心房性期外収縮の頻度とリスク因子	Medical Practice	31(8)	1347	2014
森田啓行	栄養素摂取と血圧との相関	Medical Practice	31(10)	1684	2014
森田啓行	朝食摂取と冠動脈疾患	Medical Practice	31(11)	1839	2014
森田啓行	アメリカンフットボールと高血圧	Medical Practice	32(1)	167	2015
森田啓行	心内膜心筋生検の安全性と診断率	Medical Practice	32(2)	356	2015
Nasuno M, Arimura Y, Nagaishi K, Isshiki H, Onodera K, Nakagaki S, Watanabe S, Idogawa M, Yamashita K, Naishiro Y, Adachi Y, Suzuki H, Fujimiya M, Imai K, Shinomura Y.	Mesenchymal stem cells cancel azoxymethane-induced tumor initiation.	STEM CELLS	32(4)	913-25	2014
Ito M, Mitsunashi K, Igarashi H, Noshio K, Naito T, Yoshii S, Takahashi H, Fujita M, Sukawa Y, Yamamoto E, Takahashi T, Adachi Y, Nojima M, Sasaki Y, Tokino T, Baba Y, Maruyama R, Suzuki H, Imai K, Yamamoto H, Shinomura Y.	MicroRNA-31 expression in relation to BRAF mutation, CpG island methylation and colorectal continuum in serrated lesions.	Int J Cancer	135 (11)	2507-15	2014
Adachi Y, Ohashi H, Imsumran A, Yamamoto H, Matsunaga Y, Taniguchi H, Noshio K, Suzuki H, Sasaki Y, Arimura Y, Carbone DP, Imai K, Shinomura Y.	The effect of IGF-I receptor blockade for human esophageal squamous cell carcinoma and adenocarcinoma.	Tumor Biol	35(2)	973-85	2014
Harada T, Yamamoto E, Yamano H, Nojima M, Maruyama R, Kumegawa K, Ashida M, Yoshikawa K, Kimura T, Harada E, Takagi R, Tanaka Y, Aoki H, Nishizono M, Nakaoka M, Tuyada A, Niinuma T, Kai M, Shimoda K, Shinomura Y, Sugai T, Imai K, Suzuki H.	Analysis of DNA methylation in bowel lavage fluid for detection of colorectal cancer.	Cancer Prevention Research	7(10)	1002-10	2014
Imai K	Overview and Future prospect of “ Promotion plan for the platform of human resource development for cancer ” .	Juntendo Medical Journal	60(3)	234-237	2014

Yamamoto M, Yajima H, Takahashi H, Yokoyama Y, Ishigami K, Shimizu Y, Tabeya T, Suzuki C, Naishiro Y, Takano K, Yamashita K, Hashimoto M, Keira Y, Honda S, Abe T, Suzuki Y, Mukai M, Himi T, Hasegawa T, Imai K, Shinomura Y.	Everyday clinical practice in IgG4-related dacryoadenitis and/or sialadenitis: Result from the SMART database.	Modern Rheumatology	27	1-6	2014
Naito T, Noshio K, Ito M, Igarashi H, Mitsuhashi K, Yoshii S, Aoki H, Nomura M, Sukawa Y, Yamamoto E, Adachi Y, Takahashi H, Hosokawa M, Fujita M, Takenouchi T, Maruyama R, Suzuki H, Baba Y, Imai K, Yamamoto H, Ogino S, Shinomura Y.	IGF2 differentially methylated region hypomethylation in relation to pathological and molecular features of serrated lesions.	World J Gastroenterol	20(29)	10050-61	2014
Yamamoto M, Shimizu Y, Takahashi H, Yajima H, Yokoyama Y, Ishigami K, Tabeya T, Suzuki C, Matsui M, Naishiro Y, Imai K, Shinomura Y.	CCAAT/enhancer binding protein α (C/EBP α)+ M2 macrophages contribute to fibrosis in IgG4-related disease?	Mod Rheumatol	2	1-3	2014
Yasui H, Tsurita G, Imai K.	DNA synthesis inhibitors for the treatment of gastrointestinal cancer.	Expert Opin Pharmacother.	15(16)	2361-72	2014
Kagami H, Agata H, Inoue M, Asahina I, Tojo A, Yamashita N, Imai K.	The Use of Bone Marrow Stromal Cells (Bone Marrow-Derived Multipotent Mesenchymal Stromal Cells) for Alveolar Bone Tissue Engineering: Basic Science to Clinical Translation.	Tissue Engineering Part B: Reviews	20(3)	229-232	2014
Igarashi H, Kurihara H, Mitsuhashi K, Ito M, Okuda H, Kanno S, Naito T, Yoshii S, Takahashi H, Kusumi T, Hasegawa T, Sukawa Y, Adachi Y, Okita K, Hirata K, Imamura Y, Baba Y, Imai K, Suzuki H, Yamamoto H, Noshio K, Shinomura Y.	Association of microRNA-31-5p with clinical efficacy of anti-EGFR therapy in patients with metastatic colorectal cancer.	Annals of Surgical Oncology	Epub ahead of print	-	2014

Yamamoto S, Otsu M, Matsuzaka E, Konishi C, Takagi H, Hanada S, Mochizuki S, Nakauchi H, Imai K, Tsuji K, Ebihara Y.	Screening of drugs to treat 8p11 myeloproliferative syndrome using patient-derived induced pluripotent stem cells with fusion gene CEP110-FGFR1.	Plos One	in press		2015
Nosho K, Igarashi H, Ito M, Mitsuhashi K, Kurihara H, Kanno S, Yoshii S, Mikami M, Takahashi H, Kusumi T, Hosokawa M, Sukawa Y, Adachi Y, Hasegawa T, Okita K, Hirata K, Maruyama R, Suzuki H, Imai K, Yamamoto H, Shinomura Y.	Clinicopathological and molecular characteristics of serrated lesions in Japanese elderly patients.	Digestion	91(1)	57-63	2015
Yamamoto M, Nojima M, Takahashi H, Yokoyama Y, Ishigami K, Yajima H, Shimizu Y, Tabeya T, Matsui M, Suzuki C, Naishiro Y, Takano KI, Himi T, Imai K, Shinomura Y.	Identification of relapse predictors in IgG4-related disease using multivariate analysis of clinical data at the first visit and initial treatment.	Rheumatology	54(1)	45-9	2015
Yamamoto M, Takahashi H, Shimizu Y, Yajima H, Suzuki C, Naishiro Y, Imai K, Shinomura Y.	Seasonal allergies and serial changes of serum levels of IgG4 in cases treated with maintenance therapy for IgG4-related disease.	Modern Rheumatology	13	1-2	2015
Yamamoto H, Imai K.	Microsatellite instability.	Archives of Toxicology	in press		2015
Mitsuhashi K, Nosho K, Sukawa Y, Matsunaga Y, Ito M, Kurihara H, Kanno S, Igarashi H, Naito T, Adachi Y, Tachibana M, Tanuma T, Maguchi H, Shinohara T, Hasegawa T, Imamura M, Kimura Y, Hirata K, Maruyama R, Suzuki H, Imai K, Yamamoto H, Shinomura Y.	Association of Fusobacterium species in pancreatic cancer tissues with molecular features and prognosis.	Oncotarget	in press		2015

Nakagaki S, Arimura Y, Nagaishi K, Isshiki H, Nasuno M, Watanabe S, Idogawa M, Yamashita K, Naishiro Y, Adachi Y, Suzuki H, Fujimiya M, Imai K, Shinomura Y.	Contextual niche signals towards colorectal tumor progression by mesenchymal stem cell in the mouse xenograft model.	J Gastroenterol	Epub ahead of print		2015
今井浩三	総説 橋渡し研究の展開と我が国の医療	東京都病院薬剤師会雑誌	63(2)	5-8	2014
湯地晃一郎, 井元清哉, 山口類, 宮野悟, 上昌広, 今井浩三.	人口動態に基づいた日本医療の未来予測	南江堂臨床雑誌「外科」	76(5)	457-463	2014
能正勝彦, 五十嵐央祥, 伊藤美樹, 三橋 慧, 栗原弘義, 菅野伸一, 内藤崇史, 須河安恭敬, 松永康孝, 足立 靖, 野島正寛, 今井浩三, 丸山玲緒, 鈴木 拓, 山本博幸, 篠村恭久	大規模コホートをを用いた大腸癌のノンコーディングRNA発現異常と生活習慣の分子疫学的解析	日本癌病態治療研究会誌	20(1)	60-63	2014
鈴木拓, 今井浩三	がんエピゲノム異常を理解し、応用し、そして制御するために	実験医学	Vol.32 No.19	3024-3029	2014
安井寛, 今井浩三	抗体医薬	PHARMA TECH JAPAN 臨時増刊「DDS 研究 30 年」	31(2)	94-101	2015
佐々木茂, 篠村恭久, 今井浩三	抗体治療 特集「DDS がもたらした新しい臨床の風景」	Drug Delivery System	30(1)	16-24	2015
大津 真	iPS細胞研究と難病治療戦略	最新醫學	69	123-128	2014
大津 真	血液・免疫系疾患における疾患特異的iPS細胞研究	実験医学増刊	33	152-156	2015
Lee H, Lee JK, Park M H, Hong YR, Marti HH, Kim H, Okada Y, Otsu M, Seo EJ, Park JH, Bae JH, Okino N, He X, Schuchman EH, Bae JS, Jin HK.	Pathological roles of the VEGF/SphK pathway in Niemann-Pick type C neurons.	Nature communications	5	1-17	2014
Itaba N, Wairagu PM, Aramaki N, Yasui T, Matsumi Y, Kono Y, Phan AN, Otsu M, Kunisada T, Nakamura Y, Okano H, Jeong Y, Shiota G.	Nuclear receptor gene alteration in human induced pluripotent stem cells with hepatic differentiation propensity.	Hepatology research	44	E408-419	2014

Abdul Razak SR, Baba Y, Nakauchi H, Otsu M , Watanabe S.	DNA Methylation Is Involved in the Expression of miR-142-3p in Fibroblasts and Induced Pluripotent Stem Cells.	Stem Cells International	2014	101349	2014
Higuchi T, Kawagoe S, Otsu M , Shimada Y, Kobayashi H, Hirayama R, Eto K, Ida H, Ohashi T, Nakauchi H, Eto Y.	The generation of induced pluripotent stem cells (iPSCs) from patients with infantile and late-onset types of Pompe disease and the effects of treatment with acid-alpha-glucosidase in Pompe's iPSCs.	Molecular genetics and metabolism.	112	44-48	2014
Shimazu T, Mori Y, Takahashi A, Tsunoda H, Tojo A, <u>Nagamura-Inoue T.</u>	Serum- and Xeno-free Cryopreservation of Human umbilical cord tissue as mesenchymal stromal cell source	Cytotherapy		印刷中	2015
<u>Nagamura-Inoue T.</u> , and He H.	Umbilical cord-derived mesenchymal stem cells: Their advantages and potential clinical utility	World J Stem Cells	6	195-202	2014
Mori Y, Ohshimo J, Shimazu T, He H, Takahashi A, Yamamoto Y, Tsunoda H, Tojo A, <u>Nagamura-Inoue T.</u>	Improved Explant Method To Isolate Umbilical Cord-derived Mesenchymal Stem Cells And Their Immunosuppressive Properties.	Tissue Eng Part C Methods.		印刷中	2014
Konuma T, Ooi J, Uchida N, Ogawa H, Ohashi K, Kanamori H, Aotsuka N, Onishi Y, Yamaguchi H, Kozai Y, <u>Nagamura-Inoue T.</u> , Kato K, Suzuki R, Atsuta Y, Kato S, Asano S, Takahashi S.	Granulocyte colony-stimulating factor combined regimen in cord blood transplantation for acute myeloid leukemia: a nationwide retrospective analysis in Japan.	Haematologica.	99	e264-8	2014
Ohashi K, <u>Nagamura-Inoue T.</u> , Nagamura F, Tojo A, Miyamura K, Mori T, Kurokawa M, Taniguchi S, Ishikawa J, Morishima Y, Atsuta Y, Sakamaki H.	Effect of graft sources on allogeneic hematopoietic stem cell transplantation outcome in adults with chronic myeloid leukemia in the era of tyrosine kinase inhibitors: a Japanese Society of Hematopoietic Cell Transplantation retrospective analysis.	Int J Hematol.	100	296-306	2014
東條有伸	造血器腫瘍治療におけるキナーゼ阻害薬	日本臨床	72巻 6号	1118-24	2014

He H, Tojo A et al.	Stage-Specific Embryonic Antigen 4 is not a marker for proliferation and pluripotency in Wharton's Jelly-derived mesenchymal stem cells.	Tissue Engineering Part A.	20 (7-8)	1314-24	2014
Tomokuni A Tojo A, et al.	Effect of <i>in vivo</i> administration of reprogramming factors in the mouse liver.	Oncology Letters	6 (2)	323-8	2013
Okuyama K, Tojo A, et al.	miR-126-mediated control of cell fate in B cell-myeloid progenitors as a potential alternative to transcriptional factors.	Proceedings of the National Academy of Sciences USA	110 (33)	13410-5	2013
Kobayashi S, Tojo A, et al.	The CD3 versus CD7 plot in multicolor flow cytometry reflects progression of disease stage in patients infected with HTLV-I.	PLoS One.	8 (1)	e53728	2013
Morimoto A, Tojo A, et al.	Therapeutic outcome of multifocal Langerhans cell histiocytosis in adults treated with the Special C regimen formulated by the Japan LCH Study Group.	International Journal of Hematology	97 (1)	103-8	2013
Umebayashi M., Sumita, Y., Kawai, Y., Watanabe, S., Asahina, I.	Gene activated-matrix comprised of atelocollagen and plasmid DNA encoding Bmp4 or Runx2 promotes rat cranial bone augmentation	Bio Research Open Access		in press	2015
Arai, E., Baba, Y., Iwagawa, T., Kuribayashi, H., Mochizuki, Y., Watanabe, S.	Ablation of Kcnj10 expression in retinal explants revealed pivotal roles for Kcnj10 in the proliferation and development of Müller glia.	Mol Vis	21	148-159	2015
Iida, A., Iwagawa, T., Baba, Y., Satoh, S., Mochizuki, Y., Nakauchi, H., Furukawa, T., Koseki, H., Murakami, A., Watanabe, S.	Roles Histone H3K27 tri-methylase Ezh2 in retinal proliferation and differentiation.	Developmental Neurobiology		in press	2015

Abdul Razak, S. A., Baba, Y., Nakauchi, H., Otsu, M., Watanabe, S.	DNA methylation is involved in the expression of miR-142-3p in fibroblasts and induced pluripotent stem cells.	Stem Cells International		e101349	2014
Iida, A., Tabata, Y., Baba, Y., Fujii, T., Watanabe, S.	Critical Roles of DNase113l in Lens Nuclear Degeneration in Zebrafish.	Biochimie	106	68-74	2014
Iida, A., Iwagawa, T., Kuribayashi, H., Satoh, S., Mochizuki, Y., Baba, Y., Nakauchi, H., Furukawa, T., Koseki, H., Murakami, A., Watanabe, S.	Jmjd3 is required for the development of subsets of retinal bipolar cells.	Proc.Natl.Aca d.Sci.,USA	111	3751-3756	2014
Kuribayashi, H., Baba, Y., Watanabe, S.	BMP signaling participates in late phase differentiation of the retina, partly via upregulation of Hey2.	Developmental Neurobiology	74	1172-1183	2014
Koso, H., Tsuhako, A., Lyons, E., Ward, J. M., Rust, A. G., Adams, D. J., Jenkins, N. A., Copeland, N. G., Watanabe, S.	Transposon mutagenesis identifies Foxr2 as a putative oncogene in medulloblastoma.	Can Res	74	2351-2361	2014
Mochizuki, Y., Iida, A., Lyons, E., Kageyama, R., Nakauchi, H., Murakami, A., Watanabe, S.	Use of cell type-specific transcriptome to identify genes specifically involved in Müller glia differentiation during retinal development.	Dev Neurobiol	74	426-437	2014