

研究成果の刊行に関する一覧表

書籍

著者氏名	論文タイトル名	書籍全体の 編集者名	書籍名	出版社名	出版地	出版年	ページ
幸 義和	粘膜ワクチン製剤のDDS技術の動向と実用化の可能性	佐藤章弘	DDS製剤の開発・評価と実用化手法	技術情報協会	東京	20135	178-185
幸 義和	経鼻ワクチンのマウス・サルにおける分子イメージング	佐藤章弘	注射剤・経口製剤に代わる新しい薬剤投与デバイスの開発	技術情報協会	東京	2014	145-149

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版
Fukuyama Y, Tokuhara D, Kataoka K, Gilbert RS, McGhee JR, Yuki Y, Kiyono H, Fujihashi K.	Novel vaccine development strategies for inducing mucosal immunity	Expert Rev. Vaccines	11	376-79	2012
Y. Yuki, M. Mejima, S. Kurokawa, T. Hiroiwa, I.G. Kong, M. Kuroda, Y. Takahashi, T. Nochi, D. Tokuhara, T. Kohda, S. Kozaki, H. Kiyono	RNAi suppression of rice endogenous storage proteins enhances the production of rice-based Botulinum neurotoxin type A vaccine.	Vaccine	30	4160-4166	2012
S. Sato, S. Kaneto, N. Shibata, Y. Takahashi, H. Okura, Y. Yuki, J. Kunisawa and H. Kiyono	. Transcription factor Spi-B-dependent and -independent pathways for the development of Peyer's patch M cells.	. Mucosal Immunol..	6	838-846	2013

IG. Kong, A. Sato, Y. Yuki, T. Nuchi, H. Takahashi, S. Sawada, M. Mejima, S. Kurokawa, K. Okada, S. Sato, D. Briles, J. Kunisawa, Y. Inoue, M. Yamamoto, K. Akiyoshi, and H. Kiyono	Nanogel-based PspA intranasal vaccine prevents invasive disease and nasal colonization by <i>Pneumococcus</i> .	Infect. & Immun. .	81	1625-1634	2013
Y. Fukuyama, D. Tokuhara, S. Sekine, K. Aso, K. Kataoka, J. Davydova, M. Yamamoto, RS Gilbert, Y. Tokuhara, K. Fujihashi, J. Kunisawa, Y. Yuki, H. Kiyono, JR McGhee, K. Fujihashi.	Potential roles of CCR5+CCR6+ dendritic cells induced by nasal ovalbumin plus Flt3 ligand expressing adnovirus for mucosal IgA responses.	. PloS One	8:e60453		2013
D. Tokuhara, B. Álvarez, M. Mejima, Y. Takahashi, S. Kurokawa, T. Hiroiwa, M. Kuroda M. Oyama, H.Kozuka-Hata, T.Nochi, H. Sagara, F.Aladin, H. Marcotte, L. Frenken, M.Iturriza-Gómara, H. Kiyono, L. Hammarström, Y. Yuki.	Rice-based orally administered antibody fragment prophylaxis and therapy against rotavirus infection.	J. Clin. Invest.	123	3829-3838	2013
S. Kurokawa, R. Nakamura, M. Mejima, H. Kozuka-Hata, M. Kuroda, N. Takeyama, M.Oyama, S. Satoh, H. Kiyono, T. Masumura, R. Teshima, Y. Yuki.	MucoRice-cholera toxin B-subunit, a rice-based oral cholera vaccine, down-regulates the expression of -amylase/trypsin inhibitor-like protein family as major rice allergens	J. Proteome Res.	12	3372-3382	2013

S. Kurokawa, M. Kuroda, M. Mejima, R. Nakamura, Y. Takahashi, H. Sagara, N. Takeyama, S. Satoh, H. Kiyono, R. Teshima, T. Masumura, Y. Yuki.	. Change in localization of cholera toxin B-subunit expressed in rice upon RNAi-mediated suppression of endogenous storage proteins leads to down-regulation of the rice allergen protein RAG2.	Plant Cell Reports	33	3375-87	2014
M. Abe, Y. Yuki, S. Kurokawa, M. Mejima, M. Kuroda, E.J. Park, J. Scheller, U. Nakanishi, H. Kiyono	. A rice-based soluble form of a murine TNF-specific II ama variable domain of heavy-chain antibody suppresses collagen-induced arthritis in mice.	J. Biotechnol.	175	45-52	2014
Y. Yuki, T. Nochi, IG. Kong, H. Takahashi, S. Sawada2 K. Akiyoshi, H. Koyono.	Nanogel-based antigen delivery system for nasal vaccines.	Biotechnology and Genetic Engineering Reviews	29	61-72	2013
D. Tokuhara, T. Nochi, A. matsumura, M. mejima, Y. Takahashi, S. Kurokawa, H. Kiyono,Y. Yuki	cific Expression of Apolipoprotein A-IV in the Follicle-Associated Epithelium of the Small Intestine	Dig. Dis. Sci.	59	2682-2692	2014
T. Azegami , Y. Yuki , H. Kiyono	Challenges in Mucosal Vaccines for the Control of Infectious Diseases	Int. Immunol	26	517-526	2014

M. Mejima, K. Kashima, M. Kuroda, N. Takeyama, S. Kurokawa, Y. Fukuyama, H. Kiyono, K. Itoh, T. Mitsui, Y. Yuki	Development of selection marker-free rice-based oral cholera toxin B-subunit vaccine and characterization of location and structure of transgene by using whole genome resequencing analysis.	Plant Cell Tiss. Org. Cult.	120	35-48	2015
K. Kashima, M. Mejima, S. Kurokawa, M. Kuroda, H. Kiyono, Y. Yuki	Comparative whole-genome analyses of selection marker-free rice-based cholera toxin B-subunit vaccine lines with wild-type lines.	BMC Genomics	16	48	2015
Ainai A, Tamura S, Suzuki T, van Riet E, Ito R, Odagiri T, Tashiro M, Kurata T, Hasegawa H.	Intranasal vaccination with an inactivated whole influenza virus vaccine induces strong antibody responses in serum and nasal mucus of healthy adults.	Hum Vaccin Immunother.	9(9)	1962-70	2013
Y. Fukuyama, Y. Yuki*, Y. Katakai, N. Harada, H. Takahashi, S. Takeda, M. Mejima, S. Joo, S. Kurokawa, S. Sawada, H. Shibata, E.J. Park, K. Fujihashi, D. Briles, Y. Yasutomi, H. Tsukada, K. Akiyoshi, H. Kiyono:	Nanogel-based pneumococcal surface protein A nasal vaccine induces microRNA-associated Th17 cell responses with neutralizing antibodies against <i>Streptococcus pneumoniae</i> in macaques	Mucosal Immunol.		In press	2015

T. Azegami , H. Itoh H. Kiyono ,Y. Yuki	A Novel Transgenic Rice-based Vaccine	Arch. Immunol. Ther. Ex.	63	87-99	2015
福山賀子 幸 義和	粘膜ワクチンの現状 経 鼻ワクチンを中心に	医学のあゆみ	253	15033-15038	2015
Sasaki I, Hoshino K, Sugiyama T, Yamazaki C, Yano T, Iizuka A, Hemmi H, Tanaka T, Saito M, Sugiyama M, Fukuda Y, Ohta T, Sato K, Ainai A, Suzuki T, Hasegawa H, Toyama-Sorimachi N, Kohara H, Nagasawa T, Kaisho T.	Spi-B is critical for plasmacytoid dendritic cell function and development.	Blood.	120(24)	4733-43	2012
van Riet E, Ainai A, Suzuki T, Hasegawa H.	Mucosal IgA responses in influenza virus infections; thoughts for vaccine design.	Vaccine.	30(40)	5893-900	2012
Senchi K, Matsunaga S, Hasegawa H, Kimura H, Ryo A.	Development of oligomannose-coated liposome-based nasal vaccine against human parainfluenzavirus type 3.	Front Microbiol.	4	346	2013

Ainai A, Tamura S, Suzuki T, van Riet E, Ito R, Odagiri T, Tashiro M, Kurata T, Hasegawa H.	Intranasal vaccination with an inactivated whole influenza virus vaccine induces strong antibody responses in serum and nasal mucus of healthy adults.	Hum Vaccin Immunother.	9(9)	1962-70	2013
Niikura K, Matsunaga T, Suzuki T, Kobayashi S, Yamaguchi H, Orba Y, Kawaguchi A, Hasegawa H, Kajino K, Ninomiya T, Ijiro K, Sawa H.	Gold nanoparticles as a vaccine platform: influence of size and shape on immunological responses in vitro and in vivo.	ACS Nano.	7(5)	3926-38	2013
Sakai K, Ami Y, Tahara M, Kubota T, Anraku M, Abe M, Nakajima N, Sekizuka T, Shirato K, Suzuki Y, Ainai A, Nakatsu Y, Kanou K, Nakamura K, Suzuki T, Komase K, Nobusawa E, Maenaka K, Kuroda M, Hasegawa H, Kawaoka Y, Tashiro M, Takeda M.	The host protease TMPRSS2 plays a major role in in vivo replication of emerging H7N9 and seasonal influenza viruses.	J Virol.	88(10)	5608-16	2014
van Riet E, Ainai A, Suzuki T, Kersten G, Hasegawa H.	Combatting infectious diseases; nanotechnology as a platform for rational vaccine design.	Adv Drug Deliv Rev.	74	28-34	2014

Hasegawa H, van Reit E, Kida H.	Mucosal immunization and adjuvants.	Curr Top Microbiol Immunol.	386	371-80	2015
Inoue, Y., Kubota-Koketsu, R., Yamashita, A., Nishimura, M., Ideno, S., Ono, K., Okuno, Y., Ikuta, K.	Induction of anti-influenza immunity by modified green fluorescent protein (GFP) carrying hemagglutinin-derived epitope structure.	J Biol Chem	288	4981-4990	2013
Yasugi, M., Kubota-Koketsu, R., Yamashita, A., Kawashita, A., Du, A., Sasaki, T., Nishimura, M., Misaki, R., Kuhara, M., Boonsathorn, N., Fujiyama, K., Okuno, Y., Ikuta, K.	Human monoclonal antibodies broadly neutralizing against influenza B virus.	PloS Pathog	9	e1003150	2013
Sasaki, T., Setthapramote, C., Kurosu, T., Nishimura, M., Asai, A., Omokoko, MD., Pipattanaboon, C., Pitaksajjakul, P., Limkittikul, K., Subcharoen, A., Chaichana, P., Okabayashi, T., Hirai, I., Leaungwutiwong, P., Misaki, R., Fujiyama, K., Ono, K., Okuno, Y., Ramasoota, P., Ikuta, K.	Dengue virus neutralization and antibody-dependent enhancement activities of human monoclonal antibodies derived from dengue patients at acute phase of secondary infection.	Antiviral Res	98	423-431	2013

Yasugi, M., Kubota-Koketsu, R., Yamashita, A., Kawashita, A., Du, A., Misaki, R., Sasaki, T., Kuhara, M., Boonsathorn, N., Fujiyama, K., Okuno, Y., Nakaya, T., Ikuta, K.	Emerging antigenic variants at the antigenic site Sb in pandemic A(H1N1)2009 influenza virus in Japan detected by a human monoclonal antibody.	PloS One	8	e77892	2013
Ideno, S., Sakai, K., Yunoki, M., Kubota-Koketsu, R., Inoue, Y., Nakamura, S., Yasunaga, T., Okuno, Y., Ikuta, K.	Immunization of rabbits with synthetic peptides derived from a highly conserved β -sheet epitope region underneath the receptor binding site of influenza A virus.	Biologic: Targets and Therapy	7	233-241	2013
Ohshima, N., Kubota-Koketsu, R., Iba, Y., Okuno, Y., Kurosawa, Y.	Binding near the sialic acid-binding pocket and neutralizing both H1N1 and H5N1 viruses.	PloS One	9	e87305	2014
Lee, PS., Ohshima, N., Stanfield, RL., Yu, W., Iba, Y., Okuno, Y., Kurosawa, Y., Wilson, IA.	Receptor mimicry by antibody F045-092 facilitates universal binding to H3 subtype of influenza virus.	Nature Com.	5	3614	2014

Kumagai, T., Nakayama, T., Okuno, Y., Kase, T., Nishimura, N., Ozaki, T., Miyata, A., Suzuki, E., Okafuji, T., Ochiai, H., Nagata, N., Tsutsumi, H., Okamatsu, M., Sakoda, Y., Kida, H., Ihara, T.	Humoral immune response to influenza A(H1N1)pdm2009 in patients with natural infection and in vaccine recipients in the 2009 pandemic.	Viral Immunology	27	368-374	2014
Haredy, AM., Yamada, H., Sakoda, Y., Okamatsu, M., Yamamoto, N., Omasa, T., Mori, Y., Kida, H., Okamoto, S., Okuno, Y., Yamanishi, K.	Neuraminidase gene homology contributes to the protective activity of influenza vaccines prepared from the influenza virus library.	J Gen Virol	95	2365-2371	2014