

Kabashima-Kubo R, Nakamura M, Sakabe JI, Sugita K, Hino R, Mori T, Kobayashi M, Bito T, Kabashima K, Ogasawara K, Nomura Y, Nomura T, <u>Akiyama M</u> , Shimizu H, Tokura Y	A group of atopic dermatitis without IgE elevation or barrier impairment shows a high Th1 frequency: Possible Immunological state of the intrinsic type.	J Dermatol Sci	67	37-43	2012
Sugiura K, Takeichi T, Kono M, Ito Y, Ogawa Y, Muro Y, <u>Akiyama M</u>	Severe chilblain lupus is associated with heterozygous missense mutations of catalytic amino acids or their adjacent in the exonuclease domains of 3'-repair exonuclease 1.	J Invest Dermatol	132	2855-2857	2012

Umemoto H, <u>Akiyama M</u> , Domon T, Nomura T, Shinkuma S, Ito K, Asaka T, Sawamura D, Uitto J, Uo M, Kitagawa Y and Shimizu H	Type VII collagen deficiency causes defective tooth enamel formation due to poor differentiation of ameloblasts.	Am J Pathol	181	1659-1671	2012
---	--	----------------	-----	-----------	------

Pohler E, Mamai O, Hirst J, Zamiri M, Horn H, Nomura T, Irvine AD, Moran BE, Wilson NJ, Smith FJD, Goh CSM, Sandilands A, Cole C, Barton GJ, Evans AT, Shimizu H, <u>Akiyama M</u> , Suehiro A, Konohana I, Shboul M, Teissier, Boussofara L, Denguezli M, Saad A, Gribaa M, Dopping-Hepenstal PJ, McGrath JA, Brown SJ, Goudie DR, Reversade B, Munro CS, McLean WHI	Haploinsufficiency for AAGAB causes clinically heterogeneous forms of punctate palmoplantar keratoderma.	Nat Genet	44	1272-6	2012
---	--	--------------	----	--------	------

<u>Matsumoto T</u> , et al.	Postoperative DAV-IFN- β Therapy Does Not Improve Survival Rates of Stage II and Stage III Melanoma Patients Significantly.	J Eur Acad Dermatol Venereol	27	1514-1520	2013
Sugiura K, Koga H, Ishikawa R, <u>Matsumoto T</u> , Matsubara M, Hagiwara R, Muro Y, Hashimoto T, Akiyama M	Paraneoplastic pemphigus and antilaminin-332 mucous membrane pemphigoid in a patient with follicular dendritic cell sarcoma.	Arch Dermatol	149	111-113	2013

研究成果の刊行に関する一覧表（平成26年度分）

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Saito N, Qiao H, Yanagi T, Shinkuma S, Suto A, Fujita Y, Suzuki S, Nomura T, Nakamura H, Nagao K, Obuse C, Shimizu H, <u>Abe R.</u>	A novel necroptosis pathway of annexin A1/ FPR1 interaction in severe cutaneous adverse drug reactions	Sci Transl Med	16	245ra95	2014
Suda G, Yamamoto Y, Nagasaka A, Furuya K, Kudo M, Chuganji Y, Tsukuda Y, Tsunematsu S, Sato F, Terasita K, Nakai M, Horimoto H, Sho T, Natsuizaka M, Ogawa K, Ohnishi S, Chuma M, Fujita Y, <u>Abe R.</u> Taniguchi M, Nakagawa M, Asahina Y, Sakamoto N; ORTE Study Group.	Serum granulysin levels as a predictor of serious telaprevir-induced dermatological reactions.	Hepatol Res			in press

Hashimoto N, Yamaoka T, Koguchi-Yoshioka H, Tanaka A, Tanemura A, Azukizawa H, Murota H, Kang J, Nakagawa Y, Shimazu T, <u>Katayama I.</u>	Development of Necrotising Fasciitis in a Patient Treated for Rheumatoid Arthritis with Tocilizumab.	Acta Derm Venereol	95	370-71	2015
小豆澤 宏明、 横見 明典、 谷 守、 室田 浩之、 中山 貴寛、 玉木 康博、 野口 眞三郎、 <u>片山 一朗</u>	パクリタキセル投与中にみられた顔面紅斑の2例 — Fixed erythroderma plaque —	Journal of Environmental Dermatology and Cutaneous Allergology	8	109-113	2014
Nishioka M, Tanemura A, Yang L, Tanaka A, Arase N, <u>Katayama I</u>	Possible involvement of CCR4(+)CD8(+) T cells and elevated plasma CCL22 and CCL17 in patients with Rhododendrol-induced leukoderma.	J Dermatol Sci	77	188-90	2015

Maeda Y, Nishikawa H, Sugiyama D, Ha D, Hamaguchi M, Saito T, Nishioka M, Wing JB, Adeegbe D, <u>Katayama I</u> , Sakaguchi S.	Detection of self-reactive CD8 ⁺ T cells with an anergic phenotype in healthy individuals.	Science	346	1536-40	2014
Ito T, <u>Tokura Y</u>	The role of cytokines/chemokines in T cell-mediated autoimmune inflammation: Lessons from hair loss in alopecia areata.	Exp Dermatol	23	787-791	2014
Kasuya A, <u>Tokura Y</u>	Attempts to accelerate wound healing.	J Dermatol Sci	76	169-172	2014
<u>Tokura Y</u> , Yagi H, Yanaguchi H, Majima Y, Kasuya A, Ito T, Maekawa M, Hashizume H	IgG4-related skin disease.	Br J Dermatol	171	959-967	2014

<p>Suzuki T, Hirakawa S, Shimauchi T, Ito T, Sakabe J, Detmar M, <u>Tokura Y</u></p>	<p>VEGF-A promotes IL-17A-producing $\gamma\delta$ T cell accumulation in mouse skin and serves as a chemotactic factor for plasmacytoid dendritic cells.</p>	<p>J Dermatol Sci</p>	<p>74</p>	<p>116-124</p>	<p>2014</p>
<p>Ito T, Furukawa F, Iwatsuki K, Matsue H, Shimada S, Takigawa M, <u>Tokura Y</u></p>	<p>Efficacious treatment of psoriasis with low-dose and intermittent cyclosporine microemulsion therapy.</p>	<p>J Dermatol</p>	<p>41</p>	<p>377-381</p>	<p>2014</p>
<p>Fujiyama T, Oze I, Yagi H, Hashizume H, Matsuo K, Hino R, Kamo R, Imayama S, Hirakawa S, Ito T, Takigawa M, <u>Tokura Y</u></p>	<p>Induction of cytotoxic T cells as a novel independent survival factor in malignant melanoma with percutaneous peptide immunization.</p>	<p>J Dermatol Sci</p>	<p>75</p>	<p>43-48</p>	<p>2014</p>

Fujiwara M, Sawada M, Kasuya A, Matsushita Y, Yamada M, Fukamizu H, Magata Y, <u>Tokura Y</u> , Sakahara H	Measurement of cutaneous lymphatic flow rates in patients with skin cancer: area extraction method.	J Dermatol	41	498-504	2014
Yoshiki R, Kabashima K, Honda T, Nakamizo S, Sawada Y, Sugita K, Yoshioka H, Ohmori S, Malissen B, <u>Tokura Y</u> , Nakamura M	IL-23 from Langerhans cells is required for the development of imiquimod-induced psoriasis-like dermatitis by induction of IL-17A-producing $\gamma\delta$ T cells.	J Invest Dermatol	134	1912-1921	2014
Fujiyama T, Ito T, Ogawa N, Suda T, <u>Tokura Y</u> , Hashizume H	Preferential infiltration of interleukin-4-producing CXCR4 ⁺ T cells in the lesional muscle but not skin of patients with dermatomyositis.	Clin Exp Immunol	177	110-120	2014

Sakabe J, Umayahara T, Hiroike M, Shimauchi T, Ito T, <u>Tokura Y</u>	Calcipotriol increases hCAP18 mRNA expression but inhibits extracellular LL37 peptide production in IL-17/IL-22-stimulated normal human epidermal keratinocytes.	Acta Derm Venereol	94	512-516	2014
Sakabe J, Kamiya K, Yamagichi H, Ikeya S, Suzuki T, Aoshima M, Tatsuno K, Fujiyama T, Suzuki M, Yatagai T, Ito T, Ojima T, <u>Tokura Y</u>	Proteome analysis of stratum corneum from atopic dermatitis patients by hybrid quadrupole-orbitrap mass spectrometer.	J Allergy Clin Immunol	134	957-967.e8	2014
Yamaguchi H, Hata M, Fujiyama T, Ito T, Hashizume H, <u>Tokura Y</u>	Psychological aspects of patients with intrinsic atopic dermatitis.	Eur J Dermatol	24	253-254	2014
Ito T, Mori T, Fujiyama T, <u>Tokura Y</u>	Dramatic exacerbation of palmoplantar pustulosis following strongly positive nickel patch testing.	Int J Dermatol	53	e327-329	2014

Kasuya A, Sakabe J, Kageyama R, Ikeya S, Fujiyama T, <u>Tokura Y</u>	Successful differentiation of herpes zoster-associated erythema multiforme from generalized extension of herpes by rapid polymerase chain reaction analysis.	J Dermatol	41	542-544	2014
Sakabe J, Kabashima-Kubo R, Kubo A, <u>Tokura Y</u>	A Japanese case of Mal de Meleda with SLURP1 mutation.	J Dermatol	41	764-765	2014
Ito T, Suzuki T, Funakoshi A, <u>Tokura Y</u>	Exacerbation of alopecia areata during pegylated interferon alfa-2b therapy possibly due to collapse of hair follicle immune privilege.	Eur J Dermatol	24	631-633	2014
Hoshino T, Tatsuno K, Shimauchi T, Okada S, Ito T, Ono T, Ohshima K, <u>Tokura Y</u>	Epstein-Barr virus-associated T-cell lymphoproliferative disorder affecting skin and lung in an elderly patient.	J Dermatol	41	837-840	2014
Kasuya A, Yagyu T, <u>Tokura Y</u>	Recurrent herpes zoster on a fixed thigh site: Its possible association with lymphoma cell invasion to femoral nerve.	J Dermatol	41	854-855	2014

<p>Kono M, Sugiura K, Suganuma M, Hayashi M, Takama H, Suzuki T, Matsunaga K, Tomita Y, <u>Akiyama M.</u></p>	<p>Whole-exome sequencing identifies ADAM10 mutations as a cause of reticulate acropigmentation of Kitamura, a clinical entity distinct from Dowling-Degos disease.</p>	<p>Hum Mol Genet</p>	<p>22</p>	<p>3524-33</p>	<p>2013</p>
<p>Sugiura K, Muto M, <u>Akiyama M.</u></p>	<p>CARD14 c.526G>C (p.Asp176His) Is a Significant Risk Factor for Generalized Pustular Psoriasis with Psoriasis Vulgaris in the Japanese Cohort.</p>	<p>J Invest Dermatol</p>	<p>134</p>	<p>1755-1757</p>	<p>2014</p>
<p>Salam A, Simpson MA, Stone KL, Takeichi T, Nanda A, <u>Akiyama M,</u> McGrath JA</p>	<p>Next generation diagnostics of heritable connective tissue disorders.</p>	<p>Matrix Biol</p>	<p>33</p>	<p>35-40</p>	<p>2014</p>

Petrof G, Nanda A, Howden J, Takeichi T, McMillan JR, Aristodemou S, Ozoemena L, Liu L, South AP, Pourreyaon C, Dafou D, Proudfoot LE, Al-Ajmi H, <u>Akiyama M</u> , McLean WH, Simpson MA, Parsons M, McGrath JA	Mutations in GRHL2 result in an autosomal-recessive ectodermal Dysplasia syndrome.	Am J Hum Genet	95	308-314	2014
<u>Akiyama M</u>	The roles of ABCA12 in epidermal lipid barrier formation and keratinocyte differentiation.	Biochim Biophys Acta	1841	435-440	2014
Sugiura K, Arima M, Matsunaga K, <u>Akiyama M</u>	The novel GJB3 mutation p.Thr202Asn in the M4 transmembrane domain underlies erythrokeratoderma variabilis.	Br J Dermatol			in press

<p>Kono M, Suganuma M, Takama H, Zarzoso I, Saritha M, Bodet D, Aboobacker S, Kaliaperumal K, Suzuki T, Tomita Y, Sugiura K, <u>Akiyama M</u></p>	<p>Dowling-Degos disease with mutations in POFUT1 is clinico-pathologically distinct from reticulate acropigmentation of Kitamura.</p>	<p>Br J Dermatol</p>			<p>in press</p>
<p>Campbell P, Morton PE, Takeichi T, Salam A, Roberts N, Proudfoot LE, Mellerio JE, Aminu K, Wellington C, Patil SN, <u>Akiyama M</u>, Liu L, McMillan JR, Aristodemou S, Ishida-Yamamoto A, Abdul-Wahab A, Petrof G, Fong K, Harnchoowong S, Stone KL, Harper JI, McLean WH, Simpson MA, Parsons M, McGrath JA</p>	<p>Epithelial inflammation resulting from an inherited loss-of-function mutation in EGFR.</p>	<p>J Invest Dermatol</p>	<p>134</p>	<p>2570-2578</p>	<p>2014</p>

Sugiura K, Oiso N, Inuma S, Matsuda H, Minami-Hori M, Ishida-Yamamoto A, Kawada A, Iizuka H, <u>Akiyama M</u>	IL36RN mutations underlie impetigo herpetiformis.	J Invest Dermatol	134	2472-2474	2014
Ogawa Y, Takeichi T, Kono M, Hamajima N, Yamamoto T, Sugiura K, <u>Akiyama M</u>	Revertant mutation releases confined lethal mutation, opening Pandora's box: a novel genetic pathogenesis.	PLoS Genet	10	e1004276	2014
Kono M, Nomura T, Ohguchi Y, Mizuno O, Suzuki S, Tsujiuchi H, Hamajima N, McLean WH, Shimizu H, <u>Akiyama M</u>	Comprehensive screening for a complete set of Japanese-population-specific filaggrin gene mutations.	Allergy	69	537-540	2014

Muro Y, Sugiura K, Mimori T, <u>Akiyama M</u>	DNA mismatch repair enzymes: genetic defects and autoimmunity.	Clin Chim Acta	442	102-109	2015
Shimizu Y, Ogawa Y, Sugiura K, Takeda J, Sakai-Sawada K, Yanagi T, Kon A, Sawamura D, Shimizu H, <u>Akiyama M</u>	A palindromic motif in the -2084 to -2078 upstream region is essential for ABCA12 promoter function in cultured human keratinocytes.	Scientific reports	4	6737	2014
Sugiura K, Muro Y, <u>Akiyama M</u>	Solitary organizing pneumonia mimicking lung adenocarcinoma in systemic sclerosis.	Arthritis Rheumatol	66	2648	2014

Takeichi T, Hsu CK, Yang HS, Chen HY, Wong TW, Tsai WL, Chao SC, Lee JY, <u>Akiyama M</u> , Simpson MA, McGrath JA:	Progressive hyperpigmentation in a Taiwanese child due to an inborn error of vitamin B12 metabolism (cblJ).	Br J Dermatol	172	1111-1115	2015
Takeichi T, Nanda A, Aristodemou S, McMillan JR, Lee J, <u>Akiyama M</u> , Al-Ajmi H, Simpson MA, McGrath JA	Whole-exome sequencing diagnosis of two autosomal recessive disorders in one family.	Br J Dermatol			in press
Takeichi T, Nanda A, Liu L, Aristodemou S, McMillan JR, Sugiura K, <u>Akiyama M</u> , Al-Ajmi H, Simpson MA, McGrath JA	Founder mutation in dystonin-e underlying autosomal recessive epidermolysis bullosa simplex in Kuwait.	Br J Dermatol	172	527-531	2015

<p>Kano Y, Tohyama M, Aihara M, Matsukura S, Watanabe H, Sueki H, Iijima M, Morita E, Niihara H, Asada H, Kabashima K, <u>Azukizawa H</u>, Hashizume H, Nagao K, Takahashi H, Abe R, Sotozono C, Kurosawa M, Aoyama Y, Chu CY, Chung WH, Shiohara T.</p>	<p>Sequelae in 145 patients with drug-induced hypersensitivity syndrome/drug reaction with eosinophilia and systemic symptoms: Survey conducted by the Asian Research Committee on Severe Cutaneous Adverse Reactions (ASCAR).</p>	<p>J Dermatol</p>			<p>in press</p>
<p>Hashimoto N, Yamaoka T, Koguchi-Yoshioka H, Tanaka A, Tanemura A, <u>Azukizawa H</u>, Murota H, Kang J, Nakagawa Y, Shimazu T, Katayama I.</p>	<p>Necrotising Fasciitis in a Patient Treated for Rheumatoid Arthritis with Tocilizumab. Acta Derm Venereol.</p>	<p>Acta Derm Venereol</p>	<p>95</p>	<p>370-71</p>	<p>2015</p>

<p>Chung WH, Chang WC, Lee YS, Wu YY, Yang CH, Ho HC, Chen MJ, Lin JY, Hui RC, Ho JC, Wu WM, Chen TJ, Wu T, Wu YR, Hsih MS, Tu PH, Chang CN, Hsu CN, Wu TL, Choon SE, Hsu CK, Chen DY, Liu CS, Lin CY, Kaniwa N, Saito Y, Takahashi Y, Nakamura R, <u>Azukizawa H</u>, Shi Y, Wang TH, Chuang SS, Tsai SF, Chang CJ, Chang YS, Hung SI</p>	<p>Genetic variants associated with phenytoin-related severe cutaneous adverse reactions.</p>	<p>JAMA</p>	<p>312</p>	<p>525-34</p>	<p>2014</p>
<p><u>小豆澤 宏明</u></p>	<p>【薬物アレルギー-疑うべきポイントと対処法】 薬物アレルギーの発症機序</p>	<p>薬事</p>	<p>56</p>	<p>2135-2140</p>	<p>2014</p>

<p>小豆澤 宏明</p>	<p>重症薬疹の診断と治療 アップデート】重症薬疹の検査</p>	<p>アレルギー・免疫</p>	<p>1</p>	<p>1240-1246</p>	<p>2014</p>
<p>小豆澤 宏明、 横見 明典、 谷 守、 室田 浩之、 中山 貴寛、 玉木 康博、 野口 眞三郎、 片山 一朗</p>	<p>パクリタキセル投与中にみられた顔面紅斑の2例</p>	<p>Journal of Environmental Dermatology and Cutaneous Allergology</p>	<p>8</p>	<p>109-113</p>	<p>2014</p>