

研究成果の刊行に関する一覧表

1. Fujikado T, Kamei M, Sakaguchi H, Kanda H, Morimoto T, Nishida K, Kishima H, Maruo T, Oosawa K, Ozawa M, Nishida K: Feasibility of 2nd generation STS retinal prosthesis in dogs. *Conf Proc IEEE Eng Med Biol Soc.*2013 Jul pp.3119-3121, Jul 2013
2. Miyagawa S, Mihashi T, Kanda H, Hirohara Y, Endo T, Morimoto T, Miyoshi T, and Fujikado T. Asymmetric Wavefront Aberrations and Pupillary Shapes Induced by Electrical Stimulation of Ciliary Nerve in Cats Measured with Compact Wavefront Aberrometer. *PLoS One.* 2014 Aug 21;9(8):e105615. doi: 10.1371/journal.pone.0105615. eCollection 2014
3. 神田寛行、不二門尚：電気信号を用いた神経機能再検 人工網膜 (Suprachoroidal-transretinal stimulation STS) *脳* 21, 18巻1号 pp.84-88、2015
4. Morimoto T, Kanda H, Miyoshi T, Hirohara Y, Mihashi T, Kitaguchi Y, Nishida K, Fujikado T.: Characteristics of Retinal Reflectance Changes Induced by Transcorneal Electrical Stimulation in Cat Eyes. *PLOS ONE* 9(3) Mar. 2014
5. Ito Y, Saishin Y, Sawada O, Kakinoki M, Miyake T, Sawada T, Kawamura H, Ohji M.; Comparison of single injection and three monthly injections of intravitreal bevacizumab for macular edema associated with branch retinal vein occlusion. *Clin Ophthalmol.* 2015 Jan 23;9:175-80. doi: 10.2147/OPHTH.S76261. eCollection 2015.
6. Kakinoki M, Sawada O, Sawada T, Saishin Y, Kawamura H, Ohji M; Effect of vitrectomy on aqueous VEGF concentration and pharmacokinetics of bevacizumab in macaque monkeys. *Invest Ophthalmol Vis Sci.* 2012 Aug 24;53(9):5877-80. doi: 10.1167/iovs.12-10164.
7. Tojo N, Nakamura T, Ozaki H, Oka M, Oiwake T, Hayashi A. Analysis of macular cone photoreceptors in a case of occult macular dystrophy. *Clin Ophthalmol.*2013 May 8 ;7:859-64

8. Hirakata A, Inoue M, Hiraoka T, McCuen BW 2nd 1 (1Department Ophthalmology, Duke Univ, Durham, NC): Vitrectomy without Laser Treatment or Gas Tamponade for Macular Detachment Associated with an Optic Disc Pit. *Ophthalmology*119:810-818,2012
9. Khoo HM, Kishima H, Hosomi K, Maruo T, Tani N, Oshino S, Shimokawa T, Yokoe M, Mochizuki H, Saitoh Y, Yoshimine T. Low-Frequency Subthalamic Nucleus Stimulation in Parkinson ' s Disease: A Randomized, Clinical Trial. *Mov Disord.* 29 (2): 270-4, 2014.
10. Uchimura M & Kitazawa S. Cancelling prism adaptation by a shift of background: a novel utility of allocentric coordinates for extracting motor errors. *The Journal of Neuroscience* 33:7595-7602, 2013.
11. Toshihiko Noda, Kiyotaka Sasagawa, Takashi Tokuda, Yasuo Terasawa, Hiroyuki Tashiro, Hiroyuki Kanda, Takashi Fujikado, Jun Ohta, "Performance improvement and functionalization of an electrode array for retinal prosthesis by iridium oxide coating and introduction of smart-wiring technology using CMOS microchips," *Sensors and Actuators A: Physical*, Vol. 211, pp.27-37, 2014.