

## 研究成果の刊行に関する一覧表

## 書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書 籍 名	出版社名	出版地	出版年	ページ
	なし						

## 雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Miyamatsu N, Kimura K, Okamura T, Iguchi Y, Nakayama H, Toyota A, Watanabe M, Morimoto A, Morinaga M, Yamaguchi T.	Effects of public education by television on knowledge of early stroke symptoms among a Japanese population aged 40 to 74 years: a controlled study.	Stroke	43	545-549	2012
Shibazaki K, Kimura K, Fujii S, Sakai K, Iguchi Y.	Brain natriuretic peptide levels as a predictor for new atrial fibrillation during hospitalization in patients with acute ischemic stroke.	Am. J. Cardiol.	109	1303-1307	2012
Shimoyama T, Iguchi Y, Kimura K, Mitsumura H, Sengoku R, Kono Y, Morita M, Mochio S.	Stroke patients with cerebral microbleeds on MRI scans have arteriolosclerosis as well as systemic atherosclerosis.	Hypertens. Res,	35	975-959	2012
Kimura K, Aoki J, Sakamoto Y, Kobayashi K, Sakai K, Inoue T, Iguchi Y, Shibazaki K.	Administration of edaravone, a free radical scavenger, during t-PA infusion can enhance early recanalization in acute stroke patients--a preliminary study.	J. Neurolo. Sci.	313	132-136	2012
Sakamoto Y, Koga M, Toyoda K, Osaki M, Okata T, Nagatsuka K, Minematsu K.	Low DWI-ASPECTS is associated with atrial fibrillation in acute stroke with the middle cerebral artery trunk occlusion.	J Neurolo Sci.	323	99-103	2012

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Suzuki R, Koga M, Mori M, Endo K, Toyoda K, Minematsu K	Visibility of the lesser sphenoid wing is an important indicator for detecting the middle cerebral artery on transcranial color-coded sonography.	Cerebrovasc Dis.	33	272-279	2012
Suzuki R, Koga M, Toyoda K, Uemura M, Nagasawa H, Yakushiji Y, Moriwaki H, Yamada N, Minematsu K.	Identification of internal carotid artery dissection by transoral carotid ultrasonography.	Cerebrovasc Dis.	33	369-377	2012
Suzuki R, Osaki M, Endo K, Amano T, Minematsu K, Toyoda K.	Common carotid artery dissection caused by a frontal thrust in Kendo (Japanese swordsmanship).	Circulation	125	e617-e619	2012
福田真弓, 古賀政利, 森真由美, 大崎正登, 長束一行, 峰松一夫, 豊田一則	rt-PA投与後の早期再発, 進行および症候性頭蓋内出血による早期神経症候増悪の検討.	脳卒中	34	47-50	2012
古賀政利	脳を救え: 静注血栓溶解と超音波血栓溶解.	循環器内科	72	275-281	2012
古賀政利, 上原敏志	欧米諸国での取り組み- rt-PA療法における看護師やコーディネーターの役割	BRAIN	2	84-89	2012
古賀政利, 豊田一則	rt-PA静注療法における頭頸部血管の超音波検査.	第30回 The Mt. Fuji Workshop on CVD Proceeding	30	4-7	2012
Shimoyama T, Shibazaki K, Kimura K, Uemura J, Shiromoto T, Watanabe M, Inoue T, Iguchi Y, Mochio S.,	Admission hyperglycemia causes infarct volume expansion in patients with ICA or MCA occlusion: association of collateral grade on conventional angiography.	Eur J Neurol.	20	109-116	2013
Iguchi Y, Kimura K, Sone K, Miura H, Endo H, Yamagata S, Koide H, Suzuki K, Kimura T, Sakurai M, Mishima N, Yoshii K, Fujisawa H, Ebisutani S	Stroke incidence and usage rate of thrombolysis in a Japanese urban city: the kurashiki stroke registry.	J. Stroke Cerebrovasc. Dis.	22	349-57	2013

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Furuhata H, Saito O	Comparative study of standing wave reduction methods using random modulation for transcranial ultrasonication.	Ultrasound Med Biol.	39	1440-1450	2013
Sakamoto Y, Kimura K, Shibazaki K, Inoue T, Uemura J, Aoki J, Sakai K, Iguchi Y.	Early ischaemic diffusion lesion reduction in patients treated with intravenous tissue plasminogen activator: infrequent, but significantly associated with recanalization.	Int J Stroke.	8	321-326	2013
Aoki J, Kimura K, Iguchi Y, Sakai K, Sakamoto Y, Terasawa Y, Shibazaki K, Kobayashi K.	Two different days of transcranial Doppler examinations should be performed for detection of right-to-left shunt in acute stroke patients.	J Neuroimaging.	23	175-179	2013
Shimoyama T, Kimura K, Shibazaki K, Yamashita S, Iguchi Y.	Maintenance hemodialysis independently increases the risk of early death after acute intracerebral hemorrhage.	Cerebrovasc Dis.	36	47-54	2013
Tanaka K, Koga M, Sato K, Suzuki R, Minematsu K, Toyoda K.	Three-dimensional analysis of the left atrial appendage for detecting paroxysmal atrial fibrillation in acute ischemic stroke.	Int. J. Stroke	9	1045-1051	2014
田中 弘二, 古賀 政利, 大山 賢, 徳永 敬介, 佐藤 和明, 鈴木 理恵子, 峰松 一夫, 豊田 一則	リアルタイム3次元経食道心臓超音波検査を用いた急性期虚血性脳血管障害における左心耳の3次元評価.	脳卒中	36	260-265	2014
Osamu Saito, Zuojun Wang, Hidetaka Mitsumura, Takeki Ogawa, Yasuyuki Iguchi, Masayuki Yokoyama	Substantial fluctuation of acoustic intensity transmittance through a bone-phantom plate and its equalization by modulation of ultrasound frequency.	Ultrasonics	59	94-101	2015
鈴木理恵子, 古賀政利, 山本晴子, 大山賢, 徳永敬介, 松木孝之, 長束一行, 豊田一則, 峰松一夫.	rt-PA静注による閉塞血管早期再開通率の検討: 虚血性脳卒中に対する新規超音波血栓溶解装置開発の対照データ.	Neurosonology	28	1-5,	2015

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Kohsuke Hagiwara, Toshihiko Nishio, Ryo Suzuki, Kazuo Maruyama, Yasuhiro Nishida, Kiyoshi Iida, Huai Luo, Robert J. Siegel	Thrombus targeted perfluorocarbon containing liposomal bubbles for enhancement of ultrasonic thrombolysis - in vitro and in vivo study -	J. Thrombosis and Haemostasis	11	1565-1573	2013
Nobuhito Hamano, Yoichi Negishi, Kyohei Takatori, Yoko Endo-Takahashi, Ryo Suzuki, Kazuo Maruyama, Takuro Niidome, Yukihiko Aramaki	Combination of Bubble liposomes and high-intensity focused ultrasound (HIFU) enhanced antitumor effect by tumor ablation.	Biological & Pharmaceutical Bulletin	37	174-177	2014
Ren Koda, Jun Koido, Naoto Hosaka, Shinya Onogi, Takashi Mochizuki, Kohji Masuda, Ryo Suzuki, Kazuo Maruyama	Evaluation of active control of Bubble liposomes in a bifurcated flow under various ultrasound conditions.	Advanced Biomedical Engineering	3	21-28	2014

