

研究成果の刊行物に関する一覧表

研究成果の刊行に関する一覧表

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
田中宏和、中村文明、東 尚弘、小林廉毅	健康保険組合レセプトデータ分析によるがん患者の受療医療施設の分布	日本公衆衛生雑誌	62(1)	28-38	2015
Inohara T, Kohsaka S, Miyata H, Ueda I, Noma S, Suzuki M, Negishi K, Endo A, Nishi Y, Hayashida K, Maekawa Y, Kawamura A, Higashi T, Fukuda K	Appropriateness of coronary interventions in Japan by the US and Japanese standards	American Heart Journal	168(8)	854-861	2014
Iwamoto M, Nakamura F, Higashi, T	Estimated life expectancy and risk of death from cancer by quartiles in the older Japanese population: 2010 vital statistics.	Cancer Epidemiology	38(5)	511-4	2014
Inohara T, Kohsaka S, Miyata H, Ueda I, Hayashida K, Maekawa Y, Kawamura A, Ishikawa S, Ohki T, Nishi Y, Higashi T, Fukuda K	The Appropriateness Ratings of Percutaneous Coronary Intervention in Japan and its Association with the Trend of Non-Invasive Testings	JACC Cardiovascular Intervention	7(9)	1000-1009.	2014
Ohura T, Higashi T, Ishizaki T, Nakayama T,	Assessment of the validity and internal consistency of a performance evaluation tool based on the modified Barthel Index Japanese version for elderly people living at home	Journal of Physical Therapy Science.	26(12)	1971-1974	2014

Nakamura F, <u>Higashi T</u> , Saruki N, Takegami M, Hosokawa T, Fukuhara S, Nakayama T, Sobue T	Understanding by the General Public of Newspaper Reports on Publicly Reported Cancer Survival in Japan: A Randomized Controlled Trial	Jpn J Clin Oncol	44(7)	651-60	2014
Okuyama A, Nakamura F, <u>Higashi T</u>	Prescription trends of prophylactic antiemetics for chemotherapy-induc ed nausea and vomiting in Japan	Supportive Cancer Care	22(7)	1789-95	2014
Ishiguro M, <u>Higashi T</u> , Watanabe T, Sugihara K	Changes in colorectal cancer care in Japan before and after guideline publication: a nationwide survey about D3 lymph node dissection and adjuvant chemotherapy	Journal of the American College of Surgeons	218(5)	969-977	2014
<u>Higashi T</u> , Nakamura F, Shibata A, Emori Y, Nishimoto H.	The National Database of Hospital-Based Cancer Registries: A Nationwide Infrastructure to Support Evidence-based Cancer Care and Cancer Control Policy in Japan.	Jpn J Clin Oncol.	44(1)	2-8	2014
東 尚弘、岩本桃 子、高山智子、八 巻知香子、神谷 泉、奥山絢子、中 村文明、伊東洋 介、若尾文彦	がん対策の進捗管理指 標を策定するための意 見集約調査	癌の臨床	60(2)	237-243	2014
高山智子、東 尚 弘、八巻知香子、 山崎由美子、伊東 洋介、渡邊清高、 若尾文彦	がん対策を包括的に進 めるための枠組みの検 討	癌の臨床	60(1)	131-138	2014

Blay JY, Sleijfer S, Schöffski P, <u>Kawai A</u> , Brodowicz T, Demetri GD, Maki RG.	International expert opinion on patient-tailored management of soft tissue sarcomas.	Eur J Cancer.	50(4)	679-689	2014
Fujiwara T, Katsuda T, Hagiwara K, Kosaka N, Yoshioka Y, Takahashi RU, Takeshita F, Kubota D, Kondo T, Ichikawa H, Yoshida A, Kobayashi E, <u>Kawai A</u> , Ozaki T, Ochiya T.	Clinical relevance and therapeutic significance of microRNA-133a expression profiles and functions in malignant osteosarcoma-initiating cells.	Stem Cells	32(4)	959-973	2014
Ueda T, Kakunaga S, Ando M, Yonemori K, Sugiura H, Yamada K, <u>Kawai A</u> .	Phase I and pharmacokinetic study of trabectedin, a DNA minor groove binder, administered as a 24-h continuous infusion in Japanese patients with soft tissue sarcoma.	Invest New Drugs.	32(4)	691-699	2014
Yoshida A, Tsuta K, Ohno M, Yoshida M, Narita Y, <u>Kawai A</u> , Asamura H, Kushima R.	STAT6 immunohistochemistry is helpful in the diagnosis of solitary fibrous tumors.	Am J Surg Pathol.	38(4)	552-559	2014
Kubota D, Yoshida A, <u>Kawai A</u> , Kondo T.	Proteomics Identified Overexpression of SET Oncogene Product and Possible Therapeutic Utility of Protein Phosphatase 2A in Alveolar Soft Part Sarcoma	J Proteome Res.	2;13(5)	2250-226	2014
Kobayashi E, Satow R, Ono M, Masuda M, Honda K, Sakuma T, <u>Kawai A</u> , Morioka H, Toyama Y, Yamada T.	MicroRNA expression and functional profiles of osteosarcoma.	Oncology.	86(2)	94-103	2014

Nakamura T, Matsumine A, Uchida A, <u>Kawai A</u> , Nishida Y, Kunisada T, Araki N, Sugiura H, Tomita M, Yokouchi M, Ueda T, Sudo A.	Clinical outcomes of Kyocera Modular Limb Salvage system after resection of bone sarcoma of the distal part of the femur: the Japanese Musculoskeletal Oncology Group study.	Int Orthop	38(4)	825-830	2014
Yoneda Y, Kunisada T, Naka N, Nishida Y, <u>Kawai A</u> , Morii T, Takeda K, Hasei J, Yamakawa Y, Ozaki T; Japanese Musculoskeletal Oncology Group.	Favorable outcome after complete resection in elderly soft tissue sarcoma patients: Japanese Musculoskeletal Oncology Group study.	Eur J Surg Oncol	40(1)	49-54	2014
Iwata S, Ishii T, <u>Kawai A</u> , Hiruma T, Yonemoto T, Kamoda H, Asano N, Takeyama M	Prognostic factors in elderly osteosarcoma patients: a multi-institutional retrospective study of 86 cases.	Ann Surg Oncol.	21(1)	263-268	2014
Trautmann M, Sievers E, Aretz S, Kindler D, Michels S, Friedrichs N, Renner M, Kirfel J, Steiner S, Huss S, Koch A, Penzel R, Larsson O, <u>Kawai A</u> , Tanaka S, Sonobe H, Waha A, Schirmacher P, Mechtersheimer G, Wardelmann E, Büttner R, Hartmann W.	SS18-SSX fusion protein-induced Wnt/ β -catenin signaling is a therapeutic target in synovial sarcoma.	Oncogene.	16:33(42)	5006-5016	2014

Nakamura T, Matsumine A, Uchida A, <u>Kawai A</u> , Nishida Y, Kunisada T, Araki N, Sugiura H, Tomita M, Yokouchi M, Ueda T, Sudo A.	Clinical outcomes of Kyocera Modular Limb Salvage system after resection of bone sarcoma of the distal part of the femur: the Japanese Musculoskeletal Oncology Group study.	Int Orthop	38(4)	825-830	2014
Miyamoto S, Kayano S, Fujiki M, Chuman H, <u>Kawai A</u> , Sakuraba M.	Early Mobilization after Free-flap Transfer to the Lower Extremities: Preferential Use of Flow-through Anastomosis.	Plast Reconstr Surg Glob Open.	Apr 7;2(3)	e127.	2014
Fujiwara T, Takahashi RU, Kosaka N, Nezu Y, <u>Kawai A</u> , Ozaki T, Ochiya T.	RPN2 Gene Confers Osteosarcoma Cell Malignant Phenotypes and Determines Clinical Prognosis.	Mol Ther Nucleic Acids.	Sep 2;3:	e189	2014
Kikuta K, Morioka H, <u>Kawai A</u> , Kondo T.	Global protein-expression profiling for reclassification of malignant fibrous histiocytoma.	Biochim Biophys Acta.	Aug 28	Epub ahead of print	2014
Kikuta K, Kubota D, Yoshida A, Morioka H, Toyama Y, Chuuman H, <u>Kawai A</u> .	An analysis of factors related to the tail-like pattern of myxofibrosarcoma seen on MRI.	Skeletal Radiol.	Aug 30		2014
Asano N, Yoshida A, Kobayashi E, Yamaguchi T, <u>Kawai A</u> .	Multiple metastases from histologically benign intraarticular diffuse-type tenosynovial giant cell tumor: a case report.	Hum Pathol.	Jul 17.		2014
Totoki Y, Yoshida A, Hosoda F, Nakamura H, Hama N, Ogura K, Yoshida A, Fujiwara T, Arai Y, Toguchida J, Tsuda H, Miyano S, <u>Kawai A</u> , Shibata T.	Unique mutation portraits and frequent COL2A1 gene alteration in chondrosarcoma.	Genome Res.	Sep;24(9)	1411-20.	2014

Kataoka K, Tanaka K, Mizusawa J, Kimura A, Hiraga H, <u>Kawai A</u> , Matsunobu T, Matsumine A, Araki N, Oda Y, Fukuda H, Iwamoto Y; Bone and Soft Tissue Tumor Study Group of the Japan Clinical Oncology Group.	A randomized phase II/III trial of perioperative chemotherapy with adriamycin plus ifosfamide versus gemcitabine plus docetaxel for high-grade soft tissue sarcoma: Japan Clinical Oncology Group Study JCOG1306.	Jpn J Clin Oncol.	Aug;44(8)	765-9.	2014
Yoshida A, Asano N, <u>Kawai A</u> , Kawamoto H, Nakazawa A, Kishimoto H, Kushima R.	Differential SALL4 Immunoexpression in Malignant Rhabdoid Tumours and Epithelioid Sarcomas.	Histopatholog y.	May 14.		2014
Committee of Br ain Tumor Registr y of Japan (Narita Y)	Report of Brain Tumor Registry of Japan (2 001-2004)	Neurologia m edico-chirurgi ca.	54 supple 1	1-102	2014
Narita Y	Trends and Outcomes in the Treatment of Gli omas Based on Data During 2001–2004 fr om the Brain Tumor Registry of Japan.	Neurologia m edico-chirurgi ca.	出版中		2015
成田善孝	脳腫瘍の治療結果を 可視化する大規模デ ータの収集・臨床試験 の必要性—脳腫瘍全 国集計調査報告の活 用について -	脳神経外科ジ ャーナル	出版中		2015
Kondo N, <u>Nakamura F</u> , Yamazaki S, Yamamoto Y, Akizawa T, Akiba T, Saito A, Kurokawa K, Fukuhara S.	Prescription of potentially inappropriate medications to elderly hemodialysis patients: prevalence and predictors.	Nephrology Dialysis Transplantat ion	30(3)	498-505	2015

Maeda E, Sugimori H, <u>Nakamura F</u> , Kobayashi Y, Green J, Suka M, Okamoto M, Boivin J, Saito H	A cross sectional study on fertility knowledge in Japan, measured with the Japanese version of Cardiff Fertility Knowledge Scale (CFKS-J).	Reprod Health.	12(1)	Epub ahead of print	2015
Zaito M, Toyokawa S, Tonooka A, Nakamura F, Takeuchi T, Homma Y, Kobayashi Y	Sex differences in bladder cancer pathology and survival: analysis of a population-based cancer registry.	Cancer Med		Epub ahead of print	2014
Kamitani S, Nishimura K, <u>Nakamura F</u> , Kada A, Nakagawara J, Toyoda K, Ogasawara K, Ono J, Shiokawa Y, Aruga T, Miyachi S, Nagata I, Matsuda S, Miyamoto Y, Iwata M, Suzuki A, Ishikawa B K, Kataoka H, Morita K, Kobayashi Y, Iihara K	Consciousness Level and Off-Hour Admission Affect Discharge Outcome of Acute Stroke Patients: A J-ASPECT Study	J Am Heart Assoc	3(5)	e001059.	2014
Kawada H, Kurita N, <u>Nakamura F</u> , Kawamura J, Hasegawa S, Kotake K, Sugihara K, Fukuhara S, Sakai Y.	Incorporating apical lymph node status into the seventh edition of TNM classification improves prognosis prediction in stage III colon cancer: A multicenter cohort study in Japan. British Journal of Surgery.	Br J Surg.	101(9)	1143-52	2014

Iwamoto M, <u>Nakamura F</u> , Higashi T.	Estimated life expectancy and risk of death from cancer by quartiles in the older Japanese population: 2010 vital statistics.	Cancer Epidemiol	38(5)	511-4	2014
Iihara K, Nishimura K, Kada A, Nakagawara J, Ogasawara K, Ono J, Shiokawa Y, Aruga T, Miyachi S, Nagata I, Toyoda K, Matsuda S, Miyamoto Y, Suzuki A, Ishikawa KB, Kataoka H, <u>Nakamura F</u> , Kamitani S.	Effects of Comprehensive Stroke Care Capabilities on In-Hospital Mortality of Patients with Ischemic and Hemorrhagic Stroke: J-ASPECT Study.	PLoS One	14;9(5)	e96819	2014
Nishimura K, <u>Nakamura F</u> , Takegami M, Fukuhara S, Nakagawara J, Ogasawara K, Ono J, Shiokawa Y, Miyachi S, Nagata I, Toyoda K, Matsuda S, Kataoka H, Miyamoto Y, Kitaoka K, Kada A, Iihara K.	Cross-Sectional Survey of Workload and Burnout Among Japanese Physicians Working in Stroke Care: The Nationwide Survey of Acute Stroke Care Capacity for Proper Designation of Comprehensive Stroke Center in Japan (J-ASPECT) Study..	Circ Cardiovasc Qual Outcomes	7(3)	414-22	2014
<u>Nakamura F</u> , Higashi T, Saruki N, Fukuhara S, Sobue T.	Understanding by the General Public of Newspaper Reports on Publicly Reported Cancer Survival in Japan: A Randomized Controlled Trial.	Jpn J Clin Oncol	44(7)	651-60	2014

Okuyama A, Nakamura F, Higashi T.	Prescription trends of prophylactic antiemetics for chemotherapy-induced nausea and vomiting in Japan.	Support Care Cancer.	22(7)	1789-95	2014
Iihara K, Nishimura K, Kada A, Nakagawara J, Toyoda K, Ogasawara K, Ono J, Shiokawa Y, Aruga T, Miyachi S, Nagata I, Matsuda S, Ishikawa KB, Suzuki A, Mori H, Nakamura F; J-ASPECT Study Collaborators.	The Impact of Comprehensive Stroke Care Capacity on the Hospital Volume of Stroke Interventions: A Nationwide Study in Japan	J-ASPECT Study. J Stroke Cerebrovasc Dis.	23(5)	1001-18	2014
田中宏和, 中村文明, 東尚弘, 小林廉毅	健康保険組合レセプトデータ分析によるがん患者の受療医療施設の分布	日本公衆衛生雑誌	62(1)	28-38	2015
田中宏和, 片野田耕太, 東尚弘, 中村文明, 小林廉毅	がん診療連携拠点病院における緩和ケア提供体制と実績評価.	厚生指標	61(5)	5-9	2014