

研究成果の刊行に関する一覧表

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書 籍 名	出版社名	出版地	出版年	ページ
珠玖洋、原田直純、池田裕明	複合的がん免疫療法	三宅優美子 /渡辺和也	ドラッグデリバリーシステムの 新展開II	シーエムシー出版	日本		128-135
Ikeda H, Shiku H.	Antigen-receptor gene-modified T cells for treatment of glioma	Ryuya Yamanaka	Immunotherapeutic approaches	Glioma	USA	2011	202-215
今井奈緒子、池田裕明、珠玖洋	がんと免疫	渋谷正史、湯浅保仁	がん抗原 がん生物学イラストレイテッド	羊土社	日本	2011	260-269
中森幹人、 <u>山上裕機</u>	消化器癌克服のための癌治療用ヘルペスウイルスの現状と展望		分子細胞治療フロンティア2015	外科分子治療研究会		2014	120-7
勝田将裕、 <u>山上裕機</u>	がんペプチドワクチン療法開発の現状と展望		分子細胞治療フロンティア2015	外科分子治療研究会		2014	139-46
五島直樹	アレイを用いた自己抗体解析	津本 浩平	新機能抗体開発ハンドブック	(株)エヌ・ティー・エス	日本	2012	437-442

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Saito T, Wada H, Yamasaki M, Miyata H, Nishikawa H, Saito E, Kageyama S, <u>Shiku H</u> , Mori M, Doki Y.	High expression of MAGE-A4 and MHC class I antigens in tumor cells and induction of MAGE-A4 immune responses are prognostic markers of CHP-MAGE-A4 cancer vaccine.	Vaccine	32(45)	5901-7	2014
Muraoka D, Harada N, Hayashi T, Tahara Y, Momose F, Sawada S, Mukai SA, Akiyoshi K, <u>Shiku H</u> .	Nanogel-based immunologically stealth vaccine targets macrophages in the medulla of lymph node and induces potent antitumor immunity.	ACS Nano	8(9)	9209-18	2014
Kageyama S, Wada H, Muro K, Niwa Y, Ueda S, Miyata H, Takiguchi S, Sugino SH, Miyahara Y, Ikeda H, Imai N, Sato E, Yamada T, Osako M, Ohnishi M, Harada N, Hishida T, Doki Y, <u>Shiku H</u> .	Dose-dependent effects of NY-ESO-1 protein vaccine complexed with cholesteryl pullulan (CHP-NY-ESO-1) on immune responses and survival benefits of esophageal cancer patients.	J Transl Med	11(1)	246	2013
Miyazaki Y, Fujiwara H, Asai H, Ochi F, Ochi T, Azuma T, Ishida T, Okamoto S, Mineno J, Kuzushima K, <u>Shiku H</u> , Yasukawa M.	Development of a novel redirected T-cell-based adoptive immunotherapy targeting human telomerase reverse transcriptase for adult T-cell leukemia.	Blood	13;121(24)	4894-901	2013
Muraoka D., Nishikawa H., Noguchi T., Wang L., Harada N., Sato E., Luescher I., Nakayama E., Kato T., <u>Shiku H</u> .	Establishment of animal models to analyze the kinetics and distribution of human tumor antigen-specific CD8+ T cells.	Vaccine	19;31(17)	2110-8	2013

Iwami K., Natsume A., Ohno M., Ikeda H., Mineno J., Nukaya I., Okamoto S., Fujiwara H., Yasukawa M., <u>Shiku H.</u> , Wakabayashi T.	Adoptive transfer of genetically modified Wilms' tumor 1-specific T cells in a novel malignant skull base meningioma model.	Neuro-Onco logy	15(6)	747-58	2013
Asai H., Fujiwara H., An J., Ochi T., Miyazaki Y., Nagai K., Okamoto S., Mineno J., Kuzushima K., <u>Shiku H.</u> , Inoue H., Yasukawa M.	Co-Introduced Functional CCR2 Potentiates In Vivo Anti-Lung Cancer Functionality Mediated by T Cells Double Gene-Modified to Express WT1-Specific T-Cell Receptor.	PLoS One	8	e56820	2013
Hirayama M., Nishikawa H., Nagata Y., Tsuji T., Kato T., Kageyama S., Ueda S., Sugiyama D., Hori S., Sakaguchi S., Ritter G., Old LJ., Gnjjatic S., <u>Shiku H.</u>	Overcoming regulatory T-cell suppression by a lyophilized preparation of Streptococcus pyogenes.	Eur. J. Immunol.	43(4)	989-1000	2013
Gupta A., Nuber N., Esslinger C., Wittenbrink M., Treder M., Landshammer A., Noguchi T., Kelly M., Gnjjatic S., Ritter E., von Boehmer L., Nishikawa H., <u>Shiku H.</u> , Old L., Ritter G., Knuth A., van den Broek M.	A novel human-derived antibody against NY-ESO-1 improves the efficacy of chemotherapy.	Cancer Immunology	13	3. Epub	2013
Takahashi T., <u>Shiku H.</u>	Cell surface antigens: invaluable landmarks reflecting the nature of cells.	Cancer Immunology	12	2	2012

Shirakura Y., Mizuno Y., Wang L., Imai N., Amaike C., Sato E., Ito M., Nakayama I., Mineno J., Takesako K., Ikeda H., Shiku H.	T-cell receptor gene therapy targeting melanoma-associated antigen-A4 inhibits human tumor growth in non-obese diabetic/SCID/ycnull mice.	Cancer Sci	103	17-25	2012
Nakamori Y., Liu B., Ohishi K., Suzuki K., Ino K., Matsumoto T., Masuya M., Nishikawa H., Shiku H., Hamada H., Katayama N.	Human bone marrow stromal cells simultaneously support B and T/NK lineage development from human hematopoietic progenitors: a principal role for flt3 ligand in lymphopoiesis.	Br. J. Haematol.	157	674-86	2012
Noguchi T., Kato T., Wang L., Maeda Y., Ikeda H., Sato E., Knuth A., Gnjatovic S., Ritter G., Sakaguchi S., Old LJ., Shiku H., Nishikawa H.	Intracellular Tumor-Associated Antigens Represent Effective Targets for Passive Immunotherapy.	Cancer Res	72	1672-82	2012
Nagai K., Ochi T., Fujiwara H., An J., Shirakata T., Mineno J., Kuzushima K., Shiku H., Melnhorst JJ., Gostick E., Price DA., Ishii E., Yasukawa M.	Aurora kinase A-specific T-cell receptor gene transfer redirects T lymphocytes to display effective antileukemia reactivity.	Blood	119	368-76	2012
Tsuda K., Yamanaka K., Linan W., Miyahara Y., Akeda T., Nakanishi T., Kitagawa H., Kakeda M., Kurokawa I., Shiku H., Gabazza E C., Mizutani H.	Intratumoral injection of Propionibacterium acnes suppresses malignant melanoma by enhancing Th1 immune responses.	PLoS One	6:e29020		2011

Toda M., Wang L., Ogura S., Torii M., Kurachi M., Kaki mi K., Nishikawa H., Matsushima K., Shiku H., Kuribayashi K., Kato T.	UV irradiation of immunized mice induces type 1 regulatory T cells that suppress tumor antigen specific cytotoxic T lymphocyte responses.	Int. J. Cancer	129	1126-36	2011
Ochi T., Fujiwara H., Okamoto S., An J., Nagai K., Shirakata T., Mineno J., Kuzushima K., Shiku H., Yasukawa M.	Novel adoptive T-cell immunotherapy using a WT1-specific TCR vector encoding silencers for endogenous TCRs shows marked antileukemia reactivity and safety.	Blood	118	1495-503	2011
Takahara A., Kido S., Ito M., Nagasaki E., Sagawa Y., Iwamoto T., Komita H., Ochi T., Fujiwara H., Yasukawa M., Mineno J., Shiku H., Nishida S., Sugiyama H., Tajiri H., Homma S.	Gemcitabine enhances Wilms' tumor gene WT1 expression and sensitizes human pancreatic cancer cells with WT1-specific T-cell-mediated antitumor immune response.	Cancer Immunol. Immunother.	60	1289-97	2011
平野 聡	難治性腫瘍の治療成績向上を目指した外科手術を基軸とする集学的治療戦略	知のフロンティア - 北海道大学の研究者は、いま -	第3号	62-63	2014
平野 聡	進行・再発癌に対する新規癌ワクチンCHP-MAGE-A4の臨床応用と特異的免疫反応の解析	分子細胞治療フロンティア2015	1(1)	157-162	2014
Yoshihiro Murakami	Association of NY-ESO-1 expression with T cell infiltration in the tumor microenvironment of esophageal squamous cell carcinoma and survival	北海道医誌	88(2-3)	71-79	2013
平野 聡	膵・胆道癌治療の新たな展開 - 非手術療法後のAdjuvant Surgery -	北海道医誌	88(2-3)	55-57	2013

平野 聡	消化器外科手術アトラス 肝門部胆管癌に対する門脈分岐部切除を伴う肝右葉・尾状葉・胆管切除術	消化器外科	36(4)	395-404	2013
平野 聡	膵臓 6 腹腔動脈合併尾側膵切除 (DP-CAR)	手術 臨時増刊号 最新肝胆膵脾手術アトラス	67(6)	899-905	2013
<u>Shimada H</u>	Is "liquid biopsy" useful for assessing HER2 status in gastric cancer?	J Gastroenterol	50 (1)	119-120	2015
<u>Shimada H</u> , Nagata M, Cho A, Takiguchi N, Kainuma O, Soda H, Ikeda A, Nabeya Y, Yajima S, Yamamoto H, Sugiyama T, Itami M	Long-term monitoring of serum p53 antibody after neoadjuvant chemotherapy and surgery for esophageal adenocarcinoma: report of a case.	Surg Today	44 (10)	1957-1961	2014
<u>Shimada H</u> , Noie T, Ohashi M, Oba K, Takahashi Y.	Clinical significance of serum tumor markers for gastric cancer: a systematic review of literature by the Task Force of the Japanese Gastric Cancer Association.	Gastric Cancer	17 (1)	26-33	2014
Tokita K, Seimiya M, Matsushita K, Tomonaga T, Onodera K, Ohki S, Tanizawa T, Uesato M, <u>Shimada H</u> , Matsubara H, Nakatani Y, Nomura H.	Clathrin heavy chain is a useful immunohistochemical marker for esophageal squamous intraepithelial neoplasia.	Esophagus	10 (4)	193-198	2013
Mohri Y, Miki C, Kobayashi M, Okita Y, Inoue M, Uchida K, Tanaka K, Inoue Y, Kusunoki M.	Correlation between preoperative systemic inflammation and postoperative infection in patients with gastrointestinal cancer: a multicenter study.	Surg Today	44(5)	859-867	2014

Tanaka K, Toiyama Y, Okugawa Y, Okigami M, Inoue Y, Uchida K, Araki T, Mohri Y, Mizoguchi A, Kusunoki M.	In vivo optical imaging of cancer metastasis using multiphoton microscopy: a short review.	Am J Transl Res	6(3)	179-183	2014
Okita Y, Mohri Y, Kobayashi M, Araki T, Tanaka K, Inoue Y, Uchida K, Yamakado K, Takeda K, Kusunoki M.	Factors influencing the outcome of image-guided percutaneous drainage of intra-abdominal abscess after gastrointestinal surgery.	Surg Today	43(10)	1095-1102	2013
Tanaka K, Toiyama Y, Inoue Y, Uchida K, Araki T, Mohri Y, Mizoguchi A, Kusunoki M.	Intravital imaging of gastrointestinal diseases in preclinical models using two-photon laser scanning microscopy.	Surg Today	43(2)	123-129	2013
Tanaka K, Okigami M, Toiyama Y, Morimoto Y, Matsushita K, Kawamura M, Hashimoto K, Saigusa S, Okugawa Y, Inoue Y, Uchida K, Araki T, Mohri Y, Mizoguchi A, Kusunoki M.	In vivo real-time imaging of chemotherapy response on the liver metastatic tumor microenvironment using multiphoton microscopy.	Oncol Rep	28(5)	1822-1830	2012
Saigusa S, Mohri Y, Ohi M, Toiyama Y, Ishino Y, Okugawa Y, Tanaka K, Inoue Y, Kusunoki M.	Podoplanin and SOX2 expression in esophageal squamous cell carcinoma after neoadjuvant chemo-radiotherapy.	Oncol Rep	26(5)	1069-1074	2011
Okugawa Y, Mohri Y, Toiyama Y, Yoko T, Ohi M, Tanaka K, Uchida K, Shiraishi T, Kusunoki M.	Multiple solitary leiomyomas in the esophagus: report of a case.	Surg Today	41(4)	563-567	2011

Ohue Y, Wada H, et al.	Antibody response to cancer/testis (CT) antigens: A prognostic marker in cancer patients	OncolImmunology	3	11	2014
Wada H, et al.	Vaccination with NY-ESO-1 overlapping peptides mixed with Picibanil OK-432 and montanide ISA-51 in patients with cancers expressing the NY-ESO-1 antigen.	J Immunother.	37	84	2014
Mizote Y, Wada H, et al.	Production of NY-ESO-1 peptide/ DRB1*08:03 tetramers and ex vivo detection of CD4 T-cell responses in vaccinated cancer patients.	Vaccine	32	957	2014
Fujiwara S., Doki Y. et al.	NY-ESO-1 antibody as a novel tumour marker of gastric cancer.	Br J Cancer	108(5)	1119-25	2013
Tsujinaka T. Doki Y, et al.	Subcuticular sutures versus staples for skin closure after open gastrointestinal surgery: a phase 3, multicentre, open-label, randomised controlled trial	Lancet	382(9898)	1105-12	2013
Ogino T. Doki Y, et al.	Increased Th17-Inducing Activity of CD14(+) CD163(low) Myeloid Cells in Intestinal Lamina Propria of Patients With Crohn's Disease.	Gastroenterology	145(6)	1380-91380	2013
和田尚, 土岐祐一郎	"特集 治療効果の判定基準と臨床試験のendpoint RECISTとirResponse Criteria 4) Mogamulizumabの効果判定"	腫瘍内科	12(4)	394-400	2013

Kawata J., Doki Y., et.al..	Heteroclitic serological response in esophageal and prostate cancer patients after NY-ESO-1 protein vaccination.	Int J Cancer	130	584-92	2012
Fujiwara S., Doki Y., et.al..	Clinical trial of the intratumoral administration of labeled DC combined with systemic chemotherapy for esophageal cancer.	J Immunother	35	513-521	2012
Sugimura K., Doki Y., et.al..	"Let-7 expression is significant determinant of response to chemotherapy through the regulation of IL-6/STAT3 pathway in esophageal squamous cell carcinoma."	Clin Cancer Res	18	5144-5153	2012
Hamano R., Doki Y. et.al..	High expression of Lin28 is associated with tumour aggressiveness and poor prognosis of patients in oesophagus cancer.	Br J Cancer	106	1415-1423	2012
Hiura Y., Doki Y., et.al..	Effects of ghrelin administration during chemotherapy with advanced esophageal cancer patients: a prospective, randomized, placebo-controlled phase 2 study.	Cancer	118(19) :	4785-4794	2012
Yasuda T., Doki Y., et.al..	Ten cases of gastro-tracheobronchial fistula: A serious complication after esophagectomy and reconstruction using posterior mediastinal gastric tube.	Dis Esophagus.	25(8) :	687-693	2012

Wada H., Doki Y., et.al..	A phase I study of vaccination with NY-ESO-1 peptide mixed with Picibanil OK-432 and Montanide ISA-51 in patients with cancers expressing the NY-ESO-1 antigen.	Int J Cancer	129	2836-2846	2011
Yamasaki M., Doki Y. et.al..	Minimally invasive esophagectomy for esophageal cancer: comparative analysis of open and hand-assisted laparoscopic abdominal lymphadenectomy with gastric conduit reconstruction.	J Surg Oncol	104	623-628	2011
Miyata H., Doki Y. et.al..	Survival factors in patients with recurrence after curative resection of esophageal squamous cell carcinomas.	Ann Surg Oncol	18	3353-3361	2011
Yamasaki M., Doki Y. et.al	Role of multidrug resistance protein 2 (MRP2) in chemoresistance and clinical outcome in esophageal squamous cell carcinoma.	Br J Cancer	104	707-713	2011
Takiguchi N, Takahashi M, Ikeda M, Iinagawa S, Ueda S, Nobuoka T, Ota M, Iwasaki Y, Uchida N, Kodera Y, Nakada K.	Long-term quality-of-life comparison of total gastrectomy and proximal gastrectomy by Postgastrectomy Syndrome Assessment Scale (PGSAS-45): a nationwide multi-institutional study.	Gastric Cancer			2014[Epub ahead of print]
Gunji S, Ueda S, Yoshida M, Kanai M, Terajima H, Takabayashi A	Effects of rikkunshi-to, a kampo medicine, on quality of life after proximal gastrectomy	J Surg Res	185(2)	575-580	2013

Oishi M, Ueda S, Honjo S, Koshiyama H, Yuba Y, Takabayashi A	Adrenal Cavernous Hemangioma with Subclinical Cushing's Syndrome: Report of a Case	Surgery Today	42(10)	973-977	2012
Satoh S, Okabe H, Teramukai S, Hasegawa S, Ozaki N, Ueda S, Tsuji A, Sakabayashi S, Fukushima M, Sakai Y	Phase II trial of combined treatment consisting of preoperative S-1 plus cisplatin followed by gastrectomy and postoperative S-1 for stage IV gastric cancer	Gastric Cancer	15(1)	61-69	2012
Matsuyama M, Ishii H, Furuse J, Ohkawa S, Maguchi H, Mizuno N, Yamaguchi T, Ioka T, Ajiki T, Ikeda M, Hakamada K, Yamamoto M, Yamaue H, Eguchi K, Ichikawa W, Miyazaki M., Ohashi Y, Sasaki Y	Phase II trial of combination therapy of gemcitabine plus anti-angiogenic vaccination of elpamotide in patients with advanced or recurrent biliary tract cancer	Invest New Drugs			
Yamaguchi Y, Yamaue H, Okusaka T, Okuno K, Suzuki H, Fujioaka T, Otsu A, Ohashi Y, Shimazawa R, Nishio K, Furuse J, Minami H, Tsunoda T, Hayashi Y, Nakamura Y,	Committee of Guidance for Peptide Vaccines for the Treatment of Cancer, The Japanese Society for Biological Therapy	Cancer Science	105(7)	942-31	2014
Yoshimura S, Tsunoda T, Osawa R, Harada M, Watanabe T, Hikichi T, Katsuda M, Miyazawa M, Tani M, Iwahashi M, Takeda K, Katagiri T, Nakamura Y, Yamaue H	Identification of an HLA-A2-Restricted Epitope Peptide Derived from Hypoxia-Inducible Protein 2 (HIG2)	PLoS One	9(1)	e85267	2014

Iida T, Iwahashi M, Katsuda M, Ishida K, Nakamori M, Nakamura M, Naka T, Ojima T, Ueda K, Hayata K, Yasuoka H, Yamaue H	Prognostic significance of IL-17 mRNA expression in peritoneal lavage in gastric cancer patients who underwent curative resection	Oncol Rep	31	605-12	2014
Iwahashi M, Nakamori M, Nakamura M, Ojima T, Katsuda M, Iida T, Hayata K, Yamaue H	Clinical benefits of thoracoscopic esophagectomy in the prone position for esophageal cancer	Surg Today	44(9)	1708-15	2014
Iwamoto H, Ojima T, Hayata K, Katsuda M, Miyazawa M, Iida T, Nakamura M, Nakamori M, Iwahashi M, Yamaue H	Antitumor immune response of dendritic cells (DCs) expressing tumor-associated antigens derived from induced pluripotent stem cells: In comparison to bone marrow-derived DCs	Int J Cancer	134(2)	332-41	2014
Nakamura M, Iwahashi M, Nakamori M, Ojima T, Katsuda M, Iida T, Hayata K, Kato T, Yamaue H	A new prognostic score for the survival of patients with esophageal squamous cell carcinoma	Surg Today	44	875-83	2014
Ojima T, Iwahashi M, Nakamori M, Nakamura M, Katsuda M, Iida T, Hayata K, Yamaue H	Atrial fibrillation after esophageal cancer surgery: an analysis of 207 consecutive patients	Surg Today	44	839-47	2014
谷眞至, 山上裕機	ペプチドワクチンを用いた膵癌治療 見直される膵癌診療の新展開治療における新展開—切除不能例への治療戦略	臨床外科	69(1)	64-9	2014

Ito S, Nagata Y, Susumu S, Yoneda A, Matsuo M, Yui K, Udon H, Eguchi S, Kanematsu T.	Phenotypic analysis of monocyte-derived dendritic cells loaded with tumor antigen with heat-shock cognate protein-70.	Anticancer Res.	Nov 32(11)	4897-4904	2012
Yoneda A, Ito S, Susumu S, Matsuo M, Taniguchi K, Tajima Y, Eguchi S, Kanematsu T, Nagata Y.	Immunological milieu in the peritoneal cavity at laparotomy for gastric cancer.	World J Gastroenterol.	Apr 7;18(13)	1470-1478	2012
Yoneda A, Taniguchi K, Torashima Y, Susumu S, Kanetaka K, Kuroki T, Eguchi S.	The detection of gastric cancer cells in intraoperative peritoneal lavage using the reverse transcription--loop-mediated isothermal amplification method.	J Surg Res.	187(1)	e1-6.	2014 Mar
五島 直樹	Enhanced expression of retinoic acid receptor alpha (RARA) induces epithelial-to-mesenchymal transition and disruption of mammary acinar structures.	Mol Oncol.	9	355-364	2015
五島 直樹	MiR-133 Promotes Cardiac Reprogramming by Directly Repressing Snai1 and Silencing Fibroblast Signatures.	EMBO J.	33(14)	1565-1581	2014
五島 直樹	Ubiquitin-proteasome system controls ciliogenesis at the initial step of axoneme extension.	Nature communications	5 Article number:5081	doi:10.1038/ncomms6081	2014
五島 直樹	The homeobox gene DLX4 promotes generation of human induced pluripotent stem cells.	Scientific Reports	Dec 4;4:7283.	doi: 10.1038/srep07283.	2014

五島 直樹	Detection of tumor-associated antigens in culture supernatants using autoantibodies in sera from patients with bladder cancer.	Biomedical Research (Tokyo)	35 (1)	25-35	2014
五島 直樹	Development of a protein array for autoantibody profiling of blood.	Synthesiology	7(3)	149-157	2014
五島 直樹	Non-canonical NOTCH signaling limits self-renewal of human epithelial and iPS cells through ROCK activation.	Mol Cell Biol.	33 (22)	4434 - 4447	2013
五島 直樹	An Efficient Non-viral Method to Generate Integration-Free Human iPS Cells from Cord Blood and Peripheral Blood Cells.	Stem Cells	31(3)	458-66	2013
五島 直樹	An active C-terminal truncated form of Ca ²⁺ /calmodulin-dependent protein kinase phosphatase-N (CaMKP-N/PPM1E).	BioMed Research International	Article ID 134813	doi:10.1155/2013/134813.	2013
五島 直樹	Integrated View of the Human Chromosome X-centric Proteome Project.	J. Proteome Res.	12	58- 61	2013
五島 直樹	Specificity of botulinum protease for human VAMP family proteins.	Microbiol Immunol.	56(4)	245-53	2012
五島 直樹	Cancer-testis antigen BORIS is a novel prognostic marker for patients with esophageal cancer.	Cancer Sci.	103(9)	1617-24	2012

五島 直樹	Alternative 3' -end processing of long noncoding RNA initiates construction of nuclear paraspeckles.	EMBO J.	31	4020 - 4034	2012
五島 直樹	Expression screening of 17q12-21 amplicon reveals GRB7 as an ERBB2-dependent oncogene.	FEBS Letters	586(12)	1708-14	2012
五島 直樹	CAXII Is a Sero-Diagnostic Marker for Lung Cancer	PLoS ONE	7 (3)	e33952	2012
五島 直樹	LRPPRC/SLIRP suppresses PNPase-mediated mRNA decay and promotes polyadenylation in human mitochondria.	Nucleic Acids Res.	40(16)	8033-47	2012
五島 直樹	HGPD: Human Gene and Protein Database, 2012 update.	Nucleic Acids Research	40(D1)	D924- D929	2012
五島 直樹	Cathepsin L is highly expressed in gastrointestinal stromal tumors.	Int J Oncol.	39(5)	1109-15	2011
五島 直樹	Nuclear Chk1 prevents premature mitotic entry.	J. Cell Sci.	124	2113-2119	2011
五島 直樹	Statistical analysis of features associated with protein expression/solubility in an in vivo Escherichia coli expression system and a wheat germ cell-free expression system.	Journal of Biochemistry	150, (1)	73-81	2011
五島 直樹	Efficient protein transduction method using cationic peptides and lipids.	J BIOMED BIOTECHNOL	Article ID 872065	doi:10.1155/2011/872065	2011

五島 直樹	Promotion of Direct Reprogramming by Maternal Transcription Factor Glis1.	Nature	474	225-229	2011
五島 直樹	Development and evaluation of data-driven designed tags (DDTs) for controlling protein solubility.	New Biotechnology	28 (3)	225-231	2011