

III. 研究成果の刊行に関する一覧表

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版年	ページ
坂田泰彦、下川宏明	心不全患者の治療と予後に違いはあるか？	瀧原圭子	Heart View. Vol. 19. 特集：女性の循環器疾患を考える：	メジカルビュー社	2015	178-184
坂田泰彦、下川宏明	心不全の実態と未来予想図	猪又孝元	臨床雑誌内科： 2025年を見据えた心不全診療ロードマップ(Vol. 113)	南江堂	2014	419-424
横山 美帆、代田 浩之	ACS後のOMTとして外来心臓リハビリテーションをどう生かすか？	後藤葉一	Heart View	メジカルビュー社	2014	508-512

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Sakata Y, Miyata S, Nochioka K, Miura M, Takada T, Tadaki S, Takahashi J, Shimokawa H, on behalf of the CHART-2 Investigators.	Gender differences in clinical characteristics, treatment and long-term outcome in patients with stage C/D heart failure in Japan. Report from the CHART-2 study	Circ J	78	428-435	2014
Miura M, Sakata Y, Miyata S, Nochioka K, Takada T, Tadaki S, Ushigome R,	Prevalence, predictors and prognosis of patients with heart failure requiring nursing care.	Circ J	78	2276 2283	- 2014

Yamauchi T, Kenjiro S, Onose T, Tsugi K, Abe R, Takahashi J, Shimokawa H					
Miura M, Sakata Y, Miyata S, Nochioka K, Takada T, Tadaki S, Ushigome R, Yamauchi T, Takahashi J, Shimokawa H	Prognostic impact of subclinical microalbuminuria in patients with chronic heart failure.	Circ J	78	2890-2898	2014
Satake H, Fukuda K, Sakata Y, Miyata S, Nakano M, Kondo M, Hasebe Y, Segawa M, Shimokawa H	Current status of primary prevention of sudden cardiac death with implantable cardioverter defibrillator in patients with chronic heart failure – a report from the CHART-2 Study.	Circ J	79	381-390	2015
Nochioka K, Sakata Y, Miyata S, Miura M, Takada T, Tadaki S, Ushigome R, Yamauchi T, Takahashi J, Shimokawa H	Prognostic impact of statin use in patients with heart failure and preserved ejection fraction	Circ J	79	574-582	2015

Onose T, Nochioka K, Sakata Y, Miura M, Tadaki S, Ushigome R, Yamauchi T, Sato K, Tsuji K, Abe R, Miyata S, Takahashi J, Shimokawa H	Predictors and prognostic impact of post-traumatic stress disorder after the great East Japan earthquake in patients with cardiovascular disease	Circ J	79	664-667	2015
Ushigome R, Sakata Y, Nochioka K, Miyata S, Miura M, Tadaki S, Yamauchi T, Sato K, Onose T, Tsuji K, Abe R, Takahashi J, Shimokawa H	Improved Long-Term Prognosis of Dilated Cardiomyopathy With Implementation of Evidenced-Based Medication - Report From the CHART Studies	Circ J.		in press	2015
Sato K, Sakata Y, Miura M, Tadaki S, Ushigome R, Yamauchi T, Onose T, Tsuji K, Abe R, Nochioka K, Takahashi J, Miyata S, Shimokawa H	Comprehensive Risk Stratification of Japanese Patients With Aortic Stenosis - A Proposal of a New Risk Score from the CHART-2 Study.	Circ J		in press	2015

Miura M, Sakata Y, Miyata S, Nochioka K, Takada T, Tadaki S, Ushigome R, Yamauchi T, Kenjiro S, Onose T, Tsugi K, Abe R, Takahashi J, Shimokawa H	Different Prognostic Impacts of Diabetes Mellitus in Chronic Heart Failure between Patients with and Those without Ischemic Heart Disease -With a Special Reference to Nephropathy	Circ J	in press	2015
Sai E, Shimada K, Miyauchi K, Masaki Y, Kojima T, Miyazaki T, Kurata T, Ogita M, Tsuboi S, Yoshihara T, Miyazaki T, Ohsaka A, Daida H	Increased cystatin-C levels as a risk factor of cardiovascular events in patients with preserved estimated glomerular filtration rate after elective percutaneous coronary intervention with drug-eluting stents.	Heart Vessels	in press	2015
Konishi H, Miyauchi K, Kasai T, Tsuboi S, Ogita M, Naito R, Nishizaki Y, Okai I, Tamura H, Okazaki S, Isoda K, Daida H.	Long-term effect of β -blocker in ST-segment elevation myocardial infarction in patients with preserved left ventricular systolic function: a propensity analysis	Heart Vessels	in press	2015

Ogita M, Miyauchi K, Kasai T, Doi S, Wada H, Naito R, Konishi H, Tsuboi S, Dohi T, Tamura H, Okazaki S, Daida H	Impact of preprocedural high-sensitive C-reactive protein levels on long-term clinical outcomes of patients with stable coronary artery disease and chronic kidney disease who were treated with drug-eluting stents.	J Cardiol		in press	2015
Sai E, Shimada K, Yokoyama T, Sato S, Nishizaki Y, Miyazaki T, Hiki M, Tamura Y, Aoki S, Watada H, Kawamori R, Daida H.	Evaluation of myocardial triglyceride accumulation assessed by ¹ H-magnetic resonance spectroscopy in apparently healthy Japanese subjects	Internal Med	54	367-373	2015
Konishi H, Miyauchi K, Kasai T, Tsuboi S, Ogita M, Naito R, Sai E, Fukushima Y, Katoh Y, Okai I, Tamura H, Okazaki S, Daida H.	Impact of lipoprotein(a) as residual risk on long-term outcomes in patients after percutaneous coronary intervention.	Am J Cardiol	115	157-160	2015
Ogita M, Miyauchi K, Jiang M, Kasai T,	Circulating soluble LR11, a novel marker of smooth muscle cell proliferation, is enhanced after coronary stenting in response to	Atherosclerosis	237	374-378	2014

Tsuboi S, Naito R, Konishi H, Dohi T, Yokoyama T, Okazaki S, Shimada K, Bujo H, Daida H	vascular injury.				
Dai Y, Konishi H, Takagi A, Miyauchi K, Daida H.	Red cell distribution width predicts short- and long-term outcomes of acute congestive heart failure more effectively than hemoglobin.	Exp Ther Med	8	600-606	2014
Someya Y, Kawai S, Kohmura Y, Aoki K, Daida H.	Cardiorespiratory fitness and the incidence of type 2 diabetes: a cohort study of Japanese male athletes.	BMC Public Health.	14	493	2014
Saito M, Ueshima K, Saito M, Iwasaka T, Daida H, Kohzuki M, Makita S, Adachi H, Yokoi H, Omiya K, Mikouchi H, Yokoyama H, Goto Y	Japanese Cardiac Rehabilitation Survey Investigators. Safety of exercise-based cardiac rehabilitation and exercise testing for cardiac patients in Japan: a nationwide survey	Circ J	78	1646-1653	2014
Maruyama M, Daimon M, Kawata T, Kasai T, Ichikawa R, Miyazaki S	Early hemodynamic performance of the trifecta bioprosthetic valve in patients with aortic valve disease	Circ J	78	1372-1378	2014

Ohmura H, Yamamoto T, Amano A, Daida H					
Masuda H, Miyazaki T, Shimada K, Tamura N, Matsudaira R, Yoshihara T, Ohsaka H, Sai E, Matsumori R, Fukao K, Hiki M, Kume A, Kiyanagi T, Takasaki Y, Daida H.	Disease duration and severity impacts on long-term cardiovascular events in Japanese patients with rheumatoid arthritis	J Cardiol	64	366-370	2014
Konishi H, Miyauchi K, Kasai T, Tsuboi S, Ogita M, Naito R, Katoh Y, Okai I, Tamura H, Okazaki S, Daida H	Long-term prognosis and clinical characteristics of young adults (≤ 40 years old) who underwent percutaneous coronary intervention	J Cardiol	64	171-174	2014
Miyazaki T, Hiki M, Shimada K, Kume A, Kiyanagi T, Sumiyoshi K, Daida H	High Molecular Weight Adiponectin Level is Associated with Atherogenic Lipoprotein Profiles in Healthy Japanese Males	J Atheroscler Thromb	21	672-679	2014

Miyazaki T, Shimada K, Hki M, Kume A, Kitamura Y, Oshida K, Yanagisawa N, Kiyanagi T, Matsumori R, Daida H	High hexacosanoic acid levels are associated with coronary artery disease	Atherosclerosis.	223	429-433	2014
Daida H, Teramoto T, Kitagawa Y, Matsushita Y, Sugihara M	The relationship between low-density lipoprotein cholesterol levels and the incidence of cardiovascular disease in high-risk patients treated with pravastatin: main results of the APPROACH-J study.	Int Heart J	55	39-47	2014
Naito R, Miyauchi K, Ogita M, Kasai T, Kawaguchi Y, Tsuboi S, Konishi H, Okazaki S, Kurata T, Daida H	Impact of admission glycemia and glycosylated hemoglobin A1c on long-term clinical outcomes of non-diabetic patients with acute coronary syndrome	J Cardiol	63	106-111	2014
Hosokawa K, Ando S, Tohyama T, Kiyokawa T, Tanaka Y, Otsubo H, Nakamura R, Kadokami T, Fukuyama T	Estimation of nocturnal cardiac output by automated analysis of circulation time derived from polysomnography	Int J Cardiol	181	14-16	2015