

III. 研究成果の刊行に関する一覧表

書籍

著者氏名	論文タイトル名	書籍全体の 編集者名	書籍名	出版社名	出版年	ページ
後岡広太郎、 三浦正暢、 柴 信行、 高田剛史、 宮田 敏、 高橋 潤、 福本義弘、 坂田泰彦、 下川宏明	CHART-2研究 日本人の心血管病診療エビデンス構築のための10219例の前向き登録観察研究	日本内科学会	日本内科学会誌	日本内科学会	2012	1715-1719
青木竜男、 福本義弘、 下川宏明	震災はどのようなストレスをもたらすか	下川宏明	Heart View	メディカルビュー社	2012	8-13
柴 信行、 下川宏明	脳・心・腎連関を断つ降圧薬療法：心不全	伊藤貞嘉	MEDICINAL	医学出版	2012	44-53
後岡広太郎、 柴 信行、 下川宏明	心不全：疾患の理解 編		Clinical Study	メディカルフレンド社	2012	33-40
代田浩之	動脈硬化性疾患予防ガイドライン改訂 新しい動脈硬化性疾患予防ガイドラインを踏まえた脂質低下療法の実際	石川友章、 野津原崇	東京都医師会雑誌	東京都医師会	2012	728-736
正木克由規、 島田和典、 代田浩之	虚血性心疾患の栄養管理 心臓リハビリテーションとは	伊東春樹	臨床栄養 虚血性心疾患の栄養管理	医歯薬出版	2012	38-43
柴 信行、 下川宏明	心不全の実態(疫学)を知る	服部隆一(編)	心不全をマスターする - 病態を理解して治療できる医師になろう -	文光堂	2013	12-24
坂田泰彦、 後岡広太郎、 下川宏明	慢性心不全登録研究(CHART-2研究)から学ぶ	朝倉正紀(編)	医学のあゆみ	医歯薬出版	2013	1271-1276
高田剛史、 坂田泰彦、 下川宏明	貧血と心不全—CHART研究—	渡邊哲ほか	循環器内科	科学評論社	2013	467-472

青木竜男、下川宏明	東日本大震災と心不全	小室一成、佐地 勉、佐田隆造、赤阪隆史（編）	Annual Review 循環器	中外医学社	2013	88-93
大村寛敏、代田浩之	動脈硬化性疾患予防ガイドライン2012 二次予防の層別化	柏木厚典	The Lipid	メディカルレビュー	2013	60-66
代田浩之	動脈硬化性疾患予防ガイドライン	山口 徹	心臓	日本医学出版	2013	1591-1592
横山 美帆、代田 浩之	和温療法	石川友章	東京都医師会雑誌	東京都医師会	2013	709-711
坂田泰彦、下川宏明	臨床医学の展望 2014. 循環器病学	なし	日本医事新報.	医歯薬出版	2014	28-34
坂田泰彦、下川宏明	わが国における心不全の疫学。-どのような患者がどのくらい外来を訪れるか	絹川弘一郎	Medical Practice	文光堂	2014	377-382
後岡広太郎、下川 宏明	心不全を有する患者に対して、ACEI/ARBおよび 遮断薬の導入の仕方を具体的に教えてください	北風政史	高血圧診療	中外医学社	2014	225-227
横山 美帆、代田 浩之	ACS後のOMTとして外来心臓リハビリテーションをどう生かすか?	後藤葉一	Heart View	メディカルビュー社	2014	508-512
内藤 亮、代田 浩之	糖尿病患者の冠動脈疾患に対する血行再建の考え方は?	平田健一	Heart View	メディカルビュー	2014	401-405

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
-------	---------	------	----	-----	-----

Miura M, Shiba N, Nochioka K, Takada T, Takahashi J, Kohno H, Shimokawa H, on behalf of the CHART-2 Investigators.	Urinary albumin excretion in heart failure with preserved ejection fraction - An interim analysis of the CHART-2 Study-	Eur J Heart Fail.	14	367-376	2012
Hao K, Yasuda S, Takii T, Ito Y, Takahashi J, Ito K, Nakayama M, Shiba N, Fukumoto Y, Shimokawa H; MIYAGI-AMI Study Investigators.	Urbanization, life style changes and the incidence/in-hospital mortality of acute myocardial infarction in Japan: report from the MIYAGI-AMI Registry Study.	Circ J	76	1136- 1144	2012
Yoshida M, Kadokami T, Momii H, Hayashi A, Urashi T, Narita S, Kawamura N, Ando S.	Enhancement of Cardiac Performance by Bilevel Positive Airway Pressure Ventilation in Heart Failure.	J Cardiac Fail	18	912-918	2012
Nochioka K, Sakata Y, Takahashi J, Miyata S, Miura M, Takada T, Fukumoto Y, Shiba N, Shimokawa H, on behalf of the CHART-2 Investigators.	Prognostic Impact of Nutritional Status in Asymptomatic Patients with Cardiac Diseases -A Report from the CHART-2 Study-	Circ J	77	2318- 2326	2013

Miura M, Sakata Y, Nochioka K, Takahashi J, Takada T, Miyata S, Hiramoto T, Inoue K, Tamaki K, Shiba N, Shimokawa H.	Prognostic impact of blood urea nitrogen changes during hospitalization in patients with acute heart failure syndrome.	Circ J	77	1221-1228	2013
Nishitani M, Shimada K, Sunayama S, Masaki Y, Kume A, Fukao K, Sai E, Yamashita H, Ohmura H, Onishi T, Shioya M, Sato H, Shimada A, Yamamoto T, Amano A, Daida H.	Effect of cardiac rehabilitation on muscle mass, muscle strength, and exercise tolerance in diabetic patients after coronary artery bypass grafting.	J Cardiol.	61	216-221	2013
Kasai T, Miyauchi K, Yanagisawa N, Kajimoto K, Kubota N, Ogita M, Tsuboi S, Amano A, Daida H.	Mortality risk of triglyceride levels in patients with coronary artery disease.	Heart.	99	22-29	2013
Miura M, Sakata Y, Miyata S, Nochioka K, Takahashi J, Takada T, Tadaki S, Shimokawa H.	Usefulness of Combined Risk Stratification with Heart Rate and Systolic Blood Pressure in the Management of Chronic Heart Failure -A Report from the CHART-2 Study-	Circ J	77	2954-2962	2013

Miura Y, Fukumoto Y, Miura T, Shimada K, Asakura M, Kaokami T, Ando S, Miyata, S, Sakata Y, Daida H, Matsuzaki M, Yasuda S, Kitakaze M, Shimokawa H.	Impact of Physical Activity on Cardiovascular Events in Patients with Chronic Heart Failure -A Multi-center Prospective Cohort Study-.	Circ J	77	2963-2972	2013
Sai E, Shimada K, Yokoyama T, Sato S, Miyazaki T, Hiki M, Tamura Y, Aoki S, Watada H, Kawamori R, Daida H.	Association between Myocardial Triglyceride Content and Cardiac Function in Healthy Subjects and Endurance Athletes.	PLoS One.	8	e61604	2013
Tomita H, Kadokami T, Momii H, Kawamura N, Yoshida M, Inou T, Fukuizumi Y, Usui M, Funakoshi K, Yamada S, Aomori T, Yamamoto K, Uno T, Ando S; ATTACK-WF research group.	Patient factors against stable control of warfarin therapy for Japanese non-valvular atrial fibrillation patients.	Thromb Res	132	537-542	2013

Hao K, Takahashi J, Ito K, Miyata S, Sakata Y, Nihei T, Tsuburaya R, Shiroto T, Ito Y, Matsumoto Y, Nakayama M, Yasuda S, Shimokawa H; Miyagi AMI Registry Study Investigators.	Emergency care of acute myocardial infarction and the great East Japan earthquake disaster.	Eur J Heart Fail.	78	634-643	2014
Takada T, Sakata Y, Miyata S, Takahashi J, Nochioka K, Miura M, Tadaki S, Shimokawa H; CHART-2 Inve stigators.	Impact of elevated heart rate on clinical outcomes in patients with heart failure with reduced and preserved ejection fraction -a report from the CHART-2 Study-	Eur J Heart Fail.	16	309-316	2014
Ohmura T, Iwama Y, Kasai T, Kato T, Suda S, Takagi A, Daida H.	Impact of predischarge nocturnal pulse oximetry (sleep-disordered breathing) on postdischarge clinical outcomes in hospitalized patients with left ventricular systolic dysfunction after acute decompensated heart failure.	Am J Cardiol.	113	697-700	2014
Sakata Y, Miyata S, Nochioka K, Miura M, Takada T, Tadaki S, Takahashi J, Shimokawa H, on behalf of the CHART-2 Investigators.	Gender differences in clinical characteristics, treatment and long-term outcome in patients with stage C/D heart failure in Japan. Report from the CHART-2 study	Circ J	78	428-435	2014

Miura M, Sakata Y, Miyata S, Nochioka K, Takada T, Tadaki S, Ushigome R, Yamauchi T, Kenjiro S, Onose T, Tsugi K, Abe R, Takahashi J, Shimokawa H	Prevalence, predictors and prognosis of patients with heart failure requiring nursing care.	Circ J	78	2276- 2283	2014
Miura M, Sakata Y, Miyata S, Nochioka K, Takada T, Tadaki S, Ushigome R, Yamauchi T, Takahashi J, Shimokawa H	Prognostic impact of subclinical microalbuminuria in patients with chronic heart failure.	Circ J	78	2890- 2898	2014
Ogita M, Miyauchi K, Jiang M, Kasai T, Tsuboi S, Naito R, Konishi H, Dohi T, Yokoyama T, Okazaki S, Shimada K, Bujo H, Daida H	Circulating soluble LR11, a novel marker of smooth muscle cell proliferation, is enhanced after coronary stenting in response to vascular injury.	Atherosclerosis	237	374-378	2014
Dai Y, Konishi H, Takagi A, Miyauchi K, Daida H.	Red cell distribution width predicts short- and long-term outcomes of acute congestive heart failure more effectively than hemoglobin.	Exp Ther Med	8	600-606	2014

Someya Y, Kawai S, Kohmura Y, Aoki K, Daida H.	Cardiorespiratory fitness and the incidence of type 2 diabetes: a cohort study of Japanese male athletes.	BMC Public Health.	14	493	2014
Saito M, Ueshima K, Saito M, Iwasaka T, Daida H. Kohzuki M, Makita S, Adachi H, Yokoi H, Omiya K, Mikouchi H, Yokoyama H, Goto Y	Japanese Cardiac Rehabilitation Survey Investigators. Safety of exercise-based cardiac rehabilitation and exercise testing for cardiac patients in Japan: a nationwide survey	Circ J	78	1646- 1653	2014
Maruyama M, Daimon M, Kawata T, Kasai T, Ichikawa R, Miyazaki S, Ohmura H, Yamamoto T, Amano A, Daida H	Early hemodynamic performance of the trifecta bioprosthetic valve in patients with aortic valve disease	Circ J	78	1372- 1378	2014
Masuda H, Miyazaki T, Shimada K, Tamura N, Matsudaira R, Yoshihara T, Ohsaka H, Sai E, Matsumori R, Fukao K, Hiki M, Kume A, Kiyanagi T, Takasaki Y, Daida H.	Disease duration and severity impacts on long-term cardiovascular events in Japanese patients with rheumatoid arthritis	J Cardiol	64	366-370	2014

Konishi H, Miyauchi K, Kasai T, Tsuboi S, Ogita M, Naito R, Katoh Y, Okai I, Tamura H, Okazaki S, Daida H	Long-term prognosis and clinical characteristics of young adults (≤ 40 years old) who underwent percutaneous coronary intervention	J Cardiol	64	171-174	2014
Miyazaki T, Hiki M, Shimada K, Kume A, Kiyanagi T, Sumiyoshi K, Daida H	High Molecular Weight Adiponectin Level is Associated with Atherogenic Lipoprotein Profiles in Healthy Japanese Males	J Atheroscler Thromb	21	672-679	2014
Miyazaki T, Shimada K, Hki M, Kume A, Kitamura Y, Oshida K, Yanagisawa N, Kiyanagi T, Matsumori R, Daida H	High hexacosanoic acid levels are associated with coronary artery disease	Atherosclerosis	223	429-433	2014
Daida H, Teramoto T, Kitagawa Y, Matsushita Y, Sugihara M	The relationship between low-density lipoprotein cholesterol levels and the incidence of cardiovascular disease in high-risk patients treated with pravastatin: main results of the APPROACH-J study.	Int Heart J	55	39-47	2014
Naito R, Miyauchi K, Ogita M, Kasai T, Kawaguchi Y, Tsuboi S, Konishi H, Okazaki S, Kurata T, Daida H	Impact of admission glycemia and glycosylated hemoglobin A1c on long-term clinical outcomes of non-diabetic patients with acute coronary syndrome	J Cardiol	63	106-111	2014

Satake H, Fukuda K, Sakata Y, Miyata S, Nakano M, Kondo M, Hasebe Y, Segawa M, Shimokawa H	Current status of primary prevention of sudden cardiac death with implantable cardioverter defibrillator in patients with chronic heart failure – a report from the CHART-2 Study.	Circ J	79	381-390	2015
Nochioka K, Sakata Y, Miyata S, Miura M, Takada T, Tadaki S, Ushigome R, Yamauchi T, Takahashi J, Shimokawa H	Prognostic impact of statin use in patients with heart failure and preserved ejection fraction	Circ J	79	574-582	2015
Onose T, Nochioka K, Sakata Y, Miura M, Tadaki S, Ushigome R, Yamauchi T, Sato K, Tsuji K, Abe R, Miyata S, Takahashi J, Shimokawa H	Predictors and prognostic impact of post-traumatic stress disorder after the great East Japan earthquake in patients with cardiovascular disease	Circ J	79	664-667	2015
Ushigome R, Sakata Y, Nochioka K, Miyata S, Miura M, Tadaki S, Yamauchi T, Sato K, Onose T, Tsuji K, Abe R, Takahashi J, Shimokawa H	Improved Long-Term Prognosis of Dilated Cardiomyopathy With Implementation of Evidence-Based Medication - Report From the CHART Studies	Circ J.		in press	2015

Sato K, Sakata Y, Miura M, Tadaki S, Ushigome R, Yamauchi T, Onose T, Tsugi K, Abe R, Nouchioka K, Takahashi J, Miyata S, Shimokawa H	Comprehensive Risk Stratification of Japanese Patients With Aortic Stenosis - A Proposal of a New Risk Score from the CHART-2 Study.	Circ J	in press	2015
Miura M, Sakata Y, Miyata S, Nouchioka K, Takada T, Tadaki S, Ushigome R, Yamauchi T, Kenjiro S, Onose T, Tsugi K, Abe R, Takahashi J, Shimokawa H	Different Prognostic Impacts of Diabetes Mellitus in Chronic Heart Failure between Patients with and Those without Ischemic Heart Disease -With a Special Reference to Nephropathy	Circ J	in press	2015
Sai E, Shimada K, Miyauchi K, Masaki Y, Kojima T, Miyazaki T, Kurata T, Ogita M, Tsuboi S, Yoshihara T, Miyazaki T, Ohsaka A, Daida H	Increased cystatin-C levels as a risk factor of cardiovascular events in patients with preserved estimated glomerular filtration rate after elective percutaneous coronary intervention with drug-eluting stents.	Heart Vessels	in press	2015

Konishi H, Miyauchi K, Kasai T, Tsuboi S, Ogita M, Naito R, Nishizaki Y, Okai I, Tamura H, Okazaki S, Isoda K, Daida H.	Long-term effect of β-blocker in ST-segment elevation myocardial infarction in patients with preserved left ventricular systolic function: a propensity analysis	Heart Vessels	in press	2015
Ogita M, Miyauchi K, Kasai T, Doi S, Wada H, Naito R, Konishi H, Tsuboi S, Dohi T, Tamura H, Okazaki S, Daida H	Impact of preprocedural high-sensitive C-reactive protein levels on long-term clinical outcomes of patients with stable coronary artery disease and chronic kidney disease who were treated with drug-eluting stents.	J Cardiol	in press	2015
Sai E, Shimada K, Yokoyama T, Sato S, Nishizaki Y, Miyazaki T, Hiki M, Tamura Y, Aoki S, Watada H, Kawamori R, Daida H.	Evaluation of myocardial triglyceride accumulation assessed by ¹ H-magnetic resonance spectroscopy in apparently healthy Japanese subjects	Internal Med	54	367-373 2015
Konishi H, Miyauchi K, Kasai T, Tsuboi S, Ogita M, Naito R, Sai E, Fukushima Y,	Impact of lipoprotein(a) as residual risk on long-term outcomes in patients after percutaneous coronary intervention.	Am J Cardiol	115	157-160 2015

Katoh Y, Okai I, Tamura H, Okazaki S, Daida H.					
Hosokawa K, Ando S, Tohyama T, Kiyokawa T, Tanaka Y, Otsubo H, Nakamura R, Kadokami T, Fukuyama T	Estimation of nocturnal cardiac output by automated analysis of circulation time derived from polysomnography	Int J Cardiol	181	14-16	2015