

【論文】

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Suzuki Y, Suzuki H, Yasutake J, Tomino Y.	Paradigm shift in activity assessment of IgA nephropathy-optimizing the next generation of diagnostic and therapeutic maneuvers via glycan-targeting.	Expert Opinion on Biological Therapy	20	1-11	2015
Stuchlova Horynova M, Vrablikova A, Stewart TJ, Takahashi K, Czernekova L, Yamada K, Suzuki H, Julian BA, Renfrow MB, Novak J, Raska M.	N-Acetylgalactosaminide 2,6-sialyltransferase II is a candidate enzyme for sialylation of galactose-deficient IgA1, the key autoantigen in IgA nephropathy.	Nephrol Dial Transplant.	30	234-238	2015
Sonoda Y, Gohda T, Suzuki Y, Omote K, Ishizaka M, Matsuoka J, Tomino Y.	Circulating TNF Receptors 1 and 2 Are Associated with the Severity of Renal Interstitial Fibrosis in IgA Nephropathy.	PLOS ONE	in press		2015
Satake K, Shimizu Y, Sasaki Y, Yanagawa H, Suzuki H, Suzuki Y, Horikoshi S, Honda S, Shibuya K, Shibuya A, Tomino Y	Serum under-O-glycosylated IgA1 level is not correlated with glomerular IgA deposition based upon heterogeneity in the composition of immune complexes in IgA nephropathy.	BMC Nephrol.	15	89	2014
Yanagawa H, Suzuki H, Suzuki Y, Kiryluk K, Gharavi AG, Matsuoka K, Makita Y, Julian BA, Novak J, Tomino Y.	A panel of serum biomarkers differentiates IgA nephropathy from other renal diseases.	PLoS One.	e98081.		2014
Suzuki Y, Matsuzaki K, Suzuki H, Okazaki K, Yanagawa H, Ieiri N, Sato M, Sato T, Taguma Y, Matsuoka J, Horikoshi S, Novak J, Hotta O, Tomino Y.	Serum levels of galactose-deficient immunoglobulin (Ig) A1 and related immune complex are associated with disease activity of IgA nephropathy.	Clin Exp Nephrol.	18	770-777	2014

Nakata J, Suzuki Y, Suzuki H, Sato D, Kano T, Kanoh T, Yanagawa H, Matsuzaki K, Horikoshi S, Novak J, Tomino Y.	Changes in nephritogenic serum galactose-deficient IgA1 in IgA nephropathy following tonsillectomy and steroid therapy.	PLoS One.	e89707.		2014
Maiguma M, Suzuki Y, Suzuki H, Okazaki K, Aizawa M, Muto M, and Tomino Y.	Dietary zinc is a key environmental modifier in the progression of IgA nephropathy.	PLoS One.	e90558.		2014
Kawamura T, Yoshimura M, Miyazaki Y, Okamoto H, Kimura K, Hirano K, Matsushima M, Utsunomiya Y, OguraM, Yokoo T, Okonogi H, Ishii T, Hamaguchi A, Ueda H, Furusu A, Horikoshi S, Suzuki Y, Shibata T, Yasuda T, Shirai S, Imasawa T, Kanozawa K, Wada A, Yamaji I, Miura N, Imai H, Kasai K, Soma J, Fujimoto S, Matsuo S, Tomino Y	The Special IgA Nephropathy Study Group. A multicenter randomized controlled trial of tonsillectomy combined with steroid pulse therapy in patients with IgA nephropathy.	Nephrol Dial Transplant	29	1546-1553	2014
Aizawa M, Suzuki Y, Suzuki H, Pang H, Kihara M, Nakata J, Yamaji k, Horikoshi S, Tomino Y	Uncoupling of glomerular IgA deposition and disease progression in alymphoplasia mice with IgA nephropathy.	PLOS ONE.	e95365.		2014
Suzuki Y, Suzuki H, Makita Y, Takahata A, Takahashi K, Muto M, Sasaki Y, Kelimu A, Matsuzaki K, Yanagawa H, Okazaki K, Tomino Y.	Diagnosis and activity assessment of IgA nephropathy: current perspectives on non-invasive testing with aberrantly glycosylated IgA-related biomarkers.	Int J Nephrol Renovasc Dis.	7	409-414	2014
Honjo K, Kubagawa Y, Suzuki Y, Takagi M, Ohno H, Bucy RP, Izui S, Kubagawa H.	Enhanced auto-antibody production and Mott cell formation in Fc μ R-deficient autoimmune mice.	Int Immunol.	26	659-672	2014

Yamaji K, Suzuki Y, Suzuki H, Satake K, Horikoshi S, Novak J, Tomino Y.	The kinetics of glomerular deposition of nephritogenic IgA.	PLoS One.	e113005		2014
Makita Y, Tanaka Y, Shimizu Y, Takeda Y, Kanamaru Y, Ohsawa I, Suzuki Y, Kurusu A, Horikoshi S, Tomino Y.	A case of Fabry disease, in which renal symptoms served as a diagnostic prompt.	Juntendo Medical Journal 2014		353-357.	2014
Miyazaki Y, Kawamura T, Joh K, Suzuki Y, Kimura K, Matsuo S, Tomino Y et al.	Overestimation of the risk of progression to end-stage renal disease in the poor prognosis' group according to the 2002 Japanese histological classification for immunoglobulin A nephropathy.	Clin Exp Nephrol.	18	475-80	2014
Kiryluk K, Li Y, Scolari F, Sanna-Cherchi S, Choi M, Verbitsky M, Fasel D, Lata S, Prakash S, Shapiro S, Fischman C, Snyder HJ, Appel G, Izzi C, Viola BF, Dallera N, Del Vecchio L, Barlassina C, Salvi E, Bertinetto FE, Amoroso A, Savoldi S, Rocchietti M, Amore A, Peruzzi L, Coppo R, Salvadori M, Ravani P, Magistroni R, Ghiggeri GM, Caridi G, Bodria M, Lugani F, Allegri L, Delsante M, Maiorana M, Magnano A, Frasca G, Boer E, Boscutti G, Ponticelli C, Mignani	Discovery of new risk loci for IgA nephropathy implicates genes involved in immunity against intestinal pathogens.	Nature Genet.	46	1187-1196	2014

R, Marcantoni C, Di
 Landro D, Santoro D, Pani
 A, Polci R, Feriozzi
 S, Chicca S, Galliani
 M, Gigante M, Gesualdo
 L, Zamboli P, Battaglia
 G, Garozzo M, Maixnerová
 D, Tesar V, Eitner
 F, Rauen T, Floege
 J, Kovacs T, Nagy
 J, Mucha K, Pączek
 L, Zaniew
 M, Mizerska-Wasiak
 M, Roszkowska-Blaim
 M, Pawlaczek K, Gale
 D, Barratt J, Thibaudin
 L, Berthoux F, Canaud
 G, Boland A, Metzger
 M, Panzer U, Suzuki
 H, Goto S, Narita
 I, Caliskan Y, Xie J, Hou
 P, Chen N, Zhang H, Wyatt
 RJ, Novak J, Julian
 BA, Feehally J, Stengel
 B, Cusi D, Lifton
 RP, Gharavi AG.

Suzuki H, Raska M, Yamada K, Moldoveanu Z, Julian BA, Wyatt RJ, Tomino Y, Gharavi AG, Novak J.	Cytokines alter IgA1 O-glycosylation by dysregulating C1GALT1 and ST6GalNAc-II enzymes.	J Biol Chem.	21	5330-5339	2014
Hirokuni Yanagawa, Hitoshi Suzuki, Yusuke Suzuki, Krzysztof Kiryluk, Ali G. Gharavi, Kiyoshi Matsuoka, Yuko Makita, Bruce A. Julian, Jan Novak, Yasuhiko Tomino Y.	A panel of serum biomarkers differentiates IgA nephropathy from other renal diseases.	PLOS ONE.	e98081.		2014

Suzuki Y, Matsuzaki K, Suzuki H, Sakamoto N, Joh K, Kawamura T, Tomino Y, Matsuo S.	Proposal of remission criteria for IgA nephropathy.	Clin Exp Nephrol.	18	481-486	2013
Osaki K, Suzuki Y, Sugaya T, Tanifuji C, Nishiyama A, Horikoshi S, Tomino Y.	Amelioration of angiotensin II-induced salt-sensitive hypertension by liver-type fatty acid-binding protein in proximal tubules.	Hypertension.	62	712-718	2013
Matsuzaki K, Suzuki Y, Nakata J, Sakamoto N, Horikoshi S, Kawamura T, Matsuo S, Tomino Y.	Nationwide survey on current treatments for IgA nephropathy in Japan.	Clin Exp Nephrol.	17	827-833	2013
Suzuki H, Ohsawa I, Kodama F, Nakayama K, Ohtani A, Onda K, Nagamachi S, Kurusu A, Suzuki Y, Ohi H, Horikoshi S, Tomino Y.	Fluctuation of serum C3 levels reflects disease activity and metabolic background in patients with IgA nephropathy.	J Nephrol	26	708-715	2013
Nakata J, Suzuki Y, Suzuki H, Sato D, Kano T, Horikoshi S, Novak J, Tomino Y.	Experimental evidence of cell dissemination playing a role in pathogenesis of IgA nephropathy in multiple lymphoid organs.	Nephrol Dial Transplant.	28	320-326	2013
Horikoshi S, Okuda M, Nishimura E, Ohsawa I, Suzuki Y, Shimizu Y, Hamada C, Tomino Y.	Usefulness of HPLC assay for early detection of microalbuminuria in chronic kidney disease.	J Clin Lab Anal.	27	333-338	2013
Hastings MC, Moldoveanu Z, Suzuki H, Berthoux F, Julian BA, Sanders JT, Renfrow MB, Novak J, Wyatt RJ	Biomarkers in IgA Nephropathy: Relationship to Pathogenetic Hits.	Expert Opin Med Diagn	7	615-627	2013
Nakata J, Suzuki Y, Suzuki H, Sato D, Kano T, Horikoshi S, Novak J, Tomino Y.	Experimental evidence of cell dissemination playing a role in pathogenesis of IgA nephropathy in multiple lymphoid organs.	Nephrol Dial Transplant.	28	320-326	2013
Mugitani N, Shimizu Y, Satake K, Suzuki Y, Horikoshi S, Tomino Y.	Acceleration of crescent formation by L1 retrotransposon in mouse BSA-induced nephritis.	J Nephrol.	26	375-384.	2013

Kawamura T, Joh K, Okonogi H, Koike K, Utsunomiya Y, Miyazaki Y, Matsushima M, Yoshimura M, Horikoshi S, Suzuki Y, Furusu A, Yasuda T, Shirai S, Shibata T, Endoh M, Hattori M, Akioka Y, Katafuchi R, Hashiguchi A, Kimura K, Matsuo S, Tomino Y, Study Group SI.	A histologic classification of IgA nephropathy for predicting long-term prognosis: emphasis on end-stage renal disease.	J Nephrol.	26	350-357.	2013
鈴木祐介、富野康日己	特集 腎臓学この一年の進歩 2013：腎炎・ネフローゼ症候群	日本腎臓学会誌	56	14-21	2014
松尾清一、川村哲也、鈴木祐介ら 厚生労働科学研究費補助金難治性疾患克服研究事業	進行性腎障害に関する調査研究班報告 IgA腎症分科会：IgA腎症の寛解基準の提唱	日本腎臓学会誌	55	1249-1254	2013
Berthoux F, Suzuki H, Thibaudin L, Yanagawa H, Maillard N, Mariat C, Tomino Y, Julian BA, Novak J.	Autoantibodies targeting galactose-deficient IgA1 associate with progression of IgA nephropathy.	J Am Soc Nephrol	23	1579-1587	2012

Kiryuk K, Li Y, Sanna-Cherchi S, Rohanizadegan M, Suzuki H, Eitner F, Snyder HJ, Choi M, Hou P, Scolari F, Izzi C, Gigante M, Gesualdo L, Savoldi S, Amoroso A, Cusi D, Zamboli P, Julian BA, Novak J, Wyatt RJ, Mucha K, Perola M, Kristiansson K, Viktorin A, Magnusson PK, Thorleifsson G, Thorsteinsdottir U, Stefansson K, Boland A, Metzger M, Thibaudin L, Wanner C, Jager KJ, Goto S, Maixnerova D, Karnib HH, Nagy J, Panzer U, Xie J, Chen N, Tesar V, Narita I, Berthoux F, Floege J, Stengel B, Zhang H, Lifton RP, Gharavi AG.	Geographic Differences in Genetic Susceptibility to IgA Nephropathy: GWAS Replication Study and Geospatial Risk Analysis.	PLoS Genet	8	e1002765	2012
Schoeb TR, Jarmi T, Hicks MJ, Henke S, Zarjou A, Suzuki H, Kramer P, Novak J, Agarwal A, Bullard DC.	Endothelial nitric oxide synthase inhibits the development of autoimmune-mediated vasculitis in mice.	Arthritis Rheum	64	4114-4124	2012
Nakata J, Ohsawa I, Onda K, Tanimoto M, Kusaba G, Takeda Y, Kobayashi N, Asanuma K, Tanaka Y, Sato M, Inami Y, Suzuki H, Suzuki H, Masuda A, Nonaka K, Sasaki Y, Hisada A, Hamada C, Horikoshi S, Tomino Y.	Risk of overestimation of kidney function using GFR-estimating equations in patients with low inulin clearance.	J Clin Lab Anal	26	248-53	2012

Okazaki K, Suzuki Y, Otsuji M, Suzuki H, Kihara M, Kajiyama T, Hashimoto A, Nishimura H, Brown R, Hall S, Novak J, Izui S, Hirose S, Tomino Y.	Development of a Model of Early-Onset IgA Nephropathy.	J Am Soc Nephrol	23	1364-1374	2012
Sato D, Suzuki Y, Kano T, Suzuki H, Matsuoka J, Yokoi H, Horikoshi S, Ikeda K, Tomino Y.	Tonsillar TLR9 expression and efficacy of tonsillectomy with steroid pulse therapy in IgA nephropathy patients.	Nephrol Dial Transplant.	27	1090-1097	2012
Hashimoto A, Suzuki Y, Suzuki H, Ohsawa I, Brown R, Hall S, Tanaka Y, Novak J, Ohi H, Tomino Y.	Determination of severity of murine IgA nephropathy by glomerular complement activation by aberrantly glycosylated IgA and immune complexes.	Am J Pathol	181	1338-1347	2012
Ozaki S, Atsumi T, Hayashi T, Ishizu A, Kobayashi S, Kumagai S, Kurihara Y, Kurokawa MS, Makino H, Nagafuchi H, Nakabayashi K, Nishimoto N, Suka M, Tomino Y, Yamada H, Yamagata K, Yoshida M, Yumura W, Amano K, Arimura Y, Hatta K, Ito S, Kikuchi H, Muso E, Nakashima H, Ohsone Y, Suzuki Y, Hashimoto H, Koyama A, Matsuo S, Kato H.	Severity-based treatment for Japanese patients with MPO-ANCA-associated vasculitis: the JMAAV study.	Mod Rheumatol.	22	394-404	2012
Sato D, Suzuki Y, Kano T, Suzuki H, Matsuoka J, Yokoi H, Horikoshi S, Ikeda K, Tomino Y.	Tonsillar TLR9 expression and efficacy of tonsillectomy with steroid pulse therapy in IgA nephropathy patients.	Nephrol Dial Transplant.	27	1090-1097	2012
Horikoshi S, Higurashi A, Kaneko E, Yoshimura H, Ohsawa I, Suzuki Y, Hamada C, Tomino Y.	A new screening method for proteinuria using Erythrosin B and an automated analyzer-rapid, sensitive and inexpensive determination.	Clin Chim Acta.	11	1087-1091	2012
Berthoux F, Suzuki H, Thibaudin L, Yanagawa H, Maillard N, Mariat C, Tomino Y, Julian BA, Novak J.	Autoantibodies targeting galactose-deficient IgA1 associate with progression of IgA nephropathy.	J Am Soc Nephrol	23	1579-1587	2012

Kiryluk K, Li Y, Sanna-Cherchi S, Rohanizadegan M, Suzuki H, Eitner F, Snyder HJ, Choi M, Hou P, Scolari F, Izzi C, Gigante M, Gesualdo L, Savoldi S, Amoroso A, Cusi D, Zamboli P, Julian BA, Novak J, Wyatt RJ, Mucha K, Perola M, Kristiansson K, Viktorin A, Magnusson PK, Thorleifsson G, Thorsteinsdottir U, Stefansson K, Boland A, Metzger M, Thibaudin L, Wanner C, Jager KJ, Goto S, Maixnerova D, Karnib HH, Nagy J, Panzer U, Xie J, Chen N, Tesar V, Narita I, Berthoux F, Floege J, Stengel B, Zhang H, Lifton RP, Gharavi AG.	Geographic Differences in Genetic Susceptibility to IgA Nephropathy: GWAS Replication Study and Geospatial Risk Analysis.	PLoS Genet	8	e1002765	2012
Schoeb TR, Jarmi T, Hicks MJ, Henke S, Zarjou A, Suzuki H, Kramer P, Novak J, Agarwal A, Bullard DC.	Endothelial nitric oxide synthase inhibits the development of autoimmune-mediated vasculitis in mice.	Arthritis Rheum	64	4114-4124	2012
Nakata J, Ohsawa I, Onda K, Tanimoto M, Kusaba G, Takeda Y, Kobayashi N, Asanuma K, Tanaka Y, Sato M, Inami Y, Suzuki H, Suzuki H, Masuda A, Nonaka K, Sasaki Y, Hisada A, Hamada C, Horikoshi S, Tomino Y.	Risk of overestimation of kidney function using GFR-estimating equations in patients with low inulin clearance.	J Clin Lab Anal	26	248-53	2012

Okazaki K, Suzuki Y, Otsuji M, Suzuki H, Kihara M, Kajiyama T, Hashimoto A, Nishimura H, Brown R, Hall S, Novak J, Izui S, Hirose S, Tomino Y.	Development of a Model of Early-Onset IgA Nephropathy.	J Am Soc Nephrol	23	1364-1374	2012
Sato D, Suzuki Y, Kano T, Suzuki H, Matsuoka J, Yokoi H, Horikoshi S, Ikeda K, Tomino Y.	Tonsillar TLR9 expression and efficacy of tonsillectomy with steroid pulse therapy in IgA nephropathy patients.	Nephrol Dial Transplant.	27	1090-1097	2012
Hashimoto A, Suzuki Y, Suzuki H, Ohsawa I, Brown R, Hall S, Tanaka Y, Novak J, Ohi H, Tomino Y.	Determination of severity of murine IgA nephropathy by glomerular complement activation by aberrantly glycosylated IgA and immune complexes.	Am J Pathol	181	1338-1347	2012