

【論文】

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Suzuki Y, Suzuki H, Yasutake J, Tomino Y.	Paradigm shift in activity assessment of IgA nephropathy-optimizing the next generation of diagnostic and therapeutic maneuvers via glycan-targeting.	Expert Opinion on Biological Therapy	20	1-11	2015
Stuchlova Horynova M, Vrablikova A, Stewart TJ, Takahashi K, Czernekova L, Yamada K, Suzuki H, Julian BA, Renfrow MB, Novak J, Raska M.	N-Acetylgalactosaminide 2,6-sialyltransferase II is a candidate enzyme for sialylation of galactose-deficient IgA1, the key autoantigen in IgA nephropathy.	Nephrol Dial Transplant.	30	234-238	2015
Sonoda Y, Gohda T, Suzuki Y, Omote K, Ishizaka M, Matsuoka J, Tomino Y.	Circulating TNF Receptors 1 and 2 Are Associated with the Severity of Renal Interstitial Fibrosis in IgA Nephropathy.	PLOS ONE	in press		2015
Satake K, Shimizu Y, Sasaki Y, Yanagawa H, Suzuki H, Suzuki Y, Horikoshi S, Honda S, Shibuya K, Shibuya A, Tomino Y	Serum under-O-glycosylated IgA1 level is not correlated with glomerular IgA deposition based upon heterogeneity in the composition of immune complexes in IgA nephropathy.	BMC Nephrol.	15	89	2014
Yanagawa H, Suzuki H, Suzuki Y, Kiryluk K, Gharavi AG, Matsuoka K, Makita Y, Julian BA, Novak J, Tomino Y.	A panel of serum biomarkers differentiates IgA nephropathy from other renal diseases.	PLoS One.	e98081.		2014
Suzuki Y, Matsuzaki K, Suzuki H, Okazaki K, Yanagawa H, Ieiri N, Sato M, Sato T, Taguma Y, Matsuoka J, Horikoshi S, Novak J, Hotta O, Tomino Y.	Serum levels of galactose-deficient immunoglobulin (Ig) A1 and related immune complex are associated with disease activity of IgA nephropathy.	Clin Exp Nephrol.	18	770-777	2014

Nakata J, Suzuki Y, Suzuki H, Sato D, Kano T, Kanoh T, Yanagawa H, Matsuzaki K, Horikoshi S, Novak J, Tomino Y.	Changes in nephritogenic serum galactose-deficient IgA1 in IgA nephropathy following tonsillectomy and steroid therapy.	PLoS One.	e89707.		2014
Maiguma M, Suzuki Y, Suzuki H, Okazaki K, Aizawa M, Muto M, and Tomino Y.	Dietary zinc is a key environmental modifier in the progression of IgA nephropathy.	PLoS One.	e90558.		2014
Kawamura T, Yoshimura M, Miyazaki Y, Okamoto H, Kimura K, Hirano K, Matsushima M, Utsunomiya Y, Ogura M, Yokoo T, Okonogi H, Ishii T, Hamaguchi A, Ueda H, Furuu A, Horikoshi S, Suzuki Y, Shibata T, Yasuda T, Shirai S, Imasawa T, Kanozawa K, Wada A, Yamaji I, Miura N, Imai H, Kasai K, Soma J, Fujimoto S, Matsuo S, Tomino Y	The Special IgA Nephropathy Study Group. A multicenter randomized controlled trial of tonsillectomy combined with steroid pulse therapy in patients with IgA nephropathy.	Nephrol Dial Transplant	29	1546-1553	2014
Aizawa M, Suzuki Y, Suzuki H, Pang H, Kihara M, Nakata J, Yamaji k, Horikoshi S, Tomino Y	Uncoupling of glomerular IgA deposition and disease progression in alymphoplasia mice with IgA nephropathy.	PLOS ONE.	e95365.		2014
Suzuki Y, Suzuki H, Makita Y, Takahata A, Takahashi K, Muto M, Sasaki Y, Kelimu A, Matsuzaki K, Yanagawa H, Okazaki K, Tomino Y.	Diagnosis and activity assessment of IgA nephropathy: current perspectives on non-invasive testing with aberrantly glycosylated IgA-related biomarkers.	Int J Nephrol Renovasc Dis.	7	409-414	2014
Honjo K, Kubagawa Y, Suzuki Y, Takagi M, Ohno H, Bucy RP, Izui S, Kubagawa H.	Enhanced auto-antibody production and Mott cell formation in Fc μ R-deficient autoimmune mice.	Int Immunol.	26	659-672	2014

Yamaji K, Suzuki Y, Suzuki H, Satake K, Horikoshi S, Novak J, Tomino Y.	The kinetics of glomerular deposition of nephritogenic IgA.	PLoS One.	e113005		2014
Makita Y, Tanaka Y, Shimizu Y, Takeda Y, Kanamaru Y, Ohsawa I, Suzuki Y, Kurusu A, Horikoshi S, Tomino Y.	A case of Fabry disease, in which renal symptoms served as a diagnostic prompt.	Juntendo Medical Journal 2014		353-357.	2014
Miyazaki Y, Kawamura T, Joh K, Suzuki Y, Kimura K, Matsuo S, Tomino Y et al.	Overestimation of the risk of progression to end-stage renal disease in the poor prognosis' group according to the 2002 Japanese histological classification for immunoglobulin A nephropathy.	Clin Exp Nephrol.	18	475-80	2014
Kiryuk K, Li Y, Scolari F, Sanna-Cherchi S, Choi M, Verbitsky M, Fasel D, Lata S, Prakash S, Shapiro S, Fischman C, Snyder HJ, Appel G, Izzi C, Viola BF, Dallera N, Del Vecchio L, Barlassina C, Salvi E, Bertinetto FE, Amoroso A, Savoldi S, Rocchietti M, Amore A, Peruzzi L, Coppo R, Salvadori M, Ravani P, Magistroni R, Ghiggeri GM, Caridi G, Bodria M, Lugani F, Allegri L, Delsante M, Maiorana M, Magnano A, Frasca G, Boer E, Boscutti G, Ponticelli C, Mignani	Discovery of new risk loci for IgA nephropathy implicates genes involved in immunity against intestinal pathogens.	Nature Genet.	46	1187-1196	2014

<p>R, Marcantoni C, Di Landro D, Santoro D, Pani A, Polci R, Feriozzi S, Chicca S, Galliani M, Gigante M, Gesualdo L, Zamboli P, Battaglia G, Garozzo M, Maixnerová D, Tesar V, Eitner F, Rauen T, Floege J, Kovacs T, Nagy J, Mucha K, Paćzek L, Zaniew M, Mizerska-Wasiak M, Roszkowska-Blaim M, Pawlaczyk K, Gale D, Barratt J, Thibaudin L, Berthoux F, Canaud G, Boland A, Metzger M, Panzer U, Suzuki H, Goto S, Narita I, Caliskan Y, Xie J, Hou P, Chen N, Zhang H, Wyatt RJ, Novak J, Julian BA, Feehally J, Stengel B, Cusi D, Lifton RP, Gharavi AG.</p>					
<p>Suzuki H, Raska M, Yamada K, Moldoveanu Z, Julian BA, Wyatt RJ, Tomino Y, Gharavi AG, Novak J.</p>	<p>Cytokines alter IgA1 O-glycosylation by dysregulating C1GalT1 and ST6GalNAc-II enzymes.</p>	<p>J Biol Chem.</p>	<p>21</p>	<p>5330-5339</p>	<p>2014</p>
<p>Hiroyuki Yanagawa, Hitoshi Suzuki, Yusuke Suzuki, Krzysztof Kiryluk, Ali G. Gharavi, Kiyoshi Matsuoka, Yuko Makita, Bruce A. Julian, Jan Novak, Yasuhiko Tomino Y.</p>	<p>A panel of serum biomarkers differentiates IgA nephropathy from other renal diseases.</p>	<p>PLOS ONE.</p>	<p>e98081.</p>		<p>2014</p>