

研究成果の刊行に関する一覧表

(謝辞のあるものを以下に記載する)

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Wakasugi M, Kazama JJ, Narita I, Konta T, Fujimoto S, Iseki K, Moriyama T, Yamagata K, Tsuruya K, Asahi K, Kimura K, Kondo M, Kurahashi I, Ohashi Y, Watanabe T.	Association between hypouricemia and reduced kidney function: a cross-sectional population-based study in Japan	Am J Nephrol	41	138-146	2015
Hirayama A, Konta T, Kamei K, Suzuki K, Ichikawa K, Fujimoto S, Iseki K, Moriyama T, Yamagata K, Tsuruya K, Kimura K, Narita I, Kondo M, Asahi K, Kurahashi I, Ohashi Y, Watanabe T.	Reduced Kidney Function: A Cross-Sectional	Am J Hypertens.		Feb 11. [Epub ahead of print]	2015
Sato Y, Fujimoto S, Konta T, Iseki K, Moriyama T, Yamagata K, Tsuruya K, Kimura K, Narita I, Kondo M, Asahi K, Kurahashi I, Ohashi Y, Watanabe T.	Significance of estimated glomerular filtration rate in predicting brain or heart attacks in obese and non-obese populations.	Clin Exp Nephrol		Nov 30. [Epub ahead of print]	2014
Wakasugi M, Kazama JJ, Narita I, Iseki K, Moriyama T, Yamagata K, Fujimoto S, Tsuruya K, Asahi K, Konta T, Kimura K, Kondo M, Kurahashi I, Ohashi Y, Watanabe T.	Association between combined lifestyle factors and non-restorative sleep in Japan: a cross-sectional study based on a Japanese health database.	PLoS One.	9	e108718.	2014
Nagai K, Yamagata K	Quantitative evaluation of proteinuria for health checkups is more efficient than the dipstick method	Clin Exp Nephrol	19	152-153	2015

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Uchida D, Kawarazaki H, Shibagaki Y, Yasuda T, Tominaga N, Watanabe T, Asahi K, Iseki K, Iseki C, Tsuruya K, Yamagata K, Moriyama T, Narita I, Fujimoto S, Konta T, Kondo M, Kasahara M, Kimura K.	Underestimating chronic kidney disease by urine dipstick without serum creatinine as a screening tool in the general Japanese population.	Clin Exp Nephrol		Aug 24. [Epub ahead of print]	2014
Yano Y, Fujimoto S, Sato Y, Konta T, Iseki K, Iseki C, Moriyama T, Yamagata K, Tsuruya K, Narita I, Kondo M, Kimura K, Asahi K, Kurahashi I, Ohashi Y, Watanabe T.	New-onset hypertension and risk for chronic kidney disease in the Japanese general population.	J Hypertens	32	2371-2377	2014
Kamei K, Konta T, Hirayama A, Suzuki K, Ichikawa K, Fujimoto S, Iseki K, Moriyama T, Yamagata K, Tsuruya K, Kimura K, Narita I, Kondo M, Asahi K, Watanabe T	A slight increase within the normal range of serum uric acid and the decline in renal function: associations in a community-based population	Nephrol Dial Transplant	29	2286-2292	2014
Terawaki H, Nakayama M, Asahi K, Kakamu T, Hayakawa T, Iseki K, Kimura K, Moriyama T, Yamagata K, Narita I, Fujimoto S, Tsuruya K, Konta T, Kondo M, Kurahashi I, Ohashi Y, Fukushima T, Watanabe T	Comparison of predictive value for first cardiovascular event between Japanese GFR equation and coefficient-modified CKD-EPI equation	Clin Exp Nephrol		Jul 26. [Epub ahead of print]	2014
Nagai K, Yamagata K, Ohkubo R, Saito C, Asahi K, Iseki K, Kimura K, Moriyama T, Narita I, Fujimoto S, Tsuruya K, Konta T, Kondo M, Watanabe T	Annual decline in estimated glomerular filtration rate is a risk factor for cardiovascular events independent of proteinuria	Nephrology (Carlton)	19	574-580	2014
Kondo M, Yamagata K, Hoshi SL, Saito C, Asahi K, Moriyama T, Tsuruya K, Konta T, Fujimoto S, Narita I, Kimura K, Iseki K, Watanabe T	Budget impact analysis of chronic kidney disease mass screening test in Japan	Clin Exp Nephrol	18	885-591	2014