

研究成果の刊行に関する一覧表

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Yano Y, Sato Y, Fujimoto S, Konta T, Iseki K, Moriyama T, Yamagata K, Tsuruya K, Yoshida H, Asahi K, Kurahashi I, Ohashi Y, Watanabe T	Association of high pulse pressure with proteinuria in subjects with diabetes, prediabetes, or normal glucose tolerance in a large Japanese general population sample.	Diabetes Care	35	1310-1315	2012
Sato Y, Yano Y, Fujimoto S, Konta T, Iseki K, Moriyama T, Yamagata K, Tsuruya K, Yoshida H, Asahi K, Kurahashi I, Ohashi Y, Watanabe T	Glycohemoglobin not as predictive as fasting glucose as a measure of prediabetes in predicting proteinuria.	Nephrol Dial Transplant	27	862-868	2012
Yano Y, Fujimoto S, Asahi K, Watanabe T	Prevalence of chronic kidney disease in China.	Lancet	380	213-214	2012
Konta T, Fujimoto S, Iseki K, Moriyama T, Yamagata K, Tsuruya K, Yoshida H, Asahi K, Kurahashi I, Ohashi Y, Watanabe T	Blood pressure control in a Japanese population with chronic kidney disease: A baseline survey of a nationwide cohort	Am J Hypertens	25	342-347	2012
Yano Y, Fujimoto S, Sato Y, Konta T, Iseki K, Moriyama T, Yamagata K, Tsuruya K, Yoshida H, Asahi K, Kurahashi I, Ohashi Y, Watanabe T	Association between prehypertension and chronic kidney disease in the Japanese general population.	Kidney Int	81	293-299	2012
Kondo M, Yamagata K, Hoshi X, Saito C, Asahi K, Moriyama T, Tsuruya K, Yoshida H, Iseki K, Watanabe T	Cost-effectiveness of chronic kidney disease mass screening test in Japan	Clin Exp Nephrol	16	279-291	2012

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Wakasugi M, Narita I, Iseki K, Moriyama T, Yamagata K, Tsuruya K, Yoshida H, Fujimoto S, Asahi K, Kurahashi I, Ohashi Y, Watanabe T	Weight gain after 20 years of age is associated with prevalence of chronic kidney disease	Clin Exp Nephrol	16	259-268	2012
Iseki K, Asahi K, Moriyama T, Yamagata K, Tsuruya K, Yoshida H, Fujimoto S, Konta T, Kurahashi I, Ohashi Y, Watanabe T	Risk factor profiles based on estimated glomerular filtration rate and dipstick proteinuria among participants of the Specific Health Check and Guidance	Clin Exp Nephrol	16	244-249	2012
旭 浩一、井関邦敏、鶴屋和彦、山縣邦弘、守山敏樹、藤元昭一、吉田英昭、渡辺 毅	慢性腎臓病（CKD）におけるメタボリックシンドローム(MetS)・脂質異常症の実態と意義～特定健診受診者コホートにおける横断的解析～	Therapeutic Research	33	16-19	2012
Nagai K, Saito C, Watanabe F, Ohkubo R, Sato C, Kawamura T, Uchida K, Hiwatashi A, Kai H, Ishida K, Sairenchi T, Yamagata K	Annual incidence of persistent proteinuria in the general population from Ibaraki annual urinalysis study	Clin Exp Nephrol	17	255-260	2013
Iseki K, Iseki C, Kurahashi I, Watanabe T	Effect of glomerular filtration rate and proteinuria on medical cost among screened subjects	Clin Exp Nephrol	17	372-378	2013
Sato Y, Fujimoto S, Konta T, Iseki K, Moriyama T, Yamagata K, Tsuruya K, Yoshida H, Asahi K, Kurahashi I, Ohashi Y, Watanabe T.	U-shaped association between body mass index and proteinuria in a large Japanese general population sample	Clin Exp Nephrol	18	75-86	2014

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Tsuruya K, Yoshida H, Nagata M, Kitazono T, Hirakata H, Iseki K, Moriyama T, Yamagata K, Yoshida H, Fujimoto S, Asahi K, Kurahashi I, Ohashi Y, Watanabe T	Association of triglycerides to high-density lipoprotein cholesterol ratio with the risk of chronic kidney	Atherosclerosis	233	260-267	2014
Kondo M, Yamagata K, Hoshi SL, Saito C, Asahi K, Moriyama T, Tsuruya K, Konta T, Fujimoto S, Narita I, Kimura K, Iseki K, Watanabe T	Budget impact analysis of chronic kidney disease mass screening test in Japan	Clin Exp Nephrol	18	885-891	2014
Ishigami T, Yamamoto R, Nagasawa Y, Isaka Y, Rakugi H, Iseki K, Yamagata K, Tsuruya K, Yoshida H, Fujimoto S, Asahi K, Kurahashi I, Ohashi Y, Moriyama T, Watanabe T	An association between serum -glutamyltransferase and proteinuria in drinkers and non-drinkers: a Japanese nationwide cross-sectional survey	Clin Exp Nephrol	18	899-910	2014
Nagai K, Yamagata K, Ohkubo R, Saito C, Asahi K, Iseki K, Kimura K, Moriyama T, Narita I, Fujimoto S, Tsuruya K, Konta T, Kondo M, Watanabe T	Annual decline in estimated glomerular filtration rate is a risk factor for cardiovascular events independent of proteinuria	Nephrology (Carlton)	19	574-580	2014
Terawaki H, Nakayama M, Asahi K, Kakamu T, Hayakawa T, Iseki K, Kimura K, Moriyama T, Yamagata K, Narita I, Fujimoto S, Tsuruya K, Konta T, Kondo M, Kurahashi I, Ohashi Y, Fukushima T, Watanabe T	Comparison of predictive value for first cardiovascular event between Japanese GFR equation and coefficient-modified CKD-EPI equation	Clin Exp Nephrol		Jul 26. [Epub ahead of print]	2014

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Kamei K, Konta T, Hirayama A, Suzuki K, Ichikawa K, Fujimoto S, Iseki K, Moriyama T, Yamagata K, Tsuruya K, Kimura K, Narita I, Kondo M, Asahi K, Watanabe T	A slight increase within the normal range of serum uric acid and the decline in renal function: associations in a community-based population	Nephrol Dial Transplant	29	2286-2292	2014
Yano Y, Fujimoto S, Sato Y, Konta T, Iseki K, Iseki C, Moriyama T, Yamagata K, Tsuruya K, Narita I, Kondo M, Kimura K, Asahi K, Kurahashi I, Ohashi Y, Watanabe T.	New-onset hypertension and risk for chronic kidney disease in the Japanese general population.	J Hypertens	32	2371-2377	2014
Uchida D, Kawarazaki H, Shibagaki Y, Yasuda T, Tominaga N, Watanabe T, Asahi K, Iseki K, Iseki C, Tsuruya K, Yamagata K, Moriyama T, Narita I, Fujimoto S, Konta T, Kondo M, Kasahara M, Kimura K.	Underestimating chronic kidney disease by urine dipstick without serum creatinine as a screening tool in the general Japanese population.	Clin Exp Nephrol		Aug 24. [Epub ahead of print]	2014
Wakasugi M, Kazama JJ, Narita I, Iseki K, Moriyama T, Yamagata K, Fujimoto S, Tsuruya K, Asahi K, Konta T, Kimura K, Kondo M, Kurahashi I, Ohashi Y, Watanabe T.	Association between combined lifestyle factors and non-restorative sleep in Japan: a cross-sectional study based on a Japanese health database.	PLoS One.	9	e108718	2014
Sato Y, Fujimoto S, Konta T, Iseki K, Moriyama T, Yamagata K, Tsuruya K, Kimura K, Narita I, Kondo M, Asahi K, Kurahashi I, Ohashi Y, Watanabe T.	Significance of estimated glomerular filtration rate in predicting brain or heart attacks in obese and non-obese populations.	Clin Exp Nephrol		Nov 30. [Epub ahead of print]	2014

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Nagai K, Yamagata K	Quantitative evaluation of proteinuria for health checkups is more efficient than the dipstick method	Clin Exp Nephrol	19	152-153	2015
Hirayama A, Konta T, Kamei K, Suzuki K, Ichikawa K, Fujimoto S, Iseki K, Moriyama T, Yamagata K, Tsuruya K, Kimura K, Narita I, Kondo M, Asahi K, Kurahashi I, Ohashi Y, Watanabe T.	Blood pressure, proteinuria, and renal function decline: associations in a large community-based population	Am J Hypertens .		Feb 11. [Epub ahead of print]	2015
Wakasugi M, Kazama JJ, Narita I, Konta T, Fujimoto S, Iseki K, Moriyama T, Yamagata K, Tsuruya K, Asahi K, Kimura K, Kondo M, Kurahashi I, Ohashi Y, Watanabe T.	Association between hypouricemia and reduced kidney function: a cross-sectional population-based study in Japan	Am J Nephrol	41	138-146	2015