

Hanafusa T, Igawa K, Kotobuki Y, Kitaba S, Tani M, Katayama I	Systemic lymphadenopathy with systemic sclerosis and Sjögren's syndrome: a case report.	J Dermatol.	40(2).	124-125	2013
Kijima A, Murota H, Takahashi A, Arase N, Yang L, Nishioka M, Yamaoka T, Kitaba S, Yamauchi-Takahara K, Katayama I	Prevalence and impact of past history of food allergy in atopic dermatitis.	Allergol Int.	62(1)	105-112	2013
Tanaka A, Tanemura A, Tsuji C, Katayama I, Masuzawa M, Nakashima Y	Epithelioid angiosarcoma of the skin with spontaneous regression.	J Dermatol.	40(3)	215-217	2013
Terao M, Itoi S, Murota H, Katayama I	Expression profiles of cortisol-inactivating enzyme, 11 $\beta$ -hydroxysteroid dehydrogenase-2, in human epidermal tumors and its role in keratinocyte proliferation.	Exp Dermatol.	22(2)	98-101.	2013
Oiso N, Suzuki T, Wataya-Kaneda M, Tanemura A, Tanioka M, Fujimoto T, Fukai K, Kawakami T, Tsukamoto K, Yamaguchi Y, Sano S, Mitsuhashi Y, Nishigori C, Morita A, Nakagawa H, Mizoguchi M, Katayama I	Guidelines for the diagnosis and treatment of vitiligo in Japan.	J Dermatol.	40(5)	344-354.	2013
Murakami Y, Wataya-Kaneda M, Tanaka M, Katayama I	Case of tuberous sclerosis complex complicated by mosaic localized neurofibromatosis type 1.	J Dermatol.	40(5)	413-414.	2013
Hanafusa T, Matsui S, Murota H, Tani M, Igawa K, Katayama I	Increased frequency of skin-infiltrating FoxP3+ regulatory T cells as a diagnostic indicator of severe atopic dermatitis from cutaneous T cell lymphoma.	Clin Exp Immunol.	172(3)	507-512.	2013
Nakajima K, Terao M, Takaishi M, Kataoka S, Goto-Inoue N, Setou M, Horie K, Sakamoto F, Ito M, Azukizawa H, Kitaba S, Murota H, Itami S, Katayama I, Takeda J, Sano S	Barrier abnormality due to ceramide deficiency leads to psoriasisiform inflammation in a mouse model.	J Invest Dermatol.	133(11)	2555-2565.	2013
Wataya-Kaneda M, Tanaka M, Hamasaki T, Katayama I	Trends in the prevalence of tuberous sclerosis complex manifestations: an epidemiological study of 166 Japanese patients.	PLoS One.	8(5)	e63910.	2013
Tanaka A, Nakano M, Tani M, Kira M, Katayama I, Nakagawa J, Tahara K, Koh S, Goto S, Takahashi R	Adult case of Stevens-Johnson syndrome possibly induced by Chlamydophila pneumoniae infection with severe involvement of bronchial epithelium resulting in constructive respiratory disorder.	J Dermatol.	40(6)	492-494.	2013

Hirobe S, Azukizawa H, Matsuo K, Zhai Y, Quan YS, Kamiyama F, Suzuki H, Katayama I, Okada N, Nakagawa S	Development and clinical study of a self-dissolving microneedle patch for transcutaneous immunization device.	Pharm Res.	30(10)	2664-2674.	2013
Arase N, Wataya-Kaneda M, Oiso N, Arase H, Katayama I	CD1a-positive familial cutaneous mastocytosis without germ-line or somatic mutations in c-kit.	Br J Dermatol.	69(1)	201-204.	2013
Takehara Y, Satoh T, Nishizawa A, Saeki K, Nakamura M, Masuzawa M, Kaneda Y, Katayama I, Yokozeki H	Anti-tumor effects of inactivated Sendai virus particles with an IL-2 gene on angiosarcoma.	Clin Immunol.	149(1)	1-10.	2013
Tanaka M, Wataya-Kaneda M, Nakamura A, Matsumoto S, Katayama I	First left-right comparative study of topical rapamycin vs. vehicle for facial angiomas in patients with tuberous sclerosis complex.	Br J Dermatol.	169(6)	1314-1318.	2013
Takahashi A, Murota H, Matsui S, Kijima A, Kitaba S, Lee JB, Katayama I	Decreased Sudomotor Function is Involved in the Formation of Atopic Eczema in the Cubital Fossa.	Allergol Int.	62(4)	473-478.	2013
Itoi S, Terao M, Murota H, Katayama I	11 $\beta$ -Hydroxysteroid dehydrogenase 1 contributes to the pro-inflammatory response of keratinocytes.	Biochem Biophys Res Commun.	440(2)	265-270.	2013
Umegaki-Arao N, Tamai K, Nimura K, Serada S, Naka T, Nakano H, Katayama I	Karyopherin Alpha2 Is Essential for rRNA Transcription and Protein Synthesis in Proliferative Keratinocytes.	PLoS One.	8(10)	e76416.	2013
Sugiyama D, Nishikawa H, Maeda Y, Nishioka M, Tanemura A, Katayama I, Ezoe S, Kanakura Y, Sato E, Fukumori Y, Karbach J, Jäger E, Sakaguchi S	Anti-CCR4 mAb selectively depletes effector-type FoxP3+CD4+ regulatory T cells, evoking antitumor immune responses in humans.	Proc Natl Acad Sci U S A.	110(44)	17945-17950.	2013
片山一朗	見逃したくない皮膚症状～全身疾患を診断するための考え方 発疹に潜む重症全身疾患 3環状紅斑。	Modern Physician	vol.33 No8	947-951.	2013
片山一朗	TRPとアレルギー疾患.	アレルギーと神経ペプチド	9	13	2013
片山一朗	アトピー性皮膚炎《アレルギー疾患ガイドラインとその使い方》	Modern Physician	33(2)	160-164	2013
片山一朗	皮膚アレルギーに対する免疫療法.	臨床免疫・アレルギー科	60(2)	189-195	2013
片山一朗	加水分解コムギ含有石鹼によるアナフィラキシー.	日本医師会雑誌	142 (6)	1305	2013
杉山晃子, 岸川禮子	加水分解コムギによるコムギアレルギーの治療について.	臨床免疫・アレルギー科	60(4)	405-410	2013

Iseki C, Kawanami T, Tsunoda T, Chinuki Y, Kato T	Chronic Headaches and Sleepiness Caused by Facial Soap (Containing Hydrolyzed Wheat Proteins)- Induced Wheat Allergy.	Intern Med	53	151-154	2014
松永佳世子、矢上晶子、中村政志、佐野晶代、小林東	(旧) 茶のしづくによる石鹼アレルギー	公衆衛生	77	801-808	2013
矢上晶子、松永佳世子	加水分解コムギ含有石鹼によるコムギアレルギーの疫学と社会的意義	アレルギー・免疫	20	224-232	2013
古田加奈子、伊佐見真実子、矢上晶子、鶴田京子、田中紅、美浦麻衣子、廣川景子、亀山梨奈、稻葉弥寿子、鈴木加余子、松永佳世子	香粧品パッチテスト2009年のまとめ	J Environ Dermatol Cutan Allergol	7	34-43	2013
西村 景子、矢上晶子、佐野晶代、古田 加奈子、伊佐見 真実子、松永佳世子	香粧品パッチテスト2010年のまとめ	J Environ Dermatol Cutan Allergol	10	78-86	2013
Yanase Y, Hiragun T, Yanase T, Kawaguchi T, Ishii K, Hide M	Application of SPR imaging sensor for detection of individual living cell reactions and clinical diagnosis of type I allergy.	Allergol Int	62	163-9	2013
Hide M, Hiragun M, Hiragun T	Diagnostic tests for urticaria.	Immunol Allergy Clin North Am	34	53-72	2014
Hiragun M, Ishii K, Hiragun T, Shindo H, Miura S, Matsuo H, Hide M	The sensitivity and clinical course of patients with wheat-dependent exercise-induced anaphylaxis sensitized to hydrolyzed wheat protein in facial soap.	Allergol Int	62	351-8	2013
Hiragun T, Ishii K, Hiragun M, Suzuki H, Kan T, Miura S, Yanase Y, Bartels J, Schröder JM, Hide M	Fungal protein MGL_1304 in sweat is an allergen for atopic dermatitis patients.	J Allergy Clin Immunol;	132	608-15	2013
Hiragun M, Hiragun T, Miura S, Akita T, Tanaka J, Hide M	Prognosis of chronic spontaneous urticaria in 117 patients not controlled by a standard dose of antihistamine	Allergy	68	229-35	2013
Matsuo H, Yokooji T, Morita H, Ooi M, Urata K, Ishii K, Takahagi S, Yanase Y, Hiragun T, Miura S, Hide M	Aspirin Augments IgE-Mediated Histamine Release from Human Peripheral Basophils via Syk Kinase Activation.	Allergol Int	62	503-11	2013
Choi H, Tanaka M, Hiragun T, Hide M	Non-tumor mast cells cultured in vitro on a honeycomb-like structured film proliferate with multinucleated formation.	Nanomedicine	10	313-319	2014
Yokooji T, Kurihara S, Murakami T, Chinuki Y, Takahashi H, Morita E, Harada S, Ishii K, Hiragun	Characterization of causative allergens for wheat-dependent exercise-induced anaphylaxis sensitized with hydrolyzed wheat proteins in facial soap.	Allergol Int	62	435-45	2013

M, Hide M, Matsuo H					
Maurer M, Bindslev-Jensen C, Gimenez-Arnau A, Godse K, Grattan CE, Hide M, Kaplan AP, Makris M, Simons FE, Zhao Z, Zuberbier T, Church MK	GA2LEN Taskforce on unmet needs in urticaria: Chronic idiopathic urticaria (CIU) is no longer idiopathic: time for an update.	Br J Dermatol	168	455-6	2013
Hiragun M, Hiragun T, Ishii K, Suzuki H, Tanaka A, Yanase Y, Mihara S, Haruta Y, Kohno N, Hide M.	Elevated Serum IgE against MGL_1304 in Patients with Atopic Dermatitis and Cholinergic Urticaria.	Allergol Int	63	83-93	2014
Yanase Y, Hiragun T, Ishii K, Kawaguchi T, Yanase T, Kawai M, Sakamoto K, Hide M.	Surface plasmon resonance for cell-based clinical diagnosis.	Sensors (Basel)	14	44948-59	2014
平郡真記子、秀道広	蕁麻疹・即時型アレルギーの血液検査.	Visual Dermatology	12	368-372	2013
戸田さゆり、秀道広	アトピー性皮膚炎の評価方法と重症度分類.	薬局	64	1871-1877	2013
秀道広	序～蕁麻疹の病態の点をつなぐ糸～.	アレルギー・免疫	20	207	2013
森桶聰、秀道広	蕁麻疹と感染症の関わり.	アレルギー・免疫	20	216-222	2013
戸田さゆり、秀道広	機械性蕁麻疹の診断と治療.	アレルギー・免疫	20	272-278	2013
秀道広	蕁麻疹診療ガイドラインについて.	日本臨床皮膚科医会雑誌	30	302-312	2013
宮地良樹、古江増隆、秀道広、佐藤伸一、川島眞	慢性蕁麻疹に対する患者自覚症状・治療実態調査.	Progress in Medicine	33	2031-2041	2013
平郡真記子、秀道広	抗ヒスタミン薬のアドヒアラランスを高めるために.	皮膚アレルギーフロンティア	11	91-95	2013
秀道広	内科診療にガイドラインを生かす.	medicina	50	500-505	2013
平郡真記子	蕁麻疹の予後.	アレルギー・免疫	20	264-271	2013
大原直樹、秀道広	全身に結節が多発した肥満細胞症の1例.	日小皮会誌	32	49-53	2013
金子栄、各務竹康、澄川靖之、大原直樹、秀道広、森田栄伸	アトピー性皮膚炎患者指導に関する医師および患者を対象としたアンケート調査：両者間でみられた認識の相違.	日本皮膚科学会雑誌	123	2091-2013	2013
福富友馬	(旧)茶のしづく石鹼による小麦アレルギー問題からの教訓	職業・環境アレルギー誌	20(2)	P1-11	2013
Yamada T, Saito H, Fujieda S	Present state of Japanese cedar pollinosis: The national affliction.	J Allergy Clin Immunol.	133(3)	632-639	2014

Okamoto Y, Ohta N, Okano M, Kamijo A, Gotoh M, Suzuki M, Takeno S, Terada T, Hanazawa T, Horiguchi S, Honda K, Matsune S, Yamada T, Yuta A, Nakayama T, Fujieda S	Guiding principles of subcutaneous immunotherapy for allergic rhinitis in Japan.	Auris Nasus Larynx	41(1)	1-5	2014
Yatagai Y, Sakamoto T, Masuko H, Kaneko Y, Yamada H, Iijima H, Naito T, Noguchi E, Hirota T, Tamari M, Imoto Y, Tokunaga T, Fujieda S, Konno S, Nishimura M, Hizawa N	Genome-wide association study for levels of total serum IgE identifies HLA-C in a Japanese population.	PLoS One	8(12)	e80941	2013
Nagai K, Tahara-Hanaoka S, Morishima Y, Tokunaga T, Imoto Y, Noguchi E, Kanemaru K, Imai M, Shibayama S, Hizawa N, Fujieda S, Yamagata K, Shibuya A	Expression and function of Allergin-1 on human primary mast cells.	PLoS One	8(10)	e76160	2013
Imoto Y, Tokunaga T, Matsumoto Y, Hamada Y, Ono M, Yamada T, Ito Y, Arinami T, Okano M, Noguchi E, Fujieda S	Cystatin SN upregulation in patients with seasonal allergic rhinitis.	PLoS One	8(8)	e67057	2013
Tomita K, Sakashita M, Hirota T, Tanaka S, Masuyama K, Yamada T, Fujieda S Miyatake A, Hizawa N, Kubo M, Nakamura Y, Tamari M	Variants in the 17q21 asthma susceptibility locus are associated with allergic rhinitis in the Japanese population.	Allergy	68 (1)	92-100	2013
Takahashi E, Yokozeki H, Satoh T	Atrophic fibrous hamartoma of infancy with epidermal and adnexal change.	J Dermatol.	40(3)	212-4	2013
Nishizawa A, Satoh T, Yokozeki H	Close association between metal allergy and nail lichen planus: detection of causative metals in nail lesions.	J Eur Acad Dermatol Venereol.	27(2)	e231-4	2013
Satoh T, Ikeda H, Yokozeki H	Acrosyringeal Involvement of Palmoplantar Lesions of Eosinophilic Pustular Folliculitis.	Acta Derm Venereol.	10	93(1)	2013
Inoue R, Sohara E, Rai T, Satoh T, Yokozeki H, Sasaki S, Uchida S	Immunolocalization and translocation of aquaporin-5 water channel in sweat glands.	J Dermatol Sci.	70(1)	26-33.	2013
Fujimoto T, Kawahara K, Yokozeki H	Epidemiological study and considerations of primary focal hyperhidrosis in Japan: From questionnaire analysis.	J Dermatol.	40(11)	886-890	2013
Sakaguchi M, Bito T, Oda Y, Kikusawa A, Nishigori C, Munetsugu T, Yokozeki H, Itotani Y, Niguma T, Tsuruta	Three Cases of Linear IgA/IgG Bullous Dermatoses Showing IgA and IgG Reactivity With Multiple Antigens, Particularly Laminin-332.	Dermatol.	149(11)	1308-13	2013

D, Tateishi C, Ishii N, Koga H, Hashimoto T					
Takehara Y, Satoh T, Nishizawa A, Saeki K, Nakamura M, Masuzawa M, Kaneda Y, Katayama I, Yokozeki H	Anti-tumor effects of inactivated Sendai virus particles with an IL-2 gene on angiosarcoma.	Clin Immunol.	149(1)	1-10	2013
Saeki K, Satoh T, Yokozeki H	$\alpha(1,3)$ Fucosyltransferases IV and VII are essential for the initial recruitment of basophils in chronic allergic inflammation.	J Invest Dermatol	133(9)	2161-9	2013
Kataoka N, Satoh T, Hirai A, Saeki K, Yokozeki H	Indomethacin inhibits eosinophil migration to prostaglandin D2 : therapeutic potential of CTRH2 desensitization for eosinophilic pustular folliculitis.	Immunology	140(1)	78-86.	2013
Kato K, Satoh T, Tanaka-Fujimoto T, Ueda N, Yokozeki H	IgG4-positive cells in skin lesions of cutaneous and systemic plasmacytosis.	Eur J Dermatol.	23(2)	255-6	2013
横関 博雄	ガイドラインに沿った接触皮膚炎の診方・考え方.	東海花粉症研究会誌	24	73-74	2013
横関 博雄	【皮膚アレルギーの研究 アップデート～経皮感作とアレルギー～】スギ花粉の経皮感作による皮膚炎.	アレルギー・免疫	20	862-871	2013
横関 博雄	【主訴から診断へ-臨床現場の思考経路】全身的な訴え 発汗異常 発汗異常を訴える患者が来たら.	診断と治療	101;Suppl	56-61	2013
横関 博雄	【経皮感作とアレルギー】スギ花粉の経皮感作による皮膚炎の病態と治療.	臨床免疫・アレルギー科	59	591-597	2013
横関 博雄	【日常診療に役立つ皮膚アレルギー入門forフレッシャーズ】(Part3.)アトピー性皮膚炎.アトピー性皮膚炎の問診と診断手順.	Visual Dermatology	12	378-382	2013
横関 博雄	【総合アレルギー診療を目指して】《アレルギー疾患ガイドラインとその使い方》接触皮膚炎.	Modern Physician	33	183-187	2013

著書（平成 26 年度）

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
相原道子、池澤善郎	1 問診による食物アレルギーの原因の推定. 第1章 食物アレルギーの基礎 3食物アレルギーの検査・診断.	中村丁次, 板垣康治, 池澤善郎, 他7名	食物アレルギー A to Z	第一出版	東京	2014	7-9
相原道子、池澤善郎	2 食物アレルギーの検査と意義. 第1章 食物アレルギーの基礎 3食物アレルギーの検査・診断. 食物アレルギー	中村丁次, 板垣康治, 池澤善郎, 他7名	食物アレルギー A to Z	第一出版	東京	2014	9-11
相原道子、池澤善郎	3まとめ. 第1章 食物アレルギーの基礎 3食物アレルギーの検査・診断.	中村丁次, 板垣康治, 池澤善郎, 他7名	食物アレルギー A to Z	第一出版	東京	2014	11-12
平郡真記子、秀道広.	蕁麻疹/接触皮膚炎.	大久保公裕	イチから知りたいアレルギー診療	全日本病院出版会	東京	2014	122-129
平郡隆明、秀道広.	アトピー性皮膚炎の汗：アトピー性皮膚炎増悪のメカニズム.	宮地良樹	WHAT'S NEW 臨床皮膚科学	メディカルレビュー社	東京	2014	54-55
平郡隆明、秀道広.	汗がなぜADを悪化させるのか？その解決法は？	宮地良樹	苦手な外来皮膚疾患100の解決法～そのとき達人達はどういうに苦手皮膚科疾	メディカルレビュー社	東京	2014	46-47
秀道広.	抗ヒスタミン薬・抗アレルギー薬.	矢崎義雄	治療薬Up-To-Date 2014	メディカルレビュー社	東京	2014	664-669

論文（平成 26 年度）

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Nilsson N, Sjölander S, Baar A, Berthold M, Pahr S, Vrtala S, Valenta R, Morita E, Hedlin G, Borres MP, Nilsson C.	Wheat allergy in children evaluated with challenge and IgE antibodies to wheat components.	Pediatr Allergy Immunol.	26	119-25	2015

Brockow K, Kneissl D, Valentini L, Zelger O, Grosber M, Kugler C, Werich M, Darsow U, Matsuo H, Morita E, Ring J.	Using a gluten oral food challenge protocol to improve diagnosis of wheat-dependent exercise-induced anaphylaxis.	J Allergy Clin Immunol			2014 (in press)
Nakamura M, Yagami A, Hara K, Sano A, Kobayashi T, Aihara M, Hide M, Chinuki Y, Morita E, Teshima R, Matsunaga K.	A new reliable method for detecting specific IgE antibodies in the patients with immediate type wheat allergy due to hydrolyzed wheat protein: correlation of its titer and clinical severity.	Allergol Int.	63	243-9	2014
Fukushima S, Morita E, Tanioka M, Miyachi Y, Murakami Y, Matsunaka H, Ihn H.	Clinical evaluation of moisturizers with physiological analysis of stratum corneum TARC and TS LP.	Journal of Cosmetics, Dermatological Sciences and Applications			2014 (in press)
Inomata N, Nagashima M, Hakuta A, Aihara M	Food allergy preceded by contact urticarial due to the same food : involvement of epicutaneous sensitization in food allergy	Allergol Int	64	73-78	2015
Inomata N, Okazaki F, Moriyama T, Nomura Y, Yamaguchi Y, Honjo T, Kawamura Y, Narita H, Aihara M	Identification of peamaclein as a marker allergen related to systemic reactions in peach allergy	Ann Allergy Asthma Immunol	112(2)	175-177	2014
Inomata N, Chin K, Aihara M	Anaphylaxis caused by ingesting jellyfish in a subject with fermented soybean allergy: Possibility of epicutaneous sensitization to poly-gamma-glutamic acid by jellyfish stings	J Dermatol	41	752-774	2014
Nakamura M, Yagami A, Hara K, Sano A, Kobayashi T, Aihara M, Hide M, Chinuki Y, Morita E, Teshima R, Matsunaga K	A new reliable method for detecting specific IgE antibodies in the patients with immediate type wheat allergy due to hydrolyzed wheat protein: Correlation of its titer and clinical severity	Allergol Int	63	243-249	2014

山川有子, 山野朋子, 相原道子, 稔山浩, 池澤善郎	フランス製赤色マカラロンに含まれるコチニール色素が原因と思われるアナフィラキシーの1例-最近のコチニールアレルギーについて-	皮膚臨床	56(9)	1241-1245	2014
中村和子, 松倉節子, 岡田瑠奈, 大野真梨恵, 守田亜希子, 池澤優子, 相原道子, 中村政志, 矢上晶子, 松永佳世子, 蒲原 納	加水分解コムギ含有石鹼使用後に発症した小麦アレルギーの臨床経過についての検討	J Environ Dermatol Cutan Allergol	8	264-270	2014
篠田純子, 松倉節子, 久田恭子, 守田亜希子, 中村和子, 山川有子, 相原道子, 蒲原 納	オレンジと多種の果物による pollen-food allergy syndrome の1例	日本ラテックスアレルギー研究会会誌	17	58-60	2014
白田阿美子, 松浦みどり, 藤村奈緒, 猪又直子, 松倉節子, 池澤善郎, 北村薰, 中山 哲, 相原道子	ラテックスアレルゲンコンポーネントの臨床的検討	日本ラテックスアレルギー研究会会誌	17	85-90	2014
種子島智彦, 池田信昭, 井上雄介, 相原道子	トニックウォーターによる固定疹の1例	臨皮	68(3)	207-210	2014
Murota H, Ei-Latif MA, Tamura T, Katayama I.	Olopatadine hydrochloride decreases tissue interleukin-31 levels in an atopic dermatitis mouse model.	Acta Derm Venereol.	94(1)	78-79.	2014
Matsui S, Murota H, Takahashi A, Yang L, Lee JB, Omiya K, Ohmi M, Kikuta J, Ishii M, Katayama I.	Dynamic analysis of histamine-mediated attenuation of acetylcholine-induced sweating via GSK3 $\beta$ activation. J Invest Dermatol	J Invest Dermatol.	134(2)	326-334.	2014
Itoi S, Tanemura A, Kotobuki Y, Wataya-Kaneda M, Tsuruta D, Ishii M, Katayama I.	Coexistence of Langerhans cells activation and immune cells infiltration in progressive nonsegmental vitiligo.	J Dermatol Sci.	73(1)	83-85.	2014
Murota H, Itoi S, Terao M, Matsui S, Kawai H, Satou Y, Suda K, Katayama I.	Topical cholesterol treatment ameliorates hapten-evoked cutaneous hypersensitivity by sustaining expression of 11 $\beta$ -HSD1 in epidermis.	Exp Dermatol.	23(1)	68-70.	2014

Inoue T, Yamaoka T, Murota H, Yokomi A, Tanemura A, Igawa K, Tani M, Katayama I.	Effective oral psoralen plus ultraviolet a therapy for digital ulcers with revascularization in systemic sclerosis.	Acta Derm Venereol.	134(2)	326-334.	2014
Yamaga K, Hanafusa T, Azukizawa H, Tanemura A, Nii T, Nishide M, Narazaki M, Katayama I.	Immune reconstitution inflammatory syndrome in a patient with adult-onset Still's disease. graft-versus-host-like skin reaction with possible asymptomatic human herpes virus reactivation during steroid tapering.	Eur J Dermatol.	24(1)	101-103.	2014
Yamaoka T, Murota H, Tani M, Katayama I.	Severe rosacea with prominent Demodex folliculorum in a patient with HIV.	J Dermatol.	41(2)	195-196.	2014
Hashimoto N, Tanemura A, Yamada M, Itoi S, Katayama I.	Hepatitis C-related mixed type vitiligo in a patient with Ivemark syndrome.	J Dermatol.	41(2)	185-6.	2014
Suma A, Murota H, Kitaba S, Yamaoka T, Kato K, Matsui S, Takahashi A, Yokomi A, Katayama I.	Idiopathic Pure Sudomotor Failure Responding to Oral Antihistamine with Sweating Activities.	Acta Derm Venereol	94(6)	723-724.	2014
Jin H, Arase N, Hirayasu K, Kohyama M, Suenaga T, Saito F, Tanimura K, Matsuoka S, Ebina K, Shi K, Toyama-Sorimachi N, Yasuda S, Horita T, Hiwa R, Takasugi K, Ohmura K, Yoshikawa H, Saito T, Atsumi T, Sasazuki T, Katayama I, Lanier LL, Arase H.	Autoantibodies to IgG/HLA class II complexes are associated with rheumatoid arthritis susceptibility.	Proc Natl Acad Sci USA.	111(10)	3787-3792.	2014
Yang L, Murota H, Serada S, Fujimoto M, Kudo A, Naka T, Katayama I.	Histamine Contributes to Tissue Remodeling via Periostin Expression.	J Invest Dermatol	134(8)	2105-2113.	2014
Senda S, Igawa K, Nishioka M, Murota H, Katayama I.	Systemic sclerosis with sarcoidosis. case report and review of the published work.	J Dermatol.	41(5)	421-423.	2014
Tamiya H, Terao M, Takiuchi T, Nakahara M, Sasaki Y, Katayama I, Yoshikawa H, Iwai	K. IFN- $\gamma$ or IFN- $\alpha$ ameliorates chronic proliferative dermatitis by inducing expression of linear ubiquitin chain assembly complex.	J Immunol.	192(8)	3793-3804.	2014

Matsui S, Murota H, Ono E, Kikuta J, Ishii M, Katayama I.	Olopatadine hydrochloride restores histamine-induced impaired sweating.	J Dermatol Sci.	74(3)	260-261.	2014
Terao M, Tani M, Itoi S, Yoshimura T, Hamasaki T, Murota H, Katayama I.	11 $\beta$ -hydroxysteroid dehydrogenase 1 specific inhibitor increased dermal collagen content and promotes fibroblast proliferation.	PLoS One.	9(3)	e93051.	2014
Kotobuki Y, Yang L, Serada S, Tanemura A, Yang F, Nomura S, Kudo A, Izuhara K, Murota H, Fujimoto M, Katayama I, Naka T.	Periostin accelerates human malignant melanoma progression by modifying the melanoma microenvironment.	Pigment Cell Melanoma Res.	27(4)	630-639.	2014
Murakami Y, Wataya-Kaneda M, Tanaka M, Takahashi A, Tsujimura A, Inoue K, Nonomura N, Katayama I.	Two Japanese cases of birt-hogg-dube syndrome with pulmonary cysts, fibrofolliculomas, and renal cell carcinomas.	Case Rep Dermatol.	6(1)	20-28.	2014
Itoi S, Tanemura A, Tsuji C, Kitaba S, Yokomi A, Katayama I, Tateishi C, Tsuruta D.	A rare case of male bullous lupus erythematosus complicated with subsequent annular hypopigmentation.	Case Rep Dermatol.	6(1)	91-97.	2014
Tanaka A, Hayaishi N, Kondo Y, Kurachi K, Tanemura A, Katayama I.	Severe gangrene accompanied by varicella zoster virus-related vasculitis mimicking rheumatoid vasculitis.	Case Rep Dermatol.	6(1)	103-107.	2014
Oiso N, Nomi N, Fukai K, Tanemura A, Suzuki T, Katayama I, Wakamatsu K, Muto M, Kawada A.	Nevus depigmentosus with pale skin, yellow-brown hair and a light brown iris.	Eur J Dermatol.	24(3)	406-407.	2014
Itoi S, Tanemura A, Tani M, Kitaba S, Terao M, Murota H, Oiso N, Katayama I.	Immunohistochemical Analysis of Interleukin-17 Producing T Helper Cells and Regulatory T Cells Infiltration in Annular Erythema Associated with Sjögren's Syndrome.	Ann Dermatol.	26(2)	203-208.	2014

Kato K, Hanafusa T, Igawa K, Tatsumi M, Takahashi Y, Yamanaka T, Katayama I.	A rare case of annular pustular psoriasis associated with pemphigus foliaceus	Ann Dermatol.	26(2)	260-261.	2014
Yang F, Tanaka M, Wataya-Kaneda M, Yang L, Nakamura A, Matsumoto S, Attia M, Murota H, Katayama I.	Topical application of rapamycin ointment ameliorates Dermatophagoïdes farina body extract-induced atopic dermatitis in NC/Nga mice.	Exp Dermatol.	23(8)	568-572.	2014
Igawa K, Kokubu C, Yusa K, Horie K, Yoshimura Y, Yamauchi K, Suemori H, Yokozeki H, Toyoda M, Kiyokawa N, Okita H, Miyagawa Y, Akutsu H, Umezawa A, Katayama I, Takeda J.	Removal of reprogramming transgenes improves the tissue reconstitution potential of keratinocytes generated from human induced pluripotent stem cells.	Stem Cells Transl Med.	3(9)	992-1001.	2014
Yamaoka T, Doi C, Yokomi A, Tanemura A, Murota H, Tani M, Saruhan H, Hamaguchi Y, Fujimoto M, Katayama I.	Anti-MDA5 antibody-positive dermatomyositis with lethal progressive interstitial lung disease and advanced gastric cancer.	Eur J Dermatol.	24(4)	490-491	2014
Hashimoto N, Yamaoka T, Koguchi-Yoshioka H, Tanaka A, Tanemura A, Azukizawa H, Murota H, Kang J, Nakagawa Y, Shimazu T, Katayama I.	Development of Necrotising Fasciitis in a Patient Treated for Rheumatoid Arthritis with Tocilizumab.	Acta Derm Venereol.	95(3)	370-371	2015
Yang L, Fujimoto M, Murota H, Serada S, Fujimoto M, Honda H, Yamada K, Suzuki K, Nishikawa A, Hosono Y, Yoneda Y, Takehara K, Imura Y, Mimori T, Takeuchi T, Katayama I, Naka T	Proteomic identification of heterogeneous nuclear ribonucleoprotein K as a novel cold-associated autoantigen in patients with secondary Raynaud's phenomenon.	Rheumatology	54(2)	349-58.	2015
Katayama I, Kohno Y, Akiyama K, Aihara M, Kondo N, Saeki H, Shoji S, Yamada H, Nakamura K	Japanese Society of Allergology. Japanese guideline for atopic dermatitis	Allergol Int.	63(3)	377-398.	2014
Kurata R, Futaki S, Nakano I, Tanemura A, Murota H, Katayama I, Sekiguchi K.	Isolation and characterization of sweat gland myoepithelial cells from human skin.	Cell Struct Funct.	39(2)	101-112.	2014

Murota H, Matsui S, Ono E, Kijima A, Kikuta J, Ishii M, Katayama I.	Sweat, the driving force behind normal skin. An emerging perspective on functional biology and regulatory mechanisms.	J Dermatol Sci.	77(1)	3-10.	2015
Koguchi-Yoshioka H, Wataya-Kaneda M, Yutani M, Murota H, Nakano H, Sawamura D, Katayama I.	Atopic Diathesis in Hypohidrotic/Anhidrotic Ectodermal Dysplasia.	Acta Derm Venereol.			2014 (in press)
Horimukai K, Morita K, Katayama I, Saito H, Ohya Y. (26 人中 19 番目).	Application of moisturizer to neonates prevents development of atopic dermatitis.	J Allergy Clin Immunol.	134(4)	824-830.e6.	2014
Hayashi M, Tanemura A, Matsuda K, Hosokawa K, Izumi M, Ohara K, Mihm MC, Katayama I.	Pigmented epithelioid melanocytoma with lymph node metastasis in a patient with uncontrolled atopic dermatitis.	J Dermatol.	41(11)	1023-1025.	2014
Itoi S, Tanemura A, Hayashi M, Nagata N, Tani M, Katayama I.	Transient Wheal Attack Corresponding to the Tumor Lesions of Primary Cutaneous Diffuse Large B Cell Lymphoma, Leg Type after Successive Rituximab Treatment.	Case Rep Dermatol.	6(3)	218-221	2014
杉山晃子、岸川禮子、下田照文、西江温子、嶋田清隆、岩永知秋、古江増隆、西間三馨	小麦運動負荷試験を行った加水分解コムによる即時型コムギアレルギーの確診例 41 例の臨床的検討	アレルギー	63(6)	775-786	2014
岸川禮子、杉山晃子、嶋田清隆、西江温子、石松明子、下田照文、岩永知秋、西間三馨	美容石鹼使用後発症した即時型コムギアレルギー症の経過	職業・環境アレルギー誌	21(2)	63-71	2014
岸川禮子、杉山晃子	グルパール 19S による皮膚感作コムギアレルギー、加水分解コムギアレルギーの予後因子と日常生活への影響	臨床免疫・アレルギー科	62(5)	505-509	2014
Sun X, Yamasaki M, Katsume T, Shiwaku K.	Effects of quercetin derivatives from mulberry leaves to improve lipid and glucose metabolism in high-fat mice.	Nutr Res Pract.			2015 (in press)
Sundquist K, Hamano T, Li X, Kawakami N, Shiwaku K, Sundquist J.	Linking social capital and mortality in the	Exp Gerontol.	55	29-36	2014

	elderly: a Swedish national cohort study.				
Sundquist J, Hamano T, Li X, Kawakami N, Shiwaku K, Sundquist K.	Neighborhood linking social capital as a predictor of psychiatric medication prescription in the elderly: a Swedish national cohort study.	J Psychiatr Res.	55	44-51	2014
Mutombo PB, Yamasaki M, Hamano T, Isomura M, Nabika T, Shiwaku K	MC4R rs17782313 gene polymorphism was associated with glycated hemoglobin independently of its effect on BMI in Japanese: the Shimane COHRE study.	Endocr Res.	39(3)	115-119	2014
Kohno K, Niihara H, Hamano T, Takeda M, Yamasaki M, Mizumoto K, Nabika T, Morita E, Shiwaku K.	Standing posture at work and overweight exacerbate varicose veins: Shimane CoHRE Study.	J Dermatol.	41(11)	964-968	2014
Kamada M, Kitayuguchi J, Lee IM, Hamano T, Imamura F, Inoue S, Miyachi M, Shiwaku K.	Relationship between physical activity and chronic musculoskeletal pain among community-dwelling Japanese adults.	J Epidemiol.	24(6)	474-483	2014
Kakazu N, Yamane H, Miyachi M, Shiwaku K, Hosoi H.	Identification of the 12q15 amplicon within the homogeneously staining regions in the embryonal rhabdomyosarcoma cell line RMS-YM.	Cytogenet Genome Res.	142(3)	167-173	2014
Hamano T, Li X, Lonn SL, Nabika T, Shiwaku K, Sundquist J, Sundquist K.	Depression, stroke and gender: evidence of a stronger association in men.	J Neurol Neurosurg Psychiatry.			2014 (in press)
Hamano T, Kamada M, Kitayuguchi J, Sundquist K, Sundquist J, Shiwaku K.	Association of overweight and elevation with chronic knee and low back pain: a cross-sectional study.	Int J Environ Res Public Health.	11(4)	4417-4426	2014
Yokooji T, Okamura Y, Chinuki Y, Morita E, Harada S, Hiragun M, Hide M, Matsuo H	Prevalences of specific IgE to wheat gliadin components in patients with wheat-dependent	Allergol Int	64(2)	206-208	2015

	exercise-induced anaphylaxis.				
Iseki C, Kawanami T, Tsunoda T, Chinuki Y, Kato T	Chronic Headaches and Sleepiness Caused by Facial Soap (Containing Hydrolyzed Wheat Proteins)- Induced Wheat Allergy.	Intern Med	53	151-154	2014
Nakamura M, Yagami A, Hara K, Sano A, Kobayashi T, Aihara M, Hide M, Chinuki Y, Morita E, Teshima R, Matsunaga K	A new reliable method for detecting specific IgE antibodies in the patients with immediate type wheat allergy due to hydrolyzed wheat protein: correlation of its titer and clinical severity.	Allergol Int.	63(2)	243-249	2014
Takahashi H, Chinuki Y, Tanaka A, Morita E	Laminin $\gamma$ -1 and collagen $\alpha$ -1 (VI) chain are galactose- $\alpha$ -1,3-galactose-bound allergens in beef.	Allergy	69	199-207	2014
千貫祐子, 伊藤和行, 高橋 仁, 森田栄伸	セツキシマブによるアナフィラキシーの予知予防	日本皮膚科学会雑誌	124(13)	2090-3092	2014
松永佳世子	ロドデノール誘発性脱色素斑	皮膚病診療	37(1)	6-13	2015
Nishigori C, Aoyama Y, Ito A, Suzuki K, Suzuki T, Tanemura A, Ito M, Katayama I, Oiso N, Kagohashi Y, Sugiura S, Fukai K, Funasaka Y, Yamashita T, Matsunaga K	Guide for medical professionals (i.e. dermatologists) for the management of Rhododenol-induced leukoderma.	J Dermatol.	42	113-128	2015
Sasaki M, Kondo M, Sato K, Umeda M, Kawabata K, Takahashi Y, Suzuki T, Matsunaga K and Inoue D.	Rhododendrol, a depigmentation-inducing phenolic compound, exerts melanocyte cytotoxicity via a tyrosinase-dependent mechanism.	Pigment Cell Melanoma Res.	27(5)	754-63	2014
松永佳世子	化粧品による皮膚障害	現代医学	62(1)	101 - 105	2014
Tatebayashi M, Oiso N, Wada T, Suzuki K, Matsunaga K and Kawada A.	Possible allergic contact dermatitis with reticulate postinflammatory	J Dermatol.	41(7)	669-670	2014

	pigmentation caused by hydroquinone.				
Nakamura M, Yagami A, Hara K, Sano A, Kobayashi T, Aihara M, Hide M, Chinuki Y, Morita E, Teshima R, Matsunaga K.	A new reliable method for detecting specific IgE antibodies in the patients with immediate type wheat allergy due to hydrolyzed wheat protein: correlation of its titer and clinical severity.	Allergol Int.	63(2)	243-9	2014
Horita K, Tanoue C, Yasoshima M, Ohtani T, Matsunaga K.	Study of the usefulness of patch testing and use test to predict the safety of commercial topical drugs.	J Dermatol.	41(6)	505-13	2014
青山裕美, 伊藤明子, 鈴木加余子, 鈴木民夫, 種村篤, 錦織千佳子, 伊藤雅章, 片山一朗, 杉浦伸一, 松永佳世子	ロドデノール誘発性脱色素斑症例における一次全国疫学調査結果	日皮会誌	124(11)	2095-2109	2014
Kasamatsu S, Hachiya A, Nakamura S, Yasuda Y, Fujimori T, Takano K, Moriwaki S, Hase T, Suzuki T, Matsunaga K.	Depigmentation caused by application of the active brightening material, rhododendrol, is related to tyrosinase activity at a certain threshold.	J Dermatol Sci.	76(1)	16-24	2014
Kuroda Y, Takahashi Y, Sakaguchi H, Matsunaga K, Suzuki T.	Depigmentation of the skin induced by 4-(4-hydroxyphenyl)-2-butanol is spontaneously re-pigmented in brown and black guinea pigs.	J Toxicol Sci.	39(4)	615-23	2014
Yagami A, Suzuki K, Morita Y, Iwata Y, Sano A, Matsunaga K.	Allergic contact dermatitis caused by 3-o-ethyl-L-ascorbic acid (vitamin C ethyl).	Contact Dermatitis.	70(6)	376-7.	2014
矢上 晶子, 松永 佳世子	皮膚のアレルギーのトピックス	皮膚と美容	46(2)		2014
Choi H, Tanaka M, Hiragun T, Hide M, Sugimoto K.	Non-tumor mast cells cultured in vitro on a honeycomb-like structured film proliferate with multinucleated formation.	Nanomedicine	10	313-19	2014

Hiragun M, Hiragun T, Ishii K, Suzuki H, Tanaka A, Yanase Y, et al.	Elevated serum IgE against MGL_1304 in patients with atopic dermatitis and cholinergic urticaria.	Allergol Int	63	83-93	2014
Hiragun T, Yanase Y, Okabe T, Hiragun M, Kawai M, Hide M.	Establishment of a mast cell line, NCL-2, without Kit mutation, derived from NC mouse bone marrow.	FEBS Open Bio	4	342-346	2014
Iwamoto K, Morioke S, Yanase Y, Uchida K, Hide M.	Tissue factor expression on the surface of monocytes from a patient with hereditary angioedema.	J Dermatol	41	929-932	2014
Matsuo H, Yokooji T, Morita H, Ooi M, Urata K, Ishii K, et al.	Aspirin augments IgE-mediated histamine release from human peripheral basophils via Syk kinase activation.	Allergol Int	62	503-511	2014
Nakamura M, Yagami A, Hara K, Sano A, Kobayashi T, Aihara M, Hide M, et al.	A new reliable method for detecting specific IgE antibodies in the patients with immediate type wheat allergy due to hydrolyzed wheat protein: correlation of its titer and clinical severity.	Allergol Int	63	243-249	2014
Oitake T, Ueno Y, Tanaka S, Sagami S, Hayashi R, Nagai K, Hide M, et al.	Pulverized konjac glucomannan ameliorates oxazolone-induced colitis in mice.	Eur J Nutr			2014
Segawa R, Yamashita S, Mizuno N, Shiraki M, Hatayama T, Satou N, Hide M, et al.	Identification of a cell line producing high levels of TSLP: advantages for screening of anti-allergic drugs.	J Immunol Methods	402	9-4	2014
Shibuya M, Takahashi N, Yabe M, Iwamoto K, Hide M.	Hereditary angioedema as the cause of death from asphyxia: postmortem computed tomography study.	Allergol Int	63	493-494	2014
Leiding JW, Beakes D, Dreskin SC, Grumach A, Hide M, Reshef A, et al.	Case Title: 45 year-old male with recurrent angioedema: WAO international case-based discussions.	World Allergy Organ J	7	2	2014

Zuberbier T, Aberer W, Asero R, Bindslev-Jensen C, Brzoza Z, Canonica GW, Hide M, et al.	Methods report on the development of the 2013 revision and update of the EAACI/GA2LEN/EDF/WAO guideline for the definition, classification, diagnosis, and management of urticaria.	Allergy	69	29	2014
Hide M, Hiragun M, Hiragun T. Diagnostic tests for urticaria.	Diagnostic tests for urticaria.	Immunol Allergy Clin North Am	34	53-72	2014
Yanase Y, Hiragun T, Ishii K, Kawaguchi T, Yanase T, Kawai M, Hide M, et al.	Surface plasmon resonance for cell-based clinical diagnosis. <i>Sensors (Basel)</i>	Sensors (Basel)	14	4948-4959	2014
平郡真記子, 秀道広.	加水分解コムギ.	アレルギー	63	63-64	2014
平郡真記子、秀道広.	蕁麻疹・即時型アレルギーの血液検査.	Visual Dermatology.	12	368-372	2014
小林絃子、大原直樹、秀道広.	ダカルバジンによる光線過敏型薬疹の1例.	臨床皮膚科	68	493-497	2014
平郡真記子、平郡隆明、石井香、秀道広.	アトピー性皮膚炎と汗アレルギー.	アレルギーの臨床	34	855-859	2014
平郡真記子、平郡隆明、秀道広.	アトピー性皮膚炎と汗抗原.	臨床皮膚科	68	4-46	2014
平郡真記子、秀道広.	汗とアレルギー	D e r m a	220	67-72	2014
平郡真記子、秀道広	汗アレルギーとコリン性蕁麻疹.	皮膚病診療	36	706-710	2014
平郡隆明、平郡真記子、秀道広	アトピー性皮膚炎と汗抗原.	皮膚アレルギーフロンティア	12	97-101	2014
平郡真記子、平郡隆明、石井香、秀道広.	アトピー性皮膚炎と汗アレルギー.	アレルギーの臨床	34	855-859	2014
平郡真記子、石井香、秀道広.	茶のしづく石鹼等に含まれた加水分解コムギによる即時型コムギアレルギー患者のグルバール19S刺激での末梢血好塩基球ヒスタミン遊離陰性化率の検討.	臨床皮膚科免疫・アレルギー科	62	500-504	2014
平郡真記子、石井香、平郡隆明、秀道広.	真菌による湿疹・皮膚炎.	小児内科	46	1771-1775	2014
森桶聰、秀道広.	頭頸部領域の血管性浮腫.	ENTONI	170	1771-1775	2014

森桶聰、秀道広.	慢性蕁麻疹の抗アレルギー薬増量療法.	臨床皮膚科	68	84-88	2014
秀道広.	皮疹の種類とその発症機序 膨疹	Medicina	51	802-807	2014
柳瀬雄輝、秀道広	P A R - 2 .	アレルギー	63	64	2014
小原隆之、柳瀬雄輝、隈崎修孝、秀道広.	SPR イメージングによるアレルギー検査法.	Bio Clinica	29	68-7	2014
小原隆之、柳瀬雄輝、隈崎修孝、秀道広.	好塩基球の SPR イメージングによる I 型アレルギー原因抗原の同定法.	アレルギーの臨床	34	173-178	2014
秀道広.	じんま疹	臨床病態学 3		240-243	2014
柳瀬雄輝、秀道広.	SPR イメージングを利用した即時型アレルギー診断法.	化学工業	65	582-587	2014
福富 友馬	成人の食物アレルギー	日本医師会雑誌	143(3)	558-559	2014
Ogi K, Takabayashi T, Sakashita M, Susuki D, Yamada T, Manabe Y, Fujieda S.	Effect of Asian sand dust on Japanese cedar pollinosis.	Auris Nasus Larynx	41(6)	518-522	2014
Yamada T, Saito H, Fujieda S.	Present state of Japanese cedar pollinosis: the national affliction.	J Allergy Clin Immunol.	133(3)	632-639	2014
Okamoto Y, Ohta N, Okano M, Kamijo A, Gotoh M, Suzuki M, Takeno S, Terada T, Hanazawa T, Horiguchi S, Honda K, Matsune S, Yamada T, Yuta A, Nakayama T, Fujieda S.	Guiding principles of subcutaneous immunotherapy for allergic rhinitis in Japan.	Auris Nasus Larynx	41(1)	1-5	2014
Kato Y, Akasaki S, Muto-Haenuki Y, Fujieda S, Matsushita K, Yoshimoto T	Nasal Sensitization with Ragweed Pollen Induces Local-Allergic-Rhinitis-Like Symptoms in Mice.	PLoS ONE	9(8)	e103540	2014
Yokozeki H.	A nucleic acid-based medication for allergic skin diseases.	J Dermatol Sci.	75(2)	75-81	2014;
Yamamoto T, Yokozeki H.	Subcutaneous sarcoidal granuloma underlying porokeratosis in a patient with sarcoid-lymphoma syndrome.	Eur J Dermatol.			in press
Yamamoto T, Yokozeki H.	Scalp sarcoidosis mimicking organoid nevus.	Eur J Dermatol.			in press

Ueno M, Aoto T, Mohri Y, Yokozeki H, Nishimura EK.	Coupling of the radiosensitivity of melanocyte stem cells to their dormancy during the hair cycle.	Pigment Cell Melanoma Res.	27(4)	540-551	2014
Shibama S, Igawa K, Munetsugu T, Fukuyama K, Nishizawa A, Takayama K, Yokozeki H.	A case of sarcoidosis presenting as livedo.	Ann Dermatol.	26(6)	773-774.	2014
Nishizawa A, Igawa K, Teraki H, Yokozeki H.	Diffuse disseminated lichenoid-type cutaneous sarcoidosis mimicking erythroderma.	Int J Dermatol.	53(8)	e369-370	2014
Inazawa M, Satoh T, Yokozeki H.	Hyperkeratotic variant of inflammatory disseminated superficial porokeratosis with lichenoid reaction and extensive amyloid deposition.	Int J Dermatol.	53(2)	e94-95	2014
Igawa K, Konishi M, Moriyama Y, Fukuyama K, Yokozeki H.	Erythroderma as drug eruption induced by intravesical mitomycin C therapy.	J Eur Acad Dermatol Venereol.			in press
Igawa K, Kokubu C, Yusa K, Horie K, Yoshimura Y, Yamauchi K, Suemori H, Yokozeki H, Toyoda M, Kiyokawa N, Okita H, Miyagawa Y, Akutsu H, Umezawa A, Katayama I, Takeda J.	Removal of reprogramming transgenes improves the tissue reconstitution potential of keratinocytes generated from human induced pluripotent stem cells.	Stem Cells Transl Med.	3(9)	992-1001	2014
Hashimoto T, Satoh T, Furuya A, Kataoka N, Yokozeki H.	Kimura's disease with prurigo lesions treated with systemic indomethacin.	J Eur Acad Dermatol Venereol.	28(9)	1260-1262	2014
Dobashi K, Akiyama K, Usami A, Yokozeki H, Ikezawa Z, Tsurikisawa N, Nakamura Y, Sato K, Okumura J.	Japanese Guideline for Occupational Allergic Diseases 2014.	Allergol Int.	63(3)	421-442	2014
Yokooji T, Nouma H, Matsuo H	Characterization of ovalbumin absorption pathways in the rat intestine, including the effects of aspirin	Biol Pharm Bull	37(8)	1359-65	2014
Brockow K, Kneissl D, Valentini L, Zelger O, Grosber M, Kugler C, Werich M, Darsow U, Matsuo H, Morita E, Ring J	Using a gluten oral food challenge protocol to improve diagnosis of wheat-dependent	J Allergy Clin Immunol			in press