

| 発表者氏名   | 論文タイトル名   | 発表誌名                       | 巻号  | ページ        | 出版年  |
|---|---|----------------------------|-----|------------|------|
| Iwakura T, Ohashi N, Tsuji N, Naito Y, Isobe S, Ono M, Fujikura T, Tsuji T, Sakao Y, Yasuda H, Kato A, Fujiyama T, Tokura Y, Fujigaki Y:                              | A case of calcitriol-induced hypercalcemia by granulomatous mycosis fungoides with end-stage renal disease.   | World J Nephrol            |     | (in press) |      |
| Shiraishi N, Nomura T, Tanizaki H, Nakajima S, Narumiya S, Miyachi Y, Tokura Y, Kabashima K:  | Prostaglandin E2-EP3 Axis in Fine-tuning Excessive Skin Inflammation by Restricting Dendritic Cell Functions.   | PLoS ONE                   |     | (in press) |      |
| Sugita K, Nomura T, Ikenouchi-Sugita A, Ito T, Nakamura M, Miyachi, Tokura Y, Kabashima K:  | Influence of Th2 cells on the hair cycle/growth after repeated cutaneous application of hapten.   | Clin Exp Dermatol          |     | (in press) |      |
| Ito T, Bertolini M, Funakoshi A, Ito N, Takayama T, Biro T, Paus R, Tokura Y:   | Birth, life, and death of the MAGE3 hypothesis of alopecia areata pathobiology.   | J Dermatol Sci             |     | (in press) |      |
| Fujiyama T, Kawakami C, Suigita K, Kubo-Kabashima R, Sawada Y, Hino R, Nakamura M, Shimauchi T, Ito T, Kabashima K, Hashizume H, Tokura Y:                            | Increased frequencies of Th17 cells in drug eruptions.  | J Dermatol Sci             |     | (in press) |      |
| Majima Y, Yagi H, Ito T, Tokura Y:  | Two cases of lichen planus pigmentosus inversus: Possible causative role of tightly fitting underclothes.   | Eur J Dermatol             |     | (in press) |      |
| Kasuya A, Hamaguchi Y, Fujimoto M, Tokura Y:  | TIF1 $\gamma$ -overexpressing, Highly Progressive Endometrial Carcinoma in a Patient with Dermato-myositis Positive for Malignancy-associated Anti-p155/140 Autoantibody. | Acta Derm Venereol         |     | (in press) |      |
| Tokura Y, Sawada Y, Shimauchi T:  | Skin manifestations of adult T-cell leukemia/lymphoma: clinical, cytological, and immunological features.   | J Dermatol                 |     | (in press) |      |
| Sugita K, Nomura T, Ikenouchi-Sugita A, Sakabe JI, Nakahigashi K, Kuroda E, Uematsu U, Nakamura J, Akira S, Nakamura M, Narumiya S, Miyachi Y, Tokura Y, Kabashima K: | Prostaglandin E2 is critical for the development of niacin-deficiency-induced photosensitivity via ROS production.  | Sci Rep                    |     | (in press) |      |
| Sakabe J-I, Umayahara T, Hiroike M, Shimauchi T, Ito T, Tokura Y:   | Calcipotriol increases hCAP18 mRNA expression but inhibits extracellular LL37 peptide production in IL-17/IL-22-stimulated normal human epidermal keratinocytes.          | Acta Derm Venereol         |     | (in press) |      |
| Nakazawa S, Moriki M, Ikeya S, Sakabe J-I, Tokura Y:  | Atopic dermatitis presenting as generalized poikiloderma with filaggrin gene mutation.  | J Dermatol                 |     | (in press) |      |
| Sugaya M, Tokura Y, Hamada T, Tsuboi R, Mori Y, Nakahara T, Amano M, Ishida S, Watanabe D, Tani M, Ihn H, Aoi J, Iwatsuki K:  | Phase II study of intravenous interferon- $\gamma$ in Japanese patients with mycosis fungoides.   | J Dermatol                 |     | (in press) |      |
| Tsukasaki K, Imaizumi Y, Tokura Y, Ohshima K, Kawai K, Utsunomiya A, Amano M, Watanabe T, Nakamura S, Iwatsuki K, Kamihira S, Yamaguchi K, Shimoyama M:               | Meeting report on the possible proposal of an extra-nodal primary cutaneous variant in the lymphoma type of adult T-cell leukemia-lymphoma.                               | J Dermatol                 |     | (in press) |      |
| Yamaguchi H, Hata M, Fujiyama T, Ito T, Hashizume H, Tokura Y:  | Psychological aspects of patients with intrinsic atopic dermatitis.   | Eur J Dermatol             |     | (in press) |      |
| 戸倉新樹  | フィラグリン異常とアレルギー疾患の進展.  | モダンフィジシャン                  | 33  | 193-197    | 2013 |
| 坂部純一, 戸倉新樹  | 知っておきたい基礎用語/フィラグリンとは.   | 日小皮会誌                      | 32  | 70-71      | 2013 |
| 戸倉新樹  | アトピー性皮膚炎の分別 Up-to-Date.   | 日本臨床皮膚科医学会雑誌               | 30  | 23-27      | 2013 |
| 戸倉新樹  | タクロリムス軟膏を用いたアトピー性皮膚炎の皮疹改善と QOL 向上.  | マルホ皮膚科セミナー[ラジオNIKKEI]放送内容集 | 222 | 21-23      | 2013 |

| 発表者氏名   | 論文タイトル名   | 発表誌名                            | 巻号  | ページ       | 出版年  |
|---|---|---------------------------------|-----|-----------|------|
| 戸倉新樹  | コリン性蕁麻疹に伴う発汗異常とアセチルコリン受容体発現異常.  | 発汗学                             | 20  | 29-32     | 2013 |
| 坂本慶子, 影山葉月, 田島巖, 谷岡書彦, 戸倉新樹   | 新生児単純ヘルペス感染症の1例.  | 臨床皮膚科                           | 67  | 173-176   | 2013 |
| 坂本慶子, 影山葉月, 渡辺規矩夫, 戸倉新樹   | 外傷を契機に発症した塩酸ミノサイクリンによる色素沈着型薬疹の1例.   | 臨床皮膚科                           | 67  | 205-208   | 2013 |
| 吉澤真裕子, 尾藤利憲, 椛島利江子, 吉木竜太郎, 中村元信, 戸倉新樹   | 背部に生じた皮膚平滑筋肉腫(皮膚型)の1例.  | Skin Cancer                     | 27  | 318-321   | 2013 |
| 山本佳世, 日野亮介, 澤田雄宇, 中村元信, 戸倉新樹  | 蚊唾液腺抽出物による刺激に対してTh2細胞の増殖を認めた蚊刺過敏症.  | 臨床皮膚科                           | 67  | 297-301   | 2013 |
| 鈴木健晋, 青島正浩, 橋爪秀夫, 伊藤泰介, 戸倉新樹  | ドロレス顎口虫血清抗体価が治療の効果判定に有用であった日本顎口虫によると考えられる皮膚爬行症の1例.                        | 皮膚の科学                           | 12  | 122-125   | 2013 |
| 戸倉新樹  | 皮膚アレルギー疾患とよく間違える疾患・鑑別疾患.  | Visual Dermatology              | 12  | 350-353   | 2013 |
| 戸倉新樹  | 今もアトピー性皮膚炎に生きる太藤皮膚科学の潮流.  | Visual Dermatology              | 12  | 510-516   | 2013 |
| 鬼頭由紀子, 鬼頭芳子, 戸倉新樹   | 小児アトピー性皮膚炎に対するジルテックドライシロップ(1.25%セチリジン塩酸塩)の臨床効果および患児ならびに保護者アンケートによる有用性の検討. | Progress in Medicine            | 33  | 1211-1214 | 2013 |
| 戸倉新樹  | 光線過敏型薬疹の原因薬剤と診断.  | 日本医師会雑誌                         | 142 | 522-526   | 2013 |
| 澤田雄宇, 戸倉新樹  | 成人T細胞性白血病/リンパ腫(ATLL)の皮膚病変.  | Modern Physician                | 33  | 972-975   | 2013 |
| 戸倉新樹  | 各皮膚悪性リンパ腫の診断と治療 セザリー (Sézary)症候群/(Sézary)症候群の診断と治療.                       | 日本臨牀増刊号<br>皮膚悪性腫瘍-基礎と臨床の最新研究動向- | 71  | 786-788   | 2013 |
| 澤田雄宇, 戸倉新樹  | 成人T細胞白血病・リンパ腫/成人T細胞性白血病・リンパ腫の診断法.   | 日本臨牀増刊号<br>皮膚悪性腫瘍-基礎と臨床の最新研究動向- | 71  | 825-858   | 2013 |
| 澤田雄宇, 戸倉新樹  | 成人T細胞白血病・リンパ腫/皮膚病変を有する成人T細胞性白血病・リンパ腫の治療.                                  | 日本臨牀増刊号<br>皮膚悪性腫瘍-基礎と臨床の最新研究動向- | 71  | 829-832   | 2013 |
| 中島大毅, 深町晶子, 中村元信, 戸倉新樹  | 地域発症率からみた好酸球性膿疱性毛包炎における衛生仮説の検証.   | JUOEH (産業医科大学雑誌)                | 35  | 201-205   | 2013 |
| 戸倉新樹  | アトピー性皮膚炎の治療 Overview.   | 臨床免疫・アレルギー科                     | 60  | 290-294   | 2013 |
| 戸倉新樹  | 抗ヒスタミン薬の多彩な薬理作用.  | 皮膚アレルギーフロンティア                   | 11  | 27-31     | 2013 |
| 伊藤泰介, 島内隆寿, 平川聡史, 八木宏明, 馬屋原孝恒, 馬場佑子, 加茂真理子, 糟谷啓, 青島正浩, 池谷茂樹, 津嶋友央, 秦まき, 橋爪秀夫, 浦野聖子, 杉浦丹, 戸倉新樹 | 膿疱性および関節症病型を中心とする乾癬に対するインフリキシマブの臨床効果と血清IL-22値と血清VEGF値によるモニタリング.           | Progress in Medicine            | 33  | 2005-2011 | 2013 |
| 森達吉, 伊藤泰介, 目黒史織, 馬場聡, 犬塚学, 戸倉新樹   | Langerhans細胞肉腫の1例.  | 臨床皮膚科                           | 67  | 803-807   | 2013 |

| 発表者氏名   | 論文タイトル名  | 発表誌名                 | 巻号       | ページ                        | 出版年  |
|---|--|----------------------|----------|----------------------------|------|
| 島内隆寿, 藤山俊晴, 山口隼人, 坂部純一, 影山玲子, 中澤慎介, 星野友美, 糟谷啓, 青島正浩, 池谷茂樹, 龍野一樹, 伊藤泰介, 平川聡史, 戸倉新樹 | アトピー性皮膚炎に対するレボセチリジンの臨床効果とそれに伴う血中バイオマーカーとT細胞サブセットの変動.   | Progress in Medicine | 33       | 2239-2244                  | 2013 |
| 池谷茂樹, 戸倉新樹  | 変動性紅斑角皮症 (erythrokeratoderma variabilis) の臨床症状とコネキシン31遺伝子変異.   | 日小皮会誌                | 32       | 211-217                    | 2013 |
| 戸倉新樹  | アトピー性皮膚炎: 皮膚バリアの破綻によるアレルギー.  |                      | 31       | 143-149                    | 2013 |
| Hanafusa T, Matsui S, Murota H, et al.  | Increased frequency of skin-infiltrating FoxP3+ regulatory T cells as a diagnostic indicator of severe atopic dermatitis from cutaneous T cell lymphoma. | Clin Exp Immunol     | 172      | 507-512                    | 2013 |
| Takahashi A, Murota H, et al.   | Decreased Sudomotor Function is Involved in the Formation of Atopic Eczema in the Cubital Fossa.   | Allergol Int         |          |                            | 2013 |
| 室田浩之  | 汗とアトピー性皮膚炎   | 臨床免疫・アレルギー科          | 59       | 187-190                    | 2013 |
| 室田浩之  | アトピー性皮膚炎の治療と患者指導   | 日本医事新報               | 4661     | 17-24                      | 2013 |
| 室田浩之  | 発汗とスキンケア   | デルマ                  | 210      | 37-44                      | 2013 |
| Murota H, El-Latif MA, Tamura T, et al  | Olopatadine Hydrochloride Decreases Tissue Interleukin-31 Levels in an Atopic Dermatitis Mouse Model.  | Acta Derm Venereol.  |          | doi: 10.2340/0015555-1648. | 2013 |
| 室田浩之  | アトピー性皮膚炎   | 小児外科                 | 45       | 1139-1142                  | 2013 |
| Tanemura A, Kiyohara E, Katayama I, Kaneda Y.                                     | Recent advances and developments in the antitumor effect of the HVJ envelope vector on malignant melanoma: from the bench to clinical application.       | Cancer Gene Ther.    | In press | In press                   | 2013 |
| Kaneda, Y.  | The RIG-I/MAVS signaling pathway in cancer cell-selective apoptosis.   | Oncoimmunology       | 2(4)     | e23566-1~3                 | 2013 |

## 研究成果の刊行に関する一覧表レイアウト

## 書籍

| 著者氏名       | 論文タイトル名                         | 書籍全体の編集者名        | 書籍名                               | 出版社名       | 出版地 | 出版年  | ページ         |
|------------|---------------------------------|------------------|-----------------------------------|------------|-----|------|-------------|
| 佐藤貴浩       | 虫刺され、ストロフルス、痒疹                  | 山口徹 北原光夫 福井次矢    | 今日の治療指針—私はこうしている—2014 Vol. 56 総編集 | 医学書院       | 東京  | 2014 | pp1097-1098 |
| 佐藤貴浩       | 痒疹はどのようにしてできる？                  | 宮地良樹             | WHAT'S NEW IN 皮膚科学                | メディカルレビュー社 | 東京  | 2014 | pp58-59     |
| 端本宇志, 佐藤貴浩 | 慢性痒疹治療の決め手—慢性痒疹の診断はついたが治療の解決法は？ | 宮地良樹             | 苦手な外来皮膚疾患の解決法                     | メディカルレビュー社 | 東京  | 2014 | pp64-65     |
| 佐藤貴浩       | 皮膚瘙癢症.                          | 門脇 孝, 小室一成, 宮地良樹 | 診療ガイドライン UP-TO-DATE               | メディカルレビュー社 | 東京  | 2014 | pp631-633   |

## 雑誌

| 発表者氏名   | 論文タイトル名   | 発表誌名                              | 巻号      | ページ       | 出版年  |
|---|---|-----------------------------------|---------|-----------|------|
| Dobashi K, Akiyama K, Usami A, Yokozeki H, Ikezawa Z, Tsurikisawa N, Nakamura Y, Sato K, Okumura J.   | Japanese Guideline for Occupational Allergic Diseases 2014. Committee for Japanese Guideline for Diagnosis and Management of Occupational Allergic Diseases; Japanese Society of Allergology. | <i>Allergol Int.</i>              | 63(3)   | 421-42.   | 2014 |
| Yokozeki H.   | The research for atopic dermatitis: up to date].  | <i>Nihon Rinsho.</i>              | 72(8)   | 1503-1509 | 2014 |
| Igawa K, Kokubu C, Yusa K, Horie K, Yoshimura Y, Yamauchi K, Suemori H, Yokozeki H, Toyoda M, Kiyokawa N, Okita H, Miyagawa Y, Akutsu H, Umezawa A, Katayama I, Takeda J. | Removal of reprogramming transgenes improves the tissue reconstitution potential of keratinocytes generated from human induced pluripotent stem cells.  | <i>Stem Cells Transl Med.</i>     | 3(9)    | 992-1001. | 2014 |
| Ueno M, Aoto T, Mohri Y, Yokozeki H, Nishimura EK.  | Coupling of the radiosensitivity of melanocyte stem cells to their dormancy during the hair cycle.  | <i>Pigment Cell Melanoma Res.</i> | 27(4)   | 540-51.   | 2014 |
| Yokozeki H.   | A nucleic acid-based medication for allergic skin diseases.   | <i>J Dermatol Sci.</i>            | 75(2)   | 75-81.    | 2014 |
| Higuchi T, Satoh T, Yokozeki H.   | Using CD40 ligand expression to detect antigen-specific T cells in patients with drug eruptions.  | <i>Acta Derm Venereol.</i>        | 94(1)   | 86-87     | 2014 |
| Satoh T, Ikeda H, Yokozeki H  | Acrosyringeal Involvement of Palmoplantar Lesions of Eosinophilic Pustular Folliculitis.  | <i>Acta Derm Venereol.</i>        | 93(1).  |           | 2013 |
| Takehara Y, Satoh T, Nishizawa A, Saeki K, Nakamura M, Masuzawa M, Kaneda Y, Katayama I, Yokozeki H.  | Anti-tumor effects of inactivated Sendai virus particles with an IL-2 gene on angiosarcoma  | <i>Clin Immunol.</i>              | 149(1)  | 1-10      | 2013 |
| Saeki K, Satoh T, Yokozeki H.   | $\alpha(1,3)$ Fucosyltransferases IV and VII are essential for the initial recruitment of basophils in chronic allergic inflammation.   | <i>J Invest Dermatol.</i>         | 133(9): | 2161-2169 | 2013 |

| 発表者氏名   | 論文タイトル名   | 発表誌名                           | 巻号      | ページ       | 出版年  |
|---|---|--------------------------------|---------|-----------|------|
| Kataoka N, Satoh T, Hirai A, Saeki K, Yokozeki H.   | Indomethacin inhibits eosinophil migration to prostaglandin D2 : therapeutic potential of CRTH2 desensitization for eosinophilic pustular folliculitis.   | <i>Immunology.</i>             | 140(1)  | 140(1)    | 2013 |
| Bakocevic, N., Claser, C., Yoshikawa, S., Jones, LA., Chew, S., Goh. CC., Malleret, B., Larbi, A., Ginhoux, F., de Lafaille, MC., Karasuyama, H., Renia, L., Ng, LG   | CD41 is a reliable identification and activation marker for murine basophils in the steady-state and during helminth and malarial infections.   | <i>Eur. J. Immunol.</i>        | 44      | 1823-1834 | 2014 |
| Morshed, M., Hlushchuk, R., Simon, D., Walls, A.F., Obata-Ninomiya, K., Karasuyama, H., Djonov, V., Eggel, A., Kaufmann, T., Simon, H-U, and Yousefi, S.  | NADPH oxidase-independent formation of extracellular DNA traps by basophils.  | <i>J. Immunol.</i>             | 192     | 5314-5323 | 2014 |
| Reber, L., Marichal, T., Sokolove, J., Starkl, P., Gaudenzio, N., Iwakura, Y., Karasuyama, H., Schwartz, L.B., Robinson, W.H., Tsai, M., and Galli, S.J.  | Mast cell-derived IL-1 $\beta$ contributes to uric acid crystal-induced acute arthritis in mice.  | <i>Arthritis Rheum.</i>        | 66      | 2881-2891 | 2014 |
| Karasuyama, H., and Yamanishi, Y.   | Basophils have emerged as a key player in immunity.   | <i>Curr. Opin. Immunol.</i>    | 31      | 1-7       | 2014 |
| Tsai, S.H., Kinoshita, M., Kusu, T., Kayama, H., Okumura, R., Ikeda, K., Shimada Y., Takeda A., Yoshikawa, S., Obata-Ninomiya, K., Kurashima, Y., Sato, S., Umemoto, E., Kiyono, H., Karasuyama, H., and Takeda, K. | The ectoenzyme E-NPP3 negatively regulates ATP-dependent chronic allergic responses by basophils and mast cells.  | <i>Immunity</i>                | 42      | 279-293   | 2015 |
| 鳥山 一  | 炎症の抑制・終焉機構「序」   | 炎症と免疫                          | 22(2)   | 71        | 2014 |
| 二宮 (小畑) 一茂、筒井英充、鳥山 一  | 消化管寄生虫感染防御免疫応答における好塩基球の新たな役割  | 感染・炎症・免疫                       | 44(1)   | 30-39     | 2014 |
| 鳥山 一  | 好塩基球の光と影「はじめに」  | 医学のあゆみ                         | 250(12) | 1079      | 2014 |
| 太田卓哉、吉川宗一郎、鳥山 一   | マダニ感染防御と好塩基球  | 医学のあゆみ                         | 250(12) | 1114-1118 | 2014 |
| 三宅健介、鳥山 一   | 最近明らかになってきた好塩基球の役割  | 臨床免疫・アレルギー科                    | 63 (2)  | 164-169   | 2015 |
| Andoh T, Yoshida T, Kuraishi Y.   | Topical E6005, a novel phosphodiesterase 4 inhibitor, attenuates spontaneous itch-related responses in mice with chronic atopy-like dermatitis.   | <i>Exp Dermatol.</i>           | 23      | 359-361   | 2014 |
| Andoh T, Takayama Y, Kuraishi Y.  | Involvement of leukotriene B4 in dermatophyte-related itch in mice.   | <i>Pharmacol Rep.</i>          | 66      | 699-703   | 2014 |
| Inami Y, Sasaki A, Andoh T, Kuraishi Y.   | Surfactant-induced chronic pruritus: Role of L-histidine decarboxylase expression and histamine production in epidermis.  | <i>Acta Derm Venereol.</i>     | 94      | 645-650   | 2014 |
| Andoh T, Kuraishi Y.  | Antipruritic mechanisms of topical E6005, a phosphodiesterase 4 inhibitor: Inhibition of responses to proteinase-activated receptor 2 stimulation mediated by increase in intracellular cyclic AMP. | <i>J Dermatol. Sci</i>         | 76      | 206-213   | 2014 |
| 安東嗣修  | かゆみ解析の動物モデル   | <i>MB. Derma</i>               | 214     | 6-11      | 2014 |
| Honda T, <u>Kabashima K.</u>  | Prostanoids in allergy.   | <i>Allergol Int.</i>           | 64(1)   | 11-16     | 2015 |
| Nakamizo S, Egawa G, Honda T, <u>Nakajima S</u> , Belkaid Y, <u>Kabashima K.</u>  | Commensal bacteria and cutaneous immunity.  | <i>Semin Immunopathol.</i>     | 37(1)   | 73-80.    | 2015 |
| Dainichi T, Hanakawa S, <u>Kabashima K.</u>   | Classification of inflammatory skin diseases: a proposal based on the disorders of the three-layered defense systems, barrier, innate immunity and acquired immunity.                               | <i>J Dermatol Sci.</i>         | 76(2)   | 81-89     | 2014 |
| Nomura T, <u>Kabashima K.</u> , Miyachi Y.  | The panoply of $\alpha \beta$ T cells in the skin.  | <i>J Dermatol Sci.</i>         | 76(1)   | 3-9       | 2014 |
| Nakashima C, Otsuka A, Kitoh A, Honda T, Egawa G, <u>Nakajima S</u> , Nakamizo S, Arita M, Kubo M, Miyachi Y, <u>Kabashima K.</u>   | Basophils regulate the recruitment of eosinophils in a murine model of irritant contact dermatitis.   | <i>J Allergy Clin Immunol.</i> | 134(1)  | 100-107   | 2014 |

| 発表者氏名  | 論文タイトル名  | 発表誌名  | 巻号     | ページ          | 出版年  |
|--|--|---|--------|--------------|------|
| Nakajima S, Kitoh A, Egawa G, Natsuaki Y, Nakamizo S, Moniaga CS, Otsuka A, Honda T, Hanakawa S, Amano W, Iwakura Y, Nakae S, Kubo M, Miyachi Y, Kabashima K.        | IL-17A as an inducer for Th2 immune responses in murine atopic dermatitis models.  | <i>J Invest Dermatol.</i>                         | 134(8) | 2122-30.     | 2014 |
| Otsuka A, Doi H, Egawa G, Maekawa A, Fujita T, Nakamizo S, Nakashima C, Nakajima S, Watanabe T, Miyachi Y, Narumiya S, Kabashima K.                                  | Possible new therapeutic strategy to regulate atopic dermatitis through upregulating filaggrin expression.   | <i>J Allergy Clin Immunol.</i>                    | 133(1) | 139-146      | 2014 |
| Sakabe JI, Yamamoto M, Hirakawa S, Motoyama A, Ohta I, Tatsuno K, Ito T, Kabashima K, Hibino T, Tokura Y   | Kallikrein-related peptidase 5 functions in proteolytic processing of profilaggrin in cultured human keratinocytes.  | <i>J Biol Chem</i>                                | 288    | 17179-17189, | 2013 |
| Mori T, Kabashima K, Fukamachi S, Kuroda E, Sakabe J, Kobayashi M, Nakajima S, Nakano K, Tanaka Y, Matsushita S, Nakamura M, Tokura Y.                               | D1-like dopamine receptors antagonist inhibits cutaneous immune reactions mediated by Th2 and mast cells.  | <i>J Dermatol Sci</i>                             | 71     | 37-44        | 2013 |
| Shiraishi N, Nomura T, Tanizaki H, Nakajima S, Narumiya S, Miyachi Y, Tokura Y, Kabashima K  | Prostaglandin E2-EP3 Axis in Fine-tuning Excessive Skin Inflammation by Restricting Dendritic Cell Functions.  | <i>PLoS ONE</i>                                   | 8      | e69599       | 2013 |
| Yamaguchi H, Kabashima-Kubo R, Bito T, Sakabe J-I, Shimauchi T, Ito T, Hirakawa S, Hirasawa N, Ogasawara K, Tokura Y   | High frequencies of positive nickel/cobalt patch tests and high sweat nickel concentration in patients with intrinsic atopic dermatitis.                           | <i>J Dermatol Sci</i>                             | 72     | 240-245      | 2013 |
| Sugita K, Nomura T, Ikenouchi-Sugita A, Sakabe JI, Nakahigashi K, Kuroda E, Uematsu U, Nakamura J, Akira S, Nakamura M, Narumiya S, Miyachi Y, Tokura Y, Kabashima K | Prostaglandin E2 is critical for the development of niacin-deficiency-induced photosensitivity via ROS production.   | <i>Sci Rep 3</i>                                  | 2973   |              | 2013 |
| Yamaguchi H, Tatsuno K, Sakabe J, Tokura Y   | Second report of FLG R501X mutation in Japanese patients with atopic dermatitis.   | <i>J Dermatol</i>                                 | 40     | 498-499      | 2013 |
| Sakabe J, Kamiya K, Yamaguchi H, Ikeya S, Suzuki T, Aoshima M, Tatsuno K, Fujiyama T, Suzuki M, Yatagai T, Ito T, Ojima T, Tokura Y                                  | Proteome analysis of stratum corneum from atopic dermatitis patients by hybrid quadrupole-orbitrap mass spectrometer.  | <i>Journal of Allergy and Clinical Immunology</i> | 134    | 957-967      | 2014 |
| Yamaguchi H, Hata M, Fujiyama T, Ito T, Hashizume H, Tokura Y  | Psychological aspects of patients with intrinsic atopic dermatitis.  | <i>Eur J Dermatol</i>                             | 24     | 253-254      | 2014 |
| Fujiyama T, Kawakami C, Sugita K, Kubo-Kabashima R, Sawada Y, Hino R, Nakamura M, Shimauchi T, Ito T, Kabashima K, Hashizume H, Tokura Y                             | Increased frequencies of Th17 cells in drug eruptions.   | <i>J Dermatol Sci</i>                             | 73     | 85-88        | 2014 |
| Kasuya A, Sakabe J, Tokura Y   | Potential application of in vivo imaging of impaired lymphatic duct to evaluate the severity of pressure ulcer in mouse model.                                     | <i>Sci Rep</i>                                    | 4      | 4173         | 2014 |
| Yoshiki R, Kabashima K, Honda T, Nakamizo S, Sawada Y, Sugita K, Yoshioka H, Ohmori S, Malissen B, Tokura Y, Nakamura M  | IL-2 from Langerhans cells is required for the development of imiquimod-induced psoriasis-like dermatitis by induction of IL-17A-producing $\gamma\delta$ T cells. | <i>J Invest Dermatol</i>                          | 134    | 1912-1921    | 2014 |
| Fujiyama T, Ito T, Ogawa N, Suda T, Tokura, Hashizume H  | Preferential infiltration of interleukin-4-producing CXCR4+ T cells in the lesional muscle but not skin of patients with dermatomyositis.                          | <i>Clin Exp Immunol</i>                           | 177    | 110-120      | 2014 |
| Tokura Y, Yagi H, Yanaguchi H, Majima Y, Kasuya A, Ito T, Maekawa M, Hashizume H   | IgG4-related skin disease.   | <i>Br J Dermatol</i>                              | 171    | 959-967      | 2014 |
| Ito T, Tokura Y  | The role of cytokines/chemokines in T cell-mediated autoimmune inflammation: Lessons from hair loss in alopecia areata.  | <i>Exp Dermatol</i>                               | 23     | 787-791      | 2014 |
| Kasuya A, Tokura Y:  | Attempts to accelerate wound healing.  | <i>J Dermatol Sci</i>                             | 76(3)  | 169-172,     | 2014 |

| 発表者氏名   | 論文タイトル名   | 発表誌名                           | 巻号       | ページ      | 出版年      |
|---|---|--------------------------------|----------|----------|----------|
| Nakazawa S, Moriki M, Ikeya S, Sakabe J-I, Tokura Y   | Atopic dermatitis presenting as generalized poikiloderma with filaggrin gene mutation.  | <i>J Dermatol</i>              | 41       | 230-231  | 2014     |
| Kuriyama S, Kasuya A, Fujiyama T, Tatsuno K, Sakabe J, Yamaguchi H, Ito T, Tokura Y   | Leukoderma in patients with atopic dermatitis.  | <i>J Dermatol</i>              | 42       | 215-218  | 2014     |
| Kamiya K, Kamiya E, Kamiya Y, Niwa M, Saito A, Natsume T, Niwa H, Tokura Y  | Drug eruption to clavulanic acid with sparing of cellulitis-affecting site.   | <i>Allergology Int</i>         |          |          | in press |
| Ito T, Tatsuno K, Fujiyama T, Sakabe J, Tokura Y  | Antihistaminic drug olopatadine downmodulates T cell chemotaxis toward CCL17 in patients with atopic dermatitis.  | <i>Allergology Int</i>         |          |          | in press |
| Yamaguchi H, Hirasawa N, Asakawa S, Okita K, Tokura Y   | Intrinsic atopic dermatitis shows high serum nickel concentration.  | <i>Allergology Int</i>         |          |          | in press |
| Lee J, Shin Y, Murota H.  | Oligonol Supplementation Modulates Plasma Volume and Osmolality and Sweating After Heat Load in Humans.   | <i>J Med Food.</i>             |          |          | 2015     |
| Nakano-Tahara M, Terao M, Nishioka M, Kitaba S, Murota H, Katayama I.   | T Helper 2 Polarization in Senile Erythroderma with Elevated Levels of TARCs and IgE.   | <i>Dermatology.</i>            |          |          | 2015     |
| Horimukai K, Morita K, Narita M, Kondo M, Kitazawa H, Nozaki M, Shigematsu Y, Yoshida K, Niizeki H, Motomura K, Sago H, Takimoto T, Inoue E, Kamemura N, Kido H, Hisatsune J, Sugai M, Murota H, Katayama I, Sasaki T, Amagai M, Morita H, Matsuda A, Matsumoto K, Saito H, Ohya Y. | Application of moisturizer to neonates prevents development of atopic dermatitis.   | <i>J Allergy Clin Immunol.</i> | 134(4)   | 824-830. | 2014     |
| Koguchi-Yoshioka H, Wataya-Kaneda M, Yutani M, Murota H, Nakano H, Sawamura D, Katayama I.  | Atopic Diathesis in Hypohidrotic/Anhidrotic Ectodermal Dysplasia.   | <i>Acta Derm Venereol.</i>     |          |          | 2014     |
| Murota H, Matsui S, Ono E, Kijima A, Kikuta J, Ishii M, Katayama I.   | Sweat, the driving force behind normal skin: An emerging perspective on functional biology and regulatory mechanisms.   | <i>J Dermatol Sci.</i>         | 77       | 3-10     | 2015     |
| Kurata R, Futaki S, Nakano I, Tanemura A, Murota H, Katayama I, Sekiguchi K.  | Isolation and characterization of sweat gland myoepithelial cells from human skin.  | <i>Cell Struct Funct.</i>      | 39       | 101-112  | 2014     |
| Yang L, Fujimoto M, Murota H, Serada S, Fujimoto M, Honda H, Yamada K, Suzuki K, Nishikawa A, Hosono Y, Yoneda Y, Takehara K, Imura Y, Mimori T, Takeuchi T, Katayama I, Naka T.  | Proteomic identification of heterogeneous nuclear ribonucleoprotein K as a novel cold-associated autoantigen in patients with secondary Raynaud's phenomenon. | <i>Rheumatology (Oxford).</i>  | 54(2)    | 349-358  | 2015     |
| Furue M, Onozuka D, Takeuchi S, Murota H, Sugaya M, Masuda K, Hiragun T, Kaneko S, Saeki H, Shintani Y, Tsunemi Y, Abe S, Kobayashi M, Kitami Y, Tanioka M, Imafuku S, Abe M, Inomata N, Morisky DE, Katoh N.   | Poor adherence to oral and topical medication in 3096 dermatological patients as assessed by the Morisky Medication Adherence Scale-8.                        | <i>Br J Dermatol.</i>          | 172      | 272-275  | 2015     |
| Yang F, Tanaka M, Wataya-Kaneda M, Yang L, Nakamura A, Matsumoto S, Attia M, Murota H, Katayama I.  | Topical application of rapamycin ointment ameliorates Dermatophagoides farina body extract-induced atopic dermatitis in NC/Nga mice.                          | <i>Exp Dermatol.</i>           | 23       | 568-572. | 2014     |
| Terao M, Tani M, Itoi S, Yoshimura T, Hamasaki T, Murota H, Katayama I.   | 11 $\beta$ -hydroxysteroid dehydrogenase 1 specific inhibitor increased dermal collagen content and promotes fibroblast proliferation.                        | <i>PLoS One.</i>               | 25       | 9        | 2014     |
| 室田浩之  | 【アトピー性皮膚炎治療の最前線】 痒み   | <i>Derma.</i>                  | 11(224)  | 38-44    | 2014     |
| 室田浩之  | 診療の秘訣 アトピー性皮膚炎の汗対策指導  | <i>Modern Physician</i>        | 34(10)   | 1231     | 2014     |
| 室田浩之  | 夏季のアトピー性皮膚炎悪化対策   | <i>日本医事新報</i>                  | 09(4715) | 63       | 2014     |

| 発表者氏名   | 論文タイトル名   | 発表誌名                          | 巻号     | ページ         | 出版年  |
|---|---|-------------------------------|--------|-------------|------|
| 室田浩之  | アトピー性皮膚炎悪化因子の検証   | 西日本皮膚科                        | 76(3)  | 189-193     | 2014 |
| 室田浩之  | 発汗能を制御し皮膚恒常性保持能力を回復させる試み  | コスメトロジー研究報告                   | 22     | 168-171     | 2014 |
| 室田浩之  | アトピー性皮膚炎における発汗障害  | 皮膚病診療                         | 36(8)  | 700-705     | 2014 |
| 室田浩之  | 新・皮膚科セミナーium 汗生理と病態の全て アトピー性皮膚炎における発汗障害   | 日本皮膚科学会雑誌                     | 124(7) | 1289-1293   | 2014 |
| 室田浩之  | 【最近のトピックス2014 Clinical Dermatology 2014】 皮膚疾患の病態 温まるとなぜかゆいのか?   | 臨床皮膚科                         | 68(5)  | 47-50       | 2014 |
| 室田浩之  | 【痒疹の粘り強い治療】 内服・全身療法(かゆみ作働薬)   | Derma.                        | 214    | 41-47       | 2014 |
| Sakiyama M, Maeda M, Fujimoto N, Satoh T.   | Eruptive syringoma localized on intertriginous area.  | J Dtsch Dermatol Ges          | 12     | 72-73       | 2014 |
| Nishizawa A, Igawa K, Teraki H, Yokozeki H.   | Diffuse disseminated lichenoid-type sarcoidosis mimicking erythroderma.   | Int J Dermatol                | 53     | 369-370     | 2014 |
| Sakiyama M, Matsuo H, Shimizu S, Chiba T, Nakayama A, Takada Y, Nakamura T, Takada T, Morita E, Naito M, Wakai K, Inoue H, Tatsukawa S, Sato J, Shimono K, Makino T, Satoh T, Suzuki H, Kanai Y, Hamajima N, Sakurai Y, Ichida K, Shimizu T, Shinomiya N. | A common variant of leucine-rich repeat containing 16A (LRRC16A) gene is associated with gout susceptibility.                           | Human Cell                    | 72     | 1-4         | 2014 |
| Inazawa M, Satoh T, Yokozeki H.   | Hyperkeratotic variant of inflammatory disseminated superficial porokeratosis with lichenoid reaction and extensive amyloid deposition. | Int J Dermatol                | 53     | 94-95       | 2014 |
| Fujimoto N, Iwasaki J, Satoh T.   | Scrotal calcinosis may arise from cyst wall apoptosis.  | J Eur Acad Dermatol Venereol  | 28     | 128-130     | 2014 |
| Hashimoto T, Satoh T, Furuya A, Kataoka N, Yokozeki H.  | Kimura's disease with prurigo lesions treated with systemic indomethacin.   | J Eur Acad Dermatol venereal  | 28     | 1260-1262   | 2014 |
| Shiba Y, Satoh T.   | Isolated benign primary cutaneous plasmacytosis. I  | Int J Dermatol                | 53     | 397-398     | 2014 |
| Furuya A, Takahashi E, Ishii N, Hashimoto T, Satoh T.   | IgG/IgA pemphigus recognizing desmogleins 1 and 3 in a patient with Sjögren's syndrome.   | Eur J Dermatol                | 24     | 512-513     | 2014 |
| Ono K, Fujimoto E, Fujimoto N, Akiyama M, Satoh T, Maeda H, Fujii N, Tajima S.  | In vitro amyloidogenic peptides of galectin-7: possible mechanism of amyloidogenesis of primary localized cutaneous amyloidosis.        | J Biol Chem                   | 289    | 29195-29207 | 2014 |
| 佐藤貴浩  | 高齢者のアレルギー性皮膚疾患 IV. 多形慢性痒疹とかゆみ   | アレルギー・免疫                      | 21(2)  | 288-291     | 2014 |
| 佐藤貴浩  | 痒疹の粘り強い治療 /慢性痒疹の定義と分類   | Monthly Book Derma            | 214(2) | 1-4         | 2014 |
| Shibama S, Igawa K, Munetsugu T, Fukuyama K, Nishizawa A, Takayama K, Yokozeki H.   | A case of sarcoidosis presenting as livedo.   | Ann Dermatol.                 | 26(6)  | 733-734     | 2014 |
| Kato K, Hanafusa T, Igawa K, Tatsumi M, Takahashi Y, Yamanaka T, Katayama I.  | A rare case of annular pustular psoriasis associated with pemphigus foliaceus.  | Ann Dermatol.                 | 26(2)  | 260-261     | 2014 |
| Senda S, Igawa K, Nishioka M, Murota H, Katayama I.   | Systemic sclerosis with sarcoidosis: case report and review of the published work.  | J Dermatol.                   | 41(5)  | 421-423.    | 2014 |
| Igawa K, Konishi M, Moriyama Y, Fukuyama K, Yokozeki H.   | Erythroderma as drug eruption induced by intravesical mitomycin C therapy.  | J Eur Acad Dermatol Venereol. |        |             | 2014 |
| Inoue T, Yamaoka T, Murota H, Yokomi A, Tanemura A, Igawa K, Tani M, Katayama I.  | Effective oral psoralen plus ultraviolet a therapy for digital ulcers with revascularization in systemic sclerosis.                     | Acta Derm Venereol.           | 94(2)  | 250-251     | 2014 |

