

## 研究成果の刊行に関する一覧表レイアウト

## 書籍

著者氏名	論文タイトル名	書籍全体の 編集者名	書 籍 名	出版社名	出版地	出版年	ページ
○佐藤貴浩	2.紅斑の発症メカニ ズム	古江増隆 横関博雄	皮膚科臨床アセッ ト18「紅斑症と痒疹 群」	中山書店.	東京	2013	p7-11
○高山かおる	17.成人Still病に伴う 紅斑の症状・診断・ 治療	古江増隆 横関博雄	皮膚科臨床アセッ ト18「紅斑症と痒疹 群」	中山書店.	東京	2013	p91-95
○岡 恵子	27.点状紅斑の概念・ 病態・診断・治療	古江増隆 横関博雄	皮膚科臨床アセッ ト18「紅斑症と痒疹 群」	中山書店.	東京	2013	p149-152
○沢田泰之	28.手掌紅斑の概念・ 病態・診断・治療	古江増隆 横関博雄	皮膚科臨床アセッ ト18「紅斑症と痒疹 群」	中山書店.	東京	2013	p153-157
○佐藤貴浩	30.痒疹の定義・分類	古江増隆 横関博雄	皮膚科臨床アセッ ト18「紅斑症と痒疹 群」	中山書店.	東京	2013	p166
○宇賀神つかさ	31.痒疹発症における 好塩基球の役割.	古江増隆 横関博雄	皮膚科臨床アセッ ト18「紅斑症と痒疹 群」	中山書店.	東京	2013	p167-171
○佐藤貴浩	32.急性痒疹・亜急性 痒疹の概念・病態・ 症状.	古江増隆 横関博雄	皮膚科臨床アセッ ト18「紅斑症と痒疹 群」	中山書店.	東京	2013	p172-173
○西澤 綾	33.急性痒疹・亜急性 痒疹の診断・治療・ 生活指導.	古江増隆 横関博雄	皮膚科臨床アセッ ト18「紅斑症と痒疹 群」	中山書店.	東京	2013	p174-178
○横関博雄	34.慢性痒疹の定義・ 分類・症状・病理・ 診断・鑑別診断	古江増隆 横関博雄	皮膚科臨床アセッ ト18「紅斑症と痒疹 群」	中山書店.	東京	2013	p179-183
○佐藤貴浩	第1章 各疾患の診 断と治療. I.湿疹と 類症. 1.皮膚癢痒症	横関博雄 片山一朗	高齢者によくみら れる皮膚疾患アト ラス	医薬ジャー ナル	東京	2013	p12.
○高山かおる	第1章 各疾患の診 断と治療. I.湿疹と 類症. 2.接触皮膚炎	横関博雄 片山一朗	高齢者によくみら れる皮膚疾患アト ラス	医薬ジャー ナル	東京	2013	p14.
○井川 健	第1章 各疾患の診 断と治療. I.湿疹と 類症. 6.ピダール苔 癬.	横関博雄 片山一朗	高齢者によくみら れる皮膚疾患アト ラス	医薬ジャー ナル	東京	2013	p28.
○佐藤貴浩	第1章 各疾患の診 断と治療. I.湿疹と 類症. 9.多形慢性痒 疹.	横関博雄 片山一朗	高齢者によくみら れる皮膚疾患アト ラス	医薬ジャー ナル	東京	2013	p41-43.

○沢田泰之	第1章 各疾患の診断と治療. III.物理的障害および薬剤による疾患 1.下腿潰瘍、静脈瘤、慢性色素性紫斑	横関博雄 片山一朗	高齢者によくみられる皮膚疾患アトラス	医薬ジャーナル	東京	2013	p70-78.
○高山かおる	第1章 各疾患の診断と治療. III.物理的障害および薬剤による疾患 6.胼胝・鶏眼	横関博雄 片山一朗	高齢者によくみられる皮膚疾患アトラス	医薬ジャーナル	東京	2013	p97-99.
○西澤 綾	第1章 各疾患の診断と治療. III.物理的障害および薬剤による疾患 8.扁平苔癬	横関博雄 片山一朗	高齢者によくみられる皮膚疾患アトラス	医薬ジャーナル	東京	2013	p104-107.
○高山かおる	第1章 各疾患の診断と治療. IV.老化に伴う皮膚変化 6.爪の変化	横関博雄 片山一朗	高齢者によくみられる皮膚疾患アトラス	医薬ジャーナル	東京	2013	p127-129.
○高河慎介・沢田泰之	第1章 各疾患の診断と治療. VIII.デルマトローム 1.糖尿病性皮膚症	横関博雄 片山一朗	高齢者によくみられる皮膚疾患アトラス	医薬ジャーナル	東京	2013	p206-211.
○井川 健	第2章 外用剤の種類と使い方. I.ステロイド外用剤.	横関博雄 片山一朗	高齢者によくみられる皮膚疾患アトラス	医薬ジャーナル	東京	2013	P224-230.
○井川 健	肉芽腫性皮膚疾患サルコイドーシス・他の肉芽腫. V.リポイド類壊死症. 3 8. リポイド類壊死症の治療と経過.	横関博雄 片山一朗	皮膚科臨床アセット14	中山書店	東京	2013	P221-223.
椋島健治	アレルギー学への招待状	椋島健治	実験医学増刊・アレルギー疾患研究	羊土社	東京都	2013年	2698-2705
宮地良樹	保湿薬の使い方	五十嵐敦之、宮地良樹、清水宏	一冊で分かる最新皮膚科治療、皮膚科サブスペシャリティシリーズ	文光堂	東京都	2013年	13-16
宮地良樹	抗ヒスタミン薬でかゆみを止める意義は？	宮地良樹	抗ヒスタミン薬:達人の処方箋	メディカルレビュー社	東京	2013年	24-25
宮地良樹	抗ヒスタミン薬の効果と眠気は相関するの？	宮地良樹	抗ヒスタミン薬:達人の処方箋	メディカルレビュー社	東京	2013年	38-39
宮地良樹	なぜ血が出るまで掻いても掻破をやめないの？	宮地良樹	抗ヒスタミン薬:達人の処方箋	メディカルレビュー社	東京	2013年	70-71
戸倉新樹	皮膚科疾患 最近の動向	山口徹, 北原光夫, 福井次矢	今日の治療指針2013年版	医学書院	東京	2013	pp1024-1026
織茂弘志, 戸倉新樹	皮膚科用薬	高久史磨(監), 堀正二, 菅野健太郎, 門脇孝, 乾賢一, 林昌洋	治療薬ハンドブック2013	じほう	東京	2013	pp240-243
戸倉新樹	Gibertばら色靴糠疹	瀧川雅治, 渡辺晋一	皮膚疾患最新の治療2013-2014	南江堂	東京	2013	P142

島内隆寿, 戸倉新樹	FILE008 誤診? アトピー性皮膚炎→本当は悪性リンパ腫(禁状息肉症)	宮地良樹	皮膚科フォトニクスシリーズ 誤診されている皮膚疾患	メディカルレビュー社	東京	2013	pp44-47
戸倉新樹	紅皮症	富田靖(監), 橋本隆, 岩月啓氏, 照井正	標準皮膚科学第10版	医学書院	東京	2013	pp119-123
戸倉新樹	皮膚悪性腫瘍/悪性リンパ腫とその類症	富田靖(監), 橋本隆, 岩月啓氏, 照井正	標準皮膚科学第10版	医学書院	東京	2013	pp380-398
戸倉新樹	抗ヒスタミン薬の抗炎症作用はどのようなものが期待できるのか?	宮地良樹	抗ヒスタミン薬~達人の処方箋Rx~	メディカルレビュー社	東京	2013	pp68-69
戸倉新樹	新しい血圧のお薬で光線過敏症が起こると聞きました。私の降圧薬は大丈夫でしょうか?	宮地良樹	続・患者さんから浴びせられる皮膚疾患100の質問	メディカルレビュー社	東京	2013	pp84-85
戸倉新樹	職業性皮膚疾患の定義は?	(日本職業・環境アレルギー学会(監))	職業性アレルギー疾患診療ガイドライン2013	協和企画	東京	2013	p63
戸倉新樹	職業性皮膚疾患の分類は?	日本職業・環境アレルギー学会(監))	職業性アレルギー疾患診療ガイドライン2013	協和企画	東京	2013	pp63-64
戸倉新樹	職業性刺激性接触皮膚炎とは?	日本職業・環境アレルギー学会(監))	職業性アレルギー疾患診療ガイドライン2013	協和企画	東京	2013	pp64-65
戸倉新樹	接触皮膚炎□病態と治療戦略が見える□	田中良哉	免疫・アレルギー疾患イラストレイテッド	羊土社	東京	2013	pp332-339

## 雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Takahashi E, Yokozeki H, Satoh T.	Atrophic fibrous hamartoma of infancy with epidermal and adnexal change.	<i>J Dermatol.</i>	40(3)	212-4	2013
Nishizawa A, Satoh T, Yokozeki H.	Close association between metal allergy and nail lichen planus: detection of causative metals in nail lesions.	<i>J Eur Acad Dermatol Venereol.</i>	27(2)	e231-4	2013
Satoh T, Ikeda H, Yokozeki H.	Acrosyringeal Involvement of Palmoplantar Lesions of Eosinophilic Pustular Folliculitis.	<i>Acta Derm Venereol.</i>	10	93(1)	2013
Inoue R, Sohara E, Rai T, Satoh T, Yokozeki H, Sasaki S, Uchida S.	Immunolocalization and translocation of aquaporin-5 water channel in sweat glands.	<i>J Dermatol Sci.</i>	70(1)	26-33.	2013
Fujimoto T, Kawahara K, Yokozeki H.	Epidemiological study and considerations of primary focal hyperhidrosis in Japan: From questionnaire analysis.	<i>J Dermatol.</i>	40(11)	886-890	2013

Sakaguchi M, Bito T, Oda Y, Kikusawa A, Nishigori C, Munetsugu T, Yokozeki H, Itotani Y, Niguma T, Tsuruta D, Tateishi C, Ishii N, Koga H, Hashimoto T.	Three Cases of Linear IgA/IgG Bullous Dermatitis Showing IgA and IgG Reactivity With Multiple Antigens, Particularly Laminin-332.	<i>Dermatol.</i>	149(11)	1308-13	2013
Takehara Y, Satoh T, Nishizawa A, Saeki K, Nakamura M, Masuzawa M, Kaneda Y, Katayama I, Yokozeki H.	Anti-tumor effects of inactivated Sendai virus particles with an IL-2 gene on angiosarcoma.	<i>Clin Immunol.</i>	149(1)	1-10	2013
Saeki K, Satoh T, Yokozeki H.	$\alpha(1,3)$ Fucosyltransferases IV and VII are essential for the initial recruitment of basophils in chronic allergic inflammation.	<i>J Invest Dermatol</i>	133(9)	2161-9	2013
Kataoka N, Satoh T, Hirai A, Saeki K, Yokozeki H.	Indomethacin inhibits eosinophil migration to prostaglandin D2 : therapeutic potential of CRTH2 desensitization for eosinophilic pustular folliculitis.	<i>Immunology</i>	140(1)	78-86.	2013
Kato K, Satoh T, Tanaka-Fujimoto T, Ueda N, Yokozeki H.	IgG4-positive cells in skin lesions of cutaneous and systemic plasmacytosis.	<i>Eur J Dermatol.</i>	23(2)	255-6	2013
横関 博雄	ガイドラインに沿った接触皮膚炎の診方・考え方	東海花粉症研究会誌	24	73-74	2013
横関 博雄	【皮膚アレルギーの研究 アップデート～経皮感作とアレルギー～】 スギ花粉の経皮感作による皮膚炎.	アレルギー・免疫	20	862-871	2013
横関 博雄	【主訴から診断へ-臨床現場の思考経路】 全身的な訴え 発汗異常 発汗異常を訴える患者が来たら.	診断と治療	101;Suppl	56-61	2013
横関 博雄	【経皮感作とアレルギー】 スギ花粉の経皮感作による皮膚炎の病態と治療.	臨床免疫・アレルギー科	59	591-597	2013
横関 博雄	【日常診療に役立つ皮膚アレルギー入門forフレッシューズ】 (Part3.)アトピー性皮膚炎.アトピー性皮膚炎の問診と診断手順.	Visual Dermatology	12	378-382	2013
横関 博雄	【総合アレルギー診療を目指して】 《アレルギー疾患ガイドラインとその使い方》接触皮膚炎	Modern Physician	33	183-187	2013
Shiraishi, Y., Jia, Y., Domenico, J., Joetham, A., Karasuyama, H., Takeda, K., and Gelfand, E. W.	Sequential engagement of FcεRI on mast cells and basophil histamine H4 receptor and FcεRI in allergic rhinitis.	<i>J. Immunol.</i>	190	539-548	2013
Egawa, M., Mukai, K., Yoshikawa, S., Iki, M., Mukaida, N., Kawano, Y., and Minegishi, Y., and Karasuyama, H.	Inflammatory monocytes recruited to allergic skin acquire an anti-inflammatory M2 phenotype via basophil-derived interleukin-4.	<i>Immunity</i>	38	570-580	2013
Ramadan, A., Pham, Van L., Machavoine, F., Dietrich, C., Alkan, M., Karasuyama, H., Schneider, E., Dy, M., Thieblemont, N.	Activation of basophils by the double-stranded RNA poly(A:U) exacerbates allergic inflammation.	<i>Allergy</i>	68	732-738	2013
Reber, L.L., Marichal, T., Mukai, K., Roers, A., Hartmann, K., Karasuyama, H., Nadeau, K.C., Tsai, M., and Galli, S.J.	Selective ablation of mast cells or basophils reduces peanut-induced anaphylaxis in mice.	<i>J. Allergy Clin. Immunol.</i>	132	881-888	2013

Noti, M., Tait Wojno, E.D., Kim, B.S., Siracusa, M.C., Giacomini, P.R., Nair, M.G., Benitez, A. J., Ruymann, K.R., Muir, A.B., Hill, D.A., Chikwava, K.R., Moghaddam, A.E., Sattentau, Q.J., Alex, A., Zhou, C., Yearley, J.H., Menard-Katcher, P., Kubo, M., Obata-Ninomiya, K., Karasuyama, H., Comeau, M.R., Brown-Whitely, T., de Waal Malefyt, R., Sleiman, P.M., Hakonarson, H., Cianferoni, A., Falk, G.W., Wang, M-L., Spergel, J.M., and Artis, D.	TSLP-elicited basophil responses can mediate the pathogenesis of eosinophilic esophagitis.	<i>Nat. Med.</i>	19	1005-1013	2013
Obata-Ninomiya, K., Ishiwata, K., Tsutsui, H., Nei, Y., Yoshikawa, S., Kawano, Y., Minegishi, Y., Ohta, N., Watanabe, N., Kanuka, H., and Karasuyama, H.	The skin is an important bulwark of acquired immunity against intestinal helminths.	<i>J. Exp. Med.</i>	210	2583-2595	2013
Nei, Y., Obata-Ninomiya, K., Tsutsui, H., Ishiwata, K., Miyasaka, M., Matsumoto, K., Nakae, S., Kanuka, H., Inase, N., and Karasuyama, H.	GATA-1 regulates the generation and function of basophils.	<i>Proc. Natl. Acad. Sci. USA.</i>	110	18620-18625	2013
Leyva-Castillo, J.M., Hener, P., Michea, P., Karasuyama, H., Chan, S., Soumelis, V., and Li, M.	Skin TSLP initiates Th2 responses through an orchestrated immune cascade.	<i>Nat. Commun.</i>	4	2847	2013
Yamakoshi T, Andoh T, Makino T, Kuraishi Y, Shimizu T.	Clinical and histopathological features of itch in alopecia areata patients.	Acta Derm. Venereol.	93	575-576	2013
Andoh T Gotoh Y, Kuraishi Y.	Milnacipran inhibits itch-related responses in mice through the enhancement of noradrenergic transmission in the spinal cord.	J Pharmacol Sci.	123	199-202	2013
Inami Y, Andoh T, Sasaki A, Kuraishi Y.	Topical surfactant-induced pruritus: Involvement of histamine released from epidermal keratinocytes.	J Pharmacol Exp Ther.	344	459-466	2013
Inami Y, Andoh T, Kuraishi Y.	Prevention of topical surfactant-induced itch-related responses by chlorogenic Acid through the inhibition of increased histamine production in the epidermis.	J Pharmacol Sci.	121	242-245	2013
Sasaki A, Adhikari S, Andoh T, Kuraishi Y.	BB2 receptor-expressing spinal neurons transmit herpes-associated itch by BB2 receptor-independent signaling.	Neuroreport	24	652-656	2013
安東嗣修	内因性起痒物質と発痛物質 .	ペインクリニック	34	467-473	2013
井浪義博, 安東嗣修, 佐々木淳, 倉石泰	界面活性剤によって誘発される痒みとクロロゲン酸の鎮痒効果	アレルギーの臨床	466	754-76	2013
Sugita K, Nomura T, Ikenouchi-Sugita A, Ito T, Nakamura M, Miyachi Y, Tokura Y, Kabashima K.	Influence of Th2 cells on hair cycle/growth after repeated cutaneous application of haptens.	Clinical and Experimental Dermatology	未定	未定	2013年
Ono S, Nakajima S, Otsuka A, Miyachi Y, Kabashima K.	Pigmented purpuric dermatitis with high expression levels of serum TARC/CCL17 and epidermal TSLP.	European Journal of Dermatology	未定	未定	2013年

Sugita K, Ikenouchi-Sugita A, Nakayama Y, Yoshioka H, Nomura T, Sakabe J, Nakahigashi K, Kuroda E, Uematsu S, Nakamura J, Akira S, Nakamura M, Narumiya S, Miyachi Y, Tokura Y, <u>Kabashima K</u> .	Prostaglandin E2 is critical for the development of niacin-deficiency-induced photosensitivity via ROS production.	Scientific Reports			2013年
Otsuka A, Doi H, Egawa G, Makawa A, Fujita T, Nakamizo S, Nakashima C, <u>Nakajima S</u> , Watanabe T, <u>Miyachi Y</u> , Narumiya S, <u>Kabashima K</u> .	Possible new therapeutic strategy to regulate atopic dermatitis through upregulating filaggrin expression.	Journal of Allergy and Clinical Immunology	未定	未定	2013年
Shiraishi N, Nomura T, Tanizaki H, Nakajima S, <u>Narumiya S</u> , <u>Miyachi Y</u> , Tokura Y, <u>Kabashima K</u> .	Prostaglandin E2-EP3 axis in fine-tuning excessive skin inflammation by restricting dendritic cell functions.	Plos One			2013年
Akagi A, Kitoh A, Moniaga CS, Fujimoto A, Fujikawa H, Shimomura Y, <u>Miyachi Y</u> , <u>Kabashima K</u> .	Case of Netherton syndrome with an elevated serum thymus and activation-regulated chemokine level.	Journal of Dermatology	40(9)	752-753	2013年
Otsuka A, <u>Nakajima S</u> , Kubo M, Egawa G, Honda T, Kitoh A, Nomura T, Hanakawa S, Sagita Moniaga C, Kim B, Matsuoka S, Watanabe T, <u>Miyachi Y</u> , <u>Kabashima K</u> .	Basophils are required for the induction of Th2 immunity to haptens and peptide antigens.	Nature Communications			2013年
Nomura T, Kayama T, Okamura E, Ogino K, Uji A, Yoshimura N, Kikuchi T, Fujisawa A, Tanioaka M, <u>Miyachi Y</u> , <u>Kabashima K</u> .	Severe atopic dermatitis accompanied by autoimmune retinopathy.	European journal of Dermatology	23(2)	263-264	2013年
Egawa G, Doi H, <u>Miyachi Y</u> , <u>Kabashima K</u> .	Skin tape stripping and cheek swab method for a detection of filaggrin.	Journal of Dermatological Science	69(3)	263-265	2013年
Moniaga CS, Jeong SK, Egawa G, Nakajima S, Hara-Chikuma M, Jeon JE, Lee SH, Hibino T, Miyachi Y, Kabashima K.	Protease activity enhances production of thymic stromal lymphopoietin and basophil accumulation in flaky tail mice.	American Journal of Pathology	182(3)	841-851	2013年
椛島健治	総論：慢性炎症の理解へ向けて	BIO Clinica	28巻12号	1108-1110	2013年
大塚篤司, 椛島健治	ハプテン反復塗布によるTh2型免疫応答の惹起	臨床免疫・アレルギー科	60巻4号	419-427	2013年
椛島健治	皮膚と全身免疫のクロストーク	感染炎症免疫	43巻2号	20-29	2013年
Kasuya A, Hirakawa S, Hashizume H, Tokura Y:	Granulocyte-colony stimulating factor-producing cutaneous anaplastic large cell lymphoma with cerebral metastasis.	Acta Derm Venereol	93	87-88	2013
Sugaya M, Hamada T, Kawai K, Yonekura K, Ohtsuka M, Shimauchi T, Tokura Y, Nozaki K, Izutsu K, Suzuki R, Setoyama M, Nagatani T, Koga H, Tani M, Iwatsuki K:	Guidelines for the management of cutaneous lymphomas (2011): A consensus statement by the Japanese Skin Cancer Society - Lymphoma Study Group.	J Dermatol	40	2-14	2013
Ito T, Hashizume H, Shimauchi T, Funakoshi A, Ito N, Fukamizu H, Takigawa M, Tokura Y:	CXCL10 produced from hair follicles induces Th1 and Tc1 cell infiltration in the acute phase of alopecia areata followed by sustained Tc1 accumulation in the chronic phase.	J Dermatol Sci	69	140-147	2013

Sawada Y, Shimauchi T, Hama K, Yoshioka H, Ohmori S, Yamada S, Tajiri M, Kubo-Kabashima R, Yoshioka M, Sugita K, Yoshiki R, Hino R, Kobayashi M, Izu K, Nakamura M, Tokura Y:	Combination of skin-directed therapy and oral etoposide for smoldering adult T-cell leukemia/lymphoma with skin involvement.	Leuk Lymphoma	54	520-527	2013
Kasuya A, Moriki M, Tatsuno K, Hirakawa S, Tokura Y:	Clearance Efficacy of Autoantibodies in Double Filtration Plasmapheresis for Pemphigus Foliaceus.	Acta Derm Venereol	93	181-182	2013
Shimauchi T, Sasada K, Kito Y, Mori T, Hata M, Fujiyama T, Ito T, Hirakawa S, Tokura Y:	CD8+ Sezary syndrome with IL-22 production modulated by bacterial sepsis.	Br J Dermatol	168	881-883	2013
Shimauchi T, Yagi H, Sasada K, Kito Y, Ito T, Hirakawa S, Tokura Y:	Characterization of malignant T-cell line established from a rare case of CD8+ CD56+ Sézary syndrome.	Br J Dermatol	168	885-887	2013
Ito T, Shimomura Y, Ogai M, Sakabe J-I, Tokura Y:	Identification of a novel heterozygous mutation in the first Japanese case of Marie Unna hereditary hypotrichosis.	J Dermatol	40	278-280	2013
Ito T, Shimomura Y, Farooq M, Suzuki N, Sakabe J, Tokura Y:	Trichorhinophalangeal syndrome with low expression of TRPS1 on epidermal and hair follicle epithelial cells.	J Dermatol	40	396-398	2013
Ikeya S, Urano S, Sakabe JI, Ito T, Tokura Y:	Erythrokeratoderma variabilis: First Japanese case documenting GJB3 mutation.	J Dermatol	40	402-403	2013
Hiroike M, Sakabe J, Kobayashi M, Shimauchi T, Ito T, Hirakawa S, Inoh A, Tokura Y:	Acicular, but not globular, titanium dioxide nanoparticles stimulate keratinocytes to produce pro-inflammatory cytokines.	J Dermatol	40	357-362	2013
Ito T, Shimada S, Mori T, Tokura Y:	Alopecia areata possibly induced by autoimmune reaction in a patient with human T-cell lymphotropic virus-1-associated myelopathy.	J Dermatol	40	399-401	2013
Umayahara T, Shimauchi T, Fujiyama T, Ito T, Hirakawa S, Tokura Y:	Paediatric acute generalized exanthematous pustulosis induced by paracetamol with high serum levels of interleukin-8 and -22: a case report.	Acta Derm Venereol	93	362-363	2013
Fujiyama T, Tokura Y:	Clinical and histopathological differential diagnosis of eosinophilic pustular folliculitis.	J Dermatol	40	419-423	2013
Moriki M, Ito T, Hirakawa S, Tokura Y:	Folliculosebaceous cystic hamartoma presenting as a subcutaneous nodule on the thigh.	J Dermatol	40	483-484	2013
Yamaguchi H, Tatsuno K, Sakabe J, Tokura Y:	Second report of FLG R501X mutation in Japanese patients with atopic dermatitis.	J Dermatol	40	498-499	2013
Majima Y, Yagi H, Tateishi C, Groth S, Schmidt E, Zillikens D, Koga H, Hashimoto T, Tokura Y:	A successful treatment with ustekinumab in a case of anti-laminin- $\gamma$ 1 pemphigoid associated with psoriasis.	Br J Dermatol	168	1367-1369	2013
Sakabe J, Yamamoto M, Hirakawa S, Motoyama A, Ohta I, Tatsuno K, Ito T, Kabashima K, Hibino T, Tokura Y:	Kallikrein-related peptidase 5 functions in proteolytic processing of profilaggrin in cultured human keratinocytes.	J Biol Chem	288	17179-17189	2013
Mori T, Kabashima K, Fukamachi S, Kuroda E, Sakabe J, Kobayashi M, Nakajima S, Nakano K, Tanaka Y, Matsushita S, Nakamura M, Tokura Y:	D1-like dopamine receptors antagonist inhibits cutaneous immune reactions mediated by Th2 and mast cells.	J Dermatol Sci	71	37-44	2013
Tagigawa M, Tokura Y, Shimada S, Furukawa F, Noguchi N, Ito T, The Acne Study Group:	Clinical and bacteriological evaluation of adapalene 0.1% gel plus nadifloxacin 1% cream versus adapalene 0.1% gel in patients with acne vulgaris.	J Dermatol	40	620-625	2013

McElwee KJ, Gilhar A, Tobin DJ, Ramot Y, Sundberg JP, Nakamura M, Bertolini M, Inui S, Tokura Y, King LE, Duque-Estrada B, Tosti A, Keren A, Itami S, Shoenfeld Y, Zlotogorski A, Paus R, Duque-Estrada B, Tosti A, McElwee KJ, Gilhar A, Keren A, Bertolini M, Shoenfeld Y, Nakamura M, Tokura Y, Sundberg JP, King LE, Ramot Y, Zlotogorski A, Tobin DJ, Paus R, Inui S, Itami S:	What causes alopecia areata?: Section Editors: Ralf Paus, Manchester/Lübeck and Raymond Cho, San Francisco.	Exp Dermatol	22	609-626	2013
Ito T, Fujiyama T, Hashizume H, Tokura Y:	Antihistaminic drug olopatadine downmodulates T cell chemotaxis toward CXCL10 by reducing CXCR3 expression, F-actin polymerization and calcium influx in patients with alopecia areata.	J Dermatol Sci	72	68-71	2013
Kubo A, Shiohama A, Sasaki T, Nakabayashi K, Kawasaki H, Atsugi T, Sato S, Shimizu A, Mikami S, Tanizaki H, Uchiyama M, Maeda T, Ito T, Sakabe J, Heike T, Okuyama T, Kosaki R, Kosaki K, Kudoh J, Hata K, Umezawa A, Tokura Y, Ishiko A, Niizeki H, Kabashima K, Mitsuhashi Y, Amagai M:	Mutations in SERPINB7, Encoding a Member of the Serine Protease Inhibitor Superfamily, Cause Nagashima-type Palmoplantar Keratosis.	Am J Hum Genet	93	945-956	2013
Yamaguchi H, Kabashima-Kubo R, Bito T, Sakabe JI, Shimauchi T, Ito T, Hirakawa S, Hirasawa N, Ogasawara K, Tokura Y:	High frequencies of positive nickel/cobalt patch tests and high sweat nickel concentration in patients with intrinsic atopic dermatitis.	J Dermatol Sci	72	240-245	2013
Yamaguchi H, Moriki M, Ito T, Tokura Y:	Cutaneous plasmacytosis as a skin manifestation of IgG4-related disease.	Eur J Dermatol	23	560-562	2013
Yasuma A, Shibagaki R, Yagy R, Ito T, Tokura Y:	Coexistence of linear morphea and nodular mucinosis.	J Dermatol	40	937-938	2013
Moriki M, Tokura Y:	Unilateral widespread lichen planus following Blaschko lines after mycoplasma pneumoniae infection.	J Dermatol	40	929-930	2013
Kasuya A, Fujiyama T, Hashizume H, Inuzuka M, Tokura Y:	Histiocytoid Sweet's syndrome associated with t(9;22)(q34;q11)-positive chronic myelogenous leukemia: Immature granulocytic origin of histiocytic cells.	Int J Dermatol	52	1577-1579	2013
Sawada Y, Nakamura M, Kabashima-Kubo R, Shimauchi T, Kobayashi M, Tokura Y:	Defective epidermal induction of S100A7/psoriasis associated with low frequencies of skin-infiltrating Th17 cells in dermatophytosis-prone adult T cell leukemia/lymphoma.	Clin Immunol	148	(in press)	
Suzuki T, Moriki M, Shimauchi T, Ito T, Hirakawa S, Yokura Y:	Subcutaneous granuloma annulare following influenza vaccination: Case report and review of the literature.	Dermatologica Sinica		(in press)	
Ito T, Mori T, Fujiyama T, Tokura Y:	Dramatic exacerbation of palmoplantar pustulosis following strongly positive nickel patch testing.	Int J Dermatol		(in press)	
Sawada Y, Nakamura M, Bito T, Sakabe JI, Kabashima-Kubo R, Hino R, Kobayashi M, Tokura Y:	Decreased expression of acetylcholine esterase in cholinergic urticaria with hypohidrosis or anhidrosis.	J Invest Dermatol		(in press)	
Iwakura T, Ohashi N, Tsuji N, Naito Y, Isobe S, Ono M, Fujikura T, Tsuji T, Sakao Y, Yasuda H, Kato A, Fujiyama T, Tokura Y, Fujigaki Y:	A case of calcitriol-induced hypercalcemia by granulomatous mycosis fungoides with end-stage renal disease.	World J Nephrol		(in press)	
Shiraishi N, Nomura T, Tanizaki H, Nakajima S, Narumiya S, Miyachi Y, Tokura Y, Kabashima K:	Prostaglandin E2-EP3 Axis in Fine-tuning Excessive Skin Inflammation by Restricting Dendritic Cell Functions.	PLoS ONE		(in press)	
Sugita K, Nomura T, Ikenouchi-Sugita A, Ito T, Nakamura M, Miyachi, Tokura Y, Kabashima K:	Influence of Th2 cells on the hair cycle/growth after repeated cutaneous application of hapten.	Clin Exp Dermatol		(in press)	

Ito T, Bertolini M, Funakoshi A, Ito N, Takayama T, Biro T, Paus R, Tokura Y:	Birth, life, and death of the MAGE3 hypothesis of alopecia areata pathobiology.	J Dermatol Sci		(in press)	
Fujiyama T, Kawakami C, Suigita K, Kubo-Kabashima R, Sawada Y, Hino R, Nakamura M, Shimauchi T, Ito T, Kabashima K, Hashizume H, Tokura Y:	Increased frequencies of Th17 cells in drug eruptions.	J Dermatol Sci		(in press)	
Majima Y, Yagi H, Ito T, Tokura Y:	Two cases of lichen planus pigmentosus inversus: Possible causative role of tightly fitting underclothes.	Eur J Dermatol		(in press)	
Kasuya A, Hamaguchi Y, Fujimoto M, Tokura Y:	TIF1 $\gamma$ -overexpressing, Highly Progressive Endometrial Carcinoma in a Patient with Dermato-myositis Positive for Malignancy-associated Anti-p155/140 Autoantibody.	Acta Derm Venereol		(in press)	
Tokura Y, Sawada Y, Shimauchi T:	Skin manifestations of adult T-cell leukemia/lymphoma: clinical, cytological, and immunological features.	J Dermatol		(in press)	
Sugita K, Nomura T, Ikenouchi-Sugita A, Sakabe JI, Nakahigashi K, Kuroda E, Uematsu U, Nakamura J, Akira S, Nakamura M, Narumiya S, Miyachi Y, Tokura Y, Kabashima K:	Prostaglandin E2 is critical for the development of niacin-deficiency-induced photosensitivity via ROS production.	Sci Rep		(in press)	
Sakabe J-I, Umayahara T, Hiroike M, Shimauchi T, Ito T, Tokura Y:	Calcipotriol increases hCAP18 mRNA expression but inhibits extracellular LL37 peptide production in IL-17/IL-22-stimulated normal human epidermal keratinocytes.	Acta Derm Venereol		(in press)	
Nakazawa S, Moriki M, Ikeya S, Sakabe J-I, Tokura Y:	Atopic dermatitis presenting as generalized poikiloderma with filaggrin gene mutation.	J Dermatol		(in press)	
Sugaya M, Tokura Y, Hamada T, Tsuboi R, Mori Y, Nakahara T, Amano M, Ishida S, Watanabe D, Tani M, Ihn H, Aoi J, Iwatsuki K:	Phase II study of intravenous interferon- $\gamma$ in Japanese patients with mycosis fungoides.	J Dermatol		(in press)	
Tsukasaki K, Imaizumi Y, Tokura Y, Ohshima K, Kawai K, Utsunomiya A, Amano M, Watanabe T, Nakamura S, Iwatsuki K, Kamihira S, Yamaguchi K, Shimoyama M:	Meeting report on the possible proposal of an extra-nodal primary cutaneous variant in the lymphoma type of adult T-cell leukemia-lymphoma.	J Dermatol		(in press)	
Yamaguchi H, Hata M, Fujiyama T, Ito T, Hashizume H, Tokura Y:	Psychological aspects of patients with intrinsic atopic dermatitis.	Eur J Dermatol		(in press)	
戸倉新樹	フィラグリン異常とアレルギー疾患の進展.	モダンフィジシャン	33	193-197	2013
坂部純一, 戸倉新樹	知っておきたい基礎用語/フィラグリンとは.	日小皮会誌	32	70-71	2013
戸倉新樹	アトピー性皮膚炎の分別 Up-to-Date.	日本臨床皮膚科医会雑誌	30	23-27	2013
戸倉新樹	タクロリムス軟膏を用いたアトピー性皮膚炎の皮疹改善とQOL向上.	マルホ皮膚科セミナー[ラジオ NIKKEI]放送内容集	222	21-23	2013
戸倉新樹	コリン性蕁麻疹に伴う発汗異常とアセチルコリン受容体発現異常.	発汗学	20	29-32	2013
坂本慶子, 影山葉月, 田島巖, 谷岡書彦, 戸倉新樹	新生児単純ヘルペス感染症の1例.	臨床皮膚科	67	173-176	2013
坂本慶子, 影山葉月, 渡辺規矩夫, 戸倉新樹	外傷を契機に発症した塩酸ミノサイクリンによる色素沈着型薬疹の1例.	臨床皮膚科	67	205-208	2013
吉澤真裕子, 尾藤利憲, 花島利江子, 吉木竜太郎, 中村元信, 戸倉新樹	背部に生じた皮膚平滑筋肉腫(皮膚型)の1例.	Skin Cancer	27	318-321	2013
山本佳世, 日野亮介, 澤田雄宇, 中村元信, 戸倉新樹	蚊唾液腺抽出物による刺激に対して Th2 細胞の増殖を認めた蚊刺過敏症.	臨床皮膚科	67	297-301	2013

鈴木健晋, 青島正浩, 橋爪秀夫, 伊藤泰介, 戸倉新樹	ドロレス顎口虫血清抗体価が治療的效果判定に有用であった日本顎口虫によると考えられる皮膚爬行症の1例.	皮膚の科学	12	122-125	2013
戸倉新樹	皮膚アレルギー疾患とよく間違える疾患・鑑別疾患.	Visual Dermatology	12	350-353	2013
戸倉新樹	今もアトピー性皮膚炎に生きる太藤皮膚科学の潮流.	Visual Dermatology	12	510-516	2013
鬼頭由紀子, 鬼頭芳子, 戸倉新樹	小児アトピー性皮膚炎に対するジルテックドライシロップ(1.25%セチリジン塩酸塩)の臨床効果および患児ならびに保護者アンケートによる有用性の検討.	Progress in Medicine	33	1211-1214	2013
戸倉新樹	光線過敏型薬疹の原因薬剤と診断.	日本医師会雑誌	142	522-526	2013
澤田雄宇, 戸倉新樹	成人T細胞性白血病/リンパ腫(ATLL)の皮膚病変.	Modern Physician	33	972-975	2013
戸倉新樹	各皮膚悪性リンパ腫の診断と治療 セザリー (Sézary)症候群 / (Sézary)症候群の診断と治療.	日本臨牀増刊号 皮膚悪性腫瘍-基礎と臨床の最新研究動向	71	786-788	2013
澤田雄宇, 戸倉新樹	成人T細胞白血病・リンパ腫 / 成人T細胞性白血病・リンパ腫の診断法.	日本臨牀増刊号 皮膚悪性腫瘍-基礎と臨床の最新研究動向	71	825-858	2013
澤田雄宇, 戸倉新樹	成人T細胞白血病・リンパ腫 / 皮膚病変を有する成人T細胞性白血病・リンパ腫の治療.	日本臨牀増刊号 皮膚悪性腫瘍-基礎と臨床の最新研究動向	71	829-832	2013
中島大毅, 深町晶子, 中村元信, 戸倉新樹	地域発症率からみた好酸球性膿疱性毛包炎における衛生仮説の検証.	JUOEH (産業医科大学雑誌)	35	201-205	2013
戸倉新樹	アトピー性皮膚炎の治療 Overview.	臨床免疫・アレルギー科	60	290-294	2013
戸倉新樹	抗ヒスタミン薬の多彩な薬理作用.	皮膚アレルギーフロンティア	11	27-31	2013
伊藤泰介, 島内隆寿, 平川聡史, 八木宏明, 馬屋原孝恒, 馬場佑子, 加茂真理子, 糟谷啓, 青島正浩, 池谷茂樹, 津嶋友央, 秦まき, 橋爪秀夫, 浦野聖子, 杉浦丹, 戸倉新樹	膿疱性および関節症病型を中心とする乾癬に対するインフリキシマブの臨床効果と血清 IL-22 値と血清 VEGF 値によるモニタリング.	Progress in Medicine	33	2005-2011	2013
森達吉, 伊藤泰介, 目黒史織, 馬場聡, 犬塚学, 戸倉新樹	Langerhans 細胞肉腫の1例.	臨床皮膚科	67	803-807	2013
島内隆寿, 藤山俊晴, 山口隼人, 坂部純一, 影山玲子, 中澤慎介, 星野友美, 糟谷啓, 青島正浩, 池谷茂樹, 龍野一樹, 伊藤泰介, 平川聡史, 戸倉新樹	アトピー性皮膚炎に対するレボセチリジンの臨床効果とそれに伴う血中バイオマーカーとT細胞サブセットの変動.	Progress in Medicine	33	2239-2244	2013
池谷茂樹, 戸倉新樹	変動性紅斑角皮症 (erythrokeratoderma variabilis)の臨床症状とコネキシン 31 遺伝子変異.	日小皮会誌	32	211-217	2013
戸倉新樹	アトピー性皮膚炎:皮膚バリアの破綻によるアレルギー.		31	143-149	2013
Hanafusa T, Matsui S, Murota H, et al.	Increased frequency of skin-infiltrating FoxP3+ regulatory T cells as a diagnostic indicator of severe atopic dermatitis from cutaneous T cell lymphoma.	Clin Exp Immunol	172	507-512	2013
Takahashi A, Murota H, et al.	Decreased Sudomotor Function is Involved in the Formation of Atopic Eczema in the Cubital Fossa.	Allergol Int			2013

室田浩之	汗とアトピー性皮膚炎	臨床免疫・アレルギー科	59	187-190	2013
室田浩之	アトピー性皮膚炎の治療と患者指導	日本医事新報	4661	17-24	2013
室田浩之	発汗とスキンケア	デルマ	210	37-44	2013
Murota H, El-Latif MA, Tamura T, et al	Olopatadine Hydrochloride Decreases Tissue Interleukin-31 Levels in an Atopic Dermatitis Mouse Model.	Acta Derm Venereol.		doi: 10.2340/00015555-1648.	2013
室田浩之	アトピー性皮膚炎	小児外科	45	1139-1142	2013
Tanemura A, Kiyohara E, Katayama I, Kaneda Y.	Recent advances and developments in the antitumor effect of the HVJ envelope vector on malignant melanoma: from the bench to clinical application.	Cancer Gene Ther.	In press	In press	2013
Kaneda, Y.	The RIG-I/MAVS signaling pathway in cancer cell-selective apoptosis.	Oncoimmunology	2(4)	e23566-1~3	2013