

## 研究成果の刊行に関する一覧表レイアウト

## 書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
佐藤貴浩	虫刺され、ストロフルス、痒疹	山口徹 北原光夫 福井次矢	今日の治療指針—私はこうしている—2014 Vol. 56 総編集	医学書院	東京	2014	pp1097-1098
佐藤貴浩	痒疹はどのようにしてできる？	宮地良樹	WHAT'S NEW IN 皮膚科学	メディカルレビュー社	東京	2014	pp58-59
端本宇志, 佐藤貴浩	慢性痒疹治療の決め手—慢性痒疹の診断はついたが治療の解決法は？	宮地良樹	苦手な外来皮膚疾患の解決法	メディカルレビュー社	東京	2014	pp64-65
佐藤貴浩	皮膚癢痒症.	門脇 孝, 小室一成, 宮地良樹	診療ガイドライン UP-TO-DATE	メディカルレビュー社	東京	2014	pp631-633

## 雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Dobashi K, Akiyama K, Usami A, Yokozeki H, Ikezawa Z, Tsurikisawa N, Nakamura Y, Sato K, Okumura J.	Japanese Guideline for Occupational Allergic Diseases 2014. Committee for Japanese Guideline for Diagnosis and Management of Occupational Allergic Diseases; Japanese Society of Allergology.	<i>Allergol Int.</i>	63(3)	421-42.	2014
Yokozeki H.	The research for atopic dermatitis: up to date].	<i>Nihon Rinsho.</i>	72(8)	1503-1509	2014
Igawa K, Kokubu C, Yusa K, Horie K, Yoshimura Y, Yamauchi K, Suemori H, Yokozeki H, Toyoda M, Kiyokawa N, Okita H, Miyagawa Y, Akutsu H, Umezawa A, Katayama I, Takeda J.	Removal of reprogramming transgenes improves the tissue reconstitution potential of keratinocytes generated from human induced pluripotent stem cells.	<i>Stem Cells Transl Med.</i>	3(9)	992-1001.	2014
Ueno M, Aoto T, Mohri Y, Yokozeki H, Nishimura EK.	Coupling of the radiosensitivity of melanocyte stem cells to their dormancy during the hair cycle.	<i>Pigment Cell Melanoma Res.</i>	27(4)	540-51.	2014
Yokozeki H.	A nucleic acid-based medication for allergic skin diseases.	<i>J Dermatol Sci.</i>	75(2)	75-81.	2014
Higuchi T, Satoh T, Yokozeki H.	Using CD40 ligand expression to detect antigen-specific T cells in patients with drug eruptions.	<i>Acta Derm Venereol.</i>	94(1)	86-87	2014
Satoh T, Ikeda H, Yokozeki H	Acrosyringeal Involvement of Palmoplantar Lesions of Eosinophilic Pustular Folliculitis.	<i>Acta Derm Venereol.</i>	93(1).		2013
Takehara Y, Satoh T, Nishizawa A, Saeki K, Nakamura M, Masuzawa M, Kaneda Y, Katayama I, Yokozeki H.	Anti-tumor effects of inactivated Sendai virus particles with an IL-2 gene on angiosarcoma	<i>Clin Immunol.</i>	149(1)	1-10	2013
Saeki K, Satoh T, Yokozeki H.	$\alpha(1,3)$ Fucosyltransferases IV and VII are essential for the initial recruitment of basophils in chronic allergic inflammation.	<i>J Invest Dermatol.</i>	133(9):	2161-2169	2013

Kataoka N, Satoh T, Hirai A, Saeki K, Yokozeki H.	Indomethacin inhibits eosinophil migration to prostaglandin D2 : therapeutic potential of CRTH2 desensitization for eosinophilic pustular folliculitis.	<i>Immunology.</i>	140(1)	140(1)	2013
Bakocevic, N., Claser, C., Yoshikawa, S., Jones, L.A., Chew, S., Goh. CC., Malleret, B., Larbi, A., Ginhoux, F., de Lafaille, MC., Karasuyama, H., Renia, L., Ng, LG	CD41 is a reliable identification and activation marker for murine basophils in the steady-state and during helminth and malarial infections.	<i>Eur. J. Immunol.</i>	44	1823-1834	2014
Morshed, M., Hlushchuk, R., Simon, D., Walls, A.F., Obata-Ninomiya, K., Karasuyama, H., Djonov, V., Eggel, A., Kaufmann, T., Simon, H-U, and Yousefi, S.	NADPH oxidase-independent formation of extracellular DNA traps by basophils.	<i>J. Immunol.</i>	192	5314-5323	2014
Reber, L., Marichal, T., Sokolove, J., Starkl, P., Gaudenzio, N., Iwakura, Y., Karasuyama, H., Schwartz, L.B., Robinson, W.H., Tsai, M., and Galli, S.J.	Mast cell-derived IL-1 $\beta$ contributes to uric acid crystal-induced acute arthritis in mice.	<i>Arthritis Rheum.</i>	66	2881-2891	2014
Karasuyama, H., and Yamanishi, Y.	Basophils have emerged as a key player in immunity.	<i>Curr. Opin. Immunol.</i>	31	1-7	2014
Tsai, S.H., Kinoshita, M., Kusu, T., Kayama, H., Okumura, R., Ikeda, K., Shimada Y., Takeda A., Yoshikawa, S., Obata-Ninomiya, K., Kurashima, Y., Sato, S., Umemoto, E., Kiyono, H., Karasuyama, H., and Takeda, K.	The ectoenzyme E-NPP3 negatively regulates ATP-dependent chronic allergic responses by basophils and mast cells.	<i>Immunity</i>	42	279-293	2015
鳥山 一	炎症の抑制・終焉機構「序」	炎症と免疫	22(2)	71	2014
二宮(小畑)一茂、筒井英充、鳥山 一	消化管寄生虫感染防御免疫応答における好塩基球の新たな役割	感染・炎症・免疫	44(1)	30-39	2014
鳥山 一	好塩基球の光と影「はじめに」	医学のあゆみ	250(12)	1079	2014
太田卓哉、吉川宗一郎、鳥山 一	マダニ感染防御と好塩基球	医学のあゆみ	250(12)	1114-1118	2014
三宅健介、鳥山 一	最近明らかになってきた好塩基球の役割	臨床免疫・アレルギー科	63(2)	164-169	2015
Andoh T, Yoshida T, Kuraishi Y.	Topical E6005, a novel phosphodiesterase 4 inhibitor, attenuates spontaneous itch-related responses in mice with chronic atopy-like dermatitis.	<i>Exp Dermatol.</i>	23	359-361	2014
Andoh T, Takayama Y, Kuraishi Y.	Involvement of leukotriene B4 in dermatophyte-related itch in mice.	<i>Pharmacol Rep.</i>	66	699-703	2014
Inami Y, Sasaki A, Andoh T, Kuraishi Y.	Surfactant-induced chronic pruritus: Role of L-histidine decarboxylase expression and histamine production in epidermis.	<i>Acta Derm Venereol.</i>	94	645-650	2014
Andoh T, Kuraishi Y.	Antipruritic mechanisms of topical E6005, a phosphodiesterase 4 inhibitor: Inhibition of responses to proteinase-activated receptor 2 stimulation mediated by increase in intracellular cyclic AMP.	<i>J Dermatol. Sci</i>	76	206-213	2014
安東嗣修	かゆみ解析の動物モデル	<i>MB. Derma</i>	214	6-11	2014
Honda T, <u>Kabashima K.</u>	Prostanoids in allergy.	<i>Allergol Int.</i>	64(1)	11-16	2015

Nakamizo S, Egawa G, Honda T, <u>Nakajima S</u> , Belkaid Y, <u>Kabashima K</u> .	Commensal bacteria and cutaneous immunity.	<i>Semin Immunopathol.</i>	37(1)	73-80.	2015
Dainichi T, Hanakawa S, <u>Kabashima K</u> .	Classification of inflammatory skin diseases: a proposal based on the disorders of the three-layered defense systems, barrier, innate immunity and acquired immunity.	<i>J Dermatol Sci.</i>	76(2)	81-89	2014
Nomura T, <u>Kabashima K</u> , Miyachi Y.	The panoply of $\square\square$ T cells in the skin.	<i>J Dermatol Sci.</i>	76(1)	3-9	2014
Nakashima C, Otsuka A, Kitoh A, Honda T, Egawa G, <u>Nakajima S</u> , Nakamizo S, Arita M, Kubo M, Miyachi Y, <u>Kabashima K</u> .	Basophils regulate the recruitment of eosinophils in a murine model of irritant contact dermatitis.	<i>J Allergy Clin Immunol.</i>	134(1)	100-107	2014
<u>Nakajima S</u> , Kitoh A, Egawa G, Natsuaki Y, Nakamizo S, Moniaga CS, Otsuka A, Honda T, Hanakawa S, Amano W, Iwakura Y, Nakae S, Kubo M, Miyachi Y, <u>Kabashima K</u> .	IL-17A as an inducer for Th2 immune responses in murine atopic dermatitis models.	<i>J Invest Dermatol.</i>	134(8)	2122-30.	2014
Otsuka A, Doi H, Egawa G, Maekawa A, Fujita T, Nakamizo S, Nakashima C, <u>Nakajima S</u> , Watanabe T, Miyachi Y, Narumiya S, <u>Kabashima K</u> .	Possible new therapeutic strategy to regulate atopic dermatitis through upregulating filaggrin expression.	<i>J Allergy Clin Immunol.</i>	133(1)	139-146	2014
Sakabe JI, Yamamoto M, Hirakawa S, Motoyama A, Ohta I, Tatsuno K, Ito T, Kabashima K, Hibino T, Tokura Y	Kallikrein-related peptidase 5 functions in proteolytic processing of profilaggrin in cultured human keratinocytes.	<i>J Biol Chem</i>	288	17179-17189,	2013
<u>Mori T, Kabashima K, Fukamachi S, Kuroda E, Sakabe J, Kobayashi M, Nakajima S, Nakano K, Tanaka Y, Matsushita S, Nakamura M, Tokura Y;</u>	D1-like dopamine receptors antagonist inhibits cutaneous immune reactions mediated by Th2 and mast cells.	<i>J Dermatol Sci</i>	71	37-44	2013
Shiraishi N, Nomura T, Tanizaki H, Nakajima S, Narumiya S, Miyachi Y, Tokura Y, Kabashima K	Prostaglandin E2-EP3 Axis in Fine-tuning Excessive Skin Inflammation by Restricting Dendritic Cell Functions.	<i>PLoS ONE</i>	8	e69599	2013
Yamaguchi H, Kabashima-Kubo R, Bito T, Sakabe J-I, Shimauchi T, Ito T, Hirakawa S, Hirasawa N, Ogasawara K, Tokura Y	High frequencies of positive nickel/cobalt patch tests and high sweat nickel concentration in patients with intrinsic atopic dermatitis.	<i>J Dermatol Sci</i>	72	240-245	2013
Sugita K, Nomura T, Ikenouchi-Sugita A, <u>Sakabe JI, Nakahigashi K, Kuroda E, Uematsu U, Nakamura J, Akira S, Nakamura M, Narumiya S, Miyachi Y, Tokura Y, Kabashima K</u>	Prostaglandin E2 is critical for the development of niacin-deficiency-induced photosensitivity via ROS production.	<i>Sci Rep 3</i>	2973		2013
<u>Yamaguchi H, Tatsuno K, Sakabe J, Tokura Y</u>	Second report of FLG R501X mutation in Japanese patients with atopic dermatitis.	<i>J Dermatol</i>	40	498-499	2013
Sakabe J, Kamiya K, Yamaguchi H, Ikeya S, Suzuki T, Aoshima M, Tatsuno K, Fujiyama T, Suzuki M, Yatagai T, Ito T, Ojima T, Tokura Y	Proteome analysis of stratum corneum from atopic dermatitis patients by hybrid quadrupole-orbitrap mass spectrometer.	<i>Journal of Allergy and Clinical Immunology</i>	134	957-967	2014
Yamaguchi H, Hata M, Fujiyama T, Ito T, Hashizume H, Tokura Y	Psychological aspects of patients with intrinsic atopic dermatitis.	<i>Eur J Dermatol</i>	24	253-254	2014

Fujiyama T, Kawakami C, Sugita K, Kubo-Kabashima R, Sawada Y, Hino R, Nakamura M, Shimauchi T, Ito T, Kabashima K, Hashizume H, Tokura Y	Increased frequencies of Th17 cells in drug eruptions.	<i>J Dermatol Sci</i>	73	85-88	2014
Kasuya A, Sakabe J, Tokura Y	Potential application of in vivo imaging of impaired lymphatic duct to evaluate the severity of pressure ulcer in mouse model.	<i>Sci Rep</i>	4	4173	2014
Yoshiki R, Kabashima K, Honda T, Nakamizo S, Sawada Y, Sugita K, Yoshioka H, Ohmori S, Malissen B, Tokura Y, Nakamura M	IL-2 from Langerhans cells is required for the development of imiquimod-induced psoriasis-like dermatitis by induction of IL-17A-producing $\gamma\delta$ T cells.	<i>J Invest Dermatol</i>	134	1912-1921	2014
Fujiyama T, Ito T, Ogawa N, Suda T, Tokura Y, Hashizume H	Preferential infiltration of interleukin-4-producing CXCR4+ T cells in the lesional muscle but not skin of patients with dermatomyositis.	<i>Clin Exp Immunol</i>	177	110-120	2014
Tokura Y, Yagi H, Yanaguchi H, Majima Y, Kasuya A, Ito T, Maekawa M, Hashizume H	IgG4-related skin disease.	<i>Br J Dermatol</i>	171	959-967	2014
Ito T, Tokura Y	The role of cytokines/chemokines in T cell-mediated autoimmune inflammation: Lessons from hair loss in alopecia areata.	<i>Exp Dermatol</i>	23	787-791	2014
Kasuya A, Tokura Y:	Attempts to accelerate wound healing.	<i>J Dermatol Sci</i>	76(3)	169-172,	2014
Nakazawa S, Moriki M, Ikeya S, Sakabe J-I, Tokura Y	Atopic dermatitis presenting as generalized poikiloderma with filaggrin gene mutation.	<i>J Dermatol</i>	41	230-231	2014
Kuriyama S, Kasuya A, Fujiyama T, Tatsuno K, Sakabe J, Yamaguchi H, Ito T, Tokura Y	Leukoderma in patients with atopic dermatitis.	<i>J Dermatol</i>	42	215-218	2014
Kamiya K, Kamiya E, Kamiya Y, Niwa M, Saito A, Natsume T, Niwa H, Tokura Y	Drug eruption to clavulanic acid with sparing of cellulitis-affecting site.	<i>Allergology Int</i>			in press
Ito T, Tatsuno K, Fujiyama T, Sakabe J, Tokura Y	Antihistaminic drug olopatadine downmodulates T cell chemotaxis toward CCL17 in patients with atopic dermatitis.	<i>Allergology Int</i>			in press
Yamaguchi H, Hirasawa N, Asakawa S, Okita K, Tokura Y	Intrinsic atopic dermatitis shows high serum nickel concentration.	<i>Allergology Int</i>			in press
Lee J, Shin Y, <u>Murota H.</u>	Oligonol Supplementation Modulates Plasma Volume and Osmolality and Sweating After Heat Load in Humans.	<i>J Med Food.</i>			2015
Nakano-Tahara M, Terao M, Nishioka M, Kitaba S, <u>Murota H</u> , Katayama I.	T Helper 2 Polarization in Senile Erythroderma with Elevated Levels of TARCs and IgE.	<i>Dermatology.</i>			2015
Horimukai K, Morita K, Narita M, Kondo M, Kitazawa H, Nozaki M, Shigematsu Y, Yoshida K, Niizeki H, Motomura K, Sago H, Takimoto T, Inoue E, Kamemura N, Kido H, Hisatsune J, Sugai M, <u>Murota H</u> , Katayama I, Sasaki T, Amagai M, Morita H, Matsuda A, Matsumoto K, Saito H, Ohya Y.	Application of moisturizer to neonates prevents development of atopic dermatitis.	<i>J Allergy Clin Immunol.</i>	134(4)	824-830.	2014
Koguchi-Yoshioka H, Wataya-Kaneda M, Yutani M, <u>Murota H</u> , Nakano H, Sawamura D, Katayama I.	Atopic Diathesis in Hypohidrotic/Anhidrotic Ectodermal Dysplasia.	<i>Acta Derm Venereol.</i>			2014
<u>Murota H</u> , Matsui S, Ono E, Kijima A, Kikuta J, Ishii M, Katayama I.	Sweat, the driving force behind normal skin: An emerging perspective on functional biology and regulatory mechanisms.	<i>J Dermatol Sci.</i>	77	3-10	2015
Kurata R, Futaki S, Nakano I, Tanemura A, <u>Murota H</u> , Katayama I, Sekiguchi K.	Isolation and characterization of sweat gland myoepithelial cells from human skin.	<i>Cell Struct Funct.</i>	39	101-112	2014

Yang L, Fujimoto M, <u>Murota H</u> , Serada S, Fujimoto M, Honda H, Yamada K, Suzuki K, Nishikawa A, Hosono Y, Yoneda Y, Takehara K, Imura Y, Mimori T, Takeuchi T, Katayama I, Naka T.	Proteomic identification of heterogeneous nuclear ribonucleoprotein K as a novel cold-associated autoantigen in patients with secondary Raynaud's phenomenon.	<i>Rheumatology (Oxford)</i> .	54(2)	349-358	2015
Furue M, Onozuka D, Takeuchi S, <u>Murota H</u> , Sugaya M, Masuda K, Hiragun T, Kaneko S, Saeki H, Shintani Y, Tsunemi Y, Abe S, Kobayashi M, Kitami Y, Tanioka M, Imafuku S, Abe M, Inomata N, Morisky DE, Katoh N.	Poor adherence to oral and topical medication in 3096 dermatological patients as assessed by the Morisky Medication Adherence Scale-8.	<i>Br J Dermatol</i> .	172	272-275	2015
Yang F, Tanaka M, Wataya-Kaneda M, Yang L, Nakamura A, Matsumoto S, Attia M, <u>Murota H</u> , Katayama I.	Topical application of rapamycin ointment ameliorates Dermatophagoides farina body extract-induced atopic dermatitis in NC/Nga mice.	<i>Exp Dermatol</i> .	23	568-572.	2014
Terao M, Tani M, Itoi S, Yoshimura T, Hamasaki T, <u>Murota H</u> , Katayama I.	11 $\beta$ -hydroxysteroid dehydrogenase 1 specific inhibitor increased dermal collagen content and promotes fibroblast proliferation.	<i>PLoS One</i> .	25	9	2014
室田浩之	【アトピー性皮膚炎治療の最前線】痒み	<i>Derma</i> .	11(224)	38-44	2014
室田浩之	診療の秘訣 アトピー性皮膚炎の汗対策指導	<i>Modern Physician</i>	34(10)	1231	2014
室田浩之	夏季のアトピー性皮膚炎悪化対策	<i>日本医事新報</i>	09(4715)	63	2014
室田浩之	アトピー性皮膚炎悪化因子の検証	<i>西日本皮膚科</i>	76(3)	189-193	2014
室田浩之	発汗能を制御し皮膚恒常性保持能力を回復させる試み	<i>コスメトロジー研究報告</i>	22	168-171	2014
室田浩之	アトピー性皮膚炎における発汗障害	<i>皮膚病診療</i>	36(8)	700-705	2014
室田浩之	新・皮膚科セミナーリウム 汗生理と病態の全て アトピー性皮膚炎における発汗障害	<i>日本皮膚科学会雑誌</i>	124(7)	1289-1293	2014
室田浩之	【最近のトピックス2014 Clinical Dermatology 2014】皮膚疾患の病態 温まるとなぜかゆいのか?	<i>臨床皮膚科</i>	68(5)	47-50	2014
室田浩之	【痒疹の粘り強い治療】内服・全身療法(かゆみ作働薬)	<i>Derma</i> .	214	41-47	2014
Sakiyama M, Maeda M, Fujimoto N, <u>Satoh T</u> .	Eruptive syringoma localized on intertriginous area.	<i>J Dtsch Dermatol Ges</i>	12	72-73	2014
<u>Nishizawa A</u> , Igawa K, Teraki H, Yokozeki H.	Diffuse disseminated lichenoid-type sarcoidosis mimicking erythroderma.	<i>Int J Dermatol</i>	53	369-370	2014
Sakiyama M, Matsuo H, Shimizu S, Chiba T, Nakayama A, Takada Y, Nakamura T, Takada T, Morita E, Naito M, Wakai K, Inoue H, Tatsukawa S, Sato J, Shimono K, Makino T, <u>Satoh T</u> , Suzuki H, Kanai Y, Hamajima N, Sakurai Y, Ichida K, Shimizu T, Shinomiya N.	A common variant of leucine-rich repeat containing 16A (LRRC16A) gene is associated with gout susceptibility.	<i>Human Cell</i>	72	1-4	2014
Inazawa M, <u>Satoh T</u> , Yokozeki H.	Hyperkeratotic variant of inflammatory disseminated superficial porokeratosis with lichenoid reaction and extensive amyloid deposition.	<i>Int J Dermatol</i>	53	94-95	2014
Fujimoto N, Iwasaki J, <u>Satoh T</u> .	Srcotal calcinosis may arise from cyst wall apoptosis.	<i>J Eur Acad Dermatol Venereol</i>	28	128-130	2014
<u>Hashimoto T</u> , <u>Satoh T</u> , Furuya A, Kataoka N, Yokozeki H.	Kimura's disease with prurigo lesions treated with systemic indomethacin.	<i>J Eur Acad Dermatol venereal</i>	28	1260-1262	2014

Shiba Y, <u>Satoh T.</u>	Isolated benign primary cutaneous plasmacytosis. I	<i>Int J Dermatol</i>	53	397-398	2014
Furuya A, Takahashi E, Ishii N, Hashimoto T, <u>Satoh T.</u>	IgG/IgA pemphigus recognizing desmogleins 1 and 3 in a patient with Sjögren's syndrome.	<i>Eur J Dermatol</i>	24	512-513	2014
Ono K, Fujimoto E, Fujimoto N, Akiyama M, <u>Satoh T.</u> , Maeda H, Fujii N, Tajima S.	In vitro amyloidogenic peptides of galectin-7: possible mechanism of amyloidogenesis of primary localized cutaneous amyloidosis.	<i>J Biol Chem</i>	289	29195-29207	2014
<u>佐藤貴浩</u>	高齢者のアレルギー性皮膚疾患 IV. 多形慢性痒疹とかゆみ	<i>アレルギー・免疫</i>	21(2)	288-291	2014
<u>佐藤貴浩</u>	痒疹の粘り強い治療 /慢性痒疹の定義と分類	<i>Monthly Book Derma</i>	214(2)	1-4	2014
<u>Shibama S, Igawa K, Munetsugu T, Fukuyama K, Nishizawa A, Takayama K, Yokozeki H.</u>	A case of sarcoidosis presenting as livedo.	<i>Ann Dermatol.</i>	26(6)	733-734	2014
Kato K, Hanafusa T, <u>Igawa K.</u> , Tatsumi M, Takahashi Y, Yamanaka T, Katayama I.	A rare case of annular pustular psoriasis associated with pemphigus foliaceus.	<i>Ann Dermatol.</i>	26(2)	260-261	2014
Senda S, <u>Igawa K.</u> , Nishioka M, Murota H, Katayama I.	Systemic sclerosis with sarcoidosis: case report and review of the published work.	<i>J Dermatol.</i>	41(5)	421-423.	2014
<u>Igawa K.</u> , Konishi M, Moriyama Y, Fukuyama K, Yokozeki H.	Erythroderma as drug eruption induced by intravesical mitomycin C therapy.	<i>J Eur Acad Dermatol Venereol.</i>			2014
Inoue T, Yamaoka T, Murota H, Yokomi A, Tanemura A, <u>Igawa K.</u> , Tani M, Katayama I.	Effective oral psoralen plus ultraviolet a therapy for digital ulcers with revascularization in systemic sclerosis.	<i>Acta Derm Venereol.</i>	94(2)	250-251	2014