

研究成果の刊行に関する一覧表(平成26年度)

1/2

研究分担者氏名： 宮坂信之

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1	Harigai M, Mochida S, Mimura T, Koike T, Miyasaka N.	A proposal for management of rheumatic disease patients with hepatitis B virus infection receiving.	Mod. Rheumatol.	24(1)	1-7	2014
2	Takeuchi T, Kawai S, Yamamoto K, Harigai M, Ishida K, Miyasaka N.	Post-marketing surveillance of the safety and effectiveness of tacrolimus in 3,267 Japanese patients with rheumatoid arthritis.	Mod. Rheumatol.	24(1)	8-16	2014
3	Yamamoto K, Takeuchi T, Yamanaka H, Ishiguro N, Tanaka Y, Eguchi K, Watanabe A, Origasa H, Shoji T, Sakamaki Y, van der Heijde D, Miyasaka N, Koike T.	Efficacy and safety of certolizumab pegol plus methotrexate in Japanese rheumatoid arthritis patients with an inadequate response to methotrexate: the J-RAPID randomized, placebo-controlled trial.	Mod. Rheumatol.	24(5)	715-24	2014
4	Cho SK, Sakai R, Nanki T, Koike R, Watanabe K, Yamazaki H, Nagasawa H, Tanaka Y, Nakajima A, Yasuda S, Ihata A, Ezawa K, Won S, Choi CB, Sung YK, Kim TH, Jun JB, Yoo DH, Miyasaka N, Bae SC, Harigai M; RESEARCH investigators; REAL Study Group.	A comparison of incidence and risk factors for serious adverse events in rheumatoid arthritis patients with etanercept or adalimumab in Korea and Japan.	Mod. Rheumatol.	24(4)	572-9	2014
5	Tanaka Y, Yamamoto K, Takeuchi T, Yamanaka H, Ishiguro N, Eguchi K, Watanabe A, Origasa H, Shoji T, Miyasaka N, Koike T.	Long-term efficacy and safety of certolizumab pegol in Japanese rheumatoid arthritis patients who could not receive methotrexate: 52-week results from an open-label extension of the HIKARI study.	Mod. Rheumatol.	24(5)	725-33	2014
6	Yamanaka H, Ishiguro N, Takeuchi T, Miyasaka N, Mukai M, Matsubara T, Uchida S, Akama H, Kupper H, Arora V, Tanaka Y.	Recovery of clinical but not radiographic outcomes by the delayed addition of adalimumab to methotrexate-treated Japanese patients with early rheumatoid arthritis: 52-week results of the HOPEFUL-1 trial.	Rheumatology(Oxford)	53(5)	904-13	2014
7	Tanaka Y, Yamamoto K, Takeuchi T, Yamanaka H, Ishiguro N, Eguchi K, Watanabe A, Origasa H, Shoji T, Miyasaka N, Koike T.	Long-term efficacy and safety of certolizumab pegol in Japanese rheumatoid arthritis patients with an inadequate response to methotrexate: 52-week results from an open-label extension of the J-RAPID study.	Mod. Rheumatol.	24(5)	734-43	2014
8	Takeuchi T, Matsubara T, Urata Y, Suematsu E, Ohta S, Honjo S, Abe T, Yamamoto A, Miyasaka N; Japan Abatacept Study Group.	Phase III, Multicenter, open-label, long-term study of the safety of abatacept in Japanese patients with rheumatoid arthritis and an inadequate response to conventional or biologic disease-modifying.	Mod. Rheumatol.	24(5)	744-53	2014
9	Takeuchi T, Yamamoto K, Yamanaka H, Ishiguro N, Tanaka Y, Eguchi K, Watanabe A, Origasa H, Shoji T, Miyasaka N, Koike T.	Early response to certolizumab pegol predicts long-term outcomes in patients with active rheumatoid arthritis: results from Japanese studies.	Mod. Rheumatol.	25(1)	11-20	2015
10	Takeuchi T, Miyasaka N, Kawai S, Sugiyama N, Yuasa H, Yamashita N, Sugiyama N, Wagerle LC, Vlahos B, Wajdula J.	Pharmacokinetics, efficacy and safety profiles of etanercept monotherapy in Japanese patients with rheumatoid arthritis: review of seven clinical trials.	Mod. Rheumatol.	2014 May 20:1-14. [Epub ahead of print]		

研究成果の刊行に関する一覧表（平成 26 年度）

2/2

研究分担者氏名： 宮 坂 信 之

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
11	Sakai R, Cho SK, Nanki T, Koike R, Watanabe K, Yamazaki H, Nagasawa H, Amano K, Tanaka Y, Sumida T, Ihata A, Yasuda S, Nakajima A, Sugihara T, Tamura N, Fujii T, Dobashi H, Miura Y, Miyasaka N, Harigai M; REAL study group.	The risk of serious infection in patients with rheumatoid arthritis treated with tumor necrosis factor inhibitors decreased over time: a report from the registry of Japanese rheumatoid arthritis patients on biologics for long-term safety (REAL) database.	Rheumatol. Int.			2014 Dec;34(12):1729-36 Epub 2014 May 23.
12	Kaneko Y, Koike T, Oda H, Yamamoto K, Miyasaka N, Harigai M, Yamanaka H, Ishiguro N, Tanaka Y, Takeuchi T.	Obstacles to the implementation of the treat-to-target strategy for rheumatoid arthritis in clinical practice in Japan.	Mod. Rheumatol.			2015 Jan;25(1):43-9 Epub 2014 Jun 20.
13	Yamamoto K, Takeuchi T, Yamanaka H, Ishiguro N, Tanaka Y, Eguhi K, Watanabe S, Origasa H, Iwai K, Sakamaki Y, van der Heijde D, Miyasaka N, Koike T.	Efficacy and safety of certolizumab pegol without methotrexate co-administration in Japanese patients with active rheumatoid arthritis: the HIKARI randomized, placebo-controlled trial.	Mod. Rheumatol.			2014 Jul;24(4):552-60. Epub 2013 Nov 1.
14	Yokoyama W, Takada K, Miyasaka N, Kohsaka H.	Myelitis and optic neuritis induced by a long course of etanercept in a patient with rheumatoid arthritis.	BMJ Case Rep.			2014 Aug 1:bcr-2014-205779.
15	Fukuda S, Kohsaka H, Takayasu A, Yokoyama W, Miyabe C, Miyabe Y, Harigai M, Miyasaka N, Nanki T.	Cannabinoid receptor 2 as a potential therapeutic target in rheumatoid arthritis.	BMC Musculoskelet Disord.			2014 Aug 12;15:275.
16	Hosoya T, Iwai H, Yamaguchi Y, Kawahata K, Miyasaka N, Kohsaka H.	Cell cycle regulation therapy combined with cytokine blockade enhances antiarthritic effects without increasing immune suppression.	Ann. Rheum. Dis.			2014 Aug 27. [Epub ahead of print]
17	Yokoyama W, Kohsaka H, Kaneko K, Walters M, Takayasu A, Fukuda S, Miyabe C, Miyabe Y, Love PE, Nakamoto N, Kanai T, Watanabe-Imai K, Charvat TT, Penfold ME, Jean J, Schall TJ, Harigai M, Miyasaka N, Nanki T.	Abrogation of CC chemokine receptor 9 ameliorates collagen-induced arthritis of mice.	Arthritis Res. Ther.			2014 Sep 24;16(5):445
18	Takeuchi T, Matsubar T, Ohta S, Mukai M, Amano K, Tohma S, Tanaka Y, Yamanaka H, Miyasaka N.	Biologic-free remission of established rheumatoid arthritis after discontinuation of abatacept: a prospective, multicenter, observational study in Japan.	Rheumatology (Oxford).			2014 Sep 24. [Epub ahead of print]
19	Miyabe Y, Miyabe C, Iwai Y, Yokoyama W, Sekine C, Sugimoto K, Harigai M, Miyasaka M, Miyasaka N, Nanki T.	Activation of fibroblast-like synoviocytes derived from rheumatoid arthritis via lysophosphatidic acid-lysophosphatidic acid receptor 1 cascade.	Arthritis Res. Ther.			2014 Oct 2;16(5):461.
20	Sugihara T, Ishizaki T, Hosoya T, Iga S, Yokoyama W, Hirao F, Miyasaka N, Harigai M.	Structural and functional outcomes of a therapeutic strategy targeting low disease activity in patients with elderly-onset rheumatoid arthritis: a prospective cohort study (CRANE).	Rheumatology (Oxford).			2014 Oct 8. [Epub ahead of print]
21	Tanaka M, Koike R, Sakai R, Saito K, Hirata S, Nagasawa H, Kameda H, Hara M, Kawaguchi Y, Tohma S, Takasaki Y, Dohi M, Nishioka Y, Yasuda S, Miyazaki Y, Kaneko Y, Nanki T, Watanabe K, Yamazaki H, Miyasaka N, Harigai M.	Pulmonary infections following immunosuppressive treatments during hospitalization worsen the short-term vital prognosis for patients with connective tissue disease-associated interstitial pneumonia.	Mod. Rheumatol.			2014 Dec 15:1-6. [Epub ahead of print]

研究成果の刊行に関する一覧表（平成 26 年度）

研究分担者氏名： 山中 寿

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	出版社名	出版年
		書籍名	出版地	ページ
1 山中 寿	関節リウマチ診療ガイドライン 2014	一般社団法人日本リウマチ学会	メディカルレビュー ー社	2014
2			東京	
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				

研究成果の刊行に関する一覧表（平成 26 年度）

研究分担者氏名： 山中 寿

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1	Ito H, Kojima M, Nishida K, Matsushita I, Kojima T, Nakayama T, Endo H, Hirata S, Kaneko Y, Kawahito Y, Kishimoto M, Seto Y, Kamatani N, Tsutani K, Igarashi A, Hasegawa M, Miyasaka N, Yamanaka H.	Postoperative complications in patients with rheumatoid arthritis using a biological agent - a systematic review and meta-analysis.	Mod Rheumatol.	11	1-17	2015
2						
3						
4						
5						
6						
7						
8						
9						
10						
11						
12						
13						
14						
15						
16						

研究成果の刊行に関する一覧表（平成 26 年度）

研究分担者氏名： 針 谷 正 祥

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	出版社名	出版年
		書籍名	出版地	ページ
1 針谷正祥	抗リウマチ薬・生物学的製剤の副作用と対策	監修 山口徹、北原光夫、総編集 福井次矢、高木 誠、小室一成	医学書院	2014
		今日の治療指針(私はこう治療している)	東京	819-820
2 針谷正祥	寛解導入療法、グローバルな現状	槇野博史、松尾清一	難治性血管炎に関する調査研究班・進行性腎障害に関する調査研究班	2014
		ANCA関連血管炎の診療ガイドライン (2014 改訂版)	東京・名古屋	65
3 針谷正祥	生物学的製剤概論	日本呼吸器学会生物学的製剤と呼吸器疾患・診療の手引き作成委員会 生物学的製剤と呼吸器疾患 診療の手引き	一般社団法人日本呼吸器学会	2014 2-12
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				

研究成果の刊行に関する一覧表（平成 26 年度）

研究分担者氏名： 針 谷 正 祥

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1	Yamazaki H, Sakai R, Koike R, Miyazaki Y, Tanaka M, Nanki T, Watanabe K, Yasuda S, Kurita T, Kaneko Y, Tanaka Y, Nishioka Y, Takasaki Y, Nagasaka K, Nagasawa H, Tohma H, Dohi , Sugihara T, Sugiyama H, Kawaguchi Y, Inase N, Ochi S, Hagiwara H, Kohsaka H, Miyasaka N, Harigai M.	Assessment of risks for pulmonary infection during 12 months after commencing or intensifying immunosuppressive treatment for active connective tissue diseases: A report from a large-scale prospective cohort study	J Rheumatology	in press		2014
2	Sakai R, Cho SK, Nanki T, Koike R, Watanabe K, Yamazaki H, Nagasawa H, Amano K, Tanaka Y, Sumida T, Ihata A, Yasuda S, Nakajima A, Sugihara T, Tamura N, Fujii T, Dobashi H, Miura Y, Miyasaka N, Harigai M; For the REAL study group.	The risk of serious infection in patients with rheumatoid arthritis treated with tumor necrosis factor inhibitors decreased over time: a report from the registry of Japanese rheumatoid arthritis patients on biologics for long-term safety (REAL) database.	Rheumatol Int.	34(12)	1729-36	2014
3	Koike T, Harigai M, Inokuma S, Ishiguro N, Ryu J, Takeuchi T, Takei S, Tanaka Y, Sano Y, Yaguramaki H, Yamanaka H.	Effectiveness and Safety of Tocilizumab: Postmarketing Surveillance of 7901 Patients with Rheumatoid Arthritis in Japan.	J Rheumatol. 2014 Jan;	41(1)	15-23	2014
4	Tanaka M, Koike R, Sakai R, Saito K, Hirata S, Nagasawa H, Kameda H, Hara M, Kawaguchi Y, Tohma S, Takasaki Y, Dohi M, Nishioka Y, Yasuda S, Miyazaki Y, Kaneko Y, Nanki T, Watanabe K, Yamazaki H, Miyasaka N, Harigai M.	Pulmonary infections following immunosuppressive treatments during hospitalization worsen the short-term vital prognosis for patients with connective tissue disease-associated interstitial pneumonia.	Mod Rheumatol.	[Epub ahead of print]		2014
5	Yamanaka H, Harigai M, Ishiguro N, Inokuma S, Takei S, Takeuchi T, Tanaka Y, Suzuki H, Shinmura Y, Koike T	Trend of patient characteristics and its impact on the response to adalimumab in patients with rheumatoid arthritis: post hoc time-course analysis of an all-case PMS in Japan	Mod Rheumatol.	[Epub ahead of print]		2014
6	Sugihara T, Ishizaki T, Hosoya T, Iga S, Yokoyama W, Hirano F, Miyasaka N, Harigai M.	Structural and functional outcomes of a therapeutic strategy targeting low disease activity in patients with elderly-onset rheumatoid arthritis: a prospective cohort study (CRANE).	Rheumatology (Oxford)	[Epub ahead of print]		2014
7	Kaneko Y, Koike T, Oda H, Yamamoto K, Miyasaka N, Harigai M, Yamanaka H, Ishiguro N, Tanaka Y, Takeuchi T.	Obstacles to the implementation of the treat-to-target strategy for rheumatoid arthritis in clinical practice in Japan.	Mod Rheumatol.	[Epub ahead of print]		2014
8	Fukuda S, Kohsaka H, Takayasu A, Yokoyama W, Miyabe C, Miyabe Y, Harigai M, Miyasaka N, Nanki T.	Cannabinoid receptor 2 as a potential therapeutic target in rheumatoid arthritis.	BMC Musculoskelet Disord. 2014 Aug 12;	15(1)	275	2014
9	Miyabe Y, Miyabe C, Iwai Y, Yokoyama W, Sekine C, Sugimoto K, Harigai M, Miyasaka M, Miyasaka N, Nanki T.	Activation of fibroblast-like synoviocytes derived from rheumatoid arthritis via lysophosphatidic acid - lysophosphatidic acid receptor 1 cascade.	Arthritis Res Ther.	16(5)	461	2014
10	Yokoyama W, Kohsaka H, Kaneko K, Walters M, Takayasu A, Fukuda S, Miyabe C, Miyabe Y, Love PE, Nakamoto N, Kanai T, Watanabe-Imai K, Charvat TT, Penfold ME, Jaen J, Schall TJ, Harigai M, Miyasaka N, Nanki T.	Abrogation of CC chemokine receptor 9 ameliorates collagen-induced arthritis of mice.	Arthritis Res Ther.	16(5)	445	2014

研究成果の刊行に関する一覧表（平成 26 年度）

研究分担者氏名： 池田 啓

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1	G.A.Bruyn GA, E.Naredo, A.Iagnocco, P.V.Balint, M.Backhaus, F.Gandjbakhch, M.Gutierrez, A.Filer, S.Finzel, K.Ikeda, G.Kaeley, S.Magni-Manzoni, S.Ohrndorf, C.Pineda, B.Richards, J.Roth, W.A.Schmidt, L.Terslev, M.A.D'Agostino, on behalf of the OMERACT Ultrasound Task Force	Ten years OMERACT ultrasound working group: a summary of the OMERACT 12 conference	J Rheumatol, in press			
2	M.Hiraga, K.Ikeda, K.Shigeta, A.Sato, T.Yoshitama, R.Hara, Y.Tanaka	Sonographic measurements of low-echoic synovial area in the dorsal aspect of metatarsophalangeal joints in healthy subjects	Mod Rheumatol [epub ahead of print]			
3	K.Ikeda, T.Koike, R.Wakefield, P.Emery	Is the glass half full or half empty? Comment on the article by Gartner et al	Arthritis Rheumatol	66	1055-6	2014
4	K.Ikeda, N.Kambe, S.Takei, T.Nakano, T.Inoue, M.Tomiita, N.Oyake, T.Satoh, T.Yamatou, T.Kubota, I.Okafuji, N.Kanazawa, R.Nishikomori, N.Shimojo, H.Matsue, H.Nakajima	Ultrasonographic assessment reveals detailed distribution of synovial inflammation in Blau syndrome	Arthritis Res Ther	16	R89	2014
5	T.Iwamoto, K.Ikeda, J.Hosokawa, M.Yamagata, S.Tanaka, A.Norimoto, Y.Sanayama, D.Nakagomi, K.Takahashi, K.Hirose, T.Sugiyama, M.Sueishi, H.Nakajima	Prediction of relapse after discontinuation of biologic agents by ultrasonographic assessment in patients with rheumatoid arthritis in clinical remission	Arthritis Care Res	66	1576-81	2014
6	K.Ikeda, Y.Seto, S.Ohno, F.Sakamoto, M.Henmi, J.Fukae, A.Narita, D.Nakagomi, H.Nakajima, K.Tanimura, T.Koike	Analysis of the factors which influence the measurement of synovial power Doppler signals with semi-quantitative and quantitative measures - a pilot multicenter exercise in Japan	Mod Rheumatol	24	419-25	2014
7	K.Ikeda, Y.Seto, A.Narita, A.Kawakami, Y.Kawahito, H.Ito, I.Matsushita, S.Ohno, K.Nishida, T.Suzuki, A.Kaneko, M.Ogasawara, J.Fukae, M.Henmi, T.Sumida, T.Kamishima, T.Koike	Ultrasound assessment of synovial pathologic features in rheumatoid arthritis using comprehensive multiplane images of the second metacarpophalangeal joint: identification of the components that are reliable and influential on the global assessment of the whole joint	Arthritis Rheumatol	66	523-32	2014
8	池田 啓	関節エコーによる滑膜病変評価の最適化	リウマチ科	53	1-8	2015
9	池田 啓	関節リウマチ診療における高感度画像診断の意義	Pharma Medica	32	33-6	2014
10	池田 啓	関節リウマチの早期診断における高感度画像診断の意義	Keynote RA	2	21-5	2014
11	池田 啓	RA 診療における画像診断	Modern Physician	34	878-83	2014
12	池田 啓	関節エコーは疾患活動性の指標としてどこまで役立つか	分子リウマチ治療	7	22-6	2014
13	池田 啓	超音波で診る関節リウマチ	Arthritis	11	164-9	2014
14	池田 啓	運動器疾患の超音波診断 関節リウマチ	JOURNAL OF CLINICAL REHABILITATION	23	582-7	2014
15	池田 啓	リウマチ診療のための関節エコー撮像法ガイドライン	日本臨床	72	710-3	2014
16	中込大樹, 池田 啓, 中島裕史	関節超音波検査はACR/EULAR分類基準の正確度を向上させる	リウマチ科	51	112-7	2014