

検査項目 (単位)	ステップ	投与群	Day	N	Mean	SD	Min	Q1	Median	Q3	Max	Skewness	Kurtosis	
白血球分画(単球) (%)	ステップ3	PYRNA 0.33g/kg	スクリーニング	6	5.50	0.99	4.7	4.80	5.10	6.10	7.2	1.22	0.64	
			Day-1	6	5.58	1.21	3.7	5.30	5.60	5.80	7.5	0.06	2.16	
			Day1	6	5.65	1.62	3.8	5.20	5.30	5.60	8.7	1.53	3.63	
			Day2	6	5.67	0.76	5.1	5.20	5.35	5.90	7.1	1.75	2.99	
			Day7	6	5.82	1.32	4.7	4.80	5.20	7.50	7.5	0.86	-1.88	
			対照薬	スクリーニング	2	5.30	1.13	4.5	4.50	5.30	6.10	6.1		
			Day-1	2	5.70	1.13	4.9	4.90	5.70	6.50	6.5			
	Day1	2	5.35	1.63	4.2	4.20	5.35	6.50	6.5					
	Day2	2	4.60	1.41	3.6	3.60	4.60	5.60	5.6					
	Day7	2	5.80	3.25	3.5	3.50	5.80	8.10	8.1					
	ステップ4	PYRNA 0.66g/kg	スクリーニング	6	5.90	0.82	4.7	5.50	5.95	6.10	7.2	0.23	1.35	
			Day-1	6	6.52	0.96	5.4	6.00	6.30	6.90	8.2	1.12	1.80	
			Day1	6	5.78	0.80	4.9	5.10	5.60	6.70	6.8	0.47	-1.77	
			Day2	6	6.22	1.44	4.0	5.50	6.25	7.10	8.2	-0.27	0.32	
Day7			6	6.18	0.93	4.9	5.40	6.25	7.00	7.3	-0.24	-1.44		
対照薬			スクリーニング	2	8.20	1.13	7.4	7.40	8.20	9.00	9.0			
Day-1			2	5.60	0.57	5.2	5.20	5.60	6.00	6.0				
Day1	2	7.50	2.83	5.5	5.50	7.50	9.50	9.5						
Day2	2	7.50	2.83	5.5	5.50	7.50	9.50	9.5						
Day7	2	6.75	1.06	6.0	6.00	6.75	7.50	7.5						
総蛋白 (g/dL)	ステップ1	PYRNA 0.08g/kg	スクリーニング	6	7.45	0.26	7.1	7.30	7.45	7.60	7.8	0.00	-1.25	
			Day-1	6	7.30	0.40	6.7	7.10	7.25	7.70	7.8	-0.16	-0.54	
			Day1	6	6.82	0.39	6.3	6.50	6.85	7.00	7.4	0.18	-0.05	
			Day2	6	7.08	0.43	6.5	6.70	7.15	7.30	7.7	-0.03	-0.48	
			Day7	6	7.27	0.49	6.5	7.10	7.20	7.80	7.8	-0.39	-0.01	

147

検査項目 (単位)	ステップ	投与群	Day	N	Mean	SD	Min	Q1	Median	Q3	Max	Skewness	Kurtosis		
		対照薬	スクリーニング	2	7.75	0.07	7.7	7.70	7.75	7.80	7.8				
			Day-1	2	7.15	0.21	7.0	7.00	7.15	7.30	7.3				
			Day1	2	6.90	0.28	6.7	6.70	6.90	7.10	7.1				
			Day2	2	7.00	0.28	6.8	6.80	7.00	7.20	7.2				
			Day7	2	7.10	0.14	7.0	7.00	7.10	7.20	7.2				
			ステップ2	PYRNA 0.17g/kg	スクリーニング	6	7.52	0.23	7.2	7.30	7.55	7.70	7.8	-0.30	-1.42
					Day-1	6	7.00	0.64	6.3	6.40	6.95	7.40	8.0	0.59	-0.27
	Day1	6			6.82	0.40	6.3	6.50	6.80	7.10	7.4	0.23	-0.79		
	Day2	6			7.17	0.39	6.7	6.90	7.15	7.40	7.7	0.19	-1.80		
	Day7	6			7.62	0.29	7.3	7.50	7.50	7.80	8.1	1.06	0.71		
	対照薬	スクリーニング			2	7.65	0.35	7.4	7.40	7.65	7.90	7.9			
	Day-1	2			6.75	0.07	6.7	6.70	6.75	6.80	6.8				
	Day1	2	6.60	0.00	6.6	6.60	6.60	6.60	6.6						
	Day2	2	7.05	0.35	6.8	6.80	7.05	7.30	7.3						
Day7	2	7.60	0.14	7.5	7.50	7.60	7.70	7.7							
総蛋白 (g/dL)	ステップ3	PYRNA 0.33g/kg	スクリーニング	6	7.42	0.15	7.2	7.30	7.45	7.50	7.6	-0.42	-0.86		
			Day-1	6	7.20	0.28	7.0	7.00	7.05	7.50	7.6	0.95	-1.57		
			Day1	6	6.98	0.25	6.7	6.80	6.95	7.10	7.4	0.87	0.74		
			Day2	6	6.85	0.16	6.7	6.70	6.85	7.00	7.0	0.00	-3.33		
			Day7	6	7.28	0.08	7.2	7.20	7.30	7.30	7.4	0.31	-0.10		
	対照薬	スクリーニング	2	7.40	0.42	7.1	7.10	7.40	7.70	7.7					
		Day-1	2	7.55	0.07	7.5	7.50	7.55	7.60	7.6					
		Day1	2	7.15	0.21	7.0	7.00	7.15	7.30	7.3					
		Day2	2	7.25	0.07	7.2	7.20	7.25	7.30	7.3					
		Day7	2	7.25	0.21	7.1	7.10	7.25	7.40	7.4					
ステップ4	PYRNA	スクリーニング	6	7.40	0.46	7.0	7.00	7.30	7.60	8.2	1.21	1.26			

148

検査項目 (単位)	ステップ	投与群	Day	N	Mean	SD	Min	Q1	Median	Q3	Max	Skewness	Kurtosis
		0.66g/kg											
			Day-1	6	7.08	0.56	6.4	6.70	6.95	7.70	7.8	0.34	-1.71
			Day1	6	6.72	0.48	6.1	6.20	6.85	7.00	7.3	-0.35	-1.68
			Day2	6	6.50	0.37	5.9	6.30	6.55	6.80	6.9	-0.72	-0.30
			Day7	6	6.93	0.40	6.4	6.60	6.95	7.20	7.5	0.06	-0.65
		対照薬	スクリーニング	2	7.30	0.57	6.9	6.90	7.30	7.70	7.7		
			Day-1	2	7.15	0.07	7.1	7.10	7.15	7.20	7.2		
			Day1	2	6.60	0.57	6.2	6.20	6.60	7.00	7.0		
			Day2	2	6.80	0.00	6.8	6.80	6.80	6.80	6.8		
			Day7	2	7.00	0.28	6.8	6.80	7.00	7.20	7.2		
アルブミン (g/dL)	ステップ1	PYRNA 0.08g/kg	スクリーニング	6	4.80	0.38	4.3	4.40	4.85	5.20	5.2	-0.32	-1.80
			Day-1	6	4.68	0.27	4.2	4.60	4.75	4.80	5.0	-1.18	2.14
			Day1	6	4.32	0.25	3.9	4.20	4.35	4.50	4.6	-0.87	0.74
			Day2	6	4.47	0.29	4.0	4.30	4.50	4.70	4.8	-0.64	-0.30
			Day7	6	4.83	0.34	4.2	4.80	4.90	5.00	5.2	-1.44	2.72
		対照薬	スクリーニング	2	5.20	0.00	5.2	5.20	5.20	5.20	5.2		
			Day-1	2	4.85	0.07	4.8	4.80	4.85	4.90	4.9		
			Day1	2	4.55	0.07	4.5	4.50	4.55	4.60	4.6		
			Day2	2	4.60	0.28	4.4	4.40	4.60	4.80	4.8		
			Day7	2	4.75	0.07	4.7	4.70	4.75	4.80	4.8		
	ステップ2	PYRNA 0.17g/kg	スクリーニング	6	4.80	0.24	4.5	4.50	4.90	4.90	5.1	-0.49	-1.47
			Day-1	6	4.55	0.27	4.2	4.40	4.50	4.70	5.0	0.70	0.85
			Day1	6	4.25	0.24	4.0	4.00	4.25	4.50	4.5	0.00	-2.90
			Day2	6	4.45	0.19	4.3	4.30	4.40	4.50	4.8	1.65	2.91
			Day7	6	4.75	0.21	4.5	4.50	4.80	4.90	5.0	-0.40	-1.62
		対照薬	スクリーニング	2	5.10	0.14	5.0	5.00	5.10	5.20	5.2		

149

検査項目 (単位)	ステップ	投与群	Day	N	Mean	SD	Min	Q1	Median	Q3	Max	Skewness	Kurtosis
			Day-1	2	4.50	0.00	4.5	4.50	4.50	4.50	4.5		
			Day1	2	4.25	0.21	4.1	4.10	4.25	4.40	4.4		
			Day2	2	4.50	0.00	4.5	4.50	4.50	4.50	4.5		
			Day7	2	4.80	0.14	4.7	4.70	4.80	4.90	4.9		
アルブミン (g/dL)	ステップ3	PYRNA 0.33g/kg	スクリーニング	6	4.88	0.25	4.4	4.90	4.95	5.00	5.1	-1.95	4.27
			Day-1	6	4.53	0.23	4.3	4.40	4.45	4.70	4.9	0.96	-0.13
			Day1	6	4.55	0.19	4.3	4.40	4.55	4.70	4.8	0.00	-1.20
			Day2	6	4.37	0.21	4.0	4.30	4.40	4.50	4.6	-1.17	1.97
			Day7	6	4.88	0.16	4.7	4.70	4.90	5.00	5.1	-0.04	-1.31
		対照薬	スクリーニング	2	4.65	0.35	4.4	4.40	4.65	4.90	4.9		
			Day-1	2	4.65	0.78	4.1	4.10	4.65	5.20	5.2		
			Day1	2	4.45	0.64	4.0	4.00	4.45	4.90	4.9		
			Day2	2	4.40	0.71	3.9	3.90	4.40	4.90	4.9		
			Day7	2	4.65	0.49	4.3	4.30	4.65	5.00	5.0		
	ステップ4	PYRNA 0.66g/kg	スクリーニング	6	4.83	0.31	4.4	4.50	4.95	5.10	5.1	-0.78	-1.68
			Day-1	6	4.70	0.26	4.4	4.50	4.65	4.90	5.1	0.61	-0.65
			Day1	6	4.15	0.24	3.9	4.00	4.10	4.20	4.6	1.51	2.89
			Day2	6	4.22	0.24	4.0	4.00	4.15	4.40	4.6	0.88	-0.50
			Day7	6	4.58	0.32	4.3	4.30	4.50	4.80	5.1	0.89	-0.33
		対照薬	スクリーニング	2	4.80	0.14	4.7	4.70	4.80	4.90	4.9		
			Day-1	2	4.85	0.35	4.6	4.60	4.85	5.10	5.1		
			Day1	2	4.20	0.00	4.2	4.20	4.20	4.20	4.2		
			Day2	2	4.50	0.28	4.3	4.30	4.50	4.70	4.7		
			Day7	2	4.60	0.14	4.5	4.50	4.60	4.70	4.7		
総ビリルビン	ステップ1	PYRNA 0.08g/kg	スクリーニング	6	0.80	0.36	0.4	0.50	0.75	1.10	1.3	0.35	-1.72

150

検査項目 (単位)	ステップ	投与群	Day	N	Mean	SD	Min	Q1	Median	Q3	Max	Skewness	Kurtosis		
(mg/dL)			Day-1	6	0.80	0.25	0.5	0.50	0.85	1.00	1.1	-0.33	-1.81		
			Day1	6	1.08	0.37	0.5	0.90	1.10	1.30	1.6	-0.33	0.78		
			Day2	6	1.10	0.36	0.6	1.00	1.05	1.20	1.7	0.59	1.97		
			Day7	6	1.02	0.48	0.4	0.60	1.00	1.40	1.7	0.18	-0.94		
			対照薬	スクリーニング	2	0.85	0.78	0.3	0.30	0.85	1.40	1.4			
			Day-1	2	0.60	0.28	0.4	0.40	0.60	0.80	0.8				
			Day1	2	0.85	0.35	0.6	0.60	0.85	1.10	1.1				
		ステップ2	PYRNA 0.17g/kg	スクリーニング	6	0.58	0.18	0.4	0.40	0.55	0.80	0.8	0.36	-2.10	
				Day-1	6	0.50	0.15	0.4	0.40	0.45	0.50	0.8	1.94	3.96	
				Day1	6	0.60	0.13	0.5	0.50	0.55	0.70	0.8	0.89	-0.78	
				Day2	6	0.80	0.20	0.6	0.60	0.80	0.90	1.1	0.45	-1.18	
				Day7	6	0.65	0.27	0.3	0.50	0.60	0.80	1.1	0.70	0.85	
				対照薬	スクリーニング	2	0.65	0.07	0.6	0.60	0.65	0.70	0.7		
				Day-1	2	0.35	0.07	0.3	0.30	0.35	0.40	0.4			
総ビリルビン (mg/dL)			Day1	6	0.68	0.18	0.5	0.50	0.65	0.90	0.9	0.36	-2.10		
			Day1	6	0.97	0.39	0.6	0.70	0.90	1.00	1.7	1.59	2.91		
			Day2	6	0.92	0.32	0.5	0.70	0.90	1.10	1.4	0.33	-0.27		
			Day7	6	0.63	0.12	0.5	0.50	0.65	0.70	0.8	0.08	-1.55		
			対照薬	スクリーニング	2	0.65	0.07	0.6	0.60	0.65	0.70	0.7			
			Day-1	2	0.50	0.28	0.3	0.30	0.50	0.70	0.7				
			Day1	2	0.55	0.21	0.4	0.40	0.55	0.70	0.7				
	ステップ3	PYRNA 0.33g/kg	スクリーニング	6	0.77	0.25	0.3	0.70	0.85	0.90	1.0	-1.61	2.85		
			Day-1	6	0.68	0.18	0.5	0.50	0.65	0.90	0.9	0.36	-2.10		
			Day1	6	0.97	0.39	0.6	0.70	0.90	1.00	1.7	1.59	2.91		
			Day2	6	0.92	0.32	0.5	0.70	0.90	1.10	1.4	0.33	-0.27		
			Day7	6	0.63	0.12	0.5	0.50	0.65	0.70	0.8	0.08	-1.55		
			対照薬	スクリーニング	2	0.65	0.07	0.6	0.60	0.65	0.70	0.7			
			Day-1	2	0.50	0.28	0.3	0.30	0.50	0.70	0.7				

151

検査項目 (単位)	ステップ	投与群	Day	N	Mean	SD	Min	Q1	Median	Q3	Max	Skewness	Kurtosis		
			Day1	2	0.75	0.21	0.6	0.60	0.75	0.90	0.9				
			Day2	2	0.65	0.07	0.6	0.60	0.65	0.70	0.7				
			Day7	2	0.55	0.07	0.5	0.50	0.55	0.60	0.6				
			ステップ4	PYRNA 0.66g/kg	スクリーニング	6	0.72	0.38	0.3	0.40	0.65	1.00	1.3	0.65	-0.58
			Day-1		6	0.55	0.08	0.4	0.50	0.60	0.60	0.6	-1.54	1.43	
			Day1		6	0.87	0.19	0.6	0.70	0.90	1.00	1.1	-0.39	-0.94	
			Day2		6	0.87	0.23	0.5	0.80	0.85	1.10	1.1	-0.64	0.31	
	Day7	6	0.57		0.21	0.3	0.40	0.55	0.80	0.8	0.05	-1.72			
	対照薬	スクリーニング	2		0.95	0.35	0.7	0.70	0.95	1.20	1.2				
	Day-1	2	0.55		0.07	0.5	0.50	0.55	0.60	0.6					
		ステップ1	PYRNA 0.08g/kg	スクリーニング	6	20.2	5.7	16	16.0	18.0	22.0	31	1.8	3.0	
				Day-1	6	21.2	9.5	14	15.0	17.5	24.0	39	1.7	2.8	
				Day1	6	18.2	7.1	12	13.0	16.0	21.0	31	1.4	1.7	
				Day2	6	16.0	5.3	10	12.0	15.0	20.0	24	0.5	-1.1	
Day7				6	18.0	4.7	14	14.0	17.0	20.0	26	1.1	0.6		
対照薬				スクリーニング	2	18.0	1.4	17	17.0	18.0	19.0	19			
Day-1				2	15.0	1.4	14	14.0	15.0	16.0	16				
	ステップ2	PYRNA 0.17g/kg	スクリーニング	6	19.7	2.9	17	18.0	19.0	20.0	25	1.6	2.7		
			Day-1	6	17.2	4.0	14	14.0	15.5	20.0	24	1.2	0.4		
			Day1	2	13.5	0.7	13	13.0	13.5	14.0	14				
			Day2	2	12.0	1.4	11	11.0	12.0	13.0	13				
			Day7	2	15.0	0.0	15	15.0	15.0	15.0	15				
			Day-1	2	15.0	0.0	15	15.0	15.0	15.0	15				
			Day2	2	12.0	1.4	11	11.0	12.0	13.0	13				

152

検査項目 (単位)	ステップ	投与群	Day	N	Mean	SD	Min	Q1	Median	Q3	Max	Skewness	Kurtosis
			Day1	6	16.0	2.9	13	14.0	15.0	19.0	20	0.6	-1.8
			Day2	6	17.2	3.3	14	14.0	16.5	20.0	22	0.6	-1.2
			Day7	6	18.0	3.7	14	16.0	17.5	18.0	25	1.5	3.3
		対照薬	スクリーニング	2	16.0	1.4	15	15.0	16.0	17.0	17		
			Day-1	2	12.0	0.0	12	12.0	12.0	12.0	12		
			Day1	2	11.5	0.7	11	11.0	11.5	12.0	12		
			Day2	2	12.0	0.0	12	12.0	12.0	12.0	12		
			Day7	2	13.0	1.4	12	12.0	13.0	14.0	14		
AST	ステップ3	PYRNA 0.33g/kg	スクリーニング	6	18.5	1.6	16	18.0	18.5	19.0	21	0.0	1.3
(U/L)			Day-1	6	18.2	3.8	14	15.0	17.5	22.0	23	0.3	-2.1
			Day1	6	16.8	3.1	14	14.0	16.0	19.0	22	1.0	0.1
			Day2	6	16.3	2.2	13	15.0	16.5	18.0	19	-0.5	-0.3
			Day7	6	16.8	1.7	15	16.0	16.5	17.0	20	1.4	2.7
		対照薬	スクリーニング	2	15.0	1.4	14	14.0	15.0	16.0	16		
			Day-1	2	16.0	1.4	15	15.0	16.0	17.0	17		
			Day1	2	15.0	0.0	15	15.0	15.0	15.0	15		
			Day2	2	14.5	0.7	14	14.0	14.5	15.0	15		
			Day7	2	13.5	0.7	13	13.0	13.5	14.0	14		
	ステップ4	PYRNA 0.66g/kg	スクリーニング	6	19.7	3.2	16	17.0	19.5	21.0	25	0.8	0.7
			Day-1	6	18.2	2.8	14	17.0	18.0	20.0	22	-0.2	-0.1
			Day1	6	16.8	2.1	14	15.0	17.0	19.0	19	-0.2	-2.1
			Day2	6	16.7	2.2	14	15.0	16.5	18.0	20	0.5	-0.3
			Day7	6	17.2	1.2	16	16.0	17.0	18.0	19	0.7	-0.4
		対照薬	スクリーニング	2	20.5	4.9	17	17.0	20.5	24.0	24		
			Day-1	2	17.0	2.8	15	15.0	17.0	19.0	19		
			Day1	2	15.5	0.7	15	15.0	15.5	16.0	16		

153

検査項目 (単位)	ステップ	投与群	Day	N	Mean	SD	Min	Q1	Median	Q3	Max	Skewness	Kurtosis
			Day2	2	15.5	2.1	14	14.0	15.5	17.0	17		
			Day7	2	17.5	3.5	15	15.0	17.5	20.0	20		
ALT	ステップ1	PYRNA 0.08g/kg	スクリーニング	6	14.5	2.9	11	11.0	15.5	16.0	18	-0.5	-1.6
(U/L)			Day-1	6	19.0	12.2	10	11.0	15.5	19.0	43	2.0	4.4
			Day1	6	18.0	11.4	9	10.0	15.0	19.0	40	1.9	3.9
			Day2	6	16.8	9.8	8	10.0	14.0	20.0	35	1.6	2.6
			Day7	6	16.2	6.2	9	10.0	16.0	21.0	25	0.3	-1.1
		対照薬	スクリーニング	2	12.5	9.2	6	6.0	12.5	19.0	19		
			Day-1	2	9.5	7.8	4	4.0	9.5	15.0	15		
			Day1	2	8.5	6.4	4	4.0	8.5	13.0	13		
			Day2	2	7.5	4.9	4	4.0	7.5	11.0	11		
			Day7	2	9.0	5.7	5	5.0	9.0	13.0	13		
	ステップ2	PYRNA 0.17g/kg	スクリーニング	6	21.8	7.4	13	15.0	22.0	27.0	32	0.1	-1.6
			Day-1	6	18.3	7.2	12	14.0	16.0	20.0	32	1.7	3.2
			Day1	6	17.3	6.3	11	14.0	15.5	19.0	29	1.6	2.9
			Day2	6	18.8	6.4	12	17.0	17.5	18.0	31	1.7	4.0
			Day7	6	19.0	7.1	11	12.0	19.0	23.0	30	0.5	-0.3
		対照薬	スクリーニング	2	16.0	5.7	12	12.0	16.0	20.0	20		
			Day-1	2	12.0	2.8	10	10.0	12.0	14.0	14		
			Day1	2	11.0	2.8	9	9.0	11.0	13.0	13		
			Day2	2	12.5	2.1	11	11.0	12.5	14.0	14		
			Day7	2	13.5	0.7	13	13.0	13.5	14.0	14		
ALT	ステップ3	PYRNA 0.33g/kg	スクリーニング	6	19.7	9.1	13	14.0	16.0	22.0	37	1.9	3.5
(U/L)			Day-1	6	21.3	10.8	12	13.0	16.5	34.0	36	0.9	-1.8
			Day1	6	20.5	10.9	12	12.0	15.5	30.0	38	1.1	-0.6

154

検査項目 (単位)	ステップ	投与群	Day	N	Mean	SD	Min	Q1	Median	Q3	Max	Skewness	Kurtosis
			Day2	6	19.8	8.5	13	14.0	15.5	28.0	33	1.0	-1.1
			Day7	6	18.8	7.6	12	13.0	17.5	20.0	33	1.6	3.0
		対照薬	スクリーニング	2	12.0	1.4	11	11.0	12.0	13.0	13		
			Day-1	2	15.0	2.8	13	13.0	15.0	17.0	17		
			Day1	2	14.0	2.8	12	12.0	14.0	16.0	16		
			Day2	2	14.0	2.8	12	12.0	14.0	16.0	16		
			Day7	2	11.5	0.7	11	11.0	11.5	12.0	12		
	ステップ4	PYRNA 0.66g/kg	スクリーニング	6	20.0	8.2	10	14.0	19.0	28.0	30	0.1	-2.2
			Day-1	6	16.0	6.1	9	9.0	16.5	21.0	24	-0.1	-1.5
			Day1	6	16.0	6.1	9	10.0	15.5	23.0	23	0.2	-1.9
			Day2	6	16.0	6.3	9	9.0	16.0	22.0	24	0.0	-1.8
			Day7	6	16.5	7.5	11	11.0	14.5	17.0	31	1.9	4.1
		対照薬	スクリーニング	2	16.0	0.0	16	16.0	16.0	16.0	16		
			Day-1	2	13.5	0.7	13	13.0	13.5	14.0	14		
			Day1	2	13.0	0.0	13	13.0	13.0	13.0	13		
			Day2	2	13.0	1.4	12	12.0	13.0	14.0	14		
			Day7	2	16.5	4.9	13	13.0	16.5	20.0	20		
ALP	ステップ1	PYRNA 0.08g/kg	スクリーニング	6	209.3	46.7	159	177.0	192.5	267.0	268	0.7	-1.8
(U/L)			Day-1	6	196.7	45.6	138	175.0	182.0	247.0	256	0.4	-1.2
			Day1	6	186.3	40.6	133	170.0	172.5	234.0	236	0.3	-1.2
			Day2	6	194.8	42.3	142	174.0	180.5	241.0	251	0.4	-1.3
			Day7	6	195.5	37.5	135	187.0	193.0	216.0	249	-0.3	1.5
		対照薬	スクリーニング	2	188.0	87.7	126	126.0	188.0	250.0	250		
			Day-1	2	184.5	102.5	112	112.0	184.5	257.0	257		
			Day1	2	161.0	80.6	104	104.0	161.0	218.0	218		
			Day2	2	160.0	72.1	109	109.0	160.0	211.0	211		

155

検査項目 (単位)	ステップ	投与群	Day	N	Mean	SD	Min	Q1	Median	Q3	Max	Skewness	Kurtosis
			Day7	2	189.0	117.4	106	106.0	189.0	272.0	272		
	ステップ2	PYRNA 0.17g/kg	スクリーニング	6	204.0	68.1	141	163.0	183.5	221.0	332	1.7	3.1
			Day-1	6	204.3	64.6	126	170.0	198.5	215.0	318	1.0	2.1
			Day1	6	192.0	55.2	130	158.0	183.5	206.0	291	1.2	2.2
			Day2	6	190.3	41.9	142	165.0	183.5	205.0	263	1.0	1.4
			Day7	6	214.2	65.9	145	179.0	201.5	220.0	338	1.6	3.4
		対照薬	スクリーニング	2	266.0	97.6	197	197.0	266.0	335.0	335		
			Day-1	2	232.5	54.4	194	194.0	232.5	271.0	271		
			Day1	2	234.5	57.3	194	194.0	234.5	275.0	275		
			Day2	2	246.0	63.6	201	201.0	246.0	291.0	291		
			Day7	2	264.0	59.4	222	222.0	264.0	306.0	306		
ALP	ステップ3	PYRNA 0.33g/kg	スクリーニング	6	199.3	55.0	139	153.0	192.0	239.0	281	0.5	-1.2
(U/L)			Day-1	6	180.8	42.1	137	140.0	176.0	210.0	246	0.6	-0.6
			Day1	6	171.8	33.5	132	134.0	176.0	202.0	211	-0.2	-1.9
			Day2	6	174.5	33.7	129	148.0	175.0	209.0	211	-0.2	-1.9
			Day7	6	190.8	36.1	141	157.0	195.0	228.0	229	-0.4	-1.5
		対照薬	スクリーニング	2	190.0	24.0	173	173.0	190.0	207.0	207		
			Day-1	2	198.0	48.1	164	164.0	198.0	232.0	232		
			Day1	2	193.5	41.7	164	164.0	193.5	223.0	223		
			Day2	2	196.0	43.8	165	165.0	196.0	227.0	227		
			Day7	2	192.0	33.9	168	168.0	192.0	216.0	216		
	ステップ4	PYRNA 0.66g/kg	スクリーニング	6	200.5	39.3	136	190.0	200.0	222.0	255	-0.5	1.5
			Day-1	6	188.3	28.4	133	186.0	198.5	201.0	213	-2.0	4.2
			Day1	6	165.2	26.3	113	169.0	171.5	180.0	186	-2.1	4.9
			Day2	6	162.2	22.8	117	163.0	170.0	173.0	180	-2.1	4.8

156

検査項目 (単位)	ステップ	投与群	Day	N	Mean	SD	Min	Q1	Median	Q3	Max	Skewness	Kurtosis
			Day7	6	186.5	33.0	137	176.0	185.5	196.0	239	0.2	1.8
		対照薬	スクリーニング	2	198.0	100.4	127	127.0	198.0	269.0	269		
			Day-1	2	178.0	73.5	126	126.0	178.0	230.0	230		
			Day1	2	166.0	80.6	109	109.0	166.0	223.0	223		
			Day2	2	167.5	65.8	121	121.0	167.5	214.0	214		
			Day7	2	171.5	62.9	127	127.0	171.5	216.0	216		
LDH	ステップ1	PYRNA 0.08g/kg	スクリーニング	6	150.3	18.3	127	135.0	152.5	164.0	171	-0.2	-2.4
(U/L)			Day-1	6	150.2	20.8	121	137.0	148.5	167.0	179	0.1	-0.5
			Day1	6	119.5	12.8	99	112.0	121.5	128.0	135	-0.6	0.1
			Day2	6	119.2	12.9	96	117.0	120.0	129.0	133	-1.2	2.2
			Day7	6	140.5	16.0	119	122.0	146.0	155.0	155	-0.7	-1.8
		対照薬	スクリーニング	2	127.5	13.4	118	118.0	127.5	137.0	137		
			Day-1	2	123.0	12.7	114	114.0	123.0	132.0	132		
			Day1	2	104.5	9.2	98	98.0	104.5	111.0	111		
			Day2	2	101.5	12.0	93	93.0	101.5	110.0	110		
			Day7	2	116.5	16.3	105	105.0	116.5	128.0	128		
	ステップ2	PYRNA 0.17g/kg	スクリーニング	6	146.3	20.4	119	131.0	147.5	163.0	170	-0.2	-2.1
			Day-1	6	123.3	19.7	100	109.0	119.0	141.0	152	0.5	-1.1
			Day1	6	109.2	14.7	94	96.0	107.5	116.0	134	0.9	0.8
			Day2	6	116.2	14.0	96	111.0	115.5	121.0	138	0.2	1.0
			Day7	6	142.7	19.1	124	128.0	136.0	164.0	168	0.6	-2.0
		対照薬	スクリーニング	2	137.5	2.1	136	136.0	137.5	139.0	139		
			Day-1	2	114.5	6.4	110	110.0	114.5	119.0	119		
			Day1	2	100.0	5.7	96	96.0	100.0	104.0	104		
			Day2	2	107.0	7.1	102	102.0	107.0	112.0	112		
			Day7	2	129.0	5.7	125	125.0	129.0	133.0	133		

157

検査項目 (単位)	ステップ	投与群	Day	N	Mean	SD	Min	Q1	Median	Q3	Max	Skewness	Kurtosis
LDH	ステップ3	PYRNA 0.33g/kg	スクリーニング	6	151.5	14.6	129	137.0	160.0	161.0	162	-1.1	-1.1
(U/L)			Day-1	6	153.3	19.4	131	132.0	156.0	167.0	178	-0.1	-2.0
			Day1	6	132.2	15.2	115	124.0	127.0	143.0	157	0.9	0.2
			Day2	6	124.0	11.0	111	114.0	125.0	127.0	142	0.6	0.6
			Day7	6	142.0	8.9	126	140.0	143.0	149.0	151	-1.3	1.9
		対照薬	スクリーニング	2	161.5	24.7	144	144.0	161.5	179.0	179		
			Day-1	2	202.0	17.0	190	190.0	202.0	214.0	214		
			Day1	2	149.5	9.2	143	143.0	149.5	156.0	156		
			Day2	2	139.5	14.8	129	129.0	139.5	150.0	150		
			Day7	2	149.0	25.5	131	131.0	149.0	167.0	167		
	ステップ4	PYRNA 0.66g/kg	スクリーニング	6	145.7	24.5	114	136.0	143.5	148.0	189	1.0	2.6
			Day-1	6	149.0	22.8	119	141.0	147.0	151.0	189	0.9	2.4
			Day1	6	122.5	19.1	101	114.0	116.0	132.0	156	1.2	1.5
			Day2	6	123.0	19.5	96	117.0	119.0	132.0	155	0.5	1.4
			Day7	6	144.7	23.9	110	141.0	142.5	147.0	185	0.5	2.5
		対照薬	スクリーニング	2	158.0	28.3	138	138.0	158.0	178.0	178		
			Day-1	2	140.5	4.9	137	137.0	140.5	144.0	144		
			Day1	2	118.0	0.0	118	118.0	118.0	118.0	118		
			Day2	2	122.5	4.9	119	119.0	122.5	126.0	126		
			Day7	2	140.0	12.7	131	131.0	140.0	149.0	149		
γ-GTP	ステップ1	PYRNA 0.08g/kg	スクリーニング	6	21.5	14.6	6	11.0	17.5	32.0	45	0.8	-0.3
(U/L)			Day-1	6	21.8	13.8	4	14.0	21.5	25.0	45	0.7	1.4
			Day1	6	20.3	12.2	6	13.0	19.0	23.0	42	1.1	2.1
			Day2	6	22.0	14.2	6	14.0	20.0	24.0	48	1.4	2.8
			Day7	6	19.2	10.6	7	12.0	19.0	20.0	38	1.2	2.2

158

検査項目 (単位)	ステップ	投与群	Day	N	Mean	SD	Min	Q1	Median	Q3	Max	Skewness	Kurtosis
		対照薬	スクリーニング	2	17.0	0.0	17	17.0	17.0	17.0	17		
			Day-1	2	16.0	2.8	14	14.0	16.0	18.0	18		
			Day1	2	12.5	4.9	9	9.0	12.5	16.0	16		
			Day2	2	15.5	3.5	13	13.0	15.5	18.0	18		
			Day7	2	16.5	3.5	14	14.0	16.5	19.0	19		
	ステップ2	PYRNA 0.17g/kg	スクリーニング	6	22.2	12.5	11	13.0	18.5	27.0	45	1.5	2.2
			Day-1	6	19.7	5.6	11	17.0	19.5	25.0	26	-0.5	-0.4
			Day1	6	19.2	6.4	11	16.0	18.0	22.0	30	0.8	1.3
			Day2	6	19.3	5.4	13	17.0	18.0	21.0	29	1.2	2.4
			Day7	6	19.0	7.0	11	17.0	17.5	19.0	32	1.5	3.5
		対照薬	スクリーニング	2	19.0	0.0	19	19.0	19.0	19.0	19		
			Day-1	2	16.5	0.7	16	16.0	16.5	17.0	17		
			Day1	2	16.0	0.0	16	16.0	16.0	16.0	16		
			Day2	2	17.0	0.0	17	17.0	17.0	17.0	17		
			Day7	2	21.0	0.0	21	21.0	21.0	21.0	21		
γ-GTP	ステップ3	PYRNA 0.33g/kg	スクリーニング	6	23.5	9.5	15	19.0	21.0	23.0	42	2.0	4.5
(U/L)			Day-1	6	23.8	9.7	18	19.0	19.0	25.0	43	2.1	4.5
			Day1	6	24.5	8.4	18	20.0	21.5	25.0	41	2.1	4.5
			Day2	6	23.2	6.9	17	19.0	21.0	25.0	36	1.6	2.6
			Day7	6	25.3	12.5	17	19.0	20.0	26.0	50	2.1	4.7
		対照薬	スクリーニング	2	18.0	7.1	13	13.0	18.0	23.0	23		
			Day-1	2	19.5	3.5	17	17.0	19.5	22.0	22		
			Day1	2	18.0	4.2	15	15.0	18.0	21.0	21		
			Day2	2	17.0	2.8	15	15.0	17.0	19.0	19		
			Day7	2	18.5	6.4	14	14.0	18.5	23.0	23		
	ステップ4	PYRNA	スクリーニング	6	19.5	6.5	12	15.0	18.0	24.0	30	0.8	0.0

159

検査項目 (単位)	ステップ	投与群	Day	N	Mean	SD	Min	Q1	Median	Q3	Max	Skewness	Kurtosis
		0.66g/kg											
			Day-1	6	19.0	6.2	14	14.0	16.5	24.0	29	1.0	-0.5
			Day1	6	18.5	5.6	13	14.0	16.5	25.0	26	0.7	-1.8
			Day2	6	16.7	4.7	13	13.0	14.5	21.0	24	1.0	-0.9
			Day7	6	16.8	4.5	13	13.0	15.0	22.0	23	0.8	-1.8
		対照薬	スクリーニング	2	18.0	4.2	15	15.0	18.0	21.0	21		
			Day-1	2	16.0	1.4	15	15.0	16.0	17.0	17		
			Day1	2	17.0	2.8	15	15.0	17.0	19.0	19		
			Day2	2	15.5	2.1	14	14.0	15.5	17.0	17		
			Day7	2	14.5	0.7	14	14.0	14.5	15.0	15		
BUN	ステップ1	PYRNA 0.08g/kg	スクリーニング	6	11.52	3.42	7.7	8.30	11.35	13.90	16.5	0.35	-1.29
(mg/dL)			Day-1	6	11.62	2.10	9.6	9.90	10.90	13.60	14.8	0.84	-1.10
			Day1	6	12.38	1.92	9.9	11.40	12.10	13.30	15.5	0.61	0.74
			Day2	6	11.42	1.93	9.7	10.30	10.85	11.70	15.1	1.81	3.67
			Day7	6	11.18	3.49	8.4	8.60	10.10	12.30	17.6	1.55	2.35
		対照薬	スクリーニング	2	13.20	1.27	12.3	12.30	13.20	14.10	14.1		
			Day-1	2	10.70	0.85	10.1	10.10	10.70	11.30	11.3		
			Day1	2	11.00	0.42	10.7	10.70	11.00	11.30	11.3		
			Day2	2	11.60	0.85	11.0	11.00	11.60	12.20	12.2		
			Day7	2	12.85	1.77	11.6	11.60	12.85	14.10	14.1		
	ステップ2	PYRNA 0.17g/kg	スクリーニング	6	12.07	3.00	7.6	9.00	13.50	14.20	14.6	-0.93	-1.37
			Day-1	6	15.72	3.84	10.6	12.70	15.95	18.20	20.9	-0.02	-1.30
			Day1	6	14.32	3.05	10.1	12.80	14.15	15.40	19.3	0.49	1.39
			Day2	6	13.95	2.31	10.4	12.60	14.20	15.50	16.8	-0.46	-0.46
			Day7	6	16.17	5.03	7.5	13.50	17.60	19.10	21.7	-1.10	1.10
		対照薬	スクリーニング	2	10.45	4.17	7.5	7.50	10.45	13.40	13.4		

160

検査項目 (単位)	ステップ	投与群	Day	N	Mean	SD	Min	Q1	Median	Q3	Max	Skewness	Kurtosis
			Day-1	2	10.30	2.55	8.5	8.50	10.30	12.10	12.1		
			Day1	2	9.90	1.27	9.0	9.00	9.90	10.80	10.8		
			Day2	2	9.70	0.71	9.2	9.20	9.70	10.20	10.2		
			Day7	2	10.90	0.57	10.5	10.50	10.90	11.30	11.3		
BUN	ステップ3	PYRNA 0.33g/kg	スクリーニング	6	12.40	2.23	10.0	10.20	12.20	14.10	15.7	0.44	-1.02
(mg/dL)			Day-1	6	13.02	2.94	8.8	11.60	12.70	14.80	17.5	0.21	0.61
			Day1	6	13.48	3.36	8.7	11.90	13.05	15.80	18.4	0.13	0.04
			Day2	6	14.50	3.13	8.7	13.60	15.55	16.70	16.9	-1.59	2.51
			Day7	6	11.95	2.73	8.3	10.40	11.35	14.80	15.5	0.22	-1.08
		対照薬	スクリーニング	2	12.40	0.99	11.7	11.70	12.40	13.10	13.1		
			Day-1	2	17.05	2.90	15.0	15.00	17.05	19.10	19.1		
			Day1	2	17.75	0.35	17.5	17.50	17.75	18.00	18.0		
			Day2	2	17.35	2.33	15.7	15.70	17.35	19.00	19.0		
			Day7	2	16.20	3.96	13.4	13.40	16.20	19.00	19.0		
	ステップ4	PYRNA 0.66g/kg	スクリーニング	6	12.40	1.51	11.4	11.50	11.95	12.20	15.4	2.18	4.95
			Day-1	6	12.40	1.58	10.0	11.60	12.40	13.30	14.7	-0.11	0.70
			Day1	6	12.53	1.86	10.0	11.70	12.40	13.10	15.6	0.55	1.31
			Day2	6	12.93	2.99	10.3	10.40	12.65	13.10	18.5	1.55	2.99
			Day7	6	13.20	1.15	12.0	12.10	13.05	14.00	15.0	0.64	-0.48
		対照薬	スクリーニング	2	14.60	3.82	11.9	11.90	14.60	17.30	17.3		
			Day-1	2	15.20	1.56	14.1	14.10	15.20	16.30	16.3		
			Day1	2	15.00	0.14	14.9	14.90	15.00	15.10	15.1		
			Day2	2	12.65	0.35	12.4	12.40	12.65	12.90	12.9		
			Day7	2	14.90	0.14	14.8	14.80	14.90	15.00	15.0		
総コレステロール	ステップ1	PYRNA 0.08g/kg	スクリーニング	6	155.5	11.6	137	148.0	157.5	163.0	170	-0.6	0.2

161

検査項目 (単位)	ステップ	投与群	Day	N	Mean	SD	Min	Q1	Median	Q3	Max	Skewness	Kurtosis
(mg/dL)			Day-1	6	159.8	15.7	149	150.0	155.0	159.0	191	2.1	4.9
			Day1	6	158.2	12.2	147	150.0	155.0	161.0	181	1.6	3.0
			Day2	6	165.2	17.6	149	157.0	160.5	165.0	199	1.9	4.0
			Day7	6	156.7	20.9	130	146.0	154.0	164.0	192	0.8	1.3
		対照薬	スクリーニング	2	167.5	9.2	161	161.0	167.5	174.0	174		
			Day-1	2	153.5	7.8	148	148.0	153.5	159.0	159		
			Day1	2	152.5	9.2	146	146.0	152.5	159.0	159		
			Day2	2	150.5	3.5	148	148.0	150.5	153.0	153		
			Day7	2	152.5	3.5	150	150.0	152.5	155.0	155		
	ステップ2	PYRNA 0.17g/kg	スクリーニング	6	182.7	31.8	145	146.0	190.0	210.0	215	-0.4	-2.4
			Day-1	6	164.8	24.8	129	146.0	167.0	185.0	195	-0.3	-1.1
			Day1	6	169.0	24.7	126	160.0	173.5	183.0	198	-1.0	1.6
			Day2	6	181.0	26.1	129	182.0	190.5	197.0	197	-2.2	5.0
			Day7	6	181.8	21.1	140	182.0	190.0	192.0	197	-2.2	4.8
		対照薬	スクリーニング	2	164.5	12.0	156	156.0	164.5	173.0	173		
			Day-1	2	130.5	9.2	124	124.0	130.5	137.0	137		
			Day1	2	135.0	15.6	124	124.0	135.0	146.0	146		
			Day2	2	144.0	17.0	132	132.0	144.0	156.0	156		
			Day7	2	155.5	6.4	151	151.0	155.5	160.0	160		
総コレステロール	ステップ3	PYRNA 0.33g/kg	スクリーニング	6	188.5	22.4	165	165.0	190.5	209.0	211	-0.1	-3.0
(mg/dL)			Day-1	6	193.7	25.1	162	174.0	195.5	200.0	235	0.6	0.9
			Day1	6	189.0	22.3	158	177.0	189.0	197.0	224	0.3	0.7
			Day2	6	182.8	25.9	152	162.0	181.0	206.0	215	0.1	-2.3
			Day7	6	190.8	20.3	163	178.0	190.0	209.0	215	-0.1	-1.7
		対照薬	スクリーニング	2	192.0	15.6	181	181.0	192.0	203.0	203		
			Day-1	2	197.5	6.4	193	193.0	197.5	202.0	202		

162

検査項目 (単位)	ステップ	投与群	Day	N	Mean	SD	Min	Q1	Median	Q3	Max	Skewness	Kurtosis
			Day1	2	191.5	0.7	191	191.0	191.5	192.0	192		
			Day2	2	200.0	8.5	194	194.0	200.0	206.0	206		
			Day7	2	185.5	4.9	182	182.0	185.5	189.0	189		
	ステップ4	PYRNA 0.66g/kg	スクリーニング	6	183.7	18.0	150	183.0	186.0	195.0	202	-1.6	3.2
			Day-1	6	177.3	18.9	149	166.0	179.0	186.0	205	-0.1	0.6
			Day1	6	171.5	14.5	150	161.0	173.0	182.0	190	-0.3	-0.6
			Day2	6	170.8	14.7	149	163.0	172.5	182.0	186	-0.5	-1.5
			Day7	6	172.3	19.1	143	157.0	176.5	186.0	195	-0.6	-0.5
		対照薬	スクリーニング	2	188.0	31.1	166	166.0	188.0	210.0	210		
			Day-1	2	191.0	55.2	152	152.0	191.0	230.0	230		
			Day1	2	177.5	36.1	152	152.0	177.5	203.0	203		
			Day2	2	185.0	56.6	145	145.0	185.0	225.0	225		
			Day7	2	182.0	35.4	157	157.0	182.0	207.0	207		
トリグリセリド (mg/dL)	ステップ1	PYRNA 0.08g/kg	スクリーニング	6	53.8	9.2	46	46.0	53.0	54.0	71	1.6	3.1
			Day-1	6	69.3	28.1	41	43.0	68.0	78.0	118	1.0	1.3
			Day1	6	59.5	15.8	42	44.0	57.5	77.0	79	0.3	-1.8
			Day2	6	63.0	13.0	50	52.0	59.5	76.0	81	0.5	-1.8
			Day7	6	51.2	20.4	33	41.0	42.5	59.0	89	1.6	2.6
		対照薬	スクリーニング	2	66.0	8.5	60	60.0	66.0	72.0	72		
			Day-1	2	111.5	26.2	93	93.0	111.5	130.0	130		
			Day1	2	79.0	4.2	76	76.0	79.0	82.0	82		
			Day2	2	76.5	10.6	69	69.0	76.5	84.0	84		
			Day7	2	69.5	7.8	64	64.0	69.5	75.0	75		
	ステップ2	PYRNA 0.17g/kg	スクリーニング	6	88.0	41.4	42	60.0	74.0	133.0	145	0.6	-1.5
			Day-1	6	126.2	30.6	87	107.0	126.0	134.0	177	0.7	1.1

163

検査項目 (単位)	ステップ	投与群	Day	N	Mean	SD	Min	Q1	Median	Q3	Max	Skewness	Kurtosis
			Day1	6	112.5	38.2	53	76.0	132.0	137.0	145	-1.1	-1.0
			Day2	6	107.3	31.8	70	75.0	109.0	127.0	154	0.2	-0.8
			Day7	6	76.5	38.0	47	49.0	61.0	97.0	144	1.4	1.3
		対照薬	スクリーニング	2	75.0	7.1	70	70.0	75.0	80.0	80		
			Day-1	2	58.5	12.0	50	50.0	58.5	67.0	67		
			Day1	2	106.5	68.6	58	58.0	106.5	155.0	155		
			Day2	2	88.0	49.5	53	53.0	88.0	123.0	123		
			Day7	2	93.5	27.6	74	74.0	93.5	113.0	113		
トリグリセリド (mg/dL)	ステップ3	PYRNA 0.33g/kg	スクリーニング	6	124.5	81.3	73	82.0	95.5	113.0	288	2.3	5.4
			Day-1	6	121.8	71.2	37	54.0	127.5	154.0	231	0.3	-0.4
			Day1	6	129.0	48.9	80	98.0	116.0	147.0	217	1.4	1.9
			Day2	6	107.0	37.5	70	74.0	101.5	132.0	163	0.5	-1.4
			Day7	6	136.2	46.5	86	101.0	122.5	180.0	205	0.7	-1.1
		対照薬	スクリーニング	2	76.0	9.9	69	69.0	76.0	83.0	83		
			Day-1	2	126.5	37.5	100	100.0	126.5	153.0	153		
			Day1	2	90.0	26.9	71	71.0	90.0	109.0	109		
			Day2	2	80.5	3.5	78	78.0	80.5	83.0	83		
			Day7	2	86.5	30.4	65	65.0	86.5	108.0	108		
	ステップ4	PYRNA 0.66g/kg	スクリーニング	6	89.0	61.6	38	42.0	64.0	136.0	190	1.1	-0.3
			Day-1	6	121.3	60.6	47	71.0	121.0	153.0	215	0.4	-0.3
			Day1	6	92.7	38.0	49	61.0	88.5	120.0	149	0.4	-1.1
			Day2	6	71.3	25.9	46	46.0	68.5	91.0	108	0.4	-1.8
			Day7	6	81.2	25.9	47	54.0	87.0	102.0	110	-0.4	-1.9
		対照薬	スクリーニング	2	53.5	2.1	52	52.0	53.5	55.0	55		
			Day-1	2	141.5	145.0	39	39.0	141.5	244.0	244		
			Day1	2	72.5	31.8	50	50.0	72.5	95.0	95		

164

検査項目 (単位)	ステップ	投与群	Day	N	Mean	SD	Min	Q1	Median	Q3	Max	Skewness	Kurtosis
			Day2	2	74.0	45.3	42	42.0	74.0	106.0	106		
			Day7	2	51.0	0.0	51	51.0	51.0	51.0	51		
尿酸	ステップ1	PYRNA 0.08g/kg	スクリーニング	6	5.87	0.48	5.0	5.80	5.90	6.30	6.3	-1.36	2.40
(mg/dL)			Day-1	6	6.08	0.21	5.8	5.90	6.10	6.30	6.3	-0.23	-2.15
			Day1	6	6.53	0.49	5.7	6.40	6.60	6.70	7.2	-0.69	1.85
			Day2	6	6.35	0.29	6.0	6.10	6.35	6.50	6.8	0.45	-0.11
			Day7	6	6.58	0.95	5.9	6.00	6.10	7.10	8.3	1.55	1.69
		対照薬	スクリーニング	2	4.85	0.07	4.8	4.80	4.85	4.90	4.9		
			Day-1	2	5.15	0.21	5.0	5.00	5.15	5.30	5.3		
			Day1	2	5.25	0.35	5.0	5.00	5.25	5.50	5.5		
			Day2	2	5.15	0.07	5.1	5.10	5.15	5.20	5.2		
			Day7	2	5.40	0.14	5.3	5.30	5.40	5.50	5.5		
	ステップ2	PYRNA 0.17g/kg	スクリーニング	6	5.57	1.37	3.2	4.80	5.95	6.50	7.0	-1.14	1.01
			Day-1	6	5.32	1.27	3.1	4.50	5.90	6.10	6.4	-1.35	0.90
			Day1	6	5.62	1.20	3.7	4.60	6.15	6.40	6.7	-1.02	-0.59
			Day2	6	5.58	1.12	3.7	4.80	6.00	6.40	6.6	-1.16	0.31
			Day7	6	5.80	1.67	2.9	5.40	6.10	6.30	8.0	-0.88	2.27
		対照薬	スクリーニング	2	6.85	0.21	6.7	6.70	6.85	7.00	7.0		
			Day-1	2	5.85	0.21	5.7	5.70	5.85	6.00	6.0		
			Day1	2	5.85	0.21	5.7	5.70	5.85	6.00	6.0		
			Day2	2	5.90	0.42	5.6	5.60	5.90	6.20	6.2		
			Day7	2	6.20	0.42	5.9	5.90	6.20	6.50	6.5		
尿酸	ステップ3	PYRNA 0.33g/kg	スクリーニング	6	5.92	0.91	5.0	5.10	5.85	6.50	7.2	0.35	-1.92
(mg/dL)			Day-1	6	6.10	0.90	5.2	5.30	5.85	7.10	7.3	0.58	-1.83
			Day1	6	6.50	1.04	5.3	5.50	6.50	7.50	7.7	0.00	-2.46

165

検査項目 (単位)	ステップ	投与群	Day	N	Mean	SD	Min	Q1	Median	Q3	Max	Skewness	Kurtosis
			Day2	6	6.33	1.11	5.0	5.10	6.50	7.40	7.5	-0.28	-2.24
			Day7	6	5.73	1.01	4.7	4.80	5.55	6.70	7.1	0.41	-1.90
		対照薬	スクリーニング	2	6.05	2.19	4.5	4.50	6.05	7.60	7.6		
			Day-1	2	6.25	1.20	5.4	5.40	6.25	7.10	7.1		
			Day1	2	6.90	1.84	5.6	5.60	6.90	8.20	8.2		
			Day2	2	6.80	1.84	5.5	5.50	6.80	8.10	8.1		
			Day7	2	6.45	1.91	5.1	5.10	6.45	7.80	7.8		
	ステップ4	PYRNA 0.66g/kg	スクリーニング	6	6.18	0.94	4.4	6.10	6.45	6.70	7.0	-1.77	3.47
			Day-1	6	5.80	0.72	4.7	5.40	5.85	6.30	6.7	-0.43	-0.33
			Day1	6	6.00	0.89	4.6	5.60	6.05	6.60	7.1	-0.52	-0.06
			Day2	6	5.95	0.85	4.7	5.60	5.85	6.50	7.2	0.05	0.44
			Day7	6	6.18	0.57	5.1	6.10	6.35	6.50	6.7	-1.70	3.21
		対照薬	スクリーニング	2	7.10	0.42	6.8	6.80	7.10	7.40	7.4		
			Day-1	2	6.00	0.71	5.5	5.50	6.00	6.50	6.5		
			Day1	2	6.25	0.35	6.0	6.00	6.25	6.50	6.5		
			Day2	2	6.25	0.07	6.2	6.20	6.25	6.30	6.3		
			Day7	2	6.20	0.14	6.1	6.10	6.20	6.30	6.3		
クレアチニン	ステップ1	PYRNA 0.08g/kg	スクリーニング	6	0.683	0.073	0.57	0.660	0.680	0.720	0.79	-0.162	0.913
(mg/dL)			Day-1	6	0.720	0.035	0.67	0.700	0.715	0.760	0.76	-0.041	-0.996
			Day1	6	0.730	0.072	0.61	0.710	0.735	0.760	0.83	-0.555	1.615
			Day2	6	0.747	0.069	0.67	0.700	0.725	0.820	0.84	0.563	-1.640
			Day7	6	0.770	0.076	0.65	0.720	0.785	0.820	0.86	-0.629	-0.338
		対照薬	スクリーニング	2	0.690	0.071	0.64	0.640	0.690	0.740	0.74		
			Day-1	2	0.750	0.042	0.72	0.720	0.750	0.780	0.78		
			Day1	2	0.745	0.049	0.71	0.710	0.745	0.780	0.78		
			Day2	2	0.760	0.014	0.75	0.750	0.760	0.770	0.77		

166

検査項目 (単位)	ステップ	投与群	Day	N	Mean	SD	Min	Q1	Median	Q3	Max	Skewness	Kurtosis
			Day7	2	0.775	0.049	0.74	0.740	0.775	0.810	0.81		
	ステップ2	PYRNA 0.17g/kg	スクリーニング	6	0.767	0.134	0.58	0.680	0.780	0.800	0.98	0.326	1.049
			Day-1	6	0.792	0.116	0.60	0.750	0.795	0.890	0.92	-0.777	0.440
			Day1	6	0.793	0.144	0.55	0.730	0.825	0.900	0.93	-1.007	0.400
			Day2	6	0.832	0.103	0.65	0.780	0.870	0.900	0.92	-1.325	1.264
			Day7	6	0.867	0.142	0.63	0.770	0.915	0.980	0.99	-1.078	0.103
		対照薬	スクリーニング	2	0.770	0.014	0.76	0.760	0.770	0.780	0.78		
			Day-1	2	0.735	0.064	0.69	0.690	0.735	0.780	0.78		
			Day1	2	0.725	0.078	0.67	0.670	0.725	0.780	0.78		
			Day2	2	0.770	0.071	0.72	0.720	0.770	0.820	0.82		
			Day7	2	0.850	0.057	0.81	0.810	0.850	0.890	0.89		
クレアチニン (mg/dL)	ステップ3	PYRNA 0.33g/kg	スクリーニング	6	0.743	0.050	0.69	0.730	0.730	0.740	0.84	1.738	4.058
			Day-1	6	0.770	0.039	0.70	0.750	0.785	0.800	0.80	-1.458	1.615
			Day1	6	0.738	0.046	0.67	0.700	0.750	0.780	0.78	-0.606	-1.497
			Day2	6	0.760	0.044	0.71	0.720	0.755	0.800	0.82	0.290	-1.786
			Day7	6	0.750	0.057	0.69	0.710	0.730	0.810	0.83	0.683	-1.565
		対照薬	スクリーニング	2	0.690	0.127	0.60	0.600	0.690	0.780	0.78		
			Day-1	2	0.745	0.177	0.62	0.620	0.745	0.870	0.87		
			Day1	2	0.730	0.184	0.60	0.600	0.730	0.860	0.86		
			Day2	2	0.705	0.163	0.59	0.590	0.705	0.820	0.82		
			Day7	2	0.695	0.191	0.56	0.560	0.695	0.830	0.83		
	ステップ4	PYRNA 0.66g/kg	スクリーニング	6	0.805	0.099	0.66	0.730	0.815	0.880	0.93	-0.339	-0.683
			Day-1	6	0.782	0.142	0.60	0.680	0.775	0.850	1.01	0.547	0.599
			Day1	6	0.737	0.107	0.59	0.660	0.745	0.840	0.84	-0.290	-2.180
			Day2	6	0.767	0.130	0.59	0.650	0.790	0.850	0.93	-0.244	-1.478

167

検査項目 (単位)	ステップ	投与群	Day	N	Mean	SD	Min	Q1	Median	Q3	Max	Skewness	Kurtosis
			Day7	6	0.817	0.108	0.68	0.710	0.830	0.880	0.97	0.025	-0.826
		対照薬	スクリーニング	2	0.900	0.184	0.77	0.770	0.900	1.030	1.03		
			Day-1	2	0.825	0.148	0.72	0.720	0.825	0.930	0.93		
			Day1	2	0.845	0.148	0.74	0.740	0.845	0.950	0.95		
			Day2	2	0.805	0.106	0.73	0.730	0.805	0.880	0.88		
			Day7	2	0.845	0.092	0.78	0.780	0.845	0.910	0.91		
CPK (U/L)	ステップ1	PYRNA 0.08g/kg	スクリーニング	6	111.3	28.6	70	93.0	110.0	136.0	149	-0.1	-0.5
			Day-1	6	109.8	34.7	80	95.0	98.5	109.0	178	2.0	4.6
			Day1	6	85.2	27.3	67	70.0	74.5	86.0	139	2.1	4.6
			Day2	6	72.8	24.6	53	58.0	65.5	75.0	120	1.8	3.6
			Day7	6	97.3	17.9	79	79.0	95.0	113.0	123	0.4	-1.3
		対照薬	スクリーニング	2	107.0	19.8	93	93.0	107.0	121.0	121		
			Day-1	2	140.5	26.2	122	122.0	140.5	159.0	159		
			Day1	2	106.5	27.6	87	87.0	106.5	126.0	126		
			Day2	2	81.0	12.7	72	72.0	81.0	90.0	90		
			Day7	2	124.0	22.6	108	108.0	124.0	140.0	140		
	ステップ2	PYRNA 0.17g/kg	スクリーニング	6	112.0	44.3	64	80.0	103.5	134.0	187	1.0	0.7
			Day-1	6	67.5	26.2	48	50.0	54.5	85.0	113	1.3	0.7
			Day1	6	62.5	24.5	43	47.0	50.0	81.0	104	1.3	0.2
			Day2	6	71.0	24.2	45	51.0	67.0	94.0	102	0.3	-2.4
			Day7	6	109.7	55.3	52	73.0	101.5	119.0	211	1.4	2.6
		対照薬	スクリーニング	2	160.5	103.9	87	87.0	160.5	234.0	234		
			Day-1	2	71.5	12.0	63	63.0	71.5	80.0	80		
			Day1	2	66.0	19.8	52	52.0	66.0	80.0	80		
			Day2	2	66.0	14.1	56	56.0	66.0	76.0	76		
			Day7	2	66.5	0.7	66	66.0	66.5	67.0	67		

168

検査項目 (単位)	ステップ	投与群	Day	N	Mean	SD	Min	Q1	Median	Q3	Max	Skewness	Kurtosis	
CPK (U/L)	ステップ3	PYRNA 0.33g/kg	スクリーニング	6	118.0	51.6	50	78.0	116.5	168.0	179	-0.1	-1.9	
			Day-1	6	115.7	60.8	60	70.0	107.0	120.0	230	1.6	3.2	
			Day1	6	89.8	33.1	53	58.0	93.5	96.0	145	0.7	0.8	
			Day2	6	78.2	18.2	55	56.0	86.0	92.0	94	-0.7	-2.0	
			Day7	6	83.8	17.8	58	75.0	83.0	94.0	110	0.0	0.2	
			対照薬	スクリーニング	2	116.5	68.6	68	68.0	116.5	165.0	165		
			Day-1	2	119.5	61.5	76	76.0	119.5	163.0	163			
	ステップ4	PYRNA 0.66g/kg	Day1	2	110.5	62.9	66	66.0	110.5	155.0	155			
			Day2	2	88.5	34.6	64	64.0	88.5	113.0	113			
			Day7	2	84.0	11.3	76	76.0	84.0	92.0	92			
			スクリーニング	6	118.5	48.4	76	77.0	111.5	127.0	208	1.5	2.7	
			Day-1	6	117.3	46.8	72	75.0	104.0	165.0	184	0.7	-1.5	
			Day1	6	86.2	27.9	57	61.0	79.5	120.0	120	0.5	-1.9	
			Day2	6	73.0	23.6	51	53.0	64.5	102.0	103	0.7	-1.9	
対照薬	スクリーニング	Day7	6	108.0	51.3	61	86.0	93.5	106.0	208	2.0	4.4		
		Day-1	2	201.5	123.7	114	114.0	201.5	289.0	289				
		Day1	2	115.0	19.8	101	101.0	115.0	129.0	129				
		Day1	2	92.0	12.7	83	83.0	92.0	101.0	101				
		Day2	2	99.0	7.1	94	94.0	99.0	104.0	104				
		Day7	2	155.0	72.1	104	104.0	155.0	206.0	206				
		Na (mEq/L)	ステップ1	PYRNA 0.08g/kg	スクリーニング	6	138.8	1.3	137	138.0	139.0	139.0	141	0.4
(mEq/L)			Day-1	6	138.8	1.2	137	138.0	139.0	140.0	140	-0.7	-0.4	
			Day1	6	138.7	1.4	137	138.0	138.5	139.0	141	0.9	1.3	
			Day2	6	139.3	1.0	138	139.0	139.0	140.0	141	0.7	0.6	
			Day7	6	137.8	1.2	136	137.0	138.0	139.0	139	-0.7	-0.4	

169

検査項目 (単位)	ステップ	投与群	Day	N	Mean	SD	Min	Q1	Median	Q3	Max	Skewness	Kurtosis		
		対照薬	スクリーニング	2	139.5	2.1	138	138.0	139.5	141.0	141				
			Day-1	2	140.5	0.7	140	140.0	140.5	141.0	141				
			Day1	2	140.5	0.7	140	140.0	140.5	141.0	141				
			Day2	2	139.5	0.7	139	139.0	139.5	140.0	140				
			Day7	2	139.0	0.0	139	139.0	139.0	139.0	139				
			ステップ2	PYRNA 0.17g/kg	スクリーニング	6	138.7	0.8	138	138.0	138.5	139.0	140	0.9	-0.3
			Day-1	6	139.2	1.0	138	138.0	139.5	140.0	140	-0.5	-2.4		
	対照薬	スクリーニング	Day1	6	135.2	3.2	129	135.0	136.0	137.0	138	-1.9	4.1		
			Day2	6	137.3	1.8	135	136.0	137.5	138.0	140	0.2	0.0		
			Day7	6	138.5	1.5	136	138.0	138.5	140.0	140	-0.8	0.3		
			Day-1	2	137.5	0.7	137	137.0	137.5	138.0	138				
			Day1	2	140.0	2.8	138	138.0	140.0	142.0	142				
			Day1	2	135.5	2.1	134	134.0	135.5	137.0	137				
			Day2	2	138.5	0.7	138	138.0	138.5	139.0	139				
Na (mEq/L)	ステップ3	PYRNA 0.33g/kg	Day7	2	138.0	0.0	138	138.0	138.0	138.0	138				
			スクリーニング	6	140.3	1.5	139	139.0	140.0	141.0	143	1.3	1.5		
			Day-1	6	138.8	1.2	137	138.0	139.0	140.0	140	-0.7	-0.4		
			Day1	6	140.0	1.3	139	139.0	139.5	141.0	142	0.9	-0.8		
			Day2	6	140.2	2.6	136	140.0	140.0	141.0	144	-0.3	2.2		
			Day7	6	141.0	0.9	140	140.0	141.0	142.0	142	0.0	-1.9		
			Day7	2	141.0	1.4	140	140.0	141.0	142.0	142				
	ステップ4	PYRNA	スクリーニング	Day-1	2	139.5	0.7	139	139.0	139.5	140.0	140			
				Day1	2	141.0	0.0	141	141.0	141.0	141.0	141			
				Day2	2	140.0	0.0	140	140.0	140.0	140.0	140			
				Day7	2	140.5	0.7	140	140.0	140.5	141.0	141			
				Day7	6	139.2	1.2	137	139.0	139.5	140.0	140	-1.6	2.6	

170

検査項目 (単位)	ステップ	投与群	Day	N	Mean	SD	Min	Q1	Median	Q3	Max	Skewness	Kurtosis
		0.66g/kg											
			Day-1	6	139.3	1.5	138	138.0	139.0	140.0	142	1.3	1.5
			Day1	6	138.5	0.8	137	138.0	139.0	139.0	139	-1.5	1.4
			Day2	6	139.3	0.5	139	139.0	139.0	140.0	140	1.0	-1.9
			Day7	6	139.0	1.8	136	138.0	139.5	140.0	141	-0.9	0.6
		対照薬	スクリーニング	2	138.5	0.7	138	138.0	138.5	139.0	139		
			Day-1	2	139.0	1.4	138	138.0	139.0	140.0	140		
			Day1	2	138.5	0.7	138	138.0	138.5	139.0	139		
			Day2	2	139.5	0.7	139	139.0	139.5	140.0	140		
			Day7	2	141.0	0.0	141	141.0	141.0	141.0	141		
K	ステップ1	PYRNA 0.08g/kg	スクリーニング	6	4.30	0.44	3.5	4.20	4.40	4.50	4.8	-1.35	2.75
(mEq/L)			Day-1	6	4.05	0.42	3.8	3.90	3.90	3.90	4.9	2.40	5.82
			Day1	6	3.98	0.15	3.8	3.90	3.95	4.10	4.2	0.42	-0.86
			Day2	6	4.30	0.33	4.0	4.00	4.20	4.60	4.8	0.72	-1.32
			Day7	6	4.05	0.30	3.6	3.90	4.05	4.20	4.5	0.00	0.77
		対照薬	スクリーニング	2	4.45	0.49	4.1	4.10	4.45	4.80	4.8		
			Day-1	2	4.40	0.28	4.2	4.20	4.40	4.60	4.6		
			Day1	2	4.15	0.49	3.8	3.80	4.15	4.50	4.5		
			Day2	2	4.20	0.57	3.8	3.80	4.20	4.60	4.6		
			Day7	2	4.55	0.21	4.4	4.40	4.55	4.70	4.7		
	ステップ2	PYRNA 0.17g/kg	スクリーニング	6	4.50	0.29	4.1	4.30	4.50	4.70	4.9	0.00	-0.83
			Day-1	6	4.20	0.24	3.9	4.00	4.20	4.30	4.6	0.61	0.63
			Day1	6	3.80	0.14	3.6	3.70	3.80	3.90	4.0	0.00	-0.30
			Day2	6	3.93	0.20	3.8	3.80	3.85	4.00	4.3	1.67	2.67
			Day7	6	4.18	0.38	3.8	3.90	4.05	4.60	4.7	0.70	-1.69
		対照薬	スクリーニング	2	4.10	0.28	3.9	3.90	4.10	4.30	4.3		

171

検査項目 (単位)	ステップ	投与群	Day	N	Mean	SD	Min	Q1	Median	Q3	Max	Skewness	Kurtosis
			Day-1	2	4.70	0.42	4.4	4.40	4.70	5.00	5.0		
			Day1	2	3.95	0.07	3.9	3.90	3.95	4.00	4.0		
			Day2	2	4.15	0.07	4.1	4.10	4.15	4.20	4.2		
			Day7	2	4.35	0.07	4.3	4.30	4.35	4.40	4.4		
K	ステップ3	PYRNA 0.33g/kg	スクリーニング	6	4.23	0.42	3.6	4.10	4.25	4.30	4.9	0.17	1.98
(mEq/L)			Day-1	6	4.07	0.19	3.8	3.90	4.10	4.20	4.3	-0.39	-0.94
			Day1	6	3.92	0.32	3.4	3.70	4.00	4.10	4.3	-0.78	0.27
			Day2	6	4.05	0.35	3.5	3.80	4.15	4.20	4.5	-0.58	0.11
			Day7	6	4.02	0.23	3.8	3.80	4.00	4.10	4.4	0.86	0.14
		対照薬	スクリーニング	2	4.35	0.49	4.0	4.00	4.35	4.70	4.7		
			Day-1	2	4.45	0.49	4.1	4.10	4.45	4.80	4.8		
			Day1	2	3.95	0.49	3.6	3.60	3.95	4.30	4.3		
			Day2	2	4.30	0.85	3.7	3.70	4.30	4.90	4.9		
			Day7	2	4.10	0.14	4.0	4.00	4.10	4.20	4.2		
	ステップ4	PYRNA 0.66g/kg	スクリーニング	6	4.17	0.31	3.6	4.10	4.25	4.30	4.5	-1.45	2.82
			Day-1	6	4.20	0.17	4.0	4.10	4.15	4.40	4.4	0.38	-1.79
			Day1	6	4.08	0.10	4.0	4.00	4.05	4.20	4.2	0.46	-2.39
			Day2	6	3.95	0.35	3.7	3.70	3.85	4.00	4.6	1.59	2.55
			Day7	6	4.50	0.36	4.0	4.10	4.65	4.80	4.8	-0.83	-1.72
		対照薬	スクリーニング	2	4.20	0.14	4.1	4.10	4.20	4.30	4.3		
			Day-1	2	3.90	0.00	3.9	3.90	3.90	3.90	3.9		
			Day1	2	4.05	0.07	4.0	4.00	4.05	4.10	4.1		
			Day2	2	4.20	0.14	4.1	4.10	4.20	4.30	4.3		
			Day7	2	4.40	0.00	4.4	4.40	4.40	4.40	4.4		
Cl	ステップ1	PYRNA 0.08g/kg	スクリーニング	6	102.8	2.0	100	101.0	103.0	105.0	105	-0.3	-1.4

172

検査項目 (単位)	ステップ	投与群	Day	N	Mean	SD	Min	Q1	Median	Q3	Max	Skewness	Kurtosis			
(mEq/L)			Day-1	6	102.7	1.9	101	101.0	102.5	103.0	106	1.3	1.9			
			Day1	6	104.7	1.0	103	104.0	105.0	105.0	106	-0.7	0.6			
			Day2	6	104.0	1.3	103	103.0	103.5	105.0	106	0.9	-0.8			
			Day7	6	102.5	1.2	101	102.0	102.0	104.0	104	0.5	-1.5			
			対照薬	スクリーニング	2	101.0	2.8	99	99.0	101.0	103.0	103				
			Day-1	2	103.0	0.0	103	103.0	103.0	103.0	103					
			Day1	2	105.5	0.7	105	105.0	105.5	106.0	106					
				Day2	2	103.5	0.7	103	103.0	103.5	104.0	104				
				Day7	2	102.5	0.7	102	102.0	102.5	103.0	103				
				ステップ2	PYRNA 0.17g/kg	スクリーニング	6	103.5	1.4	101	103.0	104.0	104.0	105	-1.4	2.4
				Day-1	6	104.7	1.6	102	104.0	105.0	106.0	106	-0.9	-0.3		
				Day1	6	102.8	2.9	98	101.0	103.5	105.0	106	-0.9	0.3		
				Day2	6	102.5	1.6	100	101.0	103.0	104.0	104	-0.8	-1.0		
				Day7	6	102.2	1.2	100	102.0	102.5	103.0	103	-1.6	2.6		
		対照薬	スクリーニング	2	100.5	0.7	100	100.0	100.5	101.0	101					
			Day-1	2	105.5	2.1	104	104.0	105.5	107.0	107					
			Day1	2	104.5	3.5	102	102.0	104.5	107.0	107					
			Day2	2	103.5	2.1	102	102.0	103.5	105.0	105					
			Day7	2	102.0	1.4	101	101.0	102.0	103.0	103					
			CI	ステップ3	PYRNA 0.33g/kg	スクリーニング	6	102.8	2.2	101	101.0	102.5	103.0	107	1.6	3.0
			(mEq/L)			Day-1	6	103.2	1.7	101	102.0	103.0	104.0	106	0.7	0.8
Day1	6	106.3				1.4	104	106.0	106.5	107.0	108	-0.9	1.3			
Day2	6	105.0				3.0	102	102.0	104.5	108.0	109	0.4	-1.7			
Day7	6	104.2				1.8	101	104.0	104.0	106.0	106	-0.9	1.4			
対照薬	スクリーニング	2				104.5	0.7	104	104.0	104.5	105.0	105				
Day-1	2	104.0				1.4	103	103.0	104.0	105.0	105					

173

検査項目 (単位)	ステップ	投与群	Day	N	Mean	SD	Min	Q1	Median	Q3	Max	Skewness	Kurtosis				
			Day1	2	105.5	0.7	105	105.0	105.5	106.0	106						
			Day2	2	106.5	0.7	106	106.0	106.5	107.0	107						
			Day7	2	105.0	0.0	105	105.0	105.0	105.0	105						
			ステップ4	PYRNA 0.66g/kg	スクリーニング	6	103.2	2.2	100	102.0	103.0	105.0	106	-0.1	-1.1		
			Day-1	6	104.0	2.0	101	103.0	104.0	106.0	106	-0.5	-1.2				
			Day1	6	105.2	1.5	103	104.0	105.5	106.0	107	-0.4	-0.9				
			Day2	6	104.2	1.7	102	103.0	104.0	105.0	107	0.7	0.8				
			対照薬	スクリーニング	2	101.0	1.4	100	100.0	101.0	102.0	102					
				Day-1	2	101.5	0.7	101	101.0	101.5	102.0	102					
				Day1	2	103.0	1.4	102	102.0	103.0	104.0	104					
				Day2	2	103.0	0.0	103	103.0	103.0	103.0	103					
				Day7	2	103.0	1.4	102	102.0	103.0	104.0	104					
				血糖	ステップ1	PYRNA 0.08g/kg	スクリーニング	6	86.5	6.6	80	81.0	86.0	88.0	98	1.1	1.4
				(mg/dL)			Day1	6	80.3	1.5	79	79.0	80.0	82.0	82	0.2	-2.8
Day2	6	83.5	3.9				77	82.0	83.5	87.0	88	-0.7	0.6				
Day7	6	90.3	19.7				72	79.0	85.0	93.0	128	1.8	3.6				
対照薬	スクリーニング	2	96.5				6.4	92	92.0	96.5	101.0	101					
Day1	2	85.5	2.1				84	84.0	85.5	87.0	87						
Day2	2	88.5	3.5				86	86.0	88.5	91.0	91						
Day7	2	98.0	5.7				94	94.0	98.0	102.0	102						
	ステップ2	PYRNA 0.17g/kg	スクリーニング	6	88.5	2.7	84	87.0	89.0	91.0	91	-0.9	0.0				
			Day1	6	88.0	2.3	85	86.0	88.5	90.0	90	-0.3	-2.5				
			Day2	6	84.7	3.9	79	82.0	85.0	88.0	89	-0.4	-1.6				
			Day7	6	89.2	7.1	81	85.0	88.5	90.0	102	1.2	2.3				

174

検査項目 (単位)	ステップ	投与群	Day	N	Mean	SD	Min	Q1	Median	Q3	Max	Skewness	Kurtosis
		対照薬	スクリーニング	2	73.0	14.1	63	63.0	73.0	83.0	83		
			Day1	2	88.0	5.7	84	84.0	88.0	92.0	92		
			Day2	2	84.0	4.2	81	81.0	84.0	87.0	87		
			Day7	2	84.0	2.8	82	82.0	84.0	86.0	86		
血糖	ステップ3	PYRNA 0.33g/kg	スクリーニング	6	88.5	3.7	82	88.0	88.5	91.0	93	-1.0	1.8
(mg/dL)			Day1	6	85.5	1.9	83	84.0	85.5	87.0	88	0.0	-1.2
			Day2	6	87.3	2.8	84	85.0	87.0	90.0	91	0.2	-1.9
			Day7	6	94.5	5.9	85	92.0	95.0	97.0	103	-0.4	1.4
		対照薬	スクリーニング	2	86.0	8.5	80	80.0	86.0	92.0	92		
			Day1	2	88.5	4.9	85	85.0	88.5	92.0	92		
			Day2	2	91.0	5.7	87	87.0	91.0	95.0	95		
			Day7	2	92.5	2.1	91	91.0	92.5	94.0	94		
	ステップ4	PYRNA 0.66g/kg	スクリーニング	6	83.8	8.7	73	75.0	84.5	91.0	95	-0.1	-1.6
			Day1	6	82.7	6.7	73	79.0	83.0	85.0	93	0.2	1.0
			Day2	6	82.3	4.9	77	78.0	82.0	85.0	90	0.6	-0.7
			Day7	6	90.2	6.6	80	87.0	90.5	94.0	99	-0.3	0.0
		対照薬	スクリーニング	2	88.5	7.8	83	83.0	88.5	94.0	94		
			Day1	2	87.0	5.7	83	83.0	87.0	91.0	91		
			Day2	2	90.0	5.7	86	86.0	90.0	94.0	94		
			Day7	2	99.0	11.3	91	91.0	99.0	107.0	107		
eGFR	ステップ1	PYRNA 0.08g/kg	スクリーニング	6	119.95	18.65	103.4	104.60	115.20	129.40	151.9	1.11	0.66
(mL/min/1.73m ²)			Day-1	6	112.22	11.18	95.1	107.90	110.85	121.30	127.3	-0.20	0.23
			Day1	6	111.45	16.86	90.9	100.70	110.85	114.40	141.0	1.00	2.03

175

検査項目 (単位)	ステップ	投与群	Day	N	Mean	SD	Min	Q1	Median	Q3	Max	Skewness	Kurtosis
			Day2	6	108.18	11.99	96.5	99.40	103.95	118.00	127.3	0.94	-0.53
			Day7	6	104.97	14.73	89.6	94.20	102.70	109.10	131.5	1.30	2.16
		対照薬	スクリーニング	2	119.85	19.73	105.9	105.90	119.85	133.80	133.8		
			Day-1	2	108.75	12.52	99.9	99.90	108.75	117.60	117.6		
			Day1	2	109.65	13.79	99.9	99.90	109.65	119.40	119.4		
			Day2	2	106.95	7.85	101.4	101.40	106.95	112.50	112.5		
			Day7	2	105.00	12.87	95.9	95.90	105.00	114.10	114.1		
	ステップ2	PYRNA 0.17g/kg	スクリーニング	6	108.03	23.04	75.5	99.20	103.40	123.50	143.2	0.29	0.49
			Day-1	6	103.27	20.81	79.3	90.80	100.35	110.90	137.9	0.83	0.54
			Day1	6	104.90	26.68	80.7	83.80	99.50	114.20	151.7	1.21	1.21
			Day2	6	97.45	16.85	82.8	83.70	92.75	106.30	126.4	1.14	0.70
			Day7	6	94.48	21.45	74.6	78.90	87.40	107.80	130.8	1.11	0.41
		対照薬	スクリーニング	2	107.90	4.24	104.9	104.90	107.90	110.90	110.9		
			Day-1	2	114.05	12.94	104.9	104.90	114.05	123.20	123.2		

176

検査項目 (単位)	ステップ	投与群	Day	N	Mean	SD	Min	Q1	Median	Q3	Max	Skewness	Kurtosis
			Day1	2	116.10	15.84	104.9	104.9	116.1	127.3	127.3		
			Day2	2	108.45	12.94	99.3	99.30	108.45	117.6	117.6		
			Day7	2	97.10	8.91	90.8	90.80	97.10	103.4	103.4		
eGFR (mL/min/1.73m ²)	ステップ3	PYRNA 0.33g/kg	スクリーニング	6	102.05	14.42	78.7	93.00	105.45	111.3	118.4	-0.79	0.01
			Day-1	6	98.02	13.35	83.1	84.10	98.15	108.1	116.5	0.17	-1.52
			Day1	6	102.43	11.81	86.5	96.10	102.35	105.0	122.3	0.65	1.72
			Day2	6	99.32	12.35	83.1	91.60	96.75	113.0	114.7	0.23	-1.32
			Day7	6	101.43	16.78	79.8	83.00	106.35	114.7	118.4	-0.48	-2.14
		対照薬	スクリーニング	2	104.85	12.66	95.9	95.90	104.85	113.8	113.8		
			Day-1	2	97.45	17.47	85.1	85.10	97.45	109.8	109.8		
			Day1	2	100.00	19.52	86.2	86.20	100.0	113.8	113.8		
			Day2	2	103.35	17.75	90.8	90.80	103.35	115.9	115.9		
			Day7	2	106.15	23.41	89.6	89.60	106.15	122.7	122.7		
	ステップ4	PYRNA 0.66g/kg	スクリーニング	6	93.85	8.30	85.3	86.50	92.85	98.00	107.6	0.85	0.29

177

検査項目 (単位)	ステップ	投与群	Day	N	Mean	SD	Min	Q1	Median	Q3	Max	Skewness	Kurtosis
			Day-1	6	98.10	13.46	79.0	88.90	99.45	104.1	117.7	0.02	-0.07
			Day1	6	103.68	8.92	96.7	96.70	100.6	107.6	119.9	1.50	1.97
			Day2	6	99.93	12.32	86.5	92.90	95.45	109.4	119.9	0.94	-0.08
			Day7	6	92.57	9.28	80.9	82.60	95.00	99.30	102.6	-0.36	-2.22
		対照薬	スクリーニング	2	81.55	8.70	75.4	75.40	81.55	87.70	87.7		
			Day-1	2	89.40	7.07	84.4	84.40	89.40	94.40	94.4		
			Day1	2	87.00	6.51	82.4	82.40	87.00	91.60	91.6		
			Day2	2	91.30	2.40	89.6	89.60	91.30	93.00	93.0		
			Day7	2	86.45	0.07	86.4	86.40	86.45	86.50	86.5		
Ccr (mL/min)	ステップ1	PYRNA 0.08g/kg	スクリーニング	6	145.5	15.5	125	137.0	145.0	150.0	171	0.6	1.2
			Day-1	6	138.3	15.2	114	136.0	137.0	145.0	161	-0.2	1.8
			Day1	6	137.5	22.9	109	125.0	131.0	159.0	170	0.4	-1.1
			Day2	6	133.0	22.4	111	116.0	128.0	142.0	173	1.3	1.8
			Day7	6	128.2	15.2	108	113.0	130.5	141.0	146	-0.3	-1.7
		対照薬	スクリーニング	2	151.5	7.8	146	146.0	151.5	157.0	157		
			Day-1	2	141.0	1.4	140	140.0	141.0	142.0	142		
			Day1	2	142.0	0.0	142	142.0	142.0	142.0	142		
			Day2	2	136.0	5.7	132	132.0	136.0	140.0	140		
			Day7	2	134.0	0.0	134	134.0	134.0	134.0	134		
	ステップ2	PYRNA 0.17g/kg	スクリーニング	6	135.3	15.4	118	123.0	132.0	150.0	157	0.5	-1.5
			Day-1	6	129.0	15.1	111	114.0	129.5	142.0	148	0.0	-2.0
			Day1	6	130.7	22.0	101	110.0	135.0	142.0	161	-0.1	-0.8
			Day2	6	121.2	13.7	102	106.0	127.0	130.0	135	-0.8	-1.6

178

検査項目 (単位)	ステップ	投与群	Day	N	Mean	SD	Min	Q1	Median	Q3	Max	Skewness	Kurtosis
			Day7	6	117.0	17.2	96	99.0	118.0	132.0	139	-0.1	-1.6
		対照薬	スクリーニング	2	141.0	11.3	133	133.0	141.0	149.0	149		
			Day-1	2	150.0	21.2	135	135.0	150.0	165.0	165		
			Day1	2	152.5	24.7	135	135.0	152.5	170.0	170		
			Day2	2	142.0	21.2	127	127.0	142.0	157.0	157		
			Day7	2	128.5	16.3	117	117.0	128.5	140.0	140		
Ccr	ステップ3	PYRNA 0.33g/kg	スクリーニング	6	134.5	13.5	109	134.0	136.5	143.0	148	-1.6	3.4
(mL/min)			Day-1	6	130.3	7.9	118	124.0	132.5	137.0	138	-0.8	-0.7
			Day1	6	136.0	4.6	131	133.0	134.5	140.0	143	0.8	-0.8
			Day2	6	129.5	8.8	115	124.0	131.0	137.0	139	-0.8	0.2
			Day7	6	131.3	13.0	110	127.0	132.5	137.0	149	-0.5	1.3
		対照薬	スクリーニング	2	138.0	9.9	131	131.0	138.0	145.0	145		
			Day-1	2	128.0	17.0	116	116.0	128.0	140.0	140		
			Day1	2	131.0	18.4	118	118.0	131.0	144.0	144		
			Day2	2	134.0	15.6	123	123.0	134.0	145.0	145		
			Day7	2	136.5	21.9	121	121.0	136.5	152.0	152		
	ステップ4	PYRNA 0.66g/kg	スクリーニング	6	126.8	20.0	98	121.0	125.5	131.0	160	0.5	2.1
			Day-1	6	133.3	24.9	91	126.0	134.0	156.0	159	-0.9	0.9
			Day1	6	140.0	20.0	110	128.0	139.5	161.0	162	-0.3	-0.8
			Day2	6	132.8	23.5	98	124.0	128.0	158.0	161	-0.1	-0.5
			Day7	6	123.7	18.4	94	115.0	124.5	139.0	145	-0.6	0.2
		対照薬	スクリーニング	2	108.0	4.2	105	105.0	108.0	111.0	111		
			Day-1	2	118.5	2.1	117	117.0	118.5	120.0	120		
			Day1	2	116.0	1.4	115	115.0	116.0	117.0	117		
			Day2	2	120.0	2.8	118	118.0	120.0	122.0	122		
			Day7	2	114.0	5.7	110	110.0	114.0	118.0	118		

179

検査項目 (単位)	ステップ	投与群	Day	N	Mean	SD	Min	Q1	Median	Q3	Max	Skewness	Kurtosis
pH	ステップ1	PYRNA 0.08g/kg	スクリーニング	6	6.58	0.74	5.5	6.00	6.75	7.00	7.5	-0.42	-0.86
			Day-1	6	6.83	0.41	6.5	6.50	6.75	7.00	7.5	0.86	-0.30
			Day1	6	6.42	0.38	6.0	6.00	6.50	6.50	7.0	0.31	-0.10
			Day2	6	6.33	0.41	6.0	6.00	6.25	6.50	7.0	0.86	-0.30
			Day7	6	6.33	0.52	5.5	6.00	6.50	6.50	7.0	-0.67	0.59
		対照薬	スクリーニング	2	6.50	0.71	6.0	6.00	6.50	7.00	7.0		
			Day-1	2	8.00	0.71	7.5	7.50	8.00	8.50	8.5		
			Day1	2	6.50	0.71	6.0	6.00	6.50	7.00	7.0		
			Day2	2	6.00	0.00	6.0	6.00	6.00	6.00	6.0		
			Day7	2	6.75	0.35	6.5	6.50	6.75	7.00	7.0		
	ステップ2	PYRNA 0.17g/kg	スクリーニング	6	6.25	0.94	5.5	5.50	6.00	6.50	8.0	1.65	2.91
			Day-1	6	6.58	0.49	6.0	6.00	6.75	7.00	7.0	-0.46	-2.39
			Day1	6	5.83	0.26	5.5	5.50	6.00	6.00	6.0	-0.97	-1.88
			Day2	6	7.08	1.16	6.0	6.00	6.75	8.50	8.5	0.57	-2.00
			Day7	6	6.08	0.38	5.5	6.00	6.00	6.50	6.5	-0.31	-0.10
		対照薬	スクリーニング	2	6.00	0.00	6.0	6.00	6.00	6.00	6.0		
			Day-1	2	6.75	0.35	6.5	6.50	6.75	7.00	7.0		
			Day1	2	6.25	1.06	5.5	5.50	6.25	7.00	7.0		
			Day2	2	6.50	0.00	6.5	6.50	6.50	6.50	6.5		
			Day7	2	6.00	0.00	6.0	6.00	6.00	6.00	6.0		
pH	ステップ3	PYRNA 0.33g/kg	スクリーニング	6	6.58	0.66	5.5	6.50	6.50	7.00	7.5	-0.44	1.33
			Day-1	6	7.00	0.71	6.0	6.50	7.00	7.50	8.0	0.00	-0.30
			Day1	6	6.42	0.38	6.0	6.00	6.50	6.50	7.0	0.31	-0.10
			Day2	6	7.00	0.77	6.0	6.50	7.00	7.50	8.0	0.00	-1.88
			Day7	6	5.75	0.27	5.5	5.50	5.75	6.00	6.0	0.00	-3.33

180

検査項目 (単位)	ステップ	投与群	Day	N	Mean	SD	Min	Q1	Median	Q3	Max	Skewness	Kurtosis
		対照薬	スクリーニング	2	6.50	0.00	6.5	6.50	6.50	6.50	6.5		
			Day-1	2	6.25	1.06	5.5	5.50	6.25	7.00	7.0		
			Day1	2	5.75	0.35	5.5	5.50	5.75	6.00	6.0		
			Day2	2	5.75	0.35	5.5	5.50	5.75	6.00	6.0		
			Day7	2	6.00	0.71	5.5	5.50	6.00	6.50	6.5		
	ステップ4	PYRNA 0.66g/kg	スクリーニング	6	6.17	0.75	5.5	5.50	6.00	6.50	7.5	1.27	1.53
			Day-1	6	7.17	0.41	6.5	7.00	7.25	7.50	7.5	-0.86	-0.30
			Day1	6	6.42	0.58	6.0	6.00	6.25	6.50	7.5	1.59	2.55
			Day2	6	7.08	0.92	6.0	6.00	7.25	8.00	8.0	-0.36	-2.10
			Day7	6	5.92	0.38	5.5	5.50	6.00	6.00	6.5	0.31	-0.10
		対照薬	スクリーニング	2	6.25	0.35	6.0	6.00	6.25	6.50	6.5		
			Day-1	2	6.25	0.35	6.0	6.00	6.25	6.50	6.5		
			Day1	2	6.25	0.35	6.0	6.00	6.25	6.50	6.5		
			Day2	2	6.00	0.00	6.0	6.00	6.00	6.00	6.0		
			Day7	2	6.75	0.35	6.5	6.50	6.75	7.00	7.0		

表 12. 4. 2-2 臨床検査値の要約(2) ; 食事の影響の評価パート

検査項目(単位)	投与群	Day	N	Mean	SD	Min	Q1	Median	Q3	Max	Skewness	Kurtosis
赤血球数 ($\times 10^4/\mu\text{L}$)	スクリーニング	スクリーニング	6	516.0	37.2	455	488.0	531.0	541.0	550	-1.0	-0.2
	空腹時投与 (PYRNA 0.17g/kg)	Day-1	6	486.8	37.6	436	458.0	487.5	510.0	542	0.1	-0.3
		Day1	6	479.2	46.1	405	452.0	489.0	504.0	536	-0.7	0.3
		Day2	6	470.7	32.7	408	464.0	483.0	487.0	499	-1.8	3.6
		Day7	3	469.7	43.9	435	435.0	455.0	519.0	519	1.3	
		食後投与 (PYRNA 0.17g/kg)	Day-1	6	481.3	22.1	447	467.0	483.5	498.0	509	-0.5
	食後投与 (PYRNA 0.17g/kg)	Day1	6	470.7	31.6	426	440.0	478.0	495.0	507	-0.5	-1.3
		Day2	6	477.5	35.4	417	454.0	492.0	499.0	511	-1.2	0.6
		Day7	3	524.7	14.3	509	509.0	528.0	537.0	537	-1.0	
白血球数 ($\times 10^2/\mu\text{L}$)		スクリーニング	スクリーニング	6	44.0	9.5	32	37.0	44.0	48.0	59	0.5
	空腹時投与 (PYRNA 0.17g/kg)	Day-1	6	57.7	8.3	47	52.0	58.0	65.0	66	-0.2	-2.6
		Day1	6	50.0	7.3	42	45.0	47.5	59.0	59	0.6	-1.7
		Day2	6	47.0	7.1	33	47.0	49.5	51.0	52	-2.1	4.8
		Day7	3	53.3	1.5	52	52.0	53.0	55.0	55	0.9	
		食後投与 (PYRNA 0.17g/kg)	Day-1	6	58.3	9.4	44	53.0	59.5	62.0	72	-0.2
	食後投与 (PYRNA 0.17g/kg)	Day1	6	48.8	10.7	36	41.0	47.5	58.0	63	0.2	-2.0
		Day2	6	45.5	8.9	34	38.0	46.0	51.0	58	0.1	-1.0
		Day7	3	47.7	21.9	35	35.0	35.0	73.0	73	1.7	
ヘモグロビン量 (g/dL)		スクリーニング	スクリーニング	6	15.67	1.17	14.2	14.60	15.75	16.30	17.4	0.21
	空腹時投与	Day-1	6	15.03	1.09	13.9	14.30	14.60	16.40	16.4	0.71	-1.80

検査項目(単位)	投与群	Day	N	Mean	SD	Min	Q1	Median	Q3	Max	Skewness	Kurtosis
	(PYRNA 0.17g/kg)	Day1	6	14.53	1.48	12.5	13.50	14.40	16.10	16.3	-0.02	-1.23
		Day2	6	14.37	1.00	12.7	14.10	14.35	15.20	15.5	-0.80	0.78
		Day7	3	14.13	1.18	13.4	13.40	13.50	15.50	15.5	1.72	
	食後投与	Day-1	6	14.78	0.93	14.0	14.10	14.35	15.80	16.1	0.82	-1.73
	(PYRNA 0.17g/kg)	Day1	6	14.25	1.03	13.2	13.20	14.10	15.30	15.6	0.35	-1.82
		Day2	6	14.50	1.09	12.9	13.70	14.55	15.40	15.9	-0.26	-0.64
		Day7	3	15.93	1.07	15.0	15.00	15.70	17.10	17.1	0.94	
ヘマトクリット値 (%)		スクリーニング	6	46.32	2.99	42.3	43.90	46.50	48.10	50.6	0.07	-0.66
	空腹時投与	Day-1	6	43.70	2.78	41.4	41.60	42.40	46.50	47.9	0.98	-1.24
	(PYRNA 0.17g/kg)	Day1	6	42.72	3.76	37.7	40.00	42.30	46.70	47.3	0.07	-1.42
		Day2	6	42.28	2.32	38.5	41.30	42.35	44.60	44.6	-0.72	0.14
		Day7	3	41.53	2.42	39.8	39.80	40.50	44.30	44.3	1.57	
	食後投与	Day-1	6	43.20	2.29	41.2	41.50	42.15	45.90	46.3	0.85	-1.81
	(PYRNA 0.17g/kg)	Day1	6	41.95	2.57	39.2	39.70	41.35	44.90	45.2	0.47	-1.89
		Day2	6	42.88	2.72	39.4	40.60	42.65	45.90	46.1	0.10	-1.60
		Day7	3	46.10	3.00	43.1	43.10	46.10	49.10	49.1	0.00	
血小板数 ($\times 10^4/\mu\text{L}$)		スクリーニング	6	24.23	4.13	17.4	21.40	25.45	27.40	28.3	-1.01	0.11
	空腹時投与	Day-1	6	23.98	4.58	18.0	21.50	22.95	27.90	30.6	0.35	-0.72
	(PYRNA 0.17g/kg)	Day1	6	21.02	3.97	15.1	19.40	20.40	24.90	25.9	-0.19	-0.54
		Day2	6	20.45	3.36	15.0	18.80	20.60	23.70	24.0	-0.69	0.14
		Day7	3	23.57	4.04	20.1	20.10	22.60	28.00	28.0	1.02	
	食後投与	Day-1	6	24.47	4.87	16.9	21.00	25.30	28.10	30.2	-0.61	-0.40
	(PYRNA 0.17g/kg)	Day1	6	21.32	4.36	15.6	18.40	21.20	25.10	26.4	-0.11	-2.16

183

検査項目(単位)	投与群	Day	N	Mean	SD	Min	Q1	Median	Q3	Max	Skewness	Kurtosis
	0.17g/kg)											
		Day2	6	21.88	3.90	16.1	18.30	23.05	25.40	25.4	-0.72	-1.35
		Day7	3	22.87	5.44	16.6	16.60	25.60	26.40	26.4	-1.69	
白血球分画(好中球) (%)		スクリーニング	6	55.70	9.30	41.4	50.80	56.80	58.90	69.5	-0.14	1.13
	空腹時投与	Day-1	6	54.52	8.66	43.3	49.40	52.55	62.40	66.9	0.38	-0.79
	(PYRNA 0.17g/kg)	Day1	6	50.92	11.72	35.9	39.40	53.15	61.10	62.8	-0.31	-2.38
		Day2	6	57.07	10.34	42.7	46.10	60.85	64.40	67.5	-0.67	-1.73
		Day7	3	58.27	5.58	53.5	53.50	56.90	64.40	64.4	1.04	
	食後投与	Day-1	6	57.80	10.14	40.1	55.80	59.20	61.60	70.9	-0.93	2.23
	(PYRNA 0.17g/kg)	Day1	6	49.12	9.69	34.7	40.60	51.45	56.10	60.4	-0.59	-0.92
		Day2	6	57.45	10.38	42.9	47.80	60.35	61.90	71.4	-0.30	-0.69
		Day7	3	61.57	6.31	55.8	55.80	60.60	68.30	68.3	0.67	
白血球分画(好酸球) (%)		スクリーニング	6	4.17	2.79	1.1	1.40	4.25	6.30	7.7	0.07	-2.37
	空腹時投与	Day-1	6	2.83	1.69	0.7	1.90	2.75	3.10	5.8	0.96	2.15
	(PYRNA 0.17g/kg)	Day1	6	4.33	2.22	1.7	3.20	3.75	5.50	8.1	0.96	1.09
		Day2	6	3.47	1.78	1.8	2.30	2.70	5.00	6.3	1.02	-0.59
		Day7	3	3.40	1.13	2.7	2.70	2.80	4.70	4.7	1.72	
	食後投与	Day-1	6	3.95	3.11	1.1	1.80	2.55	7.10	8.6	0.93	-1.28
	(PYRNA 0.17g/kg)	Day1	6	5.22	2.68	1.9	3.40	4.65	7.70	9.0	0.41	-1.13
		Day2	6	4.35	2.65	1.6	2.70	3.35	6.70	8.4	0.80	-0.96
		Day7	3	1.97	1.53	0.8	0.80	1.40	3.70	3.7	1.44	
白血球分画(好塩基球) (%)		スクリーニング	6	0.73	0.29	0.2	0.60	0.85	0.90	1.0	-1.48	1.94
	空腹時投与	Day-1	6	0.67	0.27	0.3	0.60	0.60	0.80	1.1	0.54	1.28
	(PYRNA 0.17g/kg)	Day1	6	0.70	0.30	0.3	0.60	0.65	0.80	1.2	0.69	1.74

184

検査項目(単位)	投与群	Day	N	Mean	SD	Min	Q1	Median	Q3	Max	Skewness	Kurtosis
	0.17g/kg)											
		Day2	6	0.58	0.27	0.4	0.40	0.50	0.60	1.1	1.79	3.38
		Day7	3	0.57	0.06	0.5	0.50	0.60	0.60	0.6	-1.73	
	食後投与	Day-1	6	0.63	0.33	0.3	0.30	0.60	0.90	1.1	0.38	-1.48
	(PYRNA 0.17g/kg)	Day1	6	0.70	0.28	0.4	0.50	0.65	0.90	1.1	0.43	-1.57
		Day2	6	0.53	0.22	0.2	0.40	0.55	0.70	0.8	-0.46	-0.30
		Day7	3	0.60	0.30	0.3	0.30	0.60	0.90	0.9	0.00	
白血球分画(リンパ球 (%))	スクリーニング	スクリーニング	6	34.43	7.59	25.3	27.00	34.90	38.80	45.7	0.24	-0.66
	空腹時投与	Day-1	6	36.28	7.20	27.3	27.70	38.10	42.50	44.0	-0.52	-1.83
	(PYRNA 0.17g/kg)	Day1	6	38.28	10.33	27.7	30.20	36.80	45.20	53.0	0.38	-1.88
		Day2	6	33.35	9.35	22.8	27.40	30.60	41.50	47.2	0.60	-1.13
		Day7	3	33.13	5.46	26.9	26.90	35.40	37.10	37.1	-1.55	
	食後投与	Day-1	6	32.22	7.24	22.8	28.00	31.65	34.80	44.4	0.72	1.45
	(PYRNA 0.17g/kg)	Day1	6	39.22	7.90	29.7	33.00	38.10	46.90	49.5	0.23	-1.83
		Day2	6	32.60	7.90	22.5	28.50	30.25	40.80	43.3	0.39	-1.15
		Day7	3	31.20	3.98	26.6	26.60	33.40	33.60	33.6	-1.73	
白血球分画(単球 (%))	スクリーニング	スクリーニング	6	4.97	1.31	3.6	3.70	4.95	5.60	7.0	0.54	-0.71
	空腹時投与	Day-1	6	5.70	0.77	4.8	4.90	5.80	6.30	6.6	-0.13	-2.41
	(PYRNA 0.17g/kg)	Day1	6	5.77	0.73	4.9	5.00	5.80	6.40	6.7	-0.03	-1.63
		Day2	6	5.53	0.56	4.5	5.50	5.65	5.70	6.2	-1.36	3.22
		Day7	3	4.63	0.59	4.2	4.20	4.40	5.30	5.3	1.51	
	食後投与	Day-1	6	5.40	1.38	3.7	4.50	5.10	6.50	7.5	0.55	-0.53
	(PYRNA 0.17g/kg)	Day1	6	5.75	1.67	4.3	4.30	5.25	6.90	8.5	0.98	-0.12

185

検査項目(単位)	投与群	Day	N	Mean	SD	Min	Q1	Median	Q3	Max	Skewness	Kurtosis
		Day2	6	5.07	1.13	4.1	4.30	4.70	5.50	7.1	1.37	1.65
		Day7	3	4.67	1.15	4.0	4.00	4.00	6.00	6.0	1.73	
総蛋白 (g/dL)	スクリーニング	スクリーニング	6	7.35	0.42	6.8	7.10	7.25	7.80	7.9	0.29	-1.26
	空腹時投与	Day-1	6	7.17	0.33	6.8	6.90	7.15	7.30	7.7	0.68	-0.22
	(PYRNA 0.17g/kg)	Day1	6	6.53	0.48	5.9	6.00	6.65	6.90	7.1	-0.45	-1.63
		Day2	6	6.50	0.36	6.0	6.30	6.45	6.80	7.0	0.12	-0.49
		Day7	3	7.00	0.30	6.7	6.70	7.00	7.30	7.3	0.00	
	食後投与	Day-1	6	7.02	0.43	6.4	6.90	6.95	7.20	7.7	0.34	1.47
	(PYRNA 0.17g/kg)	Day1	6	6.42	0.19	6.2	6.20	6.45	6.50	6.7	0.15	-0.85
		Day2	6	6.55	0.48	5.8	6.30	6.60	6.80	7.2	-0.40	0.59
		Day7	3	7.53	0.60	6.9	6.90	7.60	8.10	8.1	-0.49	
アルブミン (g/dL)	スクリーニング	スクリーニング	6	4.93	0.28	4.6	4.70	4.90	5.20	5.3	0.22	-1.86
	空腹時投与	Day-1	6	4.90	0.32	4.5	4.60	4.95	5.00	5.4	0.32	-0.01
	(PYRNA 0.17g/kg)	Day1	6	4.38	0.37	4.0	4.10	4.35	4.60	4.9	0.35	-1.93
		Day2	6	4.28	0.19	4.0	4.20	4.30	4.30	4.6	0.35	1.91
		Day7	3	4.60	0.10	4.5	4.50	4.60	4.70	4.7	0.00	
	食後投与	Day-1	6	4.72	0.31	4.3	4.50	4.75	4.80	5.2	0.33	0.69
	(PYRNA 0.17g/kg)	Day1	6	4.33	0.21	4.1	4.20	4.30	4.40	4.7	1.17	1.97
		Day2	6	4.35	0.33	4.0	4.10	4.30	4.50	4.9	0.93	0.56
		Day7	3	5.17	0.35	4.8	4.80	5.20	5.50	5.5	-0.42	
総ビリルビン (mg/dL)	スクリーニング	スクリーニング	6	0.82	0.17	0.5	0.80	0.85	0.90	1.0	-1.44	2.72
	空腹時投与	Day-1	6	0.80	0.26	0.5	0.60	0.80	1.00	1.1	0.00	-2.83
	(PYRNA 0.17g/kg)	Day1	6	0.83	0.23	0.6	0.60	0.80	1.10	1.1	0.25	-2.41

186