

## 研究成果の刊行に関する一覧表

### 書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
武田晴治, <u>惠 淑萍</u> , 千葉仁志	バイオセンサの迅速・簡易・高機能化技術と課題解決書：過酸化脂質・酸化LDL測定のためのバイオセンサ	天願ルイス	バイオセンサの先端科学技術と新製品への応用開発	(株)技術情報協会	東京	2014	9節
<u>長澤康行</u>	第3章小児における脂質状態の評価第4章小児におけるコレステロール低下薬物療法	日本腎臓学会	慢性腎臓病の脂質管理のためのKDIGO診療ガイドライン	東京医学社	東京	2014	18-22
<u>長澤康行</u>	高齢者における鋳質コルチコイド反応性低ナトリウム血症について	萩原俊男 樂木宏美	高齢者における鋳質コルチコイド反応性低ナトリウム血症について	先端医学社	東京	2014	190
<u>羽尾裕之</u>	病理医からみた冠動脈イメージングモダリティ	天野哲也	循環器内科	科学評論社	東京	2014	555-559

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Higashi M, <u>Hirano K</u> , Kobayashi K, Ikeda Y, Issiki A, Otsuka T, Suzuki A, Yamaguchi S, <u>Zaima N</u> , Hamada S, Hanada H, Suzuki C, <u>Nakamura H</u> , Nagasaka H, Miyata T, Miyamoto Y, <u>Kobayashi K</u> , <u>Naito H</u> , Toda T.	Distinct Cardiac Phenotype between Two Homozygotes Born in a Village with Accumulation of a Genetic Deficiency of Adipose Triglyceride Lipase.	Int J Cardiol	192	30-32	2015
<u>Hirano K</u> , Ikeda Y, <u>Sugimura K</u> , Sakata Y.	Cardiomyocyte steatosis and defective washout of iodine-123-b-methyl iodophenyl-pentadecanoic acid in genetic deficiency of adiposetriglyceride lipase.	Eur Heart J	36(9)	580	2015
Ikeda Y, <u>Zaima N</u> , <u>Hirano K</u> , Mano M, <u>Kobayashi K</u> , <u>Yamada S</u> , Yamaguchi S, Suzuki A, Kanzaki H, Hamasaki T, <u>Kotani J</u> , Kato S, Nagasaka H, Setou M, <u>Ishibashi-Ueda H</u> .	Coronary triglyceride deposition in contemporary advanced diabetics.	Pathol Int	64(7)	325-335	2014
Suzuki A, Nagasaka H, Ochi Y, <u>Kobayashi K</u> , <u>Nakamura H</u> , Nakatani D, Yamaguchi S, Yamaki S, Wada A, Shirata Y, <u>Hui SP</u> , Toda T, Kuroda H, Chiba H, <u>Hirano K</u> .	Peripheral leucocytes ' anomaly detected with routine automated hematology analyzer sensitive to adipose triglyceride lipase deficiency manifesting neutral lipid storage disease with myopathy/triglyceride deposit cardiomyovasculopathy	Mol Genet Metab Rep.	1	249-253	2014
Kaneko K, Kuroda H, Izumi R, Tateyama M, Kato M, <u>Sugimura K</u> , Sakata Y, Ikeda Y, <u>Hirano K</u> , Aoki M.	A novel mutation of PNPLA2 causes neutral lipid storage disease with myopathy and triglyceride deposit cardiomyovasculopathy	Neuromuscul Disord	24(7)	634-641	2014
Yamaguchi S, <u>Zhang B</u> , Tomonaga T, Seino U, Kanagawa A, Nagasaka H, Suzuki A, Miida T, <u>Yamada S</u> , Sasaguri Y, Doi T, Saku K, Okazaki M, Tochino Y, <u>Hirano K</u> .	Selective evaluation of high density lipoprotein from mouse small intestines by an in situ perfusion technique	J Lipid Res.	55(5)	905-918	2014

Shimizu K, Ogura H, Wasa M, Hirose T, Shimazu T, Nagasaka H, <u>Hirano K</u> .	Refractory hypoglycemia and subsequent cardiogenic shock in starvation and refeeding: report of three cases	Nutrition.	30(9)	1090-1092	2014
Hara Y, Kawasaki N, <u>Hirano K</u> , Hashimoto Y, Adachi J, Watanabe S, Tomonaga T.	Quantitative proteomic analysis of cultured skin fibroblast cells derived from patients with triglyceride deposit cardiomyovasculopathy	Orphanet J Rare Dis.	8(1)	197	2013
<u>Hirano K</u> , Tanaka T, Ikeda Y, Yamaguchi S, <u>Zaima N</u> , Kobayashi K, Suzuki A, Sakata Y, Sakata Y, <u>Kobayashi K</u> , Toda T, Fukushima N, <u>Ishibashi-Ueda H</u> , Tavian D, Nagasaka H, <u>Hui SP</u> , Chiba H, Sawa Y, Hori M.	Genetic mutations in adipose triglyceride lipase and myocardial up-regulation of peroxisome proliferated activated receptor- $\gamma$ in patients with triglyceride deposit cardiomyovasculopathy	Biochem Biophys Res Commun.	443(2)	574-579	2014
Ikeda Y, <u>Hirano K</u> (equal contribution), Fukushima N, Sawa Y.	A novel type of human spontaneous coronary atherosclerosis with triglyceride deposition	Eur Heart J.	35(13)	875	2014
<u>Inaba T</u> , Nomura N, Takahashi M, Ishizuka K, Yoshika K, Yuasa S, Nakanishi M, Fujita N.	Characteristic scattergram of white blood cells obtained using the Pentra MS CRP hematology analyzer in a patient with neutral lipid storage disease	Laboratory Hematology	19	27-29	2013
Sata H, Shibayama H, Maeda I, Habuchi Y, Nakatani E, Fukushima K, Fujita J, <u>Ezoe S</u> , Tadokoro S, Maeda T, Mizuki M, Kosugi S, Nakagawa M, Ueda S, Iida M, Tokumine Y, Azenishi Y, Mitsui H, Oritani K, Kanakura Y.	Quantitative polymerase chain reaction analysis with allele-specific oligonucleotide primers for individual IgH VDJ regions to evaluate tumor burden in myeloma patients.	Exp Hematol.	in press	in press	2015
Miyaoka T, Furuya M, Horiguchi J, Wake R, Hashioka S, Tohyama M, Mori N, Minabe Y, Iyo M, Ueno S, <u>Ezoe S</u> , Murotani K, Hoshino S, Seno H.	Efficacy and safety of yokukansan in treatment-resistant schizophrenia: a randomized, double-blind, placebo-controlled trial (a Positive and Negative Syndrome Scale, five-factor analysis).	Psychopharmacology (Berl).	232	155-164	2015

Fuda H, Watanabe M, <u>Hui SP</u> , Joko S, Okabe H, Jin S, Takeda S, Miki E, Watanabe T, Chiba H.	Anti-apoptotic effects of novel phenolic antioxidant isolated from the Pacific oyster ( <i>Crassostrea gigas</i> ) on cultured human hepatocytes under oxidative stress	Food Chemistry	176	226-233	2015
Shrestha R, <u>Hui SP*</u> , Imai H, Hashimoto S, Uemura N, Takeda S, Fuda H, Suzuki A, Yamaguchi S, <u>Hirano K</u> , Chiba H. (*CA)	Plasma capric acid concentrations in healthy subjects determined by high-performance liquid chromatography	Ann Clin Biochem	in press	in press	2015
Shrestha R, <u>Hui SP*</u> , Miura Y, Yagi A, Takahashi Y, Takeda S, Fuda H, Chiba H (*CA)	Identification of molecular species of oxidized triglyceride in plasma and its distribution in lipoproteins	Clin Chem Lab Med	in press	in press	2015
<u>惠 淑萍</u>	LC/MS を用いた過酸化脂質および生理活性脂質の分析	臨床病理	62(3)	283-290	2014
Ohkawa F, Takeda S, <u>Hui SP</u> , Sakurai T, Jin S, Fuda H, Chiba H.	Evaluation of antioxidant activity of natural and synthetic compounds against LDL oxidation using CNT electrodes	IEEE Sensors J	14(2)	532-537	2014
Nagasaka H, Tsukahara H, Okano Y, <u>Hirano K</u> , Sakurai T, <u>Hui SP</u> , Ohura T, Usui H, Yorifuji T, Hirayama S, Ohtake A, Miida T.	Changes of lipoproteins in phenylalanine hydroxylase-deficient children during the first early of life	Clinica Chimica Acta	433	1-4	2014
Nishimukai M, Maeba R, Yamazaki Y, Nezu T, Sakurai T, Takahashi Y, <u>Hui SP</u> , Chiba H, Okazaki T, Hara H.	Serum choline plasmalogens, particularly those with oleic acid in sn-2, are associated with proatherogenic state	J Lipid Res	55(5)	956-965	2014
Shrestha R, <u>Hui SP*</u> , Sakurai T, Yagi A, Takahashi Y, Takeda S, Jin S, Fuda H, Chiba H. (*CA)	Identification of molecular species of cholesteryl ester hydroperoxides in very low-density and intermediate-density lipoproteins	Ann Clin Biochem	51(6)	662-671	2014
Fujita Y, <u>Kozawa J</u> , Iwahashi H, Yoneda S, Uno S, Yoshikawa A, Okita K, Eguchi H, Nagano H, Imagawa A, Shimomura I.	Increment of serum C-peptide measured by glucagon test closely correlates with human relative beta-cell area	Endocrine Journal	in press	in press	2015

Fukuda S, Hirata A, Nishizawa H, Nagao H, Kashine S, Kimura T, Inoue K, Fujishima Y, Yamaoka M, <u>Kozawa J</u> , Kitamura T, Yasuda T, Maeda N, Imagawa A, Funahashi T, Shimomura I.	Systemic arteriosclerosis and eating behavior in Japanese type 2 diabetic patients with visceral fat accumulation.	Cardiovascular Diabetology	14	8	2015
Okita K, Iwahashi H, <u>Kozawa J</u> , Okauchi Y, Funahashi T, Imagawa A, Shimomura I.	Usefulness of the insulin tolerance test in patients with type 2 diabetes receiving insulin therapy.	Journal of Diabetes Investigation	5	305-12	2014
Nagata I, Ike A, Nishikawa H, <u>Zhang B</u> , Sugihara M, Mori K, Iwata A, Kawamura A, Shirai K, Uehara Y, Ogawa M, Miura S, Saku K.	Associations between lipid profiles and MACE in hemodialysis patients with percutaneous coronary intervention: from the FU-Registry	J Cardiol	65	105-111	2015
Ike A, Shirai K, Nishikawa H, Iwata A, Yahiro E, Sugihara M, Kawamura A, Uehara Y, <u>Zhang B</u> , Ogawa M, Mori K, Miura SI, Saku K.	Associations between different types of hypoglycemic agents and the clinical outcome of percutaneous coronary intervention in diabetic patients-From the FU-Registry	J Cardiol	in press	in press	2014
Inoue T, Ihara Y, Tomonoh Y, Nakamura N, Ninomiya S, Fujita T, Ideguchi H, Yasumoto S, <u>Zhang B</u> , Hirose S.	Early onset and focal spike discharges as indicators of poor prognosis for myoclonic-astatic epilepsy	Brain Dev	36	613-619	2014
Ishii A, Kanaumi T, Sohda M, Misumi Y, <u>Zhang B</u> , Kakinuma N, Haga Y, Watanabe K, Takeda S, Okada M, Ueno S, Kaneko S, Takashima S, Hirose S.	Association of nonsense mutation in GABRG2 with abnormal trafficking of GABAA receptors in severe epilepsy	Epilepsy Res	108	420-432	2014

Sasaki M, Ishii A, Saito Y, Morisada N, Iijima K, Takada S, Araki A, Tanabe Y, Arai H, Yamashita S, Ohashi T, Oda Y, Ichiseki H, Hirabayashi S, Yasuhara A, Kawawaki H, Kimura S, Shimono M, Narumiya S, Suzuki M, Yoshida T, Oyazato Y, Tsuneishi S, Ozasa S, Yokochi K, Dejima S, Akiyama T, Kishi N, Kira R, Ikeda T, Oguni H, <u>Zhang B</u> , Tsuji S, Hirose S.	Genotype-phenotype correlations in alternating hemiplegia of childhood	Neurology	82	482-490	2014
Shimizu T, Miura S, Tanigawa H, Kuwano T, <u>Zhang B</u> , Uehara Y, Saku K.	Rosuvastatin activates ATP-binding cassette transporter A1-dependent efflux ex vivo and promotes reverse cholesterol transport in macrophage cells in mice fed a high-fat diet	Arterioscler Thromb Vasc Biol	34	2246-2253	2014
Takata K, Imaizumi S, Kawachi E, Suematsu Y, Shimizu T, Abe S, Matsuo Y, Tsukahara H, Noda K, Yahiro E, <u>Zhang B</u> , Uehara Y, Miura S, Saku K.	Impact of cigarette smoking cessation on high-density lipoprotein functionality	Circ J	78	2955-2962	2014
Higurashi N, Uchida T, Lossin C, Misumi Y, Okada Y, Akamatsu W, Imaizumi Y, <u>Zhang B</u> , Nabeshima K, Mori MX, Katsurabayashi S, Shirasaka Y, Okano H, Hirose S.	A human Dravet syndrome model from patient induced pluripotent stem cells	Mol Brain	6	19	2013
Sugiyama M, Fukuda T, Sanda Y, Morita Y, Higashi M, Ogo T, Tsuji A, Demachi J, Nakanishi N, <u>Naito H</u> .	Organized thrombus in pulmonary arteries in patients with chronic thromboembolic pulmonary hypertension: imaging with cone beam computed tomography.	Jpn J Radiol.	32(7)	375-82	2014
Fukuda T, Matusda H, Sanda Y, Morita Y, Minatoya K, Kobayashi J, <u>Naito H</u> .	CT findings of risk factors for persistent type endoleak from inferior mesenteric artery to determine indicators of preoperative IMA embolization.	Annals of Vascular Diseases	7(3)	274-9	2014

中尾俊之、菅野義彦、 <u>長澤康行</u> 、 金澤良枝、秋葉 隆、佐中 孜、 渡邊有三、政金生人、友 雅司、 平方秀樹、秋澤忠男、水口 潤	慢性透析患者の食事療法基準	日本透析学会雑誌	47(5)	287-291	2014
<u>長澤康行</u>	体液量の評価	腎と透析	7	15-18	2014
神出 計、樂木宏美、 <u>長澤康行</u> 、 田村尚久、曾根正勝	二次性高血圧 up-to-date 何をどこまで検査する	日本内科学会雑誌	103	188-197	2014
<u>Nagasawa Y</u> , Hasuike Y, Nanami M, Kuragano T, Nakanishi T.	Albuminuria and hypertension: the chicken or the egg?	Hypertens Res	38(1)	8-10	2014
Mikuni M, <u>Nakamura H</u> , Muto M, Ikeda E.	Analysis of Risk Prediction in the Principal Organs Based on Pathological Findings of Cutaneous Small-Vessel Vasculitis.	Intern Med.	in press	in press	2015
Sugiyama E, Takenaka T, Kato M, Minoshima A, Muto H, Noriyasu K, Fujita M, Sato M, Betsuyaku T, Inoue H, Okamoto H, Kunishige H, Ishibashi Y, Tsukamoto E, <u>Nakamura H</u> , Hasebe N.	Isolated cardiac sarcoidosis requiring open-chest myocardial biopsy for differentiation from malignant lymphoma.	J Cardiol Case.	9	239-242	2014
Kuno T, <u>Nakamura H</u> , Endo Y, Saito K, Yamazaki H, Motoda H, Numasawa Y, Shimizu K, Takayashi T.	Clinical history and colliquative myocytolysis are keys to the diagnosis of shoshin beriberi.	Case Rep Pathol.	2014	506072	2014
Oda S, Fujii Y, Takemoto H, Nomura S, Nakayama H, Toyota Y, <u>Nakamura H</u> , Teragawa H.	Heart failure in which coronary spasms played an important role.	Intern Med.	53	227-232	2014
<u>中村浩士</u>	心筋炎モデルから考える心筋炎の病態	呼吸と循環	63	937-41	2015
<u>中村浩士</u>	膠原病における心血管疾患	臨床循環器	4	19-24	2014

Fujii K, <u>Hao H</u> , Shibuya M, Imanaka T, Fukunaga M, Miki K, Tamaru H, Sawada H, Naito Y, Ohyanagi M, Hirota S, Masuyama T.	Accuracy of optical coherence tomography, grayscale in travascular ultrasound and their combination for the diagnosis of coronary thin-cap fibroatheromas: An ex vivo validation Study	JACC Cardiovasc Imag	in press	in press	2015
Fujino A, <u>Hao H</u> , et al.	Restenosis after Drug-Eluting Stent Implantation in a Patient with Polycythemia Vera; Optical Coherence Tomography and Pathological Findings.	JACC Cardiovas Interv	in press	in press	2015
Kawakami R, <u>Hao H</u> , et al.	Drug-Eluting Stent Implantation on Calcified Nodule: Ex Vivo Intravascular Images and Histopathology.	JACC Cardiovas Interv	in press	in press	2015
<u>Hao H</u> , Fujii K, Imanaka T, Kawakami R, Kawano T, Takayama T, Hirayama A, <u>Ishibashi-Ueda H</u> , Masuyama T, Hirota S.	Neointimal hemorrhage after drug eluting stent implantation: Possible role for development of neoatherosclerosis.	JACC Cardiovas Interv	7	1196-1197	2014
<u>Yasuno T</u> , Osafune K, Sakurai H, Asaka I, Tanaka A, Yamaguchi S, Yamada K, Hitomi H, Arai S, Kurose Y, Higaki Y, Sudo M, Ando S, Nakashima H, Saito T, Kaneoka H.	Functional analysis of iPSC-derived myocytes from a patient with carnitine palmitoyltransferase II deficiency	Biochemical and Biophysical Research Commuications	448	175-181	2014