

- Saku K, Noda K, Zhang B, Yanase T  
Series: Clinical study from Japan and its reflections: lifestyle changes through the use of delivered meals and dietary counseling in a single-blind study—the STYLIST study—  
Nihon Naika Gakkai Zasshi  
101(7) 2096-2102 2012
- Saku K, Zhang B, Noda K, Tsukahara H  
The cutting-edge of medicine; smoking and coronary artery disease  
Nihon Naika Gakkai Zasshi  
101(3) 779-786 2012
- Morii J, Miura S, Shiga Y, Sugihara M, Arimura T, Sako H, Zhang B, Uehara Y, Saku K  
Comparison of the efficacy and safety of irbesartan and olmesartan in patients with hypertension (EARTH study)  
Clin Exp Hypertens 34(5) 342-349  
2012
- Noda K, Zhang B, Iwata A, Nishikawa H, Ogawa M, Nomiya T, Miura S, Sako H, Matsuo K, Yahiro E, Yanase T, Saku K, Investigators SS  
Lifestyle changes through the use of delivered meals and dietary counseling in a single-blind study. The STYLIST study  
Circ J 76(6) 1335-1344 2012
- Zhang B, Kawachi E, Matsunaga A, Imaizumi S, Noda K, Uehara Y, Miura S, Yoshinaga K, Kuroki M, Saku K  
Reactivity of direct assays for low-density lipoprotein (LDL) cholesterol toward charge-modified LDL in hypercholesterolemia  
Circ J 76(9) 2241-2248 2012
- Sugiyama M, Fukuda T, Sanda Y, Morita Y, Higashi M, Ogo T, Tsuji A, Demachi J, Nakanishi N, Naito H  
Organized thrombus in pulmonary arteries in patients with chronic thromboembolic pulmonary hypertension; imaging with cone beam computed tomography  
Jpn J Radiol 32(7) 375-82 2014
- Fukuda T, Matusda H, Sanda Y, Morita Y, Minatoya K, Kobayashi J, Naito H  
CT findings of risk factors for persistent type II endoleak from inferior mesenteric artery to determine indicators of preoperative IMA embolization  
Annals of Vascular Diseases 7(3) 274-9  
2014
- Fukuda T, Matuda H, Doi S, Sugiyama M, Morita Y, Yamada M, Yokoyama H, Minatoya K, Kobayashi J, Naito H  
Evaluation of automated 2D-3D image overlay system utilizing subtraction of

- bone narrow image for EVAR:  
feasibility study  
European Journal of Vascular and  
Endovascular Surgery 46(1) 75-81  
2013
- Naito H, Higashi M, Noguchi T:  
Quantitative coronary CT angiography:  
A proposed system for assessment of  
lipid accumulation in coronary arterial  
wall.  
The 2nd International Symposium on  
TGCV & NLSO, Program and  
abstracts, p8, 2013
- Kono AK, Higashi M, Morisaki H,  
Morisaki T, Naito H, Sugimura K.  
Prevalance of dual extasia in Loeys-  
Dietz syndrome: comparison with  
Marfan syndrome and normal controls.  
Plos One 8 (9) 2013
- Hashimura H, Kiso K, Yamada N, Kono  
A, Morita Y, Fukushima K, Higashi M,  
Noguchi T, Ishibashi-Ueda H, Naito H,  
Sugimura K  
Myocardial impairment detected by  
late gadolinium enhancement in  
hypertrophic  
cardiomyopathy:comarison with  
99mTc-MIBI/tetrofosmin and 123I-  
BMIPP SPECT  
Kobe J Med Sci 59(3) E81-92 2013
- 中尾俊之、菅野義彦、長澤康行、金澤 良  
枝、秋葉 隆、佐中 孜、渡邊 有三、政
- 金 生人、友 雅司、平方 秀樹、秋澤 忠男、  
水口 潤  
慢性透析患者の食事療法基準  
日本透析学会雑誌 47(5) 287-291 2014
- 長澤康行  
体液量の評価  
腎と透析 7 15-18 2014
- 神出計、樂木宏美、長澤康行、田村 尚久、  
曾根 正勝  
二次性高血圧 up-to-date 何をどこまで  
検査する  
日本内科学会雑誌 103 188-197 2014
- Nagasawa Y, Hasuike Y, Nanami M,  
Kuragano T, Nakanishi T  
Albuminuria and hypertension: the  
chicken or the egg?  
Hypertens Res 38(1) 8-10 2014
- Mikuni M, Nakamura H, Muto M,  
Ikeda E  
Analysis of Risk Prediction in the  
Principal Organs Based on  
Pathological Findings of Cutaneous  
Small-Vessel Vasculitis  
Intern Med in press 2015
- Sugiyama E, Takenaka T, Kato M,  
Minoshima A, Muto H, Noriyasu K,  
Fujita M, Sato M, Betsuyaku T,  
Inoue H, Okamoto H, Kunishige H,  
Ishibashi Y, Tsukamoto E,  
Nakamura H, Hasebe N  
Isolated cardiac sarcoidosis requiring

open-chest myocardial biopsy for  
differentiation from malignant  
lymphoma

J Cardiol Case 9 239-242 2014

Kuno T, Nakamura H, Endo Y, Saito  
K, Yamazaki H, Motoda H, Numasawa  
Y, Shimizu K, Takayashi T

Clinical history and colliquative  
myocytolysis are keys to the diagnosis  
of shoshin beriberi

Case Rep Pathol 2014 506072 2014

Oda S, Fujii Y, Takemoto H, Nomura  
S, Nakayama H, Toyota Y, Nakamura  
H, Teragawa H

Heart failure in which coronary spasms  
played an important role

Intern Med 53 227-232 2014

Nakamura H, Kunitsugu I, Matsuzaki  
M, Fukuda K, Sano M

Diverse stage-dependent effects of  
glucocorticoids in a murine model of  
viral myocarditis. Journal of  
Cardiology 61, 237-242 2013.

中村浩士

心筋炎モデルから考える心筋炎の病態  
呼吸と循環 63 937-41 2015

中村浩士

膠原病における心血管疾患  
臨床循環器 4 19-24 2014

中村浩士

野本論文に対する Editorial Comment  
心臓 46(4) 502 2014

佐野元昭, 勝俣良紀, 伊藤秀之, 中村浩  
士: 心臓・腎臓疾患病態形成とプロスタグ  
ランジン. 血栓と循環 21 172-177  
2013

中村浩士

中島論文に対する Editorial Comment  
心臓 43 161-162 2013

Nakamura H, Kunitsugu I, Matsuzaki  
M, Fukuda K, Sano M

Diverse stage-dependent effects of  
glucocorticoids in a murine model of  
viral myocarditis

Journal of Cardiology 61(3) 237-242  
2013

Otsuka H, Arimura T, Abe T, Kawai  
H, Aizawa Y, Kubo T, Kitaoka H,  
Nakamura H, Nakamura K, Okamoto  
H, Ichida F, Ayusawa M, Nunota S,  
Isobe M, Matsuzaki M, Doi YL, Fukuda  
K, Sasaoka T, Izumi T, Ashizawa N,  
Kimura A

Prevalence and distribution of  
sarcomeric gene mutations in Japanese  
patients with familial hypertrophic  
cardiomyopathy

Circulation Journal 76(2) 453-461  
2012

杉山英太郎、竹中孝、加藤瑞季、冨島暁帆、  
武藤晴達、乗安和将、藤田雅章、佐藤実、

別役徹生、井上仁貴、寺西純一、岡本洋、  
菊地健、植村一仁、中村浩士、長谷部直幸  
完全房室ブロックで発症し、腹腔鏡下肝  
生検にて確定診断しえた、サルコイドー  
シスの1例  
日本サルコイドーシス／肉芽腫性疾患学  
会雑誌 32 119-126 2012

Fujii K, Hao H, Shibuya M, Imanaka T,  
Fukunaga M, Miki K, Tamaru H,  
Sawada H, Naito Y, Ohyanagi M,  
Hirota S, Masuyama T  
Accuracy of optical coherence  
tomography, grayscale in travascular  
ultrasound and their combination for  
the diagnosis of coronary thin-cap  
fibroatheromas: An ex vivo validation  
Study  
JACC Cardiovasc Imag in press 2015

Fujino A, Hao H, et al  
Restenosis after Drug-Eluting Stent  
Implantation in a Patient with  
Polycythemia Vera: Optical Coherence  
Tomography and Pathological Findings  
JACC Cardiovas Interv in press 2015

Kawakami R, Hao H, et al  
Drug-Eluting Stent Implantation on  
Calcified Nodule: Ex Vivo  
Intravascular Images and  
Histopathology  
JACC Cardiovas Interv in press 2015

Hao H, Fujii K, Imanaka T, Kawakami  
R, Kawano T, Takayama T,

Hirayama A, Ishibashi-Ueda H,  
Masuyama T, Hirota S  
Neointimal hemorrhage after drug  
eluting stent implantation: Possible  
role for development of  
neoatherosclerosis  
JACC Cardiovas Interv 7 1196-1197  
2014

Fujii K, Hao H, Imanaka T, Kawano  
T, Takayama T, Hirayama A, Yamada  
T, Ishibashi-Ueda H, Hirota S,  
Masuyama T  
In-stent Thin-cap Fibroatheroma After  
Drug-eluting Stent Implantation: Ex  
Vivo Evaluation of Optical Coherence  
Tomography and Intracoronary  
Angioscopy  
JACC Cardiovasc Interv 7(4) 446-447  
2014

Hao H, Fujii K, Shibuya M, Imanaka  
T, Kawakami R, Hatakeyama K, Asada  
Y, Masuyama T, Hirota S  
Different Findings in a Calcified  
Nodule between Histology and  
Intravascular Imaging Such as  
Intravascular Ultrasound, Optical  
Coherence Tomography and Coronary  
Angioscopy  
JACC Cardiovasc Interv 7(8) 937-938  
2014

橋本 守、Harsono Cahyadi、新岡 宏彦、  
荒木 勉  
高速広帯域波長走査レーザを光源とした

多焦点 CARS 顕微鏡  
光アライアンス 25(3) 16-20 2014

Yasuno T, Osafune K, Sakurai H,  
Asaka I, Tanaka A, Yamaguchi S,  
Yamada K, Hitomi H, Arai S, Kurose  
Y, Higaki Y, Sudo M, Ando S,  
Nakashima H, Saito T, Kaneoka H  
Functional analysis of iPSC-derived  
myocytes from a patient with carnitine  
palmitoyltransferase II deficiency  
Biochemical and Biophysical Research  
Communications 448 175-181 2014

## 2. 学会発表

平野賢一

「中性脂肪蓄積心筋血管症に対する中鎖  
脂肪酸を含有する医薬品の開発」  
第 36 回心筋生検研究会・2014/11/28・29  
ウイックあいち(愛知県産業労働センタ  
ー)

鈴木朗、和田淳、長坂博範、越智康浩、  
千葉仁志、惠淑萍、平野賢一

「中性脂肪蓄積心筋血管症における  
Jordans' anomaly を自動血球分析装置で  
検出する」

和田淳、鈴木朗、山本志緒里、越智康浩、  
惠淑萍、千葉仁志、平野賢一

「他項目自動血球分析装置 XE-5000  
WBC/BASO チャンネルによる、中性脂  
肪蓄積心筋血管症判別原理の検証」

惠淑萍、シュレスタ ロジート、平野賢一、  
鈴木朗、千葉仁志

「中鎖脂肪酸の HPLC 法による定量分析」  
第 61 回日本臨床検査医学会学術集  
2014/11/22~25 福岡国際会議場

惠淑萍、Rojeet Shrestha、平野賢一、  
鈴木朗、千葉仁志

「機能性脂肪酸に関する分析」  
第 21 回 日本未病システム学会 学術総  
会 2014/11/1・2  
千里ライフサイエンスセンター

惠淑萍、ロジート シュレスタ、平野賢一、  
鈴木朗、千葉仁志

「LC/MS による誘導体化脂肪酸の分析」  
第 39 日本医用マススペクトル学会年会  
2014/10/16・17 三井ガーデンホテル千葉

ロジート シュレスタ、惠淑萍、平野賢一、  
鈴木朗、千葉仁志

「HPLC 法によるカプリン酸の定量分析」  
第 94 回北海道医学大会 2014/10/4  
札幌グランドホテル グランドホール

原康洋、佐野聖三、橋本裕希、川崎直子、  
平野賢一、鈴木朗、山口知是、朝長毅

「ATGL ノックアウトマウス心筋のプロ  
テオーム解析」 日本ヒトプロテオーム  
学会 2014/7/17・18 つくば国際会議場

Detection of medium-chain triglyceride  
in fibroblast from adipose triglyceride  
lipase deficiency by Orbitrap LC/MS.  
Shu-Ping Hui, Ken-ichi Hirano, Rojeet  
Shrestha, Akira Suzuki, Satoshi  
Yamaguchi, Hironori Nagasaka, Syouta  
Fukuzawa, Hitoshi Chiba. The 2nd

International Symposium on  
Triglyceride Deposit Cardiomyovas-  
culopathy and Neutral Lipid Storage  
Disease

The 3rd international symposium  
on triglyceride deposit  
cardiomyovasculopathy and neutral  
lipid storage disease  
(Tokyo, Japan:2015.3.14)

糖尿病患者の心臓拡張機能に影響を与え  
る因子の検討  
井上智彰, 井口登與志, 小林邦久, 園田紀  
之, 前野彩香, 佐々木修二, 高柳涼一  
第 52 回日本糖尿病学会九州地方会 (熊  
本 : 2014.10.31-11.1)

Adipose triglyceride lipase is  
downregulated in db/db mouse heart -  
an aggravating mechanism of diabetic  
cardiomyopathy

Inoue T, Kobayashi K, Inoguchi T,  
Takayanagi R

The Second International Symposium  
on Neutral Lipid Storage Disease  
(Osaka: 2013.4.19-20)

Screening for triglyceride deposit  
cardiomyovasculopathy in type 2  
diabetes mellitus patients.

Nobuhiro Zaima, Yoshihiko Ikeda,  
Hatsue Ishibashi-Ueda, Mitsutoshi  
Setou, Ken-ichi Hirano

The 2nd International Symposium on  
Triglyceride Deposit

Cardiomyovasculopathy and Neutral  
Lipid Storage Disease  
(Osaka, JAPAN : 2013.4.19-20)

IMS による組織内代謝変動の可視化-食  
品成分動態解析と病理解析への応用-  
財満信宏, 河村幸雄

日本農芸化学会 2013 年度大会シンポジ  
ウム (仙台 : 2013.3.24-28)

第 17 回日本心不全学会学術集会

杉村宏一郎

2013 年 11 月 28 日 (金)~30 日 (日)

大宮ソニックシティー

高木敦子, 池田康行, 小林邦久, 平野賢一.  
脂肪細胞トリグリセリドリパーゼ  
(adipose triglyceride lipase; ATGL) の  
生化学的特徴について

第 86 回 日本生化学会大会 2013 年 9  
月 11 日-13 日 パシフィコ横浜

内藤博昭, 東 将浩, 野口輝夫 : 定量的冠  
動脈 CTA: NCVC システムの提案. 第 75  
回日本心臓血管放射線研究会 2012 年 7  
月 7 日 (東京)

中村浩士

TNNI3 と MYBP3 の重複遺伝子変異を有  
した姉妹例における心筋病理組織の検討.  
第 101 回日本循環器学会中国地方会 (出  
雲)

中村浩士, 長谷川明洋, 白井睦訓, 矢野雅  
文 : ウイルス性心筋炎における CD69 の  
役割についての検討. 第 35 回心筋生検研

究会（東京／2013年11月1日）

羽尾裕之

冠動脈血管内イメージングと病理組織像の対比 - 74 剖検例の検討から分かったこと - (シンポジウム: 血管内イメージングを検証する) 第46回日本動脈硬化学会総会・学術集会, 東京, 2014.7

Hao H, Fujii K, et al

The true character of lipid rich plaque by intravascular imaging: Message from pathologist to cardiologist. European Society of Cardiology Congress 2013, Amsterdam, Holland, 2013. 9

M. Hashimoto,

“Nonlinear Coherent Raman Imaging using Fast and Wide Spectral Tuning Mode-locked Laser”, Optics & Photonics International Congress 2014, The 3rd Advanced Lasers and Photon Sources (Yokohama, JAPAN: 2014/4/22-25).

M. Hashimoto and T. Araki,

“Nonlinear Raman imaging using fast tunable picosecond laser”, 32nd Physics Congress of the Physics Society of the Philippines (Quezon, PHILIPPINE: 2014/10/17-20).

M. Hashimoto, S. Fukushima, and T.

Araki, “Nonlinear Raman imaging to trace the lipid in cells using deuterated

lipid”, The 3rd International Symposium on Triglyceride Deposit Cardiomyovascuopathy Neutral Lipid Storage Disease (Tokyo, JAPAN: 2015/3/14)

M. Hashimoto, H. Cahyadi, H. Niioka, and T. Araki,

“Hyper-spectral coherent Raman microscopy using acousto-optic tunable filter laser”, Japan Taiwan Bilateral Conference on Biomedical and Plasmonic Imaging, Taipei, Taiwan, Feb. 25-26 (2014).

橋本 守, “高速広帯域波長走査レーザーを用いた非線形ラマン散乱イメージング”, 医用分光学研究会, 三国観光ホテル, 福井県坂井市 Dec. 7-8 (2013).

H. Cahyadi, Iwatsuka, H. Niioka, T. Araki, and M. Hashimoto,

“Spectral stimulated raman scattering microscopy with high-speed tunable laser for detection of cellular lipid uptake”, Seventh International Conference on Advanced Vibrational Spectroscopy (ICAVS7), Kobe, Japan, Aug. 25-30 (2013)

高速波長走査多焦点 CARS 顕微鏡による分子振動イメージング

橋本守, 南川丈夫, H. Cahyadi, 新岡宏彦, 荒木勉

第 35 回日本分子生物学会年会ワークショップ 2W4III 生体分子イメージングへの新たな挑戦 ～ラマン分光, プローブレスイメージングによる分子機能解析とがん診断への応用～, (福岡:2012.12.11-14)

Stimulated raman scattering microscopy with high-speed wavelength scanning laser

H. Cahyadi, N. Matsumura, H. Niioka, T. Araki, and M. Hashimoto,  
第 60 回応用物理学関係連合講演会  
(神奈川:2012.12.27-30)

Fast spectral coherent anti-stokes Raman scattering microscopy for detection of

lipid accumulation in triglyceride deposit cardiomyovascularopathy-indicated fibroblasts

H. Cahyadi, H. Niioka, K. Hirano, C. Ikegami-Nomura, T. Araki, and M. Hashimoto  
平成 24 年度日本分光学会年次講演会  
(東京:2012.11.27-29)

山田壮亮  
第 104 回日本病理学会総会(名古屋、2015 年 4 月)「ATGL 欠損 SMCs の遊走能亢進は、動脈内膜肥厚を進展させる」

山田壮亮  
第 47 回日本動脈硬化学会総会・学術集会  
(仙台、2015 年 7 月 発表予定)

山田壮亮  
第 46 回日本動脈硬化学会総会・学術集会 (東京、2014 年 7 月)「Depletion of Adipose Triglyceride Lipase Exacerbates Cuff Injury-Induced Vascular Remodeling By Increased Medial Apoptosis and Enhanced Adventitial Inflammation」

山田壮亮  
第 103 回日本病理学会総会  
(広島、2014 年)

山田壮亮  
第 46 回日本動脈硬化学会総会・学術集会  
(東京、2014 年)

H. 知的所有権の取得状況

1. 特許取得

惠 淑萍

カプリン酸定量方法

(特願 2013-224897、出願日:平成 25 年 10 月 30 日) 平野賢一 他

糖尿病性心血管病の予防治療剤 (特願 2011 年 8 月 26 日、PCT/JP2012/071594)

2. 実用新案登録

なし

3. その他

なし



〔Ⅲ〕

研究成果の刊行一覧表

研究成果の刊行に関する一覧表

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
武田晴治, 惠 淑萍, 千葉仁志	バイオセンサの迅速・簡易・高機能化技術と課題解決書：過酸化脂質・酸化LDL測定のためのバイオセンサ	天願ルイス	バイオセンサの先端科学技術と新製品への応用開発	(株) 技術情報協会	東京	2014	9節
長澤康行	第3章小児における脂質状態の評価第4章小児におけるコレステロール低下薬物療法	日本腎臓学会	慢性腎臓病の脂質管理のためのKDIGO診療ガイドライン	東京医学社	東京	2014	18-22
長澤康行	高齢者における鉍質コルチコイド反応性低ナトリウム血症について	萩原俊男 樂木宏美	高齢者における鉍質コルチコイド反応性低ナトリウム血症について	先端医学社	東京	2014	190
羽尾裕之	病理医からみた冠動脈イメージングモダリティ	天野哲也	循環器内科	科学評論社	東京	2014	555-559
平野賢一	中性脂肪蓄積心筋血管症	永井良三ら	先端医療シリーズ43 循環器疾患の最新医療	先端医療技術研究所	東京	2012	114-7
平野賢一、鈴木 朗	ATGL欠損症	遠藤文夫	先天代謝ハンドブック	中山書店	東京	2012	394-5
平野賢一、青山敏明	今注目されている中鎖脂肪酸とは	伊藤 浩	そうだったんだ！脂肪酸循環器疾患との深い関係	文光堂	東京	2012	82-3

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Higashi M, <u>Hirano K</u> , Kobayashi K, Ikeda Y, Issiki A, Otsuka T, Suzuki A, Yamaguchi S, <u>Zaima N</u> , Hamada S, Hanada H, Suzuki C, <u>Nakamura H</u> , Nagasaka H, Miyata T, Miyamoto Y, <u>Kobayashi K</u> , <u>Naito H</u> , Toda T.	Distinct Cardiac Phenotype between Two Homozygotes Born in a Village with Accumulation of a Genetic Deficiency of Adipose Triglyceride Lipase.	Int J Cardiol	192	30-32	2015
<u>Hirano K</u> , Ikeda Y, <u>Sugimura K</u> , Sakata Y.	Cardiomyocyte steatosis and defective washout of iodine-123-b-methyliodophenyl-pentadecanoic acid in genetic deficiency of adiposetriglyceride lipase.	Eur Heart J	36(9)	580	2015
Ikeda Y, <u>Zaima N</u> , <u>Hirano K</u> , Mano M, <u>Kobayashi K</u> , <u>Yamada S</u> , Yamaguchi S, Suzuki A, Kanzaki H, Hamasaki T, <u>Kotani J</u> , Kato S, Nagasaka H, Setou M, <u>Ishibashi-Ueda H</u> .	Coronary triglyceride deposition in contemporary advanced diabetics.	Pathol Int	64(7)	325-335	2014
Suzuki A, Nagasaka H, Ochi Y, <u>Kobayashi K</u> , <u>Nakamura H</u> , Nakatani D, Yamaguchi S, Yamaki S, Wada A, Shirata Y, <u>Hui SP</u> , Toda T, Kuroda H, Chiba H, <u>Hirano K</u> .	Peripheral leucocytes' anomaly detected with routine automated hematology analyzer sensitive to adipose triglyceride lipase deficiency manifesting neutral lipid storage disease with myopathy/triglyceride deposit cardiomyovasculopathy	Mol Genet Metab Rep.	1	249-253	2014
Kaneko K, Kuroda H, Izumi R, Tateyama M, Kato M, <u>Sugimura K</u> , Sakata Y, Ikeda Y, <u>Hirano K</u> , Aoki M.	A novel mutation of PNPLA2 causes neutral lipid storage disease with myopathy and triglyceride deposit cardiomyovasculopathy	Neuromuscul Disord	24(7)	634-641	2014
Yamaguchi S, <u>Zhang B</u> , Tomonaga T, Seino U, Kanagawa A, Nagasaka H, Suzuki A, Miida T, <u>Yamada S</u> , Sasaguri Y, Doi T, Saku K, Okazaki M, Tochino Y, <u>Hirano K</u> .	Selective evaluation of high density lipoprotein from mouse small intestines by an in situ perfusion technique	J Lipid Res.	55(5)	905-918	2014

Shimizu K, Ogura H, Wasa M, Hirose T, Shimazu T, Nagasaka H, <u>Hirano K</u> .	Refractory hypoglycemia and subsequent cardiogenic shock in starvation and refeeding: report of three cases	Nutrition.	30(9)	1090-1092	2014
Hara Y, Kawasaki N, <u>Hirano K</u> , Hashimoto Y, Adachi J, Watanabe S, Tomonaga T.	Quantitative proteomic analysis of cultured skin fibroblast cells derived from patients with triglyceride deposit cardiomyovasculopathy	Orphanet J Rare Dis.	8(1)	197	2013
<u>Hirano K</u> , Tanaka T, Ikeda Y, Yamaguchi S, <u>Zaima N</u> , Kobayashi K, Suzuki A, Sakata Y, Sakata Y, <u>Kobayashi K</u> , Toda T, Fukushima N, <u>Ishibashi-Ueda H</u> , Tavian D, Nagasaka H, <u>Hui SP</u> , Chiba H, Sawa Y, Hori M.	Genetic mutations in adipose triglyceride lipase and myocardial up-regulation of peroxisome proliferated activated receptor- $\gamma$ in patients with triglyceride deposit cardiomyovasculopathy	Biochem Biophys Res Commun.	443(2)	574-579	2014
Ikeda Y, <u>Hirano K</u> (equal contribution), Fukushima N, Sawa Y.	A novel type of human spontaneous coronary atherosclerosis with triglyceride deposition	Eur Heart J.	35(13)	875	2014
Inoue T, <u>Kobayashi K</u> , Inoguchi T, Sonoda N, Maeda Y, Hirata E, Fujimura Y, Miura D, <u>Hirano K</u> , Takayanagi R.	Downregulation of adipose triglyceride lipase in the heart aggravates diabetic cardiomyopathy in db/db mice	Biochem Biophys Res Commun.	438(1)	224-229	2013
Lin Y, Chiba S, Suzuki A, Yamaguchi S, Nakanishi T, Matsumoto H, Ikeda Y, <u>Ishibashi-Ueda H</u> , <u>Hirano K</u> , Kato S.	Vascular smooth muscle cells isolated from adipose triglyceride lipase-deficient mice exhibit distinct phenotype and phenotypic plasticity	Biochem Biophys Res Commun.	434(3)	534-540	2013
Nakamura K, <u>Hirano K</u> , Wu SM.	iPS Cell Modeling of Cardiometabolic Diseases	J Cardiovasc Trans Res.	6(1)	46-53	2013
<u>平野賢一</u> 、鈴木 朗	中性脂肪蓄積心筋血管症	医学のあゆみ	242	937-41	2012
<u>平野賢一</u>	中性脂肪蓄積心筋血管症	循環器内科	71	576-8	2012
<u>平野賢一</u> 、長坂博範	脂質異常症と脂質蓄積症	Surgical Frontier	19	23-8	2012

Inaba T, Nomura N, Takahashi M, Ishizuka K, Yoshika K, Yuasa S, Nakanishi M, Fujita N.	Characteristic scattergram of white blood cells obtained using the Pentra MS CRP hematology analyzer in a patient with neutral lipid storage disease	Laboratory Hematology	19(4)	22-24	2013
Sata H, Shibayama H, Maeda I, Habuchi Y, Nakatani E, Fukushima K, Fujita J, <u>Ezoe S</u> , Tadokoro S, Maeda T, Mizuki M, Kosugi S, Nakagawa M, Ueda S, Iida M, Tokumine Y, Azenishi Y, Mitsui H, Oritani K, Kanakura Y.	Quantitative polymerase chain reaction analysis with allele-specific oligonucleotide primers for individual IgH VDJ regions to evaluate tumor burden in myeloma patients.	Exp Hematol.	in press	in press	2015
Miyaoka T, Furuya M, Horiguchi J, Wake R, Hashioka S, Tohyama M, Mori N, Minabe Y, Iyo M, Ueno S, <u>Ezoe S</u> , Murotani K, Hoshino S, Seno H.	Efficacy and safety of yokukansan in treatment-resistant schizophrenia: a randomized, double-blind, placebo-controlled trial (a Positive and Negative Syndrome Scale, five-factor analysis).	Psychopharmacology (Berl).	232	155-164	2015
Fuda H, Watanabe M, <u>Hui SP</u> , Joko S, Okabe H, Jin S, Takeda S, Miki E, Watanabe T, Chiba H.	Anti-apoptotic effects of novel phenolic antioxidant isolated from the Pacific oyster ( <i>Crassostrea gigas</i> ) on cultured human hepatocytes under oxidative stress	Food Chemistry	176	226-233	2015
Shrestha R, <u>Hui SP*</u> , Imai H, Hashimoto S, Uemura N, Takeda S, Fuda H, Suzuki A, Yamaguchi S, <u>Hirano K</u> , Chiba H. (*CA)	Plasma capric acid concentrations in healthy subjects determined by high-performance liquid chromatography	Ann Clin Biochem	in press	in press	2015
Shrestha R, <u>Hui SP*</u> , Miura Y, Yagi A, Takahashi Y, Takeda S, Fuda H, Chiba H (*CA)	Identification of molecular species of oxidized triglyceride in plasma and its distribution in lipoproteins	Clin Chem Lab Med	in press	in press	2015
惠 淑萍	LC/MS を用いた過酸化脂質および生理活性脂質の分析	臨床病理	62(3)	283-290	2014
Ohkawa F, Takeda S, <u>Hui SP</u> , Sakurai T, Jin S, Fuda H, Chiba H.	Evaluation of antioxidant activity of natural and synthetic compounds against LDL oxidation using CNT electrodes	IEEE Sensors J	14(2)	532-537	2014

Nagasaka H, Tsukahara H, Okano Y, <u>Hirano K</u> , Sakurai T, <u>Hui SP</u> , Ohura T, Usui H, Yorifuji T, Hirayama S, Ohtake A, Miida T.	Changes of lipoproteins in phenylalanine hydroxylase-deficient children during the first early of life	Clinica Chimica Acta	433	1-4	2014
Nishimukai M, Maeba R, Yamazaki Y, Nezu T, Sakurai T, Takahashi Y, <u>Hui SP</u> , Chiba H, Okazaki T, Hara H.	Serum choline plasmalogens, particularly those with oleic acid in sn-2, are associated with proatherogenic state	J Lipid Res	55(5)	956-965	2014
Shrestha R, <u>Hui SP*</u> , Sakurai T, Yagi A, Takahashi Y, Takeda S, Jin S, Fuda H, Chiba H. (*CA)	Identification of molecular species of cholesteryl ester hydroperoxides in very low-density and intermediate-density lipoproteins	Ann Clin Biochem	51(6)	662-671	2014
Fujita Y, <u>Kozawa J</u> , Iwahashi H, Yoneda S, Uno S, Yoshikawa A, Okita K, Eguchi H, Nagano H, Imagawa A, Shimomura I.	Increment of serum C-peptide measured by glucagon test closely correlates with human relative beta-cell area	Endocrine Journal	in press	in press	2015
Fukuda S, Hirata A, Nishizawa H, Nagao H, Kashine S, Kimura T, Inoue K, Fujishima Y, Yamaoka M, <u>Kozawa J</u> , Kitamura T, Yasuda T, Maeda N, Imagawa A, Funahashi T, Shimomura I.	Systemic arteriosclerosis and eating behavior in Japanese type 2 diabetic patients with visceral fat accumulation.	Cardiovascular Diabetology	14(1)	8	2015
Okita K, Iwahashi H, <u>Kozawa J</u> , Okauchi Y, Funahashi T, Imagawa A, Shimomura I.	Usefulness of the insulin tolerance test in patients with type 2 diabetes receiving insulin therapy.	Journal of Diabetes Investigation	5	305-12	2014
Nagata I, Ike A, Nishikawa H, <u>Zhang B</u> , Sugihara M, Mori K, Iwata A, Kawamura A, Shirai K, Uehara Y, Ogawa M, Miura S, Saku K.	Associations between lipid profiles and MACE in hemodialysis patients with percutaneous coronary intervention: from the FU-Registry	J Cardiol	65	105-111	2015
Ike A, Shirai K, Nishikawa H, Iwata A, Yahiro E, Sugihara M, Kawamura A, Uehara Y, <u>Zhang B</u> , Ogawa M, Mori K, Miura SI, Saku K.	Associations between different types of hypoglycemic agents and the clinical outcome of percutaneous coronary intervention in diabetic patients-From the FU-Registry	J Cardiol	in press	in press	2014

Inoue T, Ihara Y, Tomonoh Y, Nakamura N, Ninomiya S, Fujita T, Ideguchi H, Yasumoto S, <u>Zhang B</u> , Hirose S.	Early onset and focal spike discharges as indicators of poor prognosis for myoclonic-astatic epilepsy	Brain Dev	36	613-619	2014
Ishii A, Kanaumi T, Sohda M, Misumi Y, <u>Zhang B</u> , Kakinuma N, Haga Y, Watanabe K, Takeda S, Okada M, Ueno S, Kaneko S, Takashima S, Hirose S.	Association of nonsense mutation in GABRG2 with abnormal trafficking of GABAA receptors in severe epilepsy	Epilepsy Res	108	420-432	2014
Sasaki M, Ishii A, Saito Y, Morisada N, Iijima K, Takada S, Araki A, Tanabe Y, Arai H, Yamashita S, Ohashi T, Oda Y, Ichiseki H, Hirabayashi S, Yasuhara A, Kawawaki H, Kimura S, Shimono M, Narumiya S, Suzuki M, Yoshida T, Oyazato Y, Tsuneishi S, Ozasa S, Yokochi K, Dejima S, Akiyama T, Kishi N, Kira R, Ikeda T, Oguni H, <u>Zhang B</u> , Tsuji S, Hirose S.	Genotype-phenotype correlations in alternating hemiplegia of childhood	Neurology	82	482-490	2014
Shimizu T, Miura S, Tanigawa H, Kuwano T, <u>Zhang B</u> , Uehara Y, Saku K.	Rosuvastatin activates ATP-binding cassette transporter A1-dependent efflux ex vivo and promotes reverse cholesterol transport in macrophage cells in mice fed a high-fat diet	Arterioscler Thromb Vasc Biol	34	2246-2253	2014
Takata K, Imaizumi S, Kawachi E, Suematsu Y, Shimizu T, Abe S, Matsuo Y, Tsukahara H, Noda K, Yahiro E, <u>Zhang B</u> , Uehara Y, Miura S, Saku K.	Impact of cigarette smoking cessation on high-density lipoprotein functionality	Circ J	78	2955-2962	2014
Higurashi N, Uchida T, Lossin C, Misumi Y, Okada Y, Akamatsu W, Imaizumi Y, <u>Zhang B</u> , Nabeshima K, Mori MX, Katsurabayashi S, Shirasaka Y, Okano H, Hirose S.	A human Dravet syndrome model from patient induced pluripotent stem cells	Mol Brain	6	19	2013

Noda K, Takahira M, <u>Zhang B</u> , Saku K.	Series: Clinical study from Japan and its reflections; introduction of a randomized, double-blind, controlled, comparative trial of formula food in visceral fat obesity: FLAVO study	Nihon Naika Gakkai Zasshi	102(8)	2087-2092	2013
Uehara Y, Ando S, Yahiro E, Oniki K, Ayaori M, Abe S, Kawachi E, <u>Zhang B</u> , Shioi S, Tanigawa H, Imaizumi S, Miura S, Saku K.	FAMP, a novel apoA-I mimetic peptide, suppresses aortic plaque formation through promotion of biological HDL function in ApoE-deficient mice	J Am Heart Assoc	2(3)	e000048	2013
<u>Zhang B</u> , Kawachi E, Miura S, Uehara Y, Matsunaga A, Kuroki M, Saku K.	Therapeutic approaches to the regulation of metabolism of high-density lipoprotein. Novel HDL-directed pharmacological intervention and exercise	Circ J	77(11)	2651-2663	2013
Ike A, Shirai K, Nishikawa H, <u>Zhang B</u> , Kawamura A, Iwata A, Mori K, Ogawa M, Miura S, Noda K, Saku K.	Series: clinical study from Japan and its reflections; impact of glycemic control on the clinical outcome in diabetic patients with percutaneous coronary intervention--from the FU-registry--	Nihon Naika Gakkai Zasshi	101(2)	504-511	2012
Saku K, Noda K, <u>Zhang B</u> , Yanase T.	Series: Clinical study from Japan and its reflections: lifestyle changes through the use of delivered meals and dietary counseling in a single-blind study--the STYLIST study--	Nihon Naika Gakkai Zasshi	101(7)	2096-2102	2012
Saku K, <u>Zhang B</u> , Noda K, Tsukahara H.	The cutting-edge of medicine: smoking and coronary artery disease	Nihon Naika Gakkai Zasshi	101(3)	779-786	2012
Morii J, Miura S, Shiga Y, Sugihara M, Arimura T, Sako H, <u>Zhang B</u> , Uehara Y, Saku K.	Comparison of the efficacy and safety of irbesartan and olmesartan in patients with hypertension (EARTH study)	Clin Exp Hypertens	34(5)	342-349	2012
Noda K, <u>Zhang B</u> , Iwata A, Nishikawa H, Ogawa M, Nomiyama T, Miura S, Sako H, Matsuo K, Yahiro E, Yanase T, Saku K, Investigators SS.	Lifestyle changes through the use of delivered meals and dietary counseling in a single-blind study. The STYLIST study	Circ J	76(6)	1335-1344	2012



<u>Zhang B</u> , Kawachi E, Matsunaga A, Imaizumi S, Noda K, Uehara Y, Miura S, Yoshinaga K, Kuroki M, Saku K.	Reactivity of direct assays for low-density lipoprotein (LDL) cholesterol toward charge-modified LDL in hypercholesterolemia	Circ J	76(9)	2241-2248	2012
Sugiyama M, Fukuda T, Sanda Y, Morita Y, Higashi M, Ogo T, Tsuji A, Demachi J, Nakanishi N, <u>Naito H</u> .	Organized thrombus in pulmonary arteries in patients with chronic thromboembolic pulmonary hypertension; imaging with cone beam computed tomography.	Jpn J Radiol.	32(7)	375-82	2014
Fukuda T, Matusda H, Sanda Y, Morita Y, Minatoya K, Kobayashi J, <u>Naito H</u> .	CT findings of risk factors for persistent type II endoleak from inferior mesenteric artery to determine indicators of preoperative IMA embolization.	Annals of Vascular Diseases	7(3)	274-9	2014
Fukuda T, Matuda H, Doi S, Sugiyama M, Morita Y, Yamada M, Yokoyama H, Minatoya K, Kobayashi J, <u>Naito H</u> .	Evaluation of automated 2D-3D image overlay system utilizing subtraction of bone narrow image for EVAR: feasibility study.	European Journal of Vascular and Endovascular Surgery	46(1)	75-81	2013
Kono AK, Higashi M, Morisaki H, Morisaki T, <u>Naito H</u> , Sugimura K.	Prevalence of dural ectasia in Loeys-Dietz syndrome: comparison with Marfan syndrome and normal controls.	PloS One	8(9)	e75264	2013
Hashimura H, Kiso K, Yamada N, Kono A, Morita Y, Fukushima K, Higashi M, Noguchi T, <u>Ishibashi-Ueda H</u> , <u>Naito H</u> , Sugimura K.	Myocardial impairment detected by late gadolinium enhancement in hypertrophic cardiomyopathy: comparison with <sup>99m</sup> Tc-MIBI/tetrofosmin and <sup>1231</sup> -BMIPP SPECT.	Kobe J Med Sci.	59(3)	E81-92	2013
中尾俊之、菅野義彦、 <u>長澤康行</u> 、金澤良枝、秋葉 隆、佐中 孜、渡邊有三、政金生人、友 雅司、平方秀樹、秋澤忠男、水口 潤	慢性透析患者の食事療法基準	日本透析学会雑誌	47(5)	287-291	2014
<u>長澤康行</u>	体液量の評価	腎と透析	7	15-18	2014

神出 計、樂木宏美、 <u>長澤康行</u> 、 田村尚久、曾根正勝	二次性高血圧 up-to-date 何をどこまで検査する	日本内科学会雑誌	103	188-197	2014
<u>Nagasawa Y</u> , Hasuike Y, Nanami M, Kuragano T, Nakanishi T.	Albuminuria and hypertension: the chicken or the egg?	Hypertens Res	38(1)	8-10	2014
Mikuni M, <u>Nakamura H</u> , Muto M, Ikeda E.	Analysis of Risk Prediction in the Principal Organs Based on Pathological Findings of Cutaneous Small-Vessel Vasculitis.	Intern Med.	in press	in press	2015
Sugiyama E, Takenaka T, Kato M, Minoshima A, Muto H, Noriyasu K, Fujita M, Sato M, Betsuyaku T, Inoue H, Okamoto H, Kunishige H, Ishibashi Y, Tsukamoto E, <u>Nakamura H</u> , Hasebe N.	Isolated cardiac sarcoidosis requiring open-chest myocardial biopsy for differentiation from malignant lymphoma.	J Cardiol Case.	9	239-242	2014
Kuno T, <u>Nakamura H</u> , Endo Y, Saito K, Yamazaki H, Motoda H, Numasawa Y, Shimizu K, Takayashi T.	Clinical history and colliquative myocytolysis are keys to the diagnosis of shoshin beriberi.	Case Rep Pathol.	2014	506072	2014
Oda S, Fujii Y, Takemoto H, Nomura S, Nakayama H, Toyota Y, <u>Nakamura H</u> , Teragawa H.	Heart failure in which coronary spasms played an important role.	Intern Med.	53	227-232	2014
<u>中村浩士</u>	心筋炎モデルから考える心筋炎の病態	呼吸と循環	63	937-41	2015
<u>中村浩士</u>	膠原病における心血管疾患	臨床循環器	4	19-24	2014
<u>中村浩士</u>	野本論文に対する Editorial Comment	心臓	46(4)	502	2014
佐野元昭、勝俣良紀、伊藤秀之、 <u>中村浩士</u>	心臓・腎臓疾患病態形成とプロスタグランジン	血栓と循環	21	172-177	2013
<u>中村浩士</u>	中島論文に対する Editorial Comment	心臓	43	161-162	2013

<u>Nakamura H</u> , Kunitsugu I, Matsuzaki M, Fukuda K, Sano M.	Diverse stage-dependent effects of glucocorticoids in a murine model of viral myocarditis.	Journal of Cardiology	61(3)	237-242	2013
Otsuka H, Arimura T, Abe T, Kawai H, Aizawa Y, Kubo T, Kitaoka H, <u>Nakamura H</u> , Nakamura K, Okamoto H, Ichida F, Ayusawa M, Nunota S, Isobe M, Matsuzaki M, Doi YL, Fukuda K, Sasaoka T, Izumi T, Ashizawa N, Kimura A.	Prevalence and distribution of sarcomeric gene mutations in Japanese patients with familial hypertrophic cardiomyopathy	Circulation Journal	76(2)	453-461	2012
杉山英太郎、竹中孝、加藤瑞季、 篠島暁帆、武藤晴達、乗安和将、 藤田雅章、佐藤実、別役徹生、 井上仁貴、寺西純一、岡本洋、菊地健、 植村一仁、 <u>中村浩士</u> 、長谷部直幸	完全房室ブロックで発症し、腹腔鏡下肝生検にて確定診断しえた、サルコイドーシスの1例	日本サルコイドーシス／ 肉芽腫性疾患学会雑誌	32	119-126	2012
Fujii K, <u>Hao H</u> , Shibuya M, Imanaka T, Fukunaga M, Miki K, Tamaru H, Sawada H, Naito Y, Ohyanagi M, Hirota S, Masuyama T.	Accuracy of optical coherence tomography, grayscale in travascular ultrasound and their combination for the diagnosis of coronary thin-cap fibroatheromas: An ex vivo validation Study	JACC Cardiovasc Imag	in press	in press	2015
Fujino A, <u>Hao H</u> , et al.	Restenosis after Drug-Eluting Stent Implantation in a Patient with Polycythemia Vera; Optical Coherence Tomography and Pathological Findings.	JACC Cardiovas Interv	in press	in press	2015
Kawakami R, <u>Hao H</u> , et al.	Drug-Eluting Stent Implantation on Calcified Nodule: Ex Vivo Intravascular Images and Histopathology.	JACC Cardiovas Interv	in press	in press	2015
<u>Hao H</u> , Fujii K, Imanaka T, Kawakami R, Kawano T, Takayama T, Hirayama A, <u>Ishibashi-Ueda H</u> , Masuyama T, Hirota S.	Neointimal hemorrhage after drug eluting stent implantation: Possible role for development of neoatherosclerosis.	JACC Cardiovas Interv	7	1196-1197	2014

Fujii K, <u>Hao H</u> , Imanaka T, Kawano T, Takayama T, Hirayama A, Yamada T, <u>Ishibashi-Ueda H</u> , Hirota S, Masuyama T.	In-stent Thin-cap Fibroatheroma After Drug-eluting Stent Implantation: Ex Vivo Evaluation of Optical Coherence Tomography and Intracoronary Angioscopy	JACC Cardiovasc Interv.	7(4)	446-447	2014
<u>Hao H</u> , Fujii K, Shibuya M, Imanaka T, Kawakami R, Hatakeyama K, Asada Y, Masuyama T, Hirota S.	Different Findings in a Calcified Nodule between Histology and Intravascular Imaging Such as Intravascular Ultrasound, Optical Coherence Tomography and Coronary Angioscopy	JACC Cardiovasc Interv.	7(8)	937-938	2014
橋本 守、Harsono Cahyadi、新岡宏彦、荒木 勉	高速広帯域波長走査レーザを光源とした多焦点 CARS 顕微鏡	光アライアンス	25(3)	16-20	2014
<u>Yasuno T</u> , Osafune K, Sakurai H, Asaka I, Tanaka A, Yamaguchi S, Yamada K, Hitomi H, Arai S, Kurose Y, Higaki Y, Sudo M, Ando S, Nakashima H, Saito T, Kaneoka H.	Functional analysis of iPSC-derived myocytes from a patient with carnitine palmitoyltransferase II deficiency	Biochemical and Biophysical Research Communications	448	175-181	2014