

運動失調症の医療基盤に関する調査研究班 研究成果（雑誌）の刊行に関する一覧

(平成26年度：2014年4月1日～2015年3月31日)

発表者氏名	論文タイトル名	発表誌名	巻	ページ	出版年 H26年度	GRANTへの謝辞の有無
Hattori T, Orimo S, Hallett M, Wu T, Inaba A, Azuma R, Mizusawa H	Relationship and factor structure in multisystem neurodegeneration in Parkinson's disease.	Acta Neurol Scand	Dec;130(6)	347-53	2014	
Nishina T, Numata J, Nishina K, Yoshida-Tanaka K, Nitta K, Piao W, Iwata R, Ito S, Kuwahara H, Wada T, Mizusawa H, Yokota T	Chimeric Antisense Oligonucleotide Conjugated to $\alpha$ -Tocopherol	Nucleic Acids	Jan 13	13;4	2014	
原聡子、饗場郁子、齋藤由扶子、犬飼 晃、石川欽也、水澤英洋	pinocerebellar ataxia type 31(SCA31)の臨床像，画像所見-Spinocerebellar ataxia type 6(SCA6)との小脳外症候の比較検討-	臨床神経学	54(6)	473-479	2014	
田中伸幸、南里和紀、田口丈士、田中紀子、藤田恒夫、三苫 博、川田明広、水澤英洋	脊髄小脳変性症の画像診断におけるVoxel-based morphometryの有用性	BRAIN and NERVE	66(6)	699-704	2014	
GrimaldeiG, Argyropoulos GP, Boeheinger A, Celnik P, Edwards MJ, Ferrucci R, Gales KJM, Groiss SJ, Hiraoka K, Kassavetis P, Lesage E, Manto M, Miall RC, Priori A, Sadnicka A, Ugawa Y, Ziemann U	Non-invasive cerebellar stimulation - a consensus paper.	Cerebellum	13(1)	121-138	2014	無
Matsuda S, Matsumoto H, Furubayashi T, Hanajima R, Tsuji S, Ugawa Y, Terao Y	The 3-second rule in hereditary pure cerebellar ataxia: a synchronized tapping study.	Plos One			(in press)	有
Koh K, Kobayashi F, Miwa M, Shindo K, Isozaki E, Ishiura H, Tsuji S, Takiyama Y.	Novel mutations in the PNPLA6 gene in Boucher-Neuhauser syndrome.	J Hum Genet	Epub ahead of print		29 Jan 2015	有

Wang Y, Koh K, Miwa M, Yamashiro N, Shindo K, Takiyama Y.	A Japanese SCA5 family with a novel three-nucleotide in-frame deletion mutation in the SPTBN2 gene: a clinical and genetic study.	J Hum Genet	59	569-573	2014	有
Shimazaki H, Honda J, Naoi T, Namekawa M, Nakano I, Yazaki M, Nakamura K, Yoshida K, Ikeda S, Ishiura H, Fukuda Y, Takahashi Y, Goto J, Tsuji S, Takiyama Y.	Autosomal-recessive complicated spastic paraplegia with a novel lysosomal trafficking regulator gene mutation.	J Neurol Neurosurg Psychiatry	85	1024-1028	2014	有
瀧山嘉久	遺伝性痙性対麻痺の最新情報	臨床神経	54	1009-1011	2014	有
瀧山嘉久	痙性対麻痺：JASPAC	BRAIN and NERVE	66	1210-1217	2014	有
Mizuguchi, M., Obita, T., Serita, T., Kojima, R., Nabeshima, Y., Okazawa, H.	Mutations in the PQBP1 gene prevent its interaction with the spliceosomal protein U5-15kD.	Nature Commun.	5	3822	2014	無
Ito, H., Shiwaku, H., Yoshida, C., Homma, H., Luo, H., Chen, X., Fujita, K., Musante, L., Fischer, U., Frints SG., Romano, C., Ikeuchi, Y., Shimamura, T., Imoto, S., Miyano, S., Muramatsu, SI., Kawauchi, T., Hoshino, M., Sudol, M., Arumughan, A., Wanker, EE., Rich, T., Schwartz, C., Matsuzaki, F., Bonni, A., Kalscheuer, VM., Okazawa, H.	In utero gene therapy rescues microcephaly caused by Pqbp1-hypofunction in neural stem progenitor cells.	Mol Psychiatry	doi: 10.1038/mp.2014.69.	Epub ahead of print	2014	無
Tagawa, K., Homma, H., Saito, A., Fujita, K., Chen, X., Imoto, S., Oka, T., Ito, H., Motoki, K., Yoshida, C., Hatsuta, H., Murayama, S., Iwatsubo, T., Miyano, S., Okazawa, H.	Comprehensive phosphoproteome analysis unravels the core signaling network that initiates the earliest synapse pathology in preclinical Alzheimer's disease brain.	Hum Mol Genet.	24(2)	540-58.	2015	無
Ito, H., Fujita, K., Tagawa, K., Chen, X., Homma, H., Sasabe, T., Shimizu, J., Shimizu, S., Tamura, T., Muramatsu, SI., Okazawa, H.	HMGB1 facilitates repair of mitochondrial DNA damage and extends the lifespan of mutant ataxin-1 knock-in mice.	EMBO Mol Med.	7(1)	78-101.	2014	無

Shiraishi, R., Tamura, T., Sone, M., Okazawa, H.	Systematic Analysis of Fly Models with Multiple Drivers Reveals Different Effects of Ataxin-1 and Huntingtin in Neuron Subtype-Specific Expression.	PLoS One.	9(12)	e116567	2014	無
田村拓也、岡澤均	「神経変性疾患の細胞死とHippo pathway—神経変性はHippo pathwayで制御されるか？」	医学のあゆみ	251巻5号	449-454	2014	無
Sugeno N, Hasegawa T, Tanaka N, Fukuda M, Wakabayashi K, Oshima R, Konno M, Miura E, Kikuchi A, Baba T, Anan T, Nakao M, Geisler S, Aoki M, Takeda A.	Lys-63-linked Ubiquitination by E3 Ubiquitin Ligase Nedd4-1 Facilitates Endosomal Sequestration of Internalized $\alpha$ -Synuclein.	J Biol Chem	289	18137-18151	2014	有
Takeda A., Baba T., Kikuchi A., Hasegawa T., Sugeno N., Konno M., Miura E., Mori E.	Olfactory dysfunction and dementia in Parkinson's disease.	J. Parkinsons Dis.	4	181-187	2014	有
Stankovic I, Krismer F, Jesic A, Antonini A, Benke T, Brown RG, Burn DJ, Holton JL, Kaufmann H, Kostic VS, Ling H, Meissner WG, Poewe W, Semnic M, Seppi K, Takeda A, Weintraub D, Wenning GK.	Cognitive impairment in multiple system atrophy: A position statement by the Neuropsychology Task Force of the MDS multiple system atrophy (MDSA) Study Group.	Movement Disorders	29	857-867	2014	無
Wakabayashi K, Mori F, Kakita A, Takahashi H, Utsumi J, Sasaki H	Analysis of microRNA from archived formalin-fixed paraffin-embedded specimens of amyotrophic lateral sclerosis	Acta Neuropathol Comm	2	173	2014	有
Tanji K, Odagiri S, Miki Y, Maruyama A, Nikaido Y, Mimura J, Mori F, Warabi E, Yanagawa T, Ueno S, Itoh K, Wakabayashi K	p62 deficiency enhances $\alpha$ -synuclein pathology in mice	Brain Pathol			in press	有

Kazuhiro Hara, Hirohisa Watanabe, Mizuki Ito, Takashi Tsuboi, Hazuki Watanabe, Ryoichi Nakamura, Jo Senda, Naoki Atsuta, Hiroaki Adachi, Ikuko Aiba, Shinji Naganawa, Gen Sobue	Potential of a new MRI for visualizing cerebellar involvement in progressive supranuclear palsy.	Parkinsonism Related Disord.	20(2)	157-61	2014	有
Takashi Tsuboi, Hirohisa Watanabe, Yasuhiro Tanaka, Reiko Ohdake, Noritaka Yoneyama, Kazuhiro Hara, Ryoichi Nakamura, Hazuki Watanabe, Jo Senda, Naoki Atsuta, Mizuki Ito, Masaaki Hirayama, Masahiko Yamamoto, Yasushi Fujimoto, Yasukazu Kajita, Toshihiko Wakabayashi, Gen Sobue	Distinct phenotypes of speech and voice disorders in Parkinson's disease after subthalamic nucleus deep brain stimulation.	J Neurol Neurosurg Psychiatry.	Epub ahead of print		204	有
樋口雄二郎, 橋口昭大, 袁軍輝, 吉村明子, 中村友紀, 岡本裕嗣, 三井純, 辻省次, 高嶋 博.	臨床的にCharcot-Marie-Tooth病が疑われた304例のエクソーム解析による網羅的遺伝子診断	Peripheral Nerve	25()	93-99	204	有
Yausi K, Yabe I, Yoshida K, Kanai K, Arai K, Ito M, Onodera O, Koyano S, Isozai E, Sawai S, Adachi Y, Sasaki H, Kuwabara S, Hattori T, Sobue G, Mizusawa H, Tsuji S, Nishizawa M, Nakashima K	A 3-year cohort study of the natural history of spinocerebellar ataxia type 6 in Japan	Orphanet Journal of Rare Diseases	9	8	204	有
Matsushima M, Yabe I, Uwatoko H, Shirai S, Hirotani M, Sasaki H	Reliability of the Japanese version of the Berg Balance Scale	Internal Medicine	53	62-624	204	有
Matsushima M, Yabe I, Hirotani M, Kano T, Sasaki H	Reliability of the Japanese version of the Scales for Outcomes in Parkinson's Disease-Autonomic questionnaire	Clin Neurol Neurosurg	24	82-84	204	有
Yabe I, Matsushima M, Yoshida K, Ishikawa K, Shirai S, Takahashi I, Sasaki H	Rare frequency of downbeat positioning nystagmus in spinocerebellar ataxia type 3	J Neurol Sci (in press)			204	有

Wakabayashi K, Mori F, Kakita A, Takahashi H, Utsumi J, Sasaki H	Analysis of microRNA from archived formalin-fixed paraffin-embedded specimens of amyotrophic lateral sclerosis.	Acta Neuropathol Commun	2	73	204	有
Yaguchi H, Yabe I, Takahashi H, Okumura F, Takeuchi A, Horiuchi K, Takahiro Kano Kanda A, Saito W, Matsumoto M, Nakayama K, Hatakeyama S, Sasaki H	Identification of anti-Sez6l2 antibody in a patient with cerebellar ataxia and retinopathy.	J Neurol	26	224-226	204	有
Miki Y, Mori F, Kon T, Tanji K, Toyoshima Y, Yoshida M, Sasaki H, Kakita A, Takahashi H, Wakabayashi K.	Accumulation of the sigma- receptor is common to neuronal nuclear inclusions in various neurodegenerative diseases.	Neuropathology	34	48-58	204	有
Kon T, Mori F, Tanji K, Miki Y, Toyoshima Y, Yoshida M, Sasaki H, Kakita A, Takahashi H, Wakabayashi K.	ALS-associated protein FIG4 is localized in Pick and Lewy bodies, and also neuronal nuclear inclusions, in polyglutamine and intranuclear inclusion body diseases.	Neuropathology	34	9-26	204	有
Hama Y, Yabe I, Wakabayashi K, Kano T, Hirotsani M, Iwakura Y, Utsumi J, Sasaki H.	Level of plasma neuregulin- SMDF is reduced in patients with idiopathic Parkinson's disease.	Neurosci Lett	587	7-2.	205	有
矢部一郎, 佐々木秀直	脊髄小脳変性症の治療の進歩 203*	神経治療学	3	397-404	204	無
Yonekawa T, Oya Y, Higuchi Y, Hashiguchi A, Takashima H, Sugai K, Sasaki M.	Extremely severe complicated spastic paraplegia 3A with neonatal onset.	Pediatr Neurol.	Nov;5(5)	726-729	204	無
Ohkawa T, Satake S, Yokoi N, Miyazaki Y, Ohshita T, Sobue G, Takashima H, Watanabe O, Fukata Y, Fukata M.	Identification and characterization of GABA(A) receptor autoantibodies in autoimmune encephalitis.	J Neurosci.	Jun ;34(24)	85-863.	204	
Hashiguchi A, Higuchi Y, Nomura M, Nakamura T, Arata H, Yuan J, Yoshimura A, Okamoto Y, Matsuura E, Takashima H.	Neurofilament light mutation causes hereditary motor and sensory neuropathy with pyramidal signs.	J Peripher Nerv Syst.	[Epub ahead of print]	[Epub ahead of print]	205	有

Yoshida K, Miyatake S, Kinoshita T, Doi H, Tsurusaki Y, Miyake N, Saitsu H, Matsumoto N.	'Cortical cerebellar atrophy' dwindles a way in the era of next-generation sequencing.	J Hum Genet	59	589-590	204	有
Yoshida K, Asakawa M, Suzuki-Kouyama E, Tabata K, Shintaku M, Ikeda S, Oyanagi K.	Distinctive features of degenerating Purkinje cells in spinocerebellar ataxia type 3.	Neuropathology	34	26-267	204	有
Doi H, Ushiyama M, Baba T, Tani K, Shiina M, Ogata K, Miyatake S, Yuzawa FY, Tsuji S, Nakashima M, Tsurusaki Y, Miyake N, Saitsu H, Ikeda S, Tanaka F, Matsumoto N, Yoshida K.	Late-onset spastic ataxia phenotype in a patient with a homozygous DDHD2 mutation.	Scientific Reports	4	732	204	有
Adachi T, Kitayama M, Nakano T, Adachi Y, Kato S, Nakashima K.	Autopsy case of spinocerebellar ataxia type 3 with severe dementia at the terminal stage.	Neuropathology.	Epub ahead	Epub ahead	204	有
安井建一、足立芳樹、中島健二	その他のポリグルタミン病 (SCA,SCA2,SCA7,SCA7)	別冊日本臨床神経症候群 (第2版) II	27	360-364	204	無
安井建一, 中島健二	脊髄小脳変性症・多系統萎縮症の特徴と治療・看護	臨床老年看護	204.9-0月号	2-	204	無
Yasui K, Yabe I, Yoshida K, Kanai K, Arai K, Ito M, Onodera O, Koyano S, Isozaki E, Sawai S, Adachi Y, Sasaki H, Kuwabara S, Hattori T, Sobue G, Mizusawa H, Tsuji S, Nishizawa M, Nakashima K.	A 3-year cohort study of the natural history of spinocerebellar ataxia type 6 in Japan.	Orphanet J Rare Dis	9	8	204	有
Shimazaki H, Honda J, Naoi T, Namekawa M, Nakano I, Yazaki M, Nakamura K, Yoshida K, Ikeda S, Ishiura H, Fukuda Y, Takahashi Y, Goto J, Tsuji S, Takiyama Y.	Autosomal-recessive complicated spastic paraplegia with a novel lysosomal trafficking regulator gene mutation.	J Neurol Neurosurg Psychiatry	85	024-028	204	有
Tada M, Nishizawa M, Onodera O.	Redefining cerebellar ataxia in degenerative ataxias: lessons from recent research on cerebellar systems.	J Neurol Neurosurg Psychiatry	EuPub		205	有

Ozawa T, Sone H, Nishizawa M	Reply to: Relationship between leptin and blood pressure in patients with multiple system atrophy.	J Neurol Sci	348	285	205	有
Ozawa T, Tokunaga J, Arakawa M, Ishikawa A, Takeuchi R, Yokoseki A, Sone H, Nishizawa M	The circulating level of leptin and blood pressure in patients with multiple system atrophy.	J Neurol Sci	347	349-35	204	有
他田正義, 西澤正豊	【神経症候群(第2版)-その他の神経疾患を含めて-】変性疾患 脊髄小脳変性症 劣性遺伝性脊髄小脳変性症 セナタキシン欠損症	日本臨床 別冊神経症候群II		389-393	204	無
Obayashi M, Stevanin G, Synofzik M, Monin ML, Duyckaerts C, Sato N, Streichenberger N, Vighetto A, Desestret V, Tesson C, Wichmann HE, Illig T, Huttenlocher J, Kita Y, Izumi Y, Mizusawa H, Schöls L, Klopstock T, Brice A, Ishikawa K, Dürr A.	Spinocerebellar ataxia 36 exists in diverse populations and can be caused by a short hexanucleotide GGCTG repeat expansion.	J Neurol Neurosurg & Psychiatry.	December 4, 204.		204	有
Ozaki K, Sanjo N, Ishikawa K, Higahsi M, Hattori T, Tanuma N, Miyata R, Hayashi M, Yokota T, Okawa A, Mizusawa H.	Elevation of 8-hydroxy-2'-deoxyguanosine in the cerebrospinal fluid of three patients with superficial siderosis.	Neurology and Clinical Neuroscience.	In press		205	有
Ozaki K, Irioka T, Ishikawa K, Mizusawa H.	CADASIL with a Novel NOTCH3 Mutation (Cys478Tyr).	Journal of Stroke and Cerebrovascular Diseases.	January 3, 205.		205	無
Ota K, Obayashi M, Ozaki K, Ichinose S, Kakita A, Tada M, Takahashi H, Ando N, Eishi Y, Mizusawa H, Ishikawa K.	Relocation of p25 $\alpha$ /tubulin polymerization promoting protein from the nucleus to the perinuclear cytoplasm in the oligodendroglia of sporadic and COQ2 mutant multiple system atrophy.	Acta Neuropathol Commun.	Sep ; 2():36, 204. [Epub ahead of print]		204	有
Yamashita C, Tomiyama H, Funayama M, Inamizu S, Ando M, Li Y, Yoshino H, Araki T, Ichikawa T, Ehara Y, Ishikawa K,	The evaluation of polyglutamine repeats in autosomal dominant Parkinson's disease.	Neurobiol Aging.	35(7):779.e7-2, 204.		204	有

Mizusawa H, Hattori N.						
Obayashi M, Stevanin G, Synofzik M, Monin ML, Duyckaerts C, Sato N, Streichenberger N, Vighetto A, Desestret V, Tesson C, Wichmann HE, Illig T, Huttenlocher J, Kita Y, Izumi Y, Mizusawa H, Schöls L, Klopstock T, Brice A, Ishikawa K, Dürr A.	Spinocerebellar ataxia 36 exists in diverse populations and can be caused by a short hexanucleotide GGCTG repeat expansion.	J Neurol Neurosurg & Psychiatry.	December 4, 204.		204	有
Sugiyama A, Ito S, Suichi T, Sakurai T, Mukai H, Yokota H, Yonezu T, Kuwabara S	Putaminal hypointensity on T2*-weighted MR imaging is the most practically useful sign in diagnosing multiple system atrophy: A preliminary study	Journal of the Neurological Sciences	印刷中		205	無
Yamamoto T, Sakakibara R, Uchiyama T, Yamaguchi C, Ohno S, Nomura F, Yanagisawa M, Hattori T, Kuwabara S	Time-dependent changes and gender differences in urinary dysfunction in patients with multiple system atrophy	NeuroUrol Urodyn	33	56-523	204	無
Yasui K, Yabe I, Yoshida K, Kanai K, Arai K, Ito M, Onodera O, Koyano S, Isozaki E, Sawai S, Adachi Y, Sasaki H, Kuwabara S, Hattori T, Sobue G, Mizusawa H, Tsuji S, Nishizawa M, Nakashima K	A 3-year cohort study of the natural history of spinocerebellar ataxia type 6 in Japan.	Orphanet J Rare Dis	印刷中		205	有