

雑誌 (英文)

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Taniyama T, Hirai T, Yoshii T, Yamada T, Yasuda H, Saito M, Inose H, Kato T, Kawabata S, Okawa A.	Modified K-line in magnetic resonance imaging predicts clinical outcome in patients with nonlordotic alignment after laminoplasty for cervical spondylotic myelopathy.	Spine	39(21)	E1261-8	2014
Nakajima M, Takahashi A, Tsuji T, Karasugi T, Baba H, Uchida K, Kawabata S, Okawa A, Shindo S, Takeuchi K, Taniguchi Y, Maeda S, Kashii M, Seichi A, Nakajima H, Kawaguchi Y, Fujibayashi S, Takahata M, Tanaka T, Watanabe K, Kida K, Kanchiku T, Ito Z, Mori K, Kaito T, Kobayashi S, Yamada K, Takahashi M, Chiba K, Matsumoto M, Furukawa K, Kubo M, Toyama Y; Genetic Study Group of Investigation Committee on Ossification of the Spinal Ligaments, Ikegawa S.	A genome-wide association study identifies susceptibility loci for ossification of the posterior longitudinal ligament of the spine.	Nat Genet.	46(9)	1012-6	2014
Yuasa M, Mignemi NA, Barnett JV, Cates JM, Nyman JS, Okawa A, Yoshii T, Schwartz HS, Stutz CM, Schoenecker JG.	The temporal and spatial development of vascularity in a healing displaced fracture.	Bone	67	208-21	2014

Yoshii T, Ueki H, Kato T, Tomizawa S, Okawa A.	Severe kyphotic deformity resulting from collapses of cemented and adjacent vertebrae following percutaneous vertebroplasty using calcium phosphate cement. A case report.	Skeletal Radiol.	43(10)	1477-80	2014
Araya N, Inose H, Kato T, Saito M, Sumiya S, Yamada T, Yoshii T, Kawabata S, Okawa A.	Spinal deformity caused by hyperimmunoglobulin E syndrome: clinical article.	J Neurosurg Spine	21(2)	292-5	2014
Hirai T, Enomoto M, Kaburagi H, Sotome S, Yoshida-Tanaka K, Ukegawa M, Kuwahara H, Yamamoto M, Tajiri M, Miyata H, Hirai Y, Tominaga M, Shinomiya K, Mizusawa H, Okawa A, Yokota T.	Intrathecal AAV serotype 9-mediated delivery of shRNA against TRPV1 attenuates thermal hyperalgesia in a mouse model of peripheral nerve injury.	Mol Ther.	22(2)	409-19	2014
Arai Y, Hirai T, Yoshii T, Sakai K, Kato T, Enomoto M, Matsumoto R, Yamada T, Kawabata S, Shinomiya K, Okawa A.	A prospective comparative study of 2 minimally invasive decompression procedures for lumbar spinal canal stenosis: unilateral laminotomy for bilateral decompression (ULBD) versus muscle-preserving interlaminar decompression (MILD).	Spine	39(4)	332-40	2014
Yoshii T, Yamada T, Hirai T, Taniyama T, Kato T, Enomoto M, Inose H, Sumiya S, Kawabata S, Shinomiya K, Okawa A.	Dynamic changes in spinal cord compression by cervical ossification of the posterior longitudinal ligament evaluated by kinematic computed tomography myelography.	Spine	39(2)	113-9	2014

Ukegawa D, Kawabata S, Sakaki K, Ishii S, Tomizawa S, Inose H, Yoshii T, Kato T, Enomoto M, Okawa A.	Efficacy of biphasic transcranial electric stimulation in intraoperative motor evoked potential monitoring for cervical compression myelopathy.	Spine	39(3)	E159-65.	2014
Kawaguchi Y, Matsumoto M, Iwasaki M, Izumi T, Okawa A, Matsunaga S, Chiba K, Tsuji T, Yamazaki M, Fujimori T, Yoshii T, Toyama Y	New classification system for ossification of the posterior longitudinal ligament using CT images.	J Orthop Sci	19	530-536	2014
Sho Kobayashi, Yukihiro Matsuyama, Kenichi Shinomiya, Shigenori Kawabata, Muneharu Andou, Tukasa Kanchiku, Takanori Saitou, Masahito Takahashi, Zenya Ito, Akio Muramoto, Yasushi Fujiwara, Kazunobu Kida, Kei Yamamoto, Kanichiro Wada, Naoya Yamamoto, Kazuhiko Satomi, Toshikazu Tani	A new alarm point of transcranial electrical stimulation motor evoked potentials for intraoperative spinal cord monitoring: a prospective multicenter study from the Spinal Cord Monitoring Working Group of the Japanese Society for Spine Surgery and Related Reserch	J Neurosurg Spine	20(1)	102-107	2014
Atsushi Kimura, Teruaki Endo, Hirokazu Inoue, Atsushi Seichi	Preoperative predictors of patient satisfaction with outcome after cervical laminoplasty	Global Spine Journal	4(2)	77-82	2014
Koda M, Mannoji C, Itabashi T, Kita T, Murakami M, Yamazaki M, Aramomi M, Ikeda O, Furuya T.	Intramedullary hemorrhage caused by spinal cord hemangioblastoma: a case report.	BMC Res Notes	7	doi : 10.1186/1756-0500-7-823	2014
Mannoji C, Koda M, Furuya T, Okamoto Y, Kon T, Takahashi K, Yamazaki M, Murakami M.	Radiograms Obtained during Anterior Cervical Decompression and Fusion Can Mislead Surgeons into Performing Surgery at the Wrong Level.	Case Rep Orthop	2014	doi : 10.1155/2014/398457	2014

Koda M, Hisamitsu J, Nakayama S, Nishikawa S, Furuya T, Yamazaki M, Ogino S.	Successful closed reduction for iatrogenic displacement of the anatomical neck of the humerus: a case report.	BMC Res Notes	7	doi : 10.1186/1756-0500-7-770	2014
Takahashi H, Aoki Y, Nakajima A, Sonobe M, Terajima F, Saito M, Taniguchi S, Yamada M, Watanabe F, Furuya T, Koda M, Yamazaki M, Takahashi K, Nakagawa K.	Phosphorylated neurofilament subunit NF-H becomes elevated in the cerebrospinal fluid of patients with acutely worsening symptoms of compression myelopathy.	J Clin Neurosci.	12	2175-8	2014
Kamiya K, Koda M, Furuya T, Kato K, Takahashi H, Sakuma T, Inada T, Ota M, Maki S, Okawa A, Ito Y, Takahashi K, Yamazaki M.	Neuroprotective therapy with granulocyte colony-stimulating factor in acute spinal cord injury: a comparison with high-dose methylprednisolone as a historical control.	Eur Spine J.		Doi :10.1007/s00586-014-3373-0	2014
Imajo Y, Taguchi T, Yone K, Okawa A, Otani K, Ogata T, Ozawa H, Shimada Y, Neo M, Iguchi T.)	Japanese 2011 nationwide survey on complications from spine surgery.	J Orthop Scie			2015
Nishida N, Kanchiku T, Kato Y, Imajo Y, Yoshida Y, Kawano S, Taguchi T.	Biomechanical analysis of cervical myelopathy due to ossification of the posterior longitudinal ligament: Effects of posterior decompression and kyphosis following decompression.	Exp Ther Med	7(5)	1095-1099	2014
Kanchiku T, Imajo Y, Suzuki H, Yoshida Y, Nishida N, Taguchi T.	Results of surgical treatment of cervical spondylotic myelopathy in patients aged 75 years or more: a comparative study of operative methods	Arch Orthop Trauma Surg	134(8)	1045-50	2014
Funaba M, Kanchiku T, Imajo Y, Suzuki H, Yoshida Y, Taguchi T	Preoperative diagnosis of the responsible level in CCM using CMAPs: comparison with SCEPs	Spinal Cord	52(3)	191-6	2014

Shigeto Ebata, Hirokazu Sato, Tetsuro Ohba, Takashi Ando, Hirotaka Haro.	Postoperative intervertebral stabilizing effect after cervical laminoplasty.	Journal of Back and Musculoskeletal Rehabilitation.				2014 Epub ahead of print
Sugita S. Chikuda H. Takeshita K. Seichi A. Tanaka S.	Progression of ossification of the posterior longitudinal ligament of the thoracic spine following posterior decompression and stabilization.	Journal of Neurosurgery Spine	21	773-7		2014
Kagotani R, Yoshida M, Muraki S, Oka H, Hashizume H, Yamada H, Enyo Y, Nagata K, Ishimoto Y, Teraguchi M, Tanaka S, Nakamura K, Kawaguchi H, Akune T, Yoshimura N	Prevalence of diffuse idiopathic skeletal hyperostosis (DISH) of the whole spine and its association with lumbar spondylosis and knee osteoarthritis: the ROAD study.	J Bone Miner Metab	Mar 13		Epub ahead of print	2014
Mori K, Imai S, Kasahara T, Nishizawa K, Mimura T, Matsusue Y.	Prevalence, Distribution, and Morphology of Thoracic Ossification of the Posterior Longitudinal Ligament in Japanese: Results of CT-Based Cross-sectional Study.	Spine (Phila Pa 1976)	39(5)	394-9		2014
Mori K, Imai S, Nishizawa K, Matsusue Y.	Cervical myelopathy due to calcification of the posterior atlantoaxial membrane associated with general articular deposition of calcium pyrophosphate dehydrate. A case report and review of the literature.	J Orthop Sci				In press
Fujimori T, Iwasaki M, Okuda S, Tanaka S, Kashii M, Kaito T, Yoshikawa H	Long-term results of cervical myelopathy due to ossification of the posterior longitudinal ligament with an occupying ratio of 60% or more	Spine (Phila Pa 1976)	39	58-67		2014

Fujimori T, Inoue S, Le H, Schairer WW, Berven SH, Tay BK, Deviren V, Burch S, Iwasaki M, Hu SS	Long fusion from sacrum to thoracic spine for adult spinal deformity with sagittal imbalance: upper versus lower thoracic spine as site of upper instrumented vertebra.	Neurosurg Focus	36 (5)	E9	2014
Sugiura T, Nagamoto Y, Iwasaki M, Matsuo Y, Fujimori T, Kashii M, Kaito T, Murase T, Tomita T, Yoshikawa H, Sugamoto K.	In vivo 3D kinematics of the upper cervical spine during head rotation in rheumatoid arthritis.	J Neurosurg: Spine	20 (4)	404-410	2014
Okuda S, Oda T, Yamasaki R, Maeno T, Iwasaki M.	Repeated adjacent-segment degeneration after posterior lumbar interbody fusion.	J Neurosurg: Spine	20 (5)	538-541	2014
Aono H, Nagamoto Y, Tobimatsu H, Takenaka S, Iwasaki M.	Surgical outcomes for painless drop foot due to degenerative lumbar diseases.	J Spinal Disord Tech	27(7)	E258-61	2014
Okuda S, Oda T, Yamasaki R, Haku T, Maeno T, Iwasaki M.	Posterior lumbar interbody fusion with total facetectomy for low-dysplastic isthmic spondylolisthesis: effects of slip reduction on surgical outcomes.	J Neurosurg: Spine	21(2)	171-178	2014
Nagamoto Y, Sugiura T, Fujimori T, Matsuo Y, Kashii M, Sugamoto K, Iwasaki M.	In vivo 3D kinematic changes in the cervical spine after laminoplasty for cervical spondylotic myelopathy	J Neurosurg: Spine	21(3)	417-424	2014
Yamasaki R, Okuda S, Maeno T, Haku T, Iwasaki M, Oda T.	Radiculopathy due to fracture of an inferior articular process anomaly at the 5th lumbar vertebra: a case report.	J Spine Neurosurg	3	5-7	2014
Morimoto T, Kaito T, Kashii M, Matsuo Y, Sugiura T, Iwasaki M, Yoshikawa H.	Effect of intermittent administration of teriparatide (Parathyroid Hormone 1-34) on bone morphogenetic protein-induced bone formation in a rat model of spinal fusion.	J Bone and Joint Surg [AM]	96 (13)	e107 (1-8),	2014
Shibuya R, Wada E, Iwasaki M, Yonobu K, Yoshikawa H.	Motor conduction measurement in myelopathy hand.	Functional Neurology	29(3)	177-182	2014

Fujimori T, Iwasaki M, Nagamoto Y, Matsuo Y, Ishii T, Sugiura T, Kasahii M, Murase T, Sugamoto K, Yoshikawa H.	Kinematics of the thoracic spine in trunk lateral bending: in vivo three-dimensional analysis.	Spine J	14(9)	1991-1999	2014
Maeno T, Okuda S, Yamashita T, Matsumoto T, Yamasaki R, Oda T, Iwasaki M	Age-related surgical outcomes of laminoplasty for cervical spondylotic myelopathy	Global Spine J		in press	2014
Yamaya S, Ozawa H, et al.	Low-energy extracorporeal shock wave therapy promotes vascular endothelial growth factor expression and improves locomotor recovery after spinal cord injury.	J Neurosurg	121	1514-25	2014
Kanno H, et al	Combination of engineered Schwann cell grafts to secrete neurotrophin and chondroitinase promotes axonal regeneration and locomotion after spinal cord injury.	J Neurosci	34	1838-55	2014
Nishimura H. et al.	Gait analysis in cervical spondylotic myelopathy.	Asian Spine J	(in press)		2014
Takahashi H, Aoki Y, Kanajima A, Sonobe M, Terajima F, Saito M, Taniguchi S, Yamada M, Watanabe F, Furuya T, Koda M, Yamazaki M, Takahashi K, Nakagawa K	Phosphorylated neurofilament subunit NF-H becomes elevated in the cerebrospinal fluid of patients with acutely worsening symptoms of compression myelopathy	J Clin Neurosci	July 22. [Epub ahead of print]		2014
Koda M, Furuya T, Kato K, Mannoji C, Hashimoto M, Inada T, Kamiya K, Ota M, Maki S, Okawa A, Takahashi K, Ishikawa T, Yamazaki M	Delayed granulocyte colony-stimulating factor treatment in rats attenuated mechanical allodynia induced by chronic constriction injury of the sciatic nerve	Spine	39(3)	192-197	2014

Inada T, Takahashi H, Yamazaki M, Okawa A, Sakuma T, Kato K, Hashimoto M, Hayashi K, Furuya T, Fujiyoshi T, Kawabe J, Mannoji C, Miyashita T, Kadota R, Someya Y, Ikeda O, Hashimoto M, Suda K, Kajino T, Ueda H, Ito Y, Ueta T, Hanaoka H, Takahashi K, Koda M	Multicenter prospective non-randomized controlled clinical trial to prove neurotherapeutic effects of granulocyte colony-stimulating factor for acute spinal cord injury: analyses of follow-up cases after at least 1 year	Spine	39(3)	213-219	2014
Uchida K, Nakajima H, Guerrero AR, Johnson WE, Masri WE, Baba H.	Gene therapy strategies for the treatment of spinal cord injury.	Ther Deliv	5 (5)	591-607	2014
Uchida K, Nakajima H, Takeura N, Yayama T, Guerrero AR, Yoshida A, Sakamoto T, Honjoh K, Baba H.	Prognostic value of changes in spinal cord signal intensity on magnetic resonance imaging in patients with cervical compressive myelopathy.	Spine J	14 (8)	1601-1610	2014
Tanaka N, Konno S, Takeshita K, Fukui M, Takahashi K, Chiba K, Miyamoto M, Matsumoto M, Kasai Y, Kanamori M, Matsunaga S, Hosono N, Kanchiku T, Taneichi H, Hashizume H, Kanayama M, Shimizu T, Kawakami M	An outcome measure for patients with cervical myelopathy: the Japanese Orthopaedic Association Cervical Myelopathy Evaluation Questionnaire (JOACME): an average score of healthy volunteers	J Orthop Sci	19(1)	33-48	2014
Mishima K, Kitoh H, Haga N, Nakashima Y, Kamizono J, Katagiri T, Susami T, Mitsuhashi M, Ishiguro N.	Radiographic characteristics of the hand and cervical spine in fibrodysplasia ossificans progressiva.	Intractable Rare Dis Res.	3(2)	46-51	2014

Hoover-Fong J, So breira N, Jurgens J, Modaff P, Blout C, Moser A, Kim OH, Cho TJ, Cho SY, Kim SJ, Jin DK, <u>Kitoh H</u> , Park WY, Ling H, Hetrick KN, Doheny K F, Valle D, Pauli RM.	Mutations in PCYT1A, encoding a key regulator of phosphatidylcholine metabolism, cause spondylometaphyseal dysplasia with cone-rod dystrophy.	Am J Hum Genet	94(1)	105-112	2014
Matsushita M, <u>Kitoh H</u> , Kaneko H, Mishima K, Itoh Y, Tokita Y, Ishiguro N.	A novel in-frame deletion of the RUNX2 gene causes a classic form of cleidocranial dysplasia.	J Bone Miner Metab	32(1)	96-99	2014
Matsushita M, <u>Kitoh H</u> , Michigami T, Tachikawa K, Kaneko H, Mishima K, Ishiguro N.	Benign prenatal hypophosphatasia: a treatable disease not to be missed.	Ped Radiol	44(3)	340-343	2014
Okabe YT, Kondo T, Mishima K, Haya se Y, Kato K, Mizuno M, Ishiguro N, <u>Kitoh H</u> .	Biodistribution of locally or systemically transplanted osteoblast-like cells.	Bone Joint Res	3(3)	76-81	2014
Matsushita M, <u>Kitoh H</u> , Mishima K, Nishida Y, Ishiguro N.	A case of severe proximal focal femoral deficiency with overlapping phenotypes of Al-Awadi-Raas-Rothschild syndrome and Fuhrmann syndrome.	Ped Radiol	Epub ahead of print		2014
<u>Kitoh H</u> , Kaneko H, Mishima K, Matsushita M, Kadono I, Nishida Y, Ishiguro N.	Early and late fracture following extensive limb lengthening in achondroplasia and hypochondroplasia.	Bone Joint J	96-B	1269-1273	2014
Kaneko H, <u>Kitoh H</u> , Mishima K, Matsushita M, Izumi K, Naoki Ishiguro, Hattori T.	Factors associated with an unfavourable outcome after Salter innominate osteotomy in patients with unilateral developmental dysplasia of the hip: Does occult dysplasia of the contralateral hip affect the outcome?	Bone Joint J	96-B	1419-1423	2014
Matsushita M, <u>Kitoh H</u> , Subasioglu A, Colak FK, Dundar M, Mishima K, Nishida Y, Ishiguro N.	A glutamine repeat variant of the RUNX2 gene causes cleidocranial dysplasia.	Mol Syndromol	in press		2014

Olney RC, Prickett TCR, Espiner EA, Mackenzie WG, Duker A, Ditro C, Zabel B, Hasegawa T, <u>Kitoh H</u> , Aylsworth AS, Bober MB.	C-type natriuretic peptide (CNP) plasma levels are elevated in subjects with achondroplasia, hypochondroplasia, and thanatophoric dysplasia	J Clin Endocrinol Metab	Epub ahead of print(online)		2014
---	---	-------------------------	-----------------------------	--	------