

別紙4

研究成果の刊行に関する一覧表レイアウト（参考）

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
森田 宏	QRS fragmentation	平尾見三、 笹野哲郎	不整脈診療クリニカルクエスチョン	診断と治療社	東京	2015	印刷中
森田 宏	QRS 幅は予後と 相関する？	平尾見三、 笹野哲郎	不整脈診療クリニカルクエスチョン	診断と治療社	東京	2015	印刷中
森田 宏	Late Potential とは？	平尾見三、 笹野哲郎	不整脈診療クリニカルクエスチョン	診断と治療社	東京	2015	印刷中
森田 宏	加算平均心電図 (心室 Late)	小室一成	EBM 循環器疾患の 治療 2015-2016	中外医学 社	東京	2015	印刷中
森田 宏	拡張不全患者の 心電図検査では	伊藤 浩	拡張不全の日常診 療 Q&A	中外医学 社	東京	2015	印刷中
堀江 稔	梗塞後不整脈	堀 正二、 永井良三	循環器疾患最新の 治療2014-2015	南江堂	東京	2014	77-81
堀江 稔	イオンチャネル 病のすべて	堀江 稔 監修	別冊医学のあゆみ	医歯薬出 版	東京	2014	全165
清水 渉	QT 延長症候群 (分担)	山口 徹、 北 原光夫、 福井 次矢編集	今日の治療指針	医学書院	東京	2014	374-375
清水 渉	6.不整脈薬物治 療に関するガイ ドライン (2009 年改訂版). (分 担)	山口 徹、 北 原光夫、 福井 次矢編集	今日の治療指針	医学書院	東京	2014	1798-180 5
清水 渉	X 不整脈. 11. QT 延長症候群. (分担)	堀 正二、 永 井良三編集	循環器疾患最新の 治療 2014-2015	南江堂	東京	2014	305-308
清水 渉	4 遺伝性不整脈 の遺伝医学. (分 担)	斎藤加代子、 近藤恵里編 集	いまさら聞けない 「遺伝医学」	メディカ ルドウ	東京	2014	49-58

住友直方	小児におけるカテーテルアブレーションの適応と手技	奥村謙	インフォームドコンセントのための図説シリーズ「不整脈治療のためのカテーテルアブレーション～エビデンスに基づいた周術期」	医薬ジャーナル社	大阪	2014	90-99
住友直方		住友直方	小児不整脈のカテーテルアブレーション、心臓解剖から先天性心疾患治療まで	診断と治療社	東京	2014	
宮崎 文	房室ブロック	「小児内科」「小児外科」編集委員会	小児疾患診療のための病態生理 1 第5 版	東京医学社	東京	2014	391-395
宮崎 文	成人先天性心疾患に合併する不整脈と治療	小室一成,他	Annual Review 2014 循環器	中外医学社	東京	2014	168-174

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Ishikawa T, Jou CJ, Nogami A, Kowase S, Arrington CB, Barnett SM, Harrell DT, Arimura T, Tsuji Y, Kimura A, Makita N	A novel mutation in the α -myosin heavy chain gene is associated with sick sinus syndrome	Circ Arrhythm Electrophysiol.		in press	
Ogiso M, Suzuki A, Shiga T, Nakai K, Shoda M, Hagiwara N.	Effect of intravenous amiodarone on QT and T peak-T end dispersions in patients with nonischemic heart failure treated with cardiac resynchronization-defibrillato r therapy and electrical storm.	Journal of Arrhythmia		in press	
Arakawa J, Hamabe A, Aiba T , Nagai T, Yoshida M, Touya T, Ishigami N, Hisadome H, Katsushika S, Tabata H, Shimizu W.	A novel cardiac ryanodine receptor gene (RyR2) mutation in an athlete with aborted sudden cardiac death: a case of adult-onset catecholaminergic polymorphic ventricular tachycardia.	Heart Vessels.		in press	
Miyamoto K, Aiba T , Kimura H, et al.	Efficacy and Safety of Flecainide for Ventricular Arrhythmias in Patients with Andersen-Tawil Syndrome with KCNJ2 Mutation.	HeartRhythm		in press	
Kato K, Ejima K, Fukushima N, Ishizawa M, Wakisaka O, Henmi R, Yoshida K, Nuki T, Arai K, Yashiro B, Manaka T, Ashihara K, Shoda M, Hagiwara N.	Catheter ablation of atrial fibrillation in patients with severely impaired left ventricular systolic function.	Heart Vessels		in press	
Osawa K, Miyoshi T, Oe H, Sato S, Nakamura K, Kohno K, Morita H , Kanazawa S, Ito H.	Association between coronary artery calcification and left ventricular diastolic dysfunction in elderly people.	Heart and vessels		in press	
Fukushima K, Fukushima N, Ejima K, Kato K, Sato Y, Uematsu S, Arai K, Manaka T, Takagi A, Ashihara K, Shoda M, Hagiwara N.	Left Atrial Appendage Flow Velocity and Time from P-Wave Onset to Tissue Doppler-Derived A' Predict Atrial Fibrillation Recurrence after Radiofrequency Catheter Ablation.	Echocardiograph		in press	

Hasegawa K, Ohno S, Kimura H, Itoh H, Makiyama T, Yoshida Y, .	Mosaic KCNJ2 Mutation in Andersen-Tawil syndrome: Targeted Deep Sequencing is Useful for the Detection of Mosaicism.	Clinical Genetics	87(3)	279-283	2015
Miyamoto K, Aiba T , Kimura H, Hayashi H, Ohno S, Yasuoka C, Tanioka Y, Tsuchiya T, Yoshida Y, Hayashi H, Tsuboi I, Nakajima I, Ishibashi K, Okamura H, Noda T, Ishihara M, Anzai T, Yasuda S, Miyamoto Y , Kamakura S , Kusano K, Ogawa H, , Shimizu W	Efficacy and safety of flecainide for ventricular arrhythmias in patients with Andersen-Tawil syndrome with KCNJ2 mutations.	Heart Rhythm.	12	590-603	2015
Matsuura K, Kodama F, Sugiyama K, Shimizu T, Hagiwara N , Okano T.	Elimination of remaining undifferentiated induced pluripotent stem cells in the process of human cardiac cell sheet fabrication using a methionine-free culture condition.	Tissue Engineering Part C: Methods.	21(3)	330-338	2015
Aizawa Y, Sato M, Kitazawa H, Aizawa Y, Takatsuki S, Oda E, Okabe M, Fukuda K .	Tachycardia-dependent augmentation of "notched J waves" in a general patient population without ventricular fibrillation or cardiac arrest: Not a repolarization but a depolarization abnormality?	Heart Rhythm.	12	376-83.	2015
Lin L, Horigome H , Kato Y, Kikuchi T, Nakahara S, Sumazaki R.	Significant associations between hemostatic/fibrinolytic systems and accumulation of cardiovascular risk factors in Japanese elementary schoolchildren.	Blood Coagul Fibrinolysis.	26	75-80	2015
Miyoshi T, Maeno Y, Sago H, Inamura N, Yasukouchi S, Kawataki M, Horigome H , Yoda H, Taketazu M, Shozu M, Nii M, Kato H, Hagiwara A, Omoto A, Shimizu W , Shiraishi I , Sakaguchi H, Nishimura K, Nakai M, Ueda K, Katsuragi S, Ikeda T.	Fetal bradyarrhythmia associated with congenital heart defects - nationwide survey in Japan.	Circ J.	79(4)	854-61	2015

Ishizu T, <u>Horigome H</u>	Assessment and treatment of systemic right ventricular dyssynchrony.	Circ J.	79(3)	519-21	2015
Okamura H, Kamakura T, <u>Morita H</u> , Tokioka K, Nakajima I, Wada M, Ishibashi K, Miyamoto K, Noda T, <u>Aiba T</u> , Nishii N, Nagase S, <u>Shimizu W</u> , Yasuda S, Ogawa H, <u>Kamakura S</u> , Ito H, Ohe T, Kusano KF.	Risk stratification in patients with brugada syndrome without previous cardiac arrest.	Circulation Journal	78	310-317	2015
<u>Miyazaki A, Sakaguchi H</u> , Kagisaki K, Tsujii N, Matsuoka M, Yamamoto T, Hoashi T, Noda T, Ohuchi H..	Optimal pacing sites for cardiac resynchronization therapy for patients with a systemic right ventricle with or without a rudimentary left ventricle.	Europace.	/	401	2015
<u>Miyazaki A, Sakaguchi H</u> , Ohuchi H, Yasuda K, Tsujii N, Matsuoka M, Yamamoto T, Yazaki S, Tsuda E, Yamada O.	The clinical characteristics of sudden cardiac arrest in asymptomatic patients with congenital heart disease.	Heart Vessels.	30	70-80	2015
Sairaku A, <u>Nakano Y</u> , Kihara Y	Increased urine output by ipragliflozin in a non-diabetic patient with a diuretic-resistant heart failure.	Int J Cardiol	180	42-3	2015
Watanabe Y, <u>Nakano Y</u> , Hidaka T, Oda N, Kajihara K, Tokuyama T, Uchimura Y, Sairaku A, Motoda C, Fujiwara M, Kawazoe H, Matsumura H, Kihara Y.	Mechanical and substrate abnormalities of the left atrium assessed by 3-dimensional speckle-tracking echocardiography and electroanatomic mapping system in patients with paroxysmal atrial fibrillation	Heart Rhythm.	12(3)	490-7	2015
Mizusawa Y, <u>Horie M</u> , Wilde AA.	Genetic and Clinical Advances in Congenital Long QT Syndrome.	Circ J.	78(12)	2827-2833	2014
Hasegawa K, Ohno S, Itoh H, <u>Makiyama T</u> , <u>Aiba T, Nakano Y</u> , <u>Shimizu W</u> , Matsuura H, <u>Horie M</u> .	A rare KCNE1 polymorphism, D85N, as a genetic modifier of long QT syndrome.	Journal of Arrhythmia	30(3)	161-166	2014
Fukuyama M, Ohno S, Wang Q, Shirayama T, Itoh H, <u>Horie M</u> .	Nonsense-mediated mRNA decay due to a CACNA1C splicing mutation in a patient with Brugada syndrome.	Heart Rhythm	11(4)	629-634,	2014

Kato K, <u>Makiyama T</u> , Wu J, Ding WG, Kimura H, Naiki N, Ohno S, Itoh H, Nakanishi T, Matsuura H, <u>Horie M</u>	Cardiac Channelopathies Associated With Infantile Fatal Ventricular Arrhythmias, From The Cradle to The Bench.	J Cardiovasc Electrophysiol	25(1)	66-73.	2014
Hasegawa K, Ohno S, Ashihara T, Itoh H, Ding WG, Toyoda F, <u>Makiyama T</u> , Aoki H, Nakamura Y, Delisle BP, Matsuura H, <u>Horie M</u>	A novel KCNQ1 missense mutation identified in a patient with juvenile-onset atrial fibrillation causes constitutively open IKs channels.	Heart Rhythm	11(1)	67-75	2014
<u>Shimizu W</u>	Editorial comment. Importance of clinical analysis in this era of new technology of molecular genetic screening.	J Am Coll Cardiol.	64	80-82	2014
<u>Shimizu W</u>	Clinical and genetic diagnosis for inherited cardiac arrhythmias.	J Nippon Med Sch.	81	203-210	2014
<u>Yoshinaga M</u> , Kucho Y, Sarantuya J, Ninomiya Y, <u>Horigome H</u> , Ushinohama H, <u>Shimizu W</u> , <u>Horie M</u>	Genetic characteristics of children and adolescents with long-QT syndrome diagnosed by school-based electrocardiographic screening programs.	Circ Arrhythm Electrophysiol.	7	107-112	2014
Katsuumi G, <u>Shimizu W</u> , <u>Watanabe H</u> , Noda T, Nogami A, Ohkubo K, <u>Makiyama T</u> , Takehara N, Kawamura Y, Hosaka Y, Sato M, Fukae S, Chinushi M, Oda H, Okabe M, Kimura A, Maemura K, Watanabe I, <u>Kamakura S</u> , <u>Horie M</u> , Aizawa Y, <u>Makita N</u> , Minamino T	Efficacy of bepridil to prevent ventricular fibrillation in severe form of early repolarization syndrome.	Int J Cardiol.	172	519-522	2014
Kokunai Y, Nakata T, Furuta M, Sakata S, Kimura H, <u>Aiba T</u> , <u>Yoshinaga M</u> , Osaki Y, Nakamori M, Itoh H, Sato T, Kubota T, Kadota K, Shindo K, Mochizuki H, <u>Shimizu W</u> , <u>Horie M</u> , Okamura Y, Ohno K, Takahashi MP	A Kir3.4 mutation causes Andersen-Tawil syndrome by an inhibitory effect on Kir2.1.	Neurology.	82	1058-1064	2014

Toyota N, Miyazaki A, Sakaguchi H, <u>Shimizu W</u> , Ohuchi H	A high-risk patient with long-QT syndrome with no response to cardioselective beta-blockers.	Heart Vessels.	Epub		2014
Makita N , Yagihara N, Crotti L, Johnson CN, Beckmann BM, Roh MS, Shigemizu D, Lichtner P, Ishikawa T, <u>Aiba T</u> , Homfray T, Behr ER, klug D, Denjoy I, Mastantuono E, Theise D, Tsunoda T, Satake W, Toda T, Nakagawa H, Tsuji Y, Tsuchiya T, Yamamoto H, <u>Miyamoto Y</u> , Endo N, Kimura A, ozaki K, Motomura H, Suda K, Tanaka T, Schwartz PJ, Meitinger T, Kääb S, Guicheney P, <u>Shimizu W</u> , Bhuiyan ZA, <u>Watanabe H</u> , Chazin WJ, Geroge AL	Novel Calmodulin (CALM2) Mutations Associated with Congenital Arrhythmia Susceptibility.	Circ Cardiovasc Genet.	7	466-474	2014
Takahashi K, <u>Shimizu W</u> , Miyake A, Nabeshima T, Nakayashiro M, Ganaha H	High prevalence of the SCN5A E1784K mutation in school children with long QT syndrome living on the Okinawa islands.	Circ J.	78	1974-1979	2014
Okamura H, Kamakura T, <u>Morita H</u> , Tokioka K, Nakajima I, Wada M, Ishibashi K, Miyamoto K, Noda T, <u>Aiba T</u> , Nishi N, Nagase S, <u>Shimizu W</u> , Yasuda S, Ogawa H, <u>Kamakura S</u> , Ito H, Ohe T, Kusano KF	Risk atratification in patients with Brugada syndrome without previous cardiac arrest - Prognostic value of combined risk factors -.	Circ J.	Epub		2014
Takagi M, Sekiguchi Y, Yokoyama Y, Aihara N, Hiraoka M, <u>Aonuma K</u> ; Japan Idiopathic Ventricular Fibrillation Study (J-IVFS) Investigators.	Long-term prognosis in patients with Brugada syndrome based on Class II indication for implantable cardioverter-defibrillator in the HRS/EHRA/APHRS Expert Consensus Statement: multicenter study in Japan.	Heart Rhythm.	11(10)	1716-20	2014
Naruse Y, Tada H, Harimura Y, Ishibashi M, Noguchi Y, Sato A, Hoshi T, Sekiguchi Y, <u>Aonuma K</u>	Early repolarization increases the occurrence of sustained ventricular tachyarrhythmias and sudden death in the chronic phase of an acute myocardial infarction.	Circ Arrhythm Electrophysiol.	7(4)	626-32	2014

Abe K, Machida T, <u>Sumitomo N</u> , Yamamoto H, Ohkubo K, Watanabe I, <u>Makiyama T</u> , Fukae S, Kohno M, Harrell D T, Ishikawa T, Tsuji Y, Nogami A, Watabe T, Oginosawa Y, Abe H,	Sodium channelopathy underlying familial sick sinus syndrome with early onset and predominantly male characteristics.	Circ Arrhythm Electrophysiol.	7(3)	511-7	2014
Abe Y, <u>Sumitomo N</u> , Okuma H, Nakamura T, Fukuhsara J, Ichikawa R, Matsumura M, Miyashita M, Kamiyama H, Ayusawa M, Watanabe M, Joo K, <u>Makita N, Horie M</u>	Successful control of life-threatening polymorphic ventricular tachycardia by radiofrequency catheter ablation in an infant.	Heart Vessels.	29(3)	422-6	2014
Kinoshita K, Komatsu T, Nishide K, Hata Y, Hisajima N, Takahashi H, Kimoto K, <u>Aonuma K</u> , Tsushima E, Tabata T, Yoshida T, Mori H, Nishida K, Yamaguchi Y, Ichida F, Fukurotani K, Inoue H, Nishida N.	A590T mutation in KCNQ1 C-terminal helix D decreases IKs channel trafficking and function but not Yotiao interaction.	J Mol Cell Cardiol.	72	273-80	2014
Kusumoto S, Kawano H, <u>Makita N</u> , Ichimaru S, Kaku T, Haruta D, Hida A, Sera N, Imaizumi M, Nakashima E, Maemura K, Akahoshi M.	Right bundle branch block without overt heart disease predicts higher risk of pacemaker implantation: The study of atomic-bomb survivors.	Int J Cardiol.	174 (1)	77-82	2014.
Ohno S, Omura M, Kawamura M, Kimura H, Itoh H, <u>Makiyama T</u> , Ushinohama H, <u>Makita N, Horie M</u>	Exon 3 deletion of RYR2 encoding cardiac ryanodine receptor is associated with left ventricular non-compaction.	Europace.	16 (11)	1646-54	2014
Yoshida M, Ando S, Chishiki A, <u>Makita N</u> , Hasegawa Y, Narita S, Momii H, Kadokami T.	Normal dose of pilsicainide showed marked negative inotropic effects in a patient who had no underlying heart disease.	J Arrhythmia.	30(1)	68-70	2014
Tsuji Y, Ishikawa T, <u>Makita N</u> .	Molecular mechanisms of heart failure progression associated with implantable cardioverter-defibrillator shocks for ventricular tachyarrhythmias.	J Arrhythmia.	30(4)	235-241	2014
Seki A, Nishii K, <u>Hagiwara N</u> .	Gap junctional regulation of pressure, fluid force, and electrical fields in the epigenetics of cardiac morphogenesis and remodeling.	Life Sciences	pii: S0024-3205(14)	00902-3	2014

Ejima K, Kato K, Arai K, Fukushima K, Fukushima N, Suzuki T, Yoshida K, Nuki T, Uematsu S, Hoshi H, Manaka T, Ashihara K, Shoda M, <u>Hagiwara N.</u>	Impact of atrial remodeling on the outcome of radiofrequency catheter ablation of paroxysmal atrial fibrillation.	Circulation Journal	78(4)	872-877	2014
Fukushima N, Tsurumi Y, Jujo K, Gomita K, Sekiguchi H, Honda A, Yumino D, Kawana M, <u>Hagiwara N.</u>	Impact of myocardial reperfusion status on QT dispersion after successful recanalization of the infarct-related artery in acute myocardial infarction.	Journal of interventional cardiology	27(3)	252-259	2014
Yashiro B, Minami Y, Terajima Y, <u>Hagiwara N.</u>	Prognostic difference between paroxysmal and non-paroxysmal atrial fibrillation in patients with hypertrophic cardiomyopathy.	Journal of Cardiology	63(6)	432-437	2014
Ejima K, Arai K, Suzuki T, Kato K, Yoshida K, Nuki T, Suzuki F, Uematsu S, Gomita K, Hoshi H, Manaka T, Ashihara K, Shoda M, <u>Hagiwara N.</u>	Long-term outcome and preprocedural predictors of atrial tachyarrhythmia recurrence following pulmonary vein antrum isolation-based catheter ablation in patients with non-paroxysmal atrial fibrillation.	Journal of Cardiology	64(1-2)	57-63	2014
Egashira T, Yuasa S, Kimura M, Sawano M, Anzai A, Hayashida K, Kawamura A, Kimura T, Nishiyama N, Aizawa Y, Takatsuki S, Tsuruta H, Murata M, Yamada Y, Kohno T, Maekawa Y, Sano M, Kosaki K, <u>Fukuda K.</u>	Coexistence of two distinct fascinating cardiovascular disorders: heterotaxy syndrome with left ventricular non-compaction and vasospastic angina.	Int J Cardiol.	174	e54-6	2014
Sano M, Aizawa Y, Katsumata Y, Nishiyama N, Takatsuki S, Kamitsui S, Kamatani N, <u>Fukuda K.</u>	Evaluation of differences in automated QT/QTc measurements between Fukuda Denshi and Nihon Koden systems.	PLoS One.	9	e106947.	2014
Aizawa Y, Sato M, Ohno S, <u>Horie M</u> , Takatsuki S, <u>Fukuda K</u> , Chinushi M, Usui T, Aonuma K, Hosaka Y, Haissaguerre M, Aizawa Y.	Circadian pattern of fibrillatory events in non-Brugada-type idiopathic ventricular fibrillation with a focus on J waves.	Heart Rhythm.	11	2261-6.	2014
Yamakawa H, Murata M, Suzuki T, Yada H, Ishida H, Aizawa Y, Adachi T, Kamiya K, <u>Fukuda K.</u>	Suppression of Rad leads to arrhythmogenesis via PKA-mediated phosphorylation of ryanodine receptor activity in the heart.	Biochem Biophys Res Commun.	452	701-7.	2014

Kaneko Y, Horie M , Niwano S, Kusano K, Takatsuki S, Kurita T, Mitsuhashi T, Nakajima T, Irie T, Hasegawa K, Noda T, Kamakura S , Aizawa Y, Yasuoka R, Torigoe K, Suzuki H, Ohe T, Shimizu A, Fukuda K , Kurabayashi M, Aizawa Y.	Electrical Storm in Patients with Brugada Syndrome is Associated with Early Repolarization.	Circ Arrhythm Electrophysiol.	7	1122-8.	2014
Mitani Y, Ohta K Ichida F, Nii M, Arakaki Y, Ushinohama H, Takahashi T, Ohashi H, Yodoya N, Fujii E, Ishikura K, Tateno S, Sato S, Suzuki T, Higaki T, Iwamoto M, Yoshinaga M , Nagashima M, Sumitomo	Circumstances and Outcomes of Out-Of-Hospital Cardiac Arrest in Elementary and Middle School Students in the Era of Public-Access Defibrillation: Implications for Emergency Preparedness in Schools.	Circ J.	78(3)	701-7	2014
Nakamura A, Horigome H , Seo Y, Ishizu T, Sumazaki R.	Right ventricular remodeling due to pulmonary regurgitation is associated with reduced left ventricular free wall strain in surgically repaired tetralogy of fallot.	Circ J	78(8)	1960-6	2014
Horigome H	Current status and future direction of cardiac resynchronization therapy for congenital heart disease and pediatric patients.	Circ J	78(7)	1579-81	2014
Murakami T, Horigome H , Shiono J, Ishiodori T, Ban Y, Gomi S, Abe M.	Prenatal Diagnosis of Congenital Absence of Aortic Valve: A Report of Two Cases with Different Outcomes and a Literature Review.	Fetal Diagn Ther.		Epub	2014
Sumitomo N	Device therapy in Children and Patients with Congenital Heart disease	J Arrhythmia	30(6)	428-432	2014
Sumitomo N	E1784K Mutation in SCN5A Gene and Overlap Syndrome	Circ J	78(8)	1839 – 1840	2014
Abe Y, Sumitomo N , Okuma H, Nakamura T, Fukuhara J, Ichikawa R, Matsumura M, Miyashita M, Kamiyama H, Ayusawa M, Watanabe, M Joo K, Makita N , Horie M	Successful Control of Life Threatening Polymorphic Ventricular Tachycardias by Radiofrequency Catheter Ablation in an Infant	Heart	29	422-6	2014

Noto N, Kamiyama H, Karasawa K, Ayusawa M, <u>Sumitomo N</u> , Okada T, Takahashi S	Long-term prognostic impact of dobutamine stress echocardiography in patients with Kawasaki disease and coronary artery lesions: A 15-year follow-up study	J Am Coll Cardiol	63(4)	337-44	2014
Suzuki T, <u>Sumitomo N</u> , Yoshimoto J, <u>Miyazaki A</u> , Hinokiyama K, Ushinohama H, Yasukochi S	Current Trends in Use of Implantable Cardioverter Defibrillators and Cardiac Resynchronization Therapy With a Pacemaker or Defibrillator in Japanese Pediatric Patients	Circ J	78(7)	1710 - 1716	2014
<u>Morita H</u> , Zipes DP, Morita ST, Wu J.	Isolation of canine coronary sinus musculature from the atria by radiofrequency catheter ablation prevents induction of atrial fibrillation.	Circulation. Arrhythmia and Electrophysiology.	7	1181-1188	2014
Nagase S, Banba K, Nishii N, <u>Morita H</u> , Fukushima Kusano K, Ohe T, Ito H.	Multiform premature ventricular contractions and polymorphic ventricular tachycardia caused by purkinje activity with slow conduction in idiopathic ventricular fibrillation.	Intern Med.	53	725-728	2014
Nakagawa K, Nagase S, <u>Morita H</u> , Ito H.	Left ventricular epicardial electrogram recordings in idiopathic ventricular fibrillation with inferior and lateral early repolarization.	Heart Rhythm	11	314-317	2014
Tokioka K, Kusano KF, <u>Morita H</u> , Miura D, Nishii N, Nagase S, Nakamura K, Kohno K, Ito H, Ohe T.	Electrocardiographic parameters and fatal arrhythmic events in patients with brugada syndrome: Combination of depolarization and repolarization abnormalities.	Journal of the American College of Cardiology.	63	2131-2138	2014
Kubo M, Miyoshi T, Kimura T, Noda Y, Kohno K, Nakamura K, <u>Morita H</u> , Ito H.	Add-on ezetimibe reduces small dense low-density lipoprotein cholesterol levels without affecting absorption of eicosapentaenoic acid in patients with coronary artery disease: A pilot study.	American journal of cardiovascular drugs: drugs, devices, and other interventions.	14	387-392	2014
Sakatani Y, Miyoshi T, Oe H, Noda Y, Ohno Y, Nakamura K, Saito Y, Osawa K, <u>Morita H</u> , Kohno K, Ito H.	Pioglitazone prevents the endothelial dysfunction induced by ischemia and reperfusion in healthy subjects.	Journal of cardiovascular pharmacology.	64	326-331	2014

Osawa K, Miyoshi T, Koyama Y, Hashimoto K, Sato S, Nakamura K, Nishii N, Kohno K, Morita H , Kanazawa S, Ito H.	Additional diagnostic value of first-pass myocardial perfusion imaging without stress when combined with 64-row detector coronary ct angiography in patients with coronary artery disease.	Heart	100	1008-1015	2014
Ohno Y, Miyoshi T, Noda Y, Oe H, Toh N, Nakamura K, Kohno K, Morita H , Ito H.	Bezafibrate improves postprandial hypertriglyceridemia and associated endothelial dysfunction in patients with metabolic syndrome: A randomized crossover study.	Cardiovascular diabetology.	13	71	2014
Osawa K, Miyoshi T, Koyama Y, Sato S, Akagi N, Morimitsu Y, Kubo M, Sugiyama H, Nakamura K, Morita H , Kanazawa S, Ito H.	Differential association of visceral adipose tissue with coronary plaque characteristics in patients with and without diabetes mellitus.	Cardiovascular diabetology	13	61	2014
Wang Q, Ohno S, Ding WG, Fukuyama M, Miyamoto A, Itoh H, Makiyama T , Wu J, Bai J, Hasegawa K, Shinohara T, Takahashi N, Shimizu A, Matsuura H, Horie M	Gain-of-function KCNH2 mutations in patients with Brugada syndrome	J Cardiovasc Electrophysiol	25(5)	522-30	2014
Fukuyama M, Wang Q, Kato K, Ohno S, Ding WG, Toyoda F, Itoh H, Kimura H, Makiyama T , Ito M, Matsuura H, Horie M	Long QT syndrome type 8: novel CACNA1C mutations causing QT prolongation and variant phenotypes.	Europace	12	1828-37	2014
Zhou J, Ding WG, Makiyama T , Miyamoto A, Matsumoto Y, Kimura H, Tarutani Y, Zhao J, Wu J, Zang WJ, Matsuura H, Horie M	A novel HCN4 mutation, G1097W, is associated with atrioventricular block	Circ J	78(4)	938-42	2014
Araki A, Katsuno M, Suzuki K, Banno H, Suga N, Hashizume A, Mano T, Hijikata Y, Nakatsuji H, Watanabe H , Yamamoto M, Makiyama T , Ohno S, Fukuyama M, Morimoto S, Horie M , Sobue G	Brugada syndrome in spinal and bulbar muscular atrophy.	Neurology	82(20)	1813-21	2014
Sato A, Watanabe H , Sonoda K, Chinushi M, Tsuda T, Izumi D, Furushima H, Minamino T.	Augmentation of the J wave by rapid pacing in a patient with vasospastic angina.	Int J Cardiol.	172	e111-113	2014

Yamada Y, Kinoshita H, Kuwahara K, Nakagawa Y, Kuwabara Y, Minami T, Yamada C, Shibata J, Nakao K, Cho K, Arai Y, Yasuno S, Nishikimi T, Ueshima K, Kamakura S , Nishida M, Kiyonaka S, Mori Y, Kimura T, Kangawa K, Nakao K.	A Inhibition of N-type Ca ²⁺ channels ameliorates an imbalance in cardiac autonomic nerve activity and prevents lethal arrhythmias in mice with heart failure.	Cardiovasc Res.	104	183-93	2014
Ise T, Hasegawa T, Morita Y, Yamada N, Funada A, Takahama H, Amaki M, Kanzaki H, Okamura H, Kamakura S , Shimizu W , Anzai T, Kitakaze M.	Extensive late gadolinium enhancement on cardiovascular magnetic resonance predicts adverse outcomes and lack of improvement in LV function after steroid therapy in cardiac sarcoidosis.	Heart.	100	1165-72	2014
Takaya Y, Noda T, Nakajima I, Yamada Y, Miyamoto K, Okamura H, Satomi K, Aiba T , Kusano KF, Kanzaki H, Anzai T, Ishihara M, Yasuda S, Ogawa H, Kamakura S , Shimizu W .	Electrocardiographic predictors of response to cardiac resynchronization therapy in patients with intraventricular conduction delay.	Circ J.	78(1)	71-7	2014
Makita N , Yagihara N, Crotti L, Johnson CN, Beckmann BM, Roh MS, Shigemizu D, Lichtner P, Ishikawa T, Aiba T , Homfray T, Behr ER, Klug D, Denjoy I, Mastantuono E, Theisen D, Tsunoda T, Satake W, Toda T, Nakagawa H, Tsuji Y, Tsuchiya T, Yamamoto H, Miyamoto Y , Endo N, Kimura A, Ozaki K, Motomura H, Suda K, Tanaka T, Schwartz PJ, Meitinger T, Kääb S, Guichene P, Shimizu W , Bhuiyan ZA, Watanabe H , Chazin WJ, George AL Jr.	Novel calmodulin mutations associated with congenital arrhythmia susceptibility.	Circ Cardiovasc Genet.	7(4):	466-74.	2014
Aiba T , Farinelli F, Kostecki G, Hesketh GG, Edwards D, Biswas S, Tung L, Tomaselli GF	A mutation causing Brugada syndrome identifies a mechanism for altered autonomic and oxidant regulation of cardiac sodium currents.	Circulation Cardiovasc Genet.	7(3)	249-56.	2014

Tokuyama T, <u>Nakano Y</u> , Awazu A, Uchimura-Makita Y, Fujiwra M, Watanabe Y, Sairaku A, Kajihara K, Motoda C, Oda N, Kihara Y.	Deterioration of the circadian variation of heart rate variability in Brugada syndrome may contribute to the pathogenesis of ventricular fibrillation.	J Cardiol.	64(2):	133-8	2014
Uchimura-Makita Y, <u>Nakano Y</u> , Tokuyama T, Fujiwra M, Watanabe Y, Sairaku A, Kawazoe H, Matsumura H, Oda N, Ikenaga H, Kajihara K, Motoda C, Oda N, Verrier R, Kihara Y.	Time-Domain T-Wave Alternans is Strongly Associated with a History of Ventricular Fibrillation in Patients with Brugada Syndrome.	J Cardiovasc Electrophysiol.	25(9)	1021-7	2014
Sairaku A, <u>Nakano Y</u> , Oda N, Uchimura Y, Tokuyama T, Kawazoe H, Fujiwara M, Watanabe Y, Matsumura H, Kihara Y.	Incomplete Cure of Tachycardia-Induced Cardiomyopathy Secondary to Rapid Atrial Fibrillation by Heart Rate Control Without Sinus Conversion.	J Cardiovasc Electrophysiol	25(10)	1037-43	2014
Sairaku A, <u>Nakano Y</u> , Kihara Y.	Does dabigatran interfere with intraablation heparinization?	Thromb Res	134(3):	742-3	2014
Sairaku A, Yoshida Y, Hirayama H, <u>Nakano Y</u> , Kihara Y.	Impact of pulmonary vein isolation on fractionated atrial potentials and ganglionated plexi in patients with persistent atrial fibrillation.	Int Heart J	55(6)	494-8	2014
辻 幸臣, <u>蔣田直昌</u> .	重症不整脈 electrical storm : 基礎研究からのアプローチ	長崎市医師会報	48	7-11	2014
<u>蔣田直昌</u>	遺伝性不整脈の遺伝子診断の歴史	呼吸と循環	62	827-831	2014
<u>住友直方</u>	小児不整脈の診断ガイドライン	小児内科	47(2)	247-254	2015
三好剛一、前野泰樹、左合治彦、稻村 昇、安河内聰、川瀧元良、 <u>堀米仁志</u> 、与田仁志、竹田津未生、生水真紀夫、新居正基、賀藤均、萩原聰子、尾本暁子、 <u>白石 公</u> 、坂口平馬、西村邦宏、上田恵子、桂木真司、池田智明	治療困難症例から学ぶ 心構造異常を伴う胎児徐脈性不整脈についての検討 胎児徐脈の胎児治療に関する現状調査 2002-2008 より	日本周産期・新生児医学会雑誌	50(1)	136-8	2014
<u>住友直方</u>	刺激伝導系の発達	心臓	46(2)	156-161	2014

住友直方	先天性心疾患における不整脈治療の最前線	循環器内科	75(1)	52-58	2014
住友直方	小児不整脈の学校生活管理指導ガイドライン（2013）	小児科	55(1)	55-54	2014
住友直方	小児循環器専門医のための総説、学校心臓検診	日本小児循環器学会誌	30(1)	11-21	2014
住友直方	頻拍性不整脈	小児科診療	77	378-381	2014
住友直方	心室頻拍、心室細動	小児内科	46	366-373	2014
杉山洋樹、 森田 宏	遺伝性不整脈の病態に基づいた薬物治療	呼吸と循環	62	841-846	2014
上岡 亮、 森田 宏	Brugada 症候群、進行性伝導障害 (PCCD)	Cardiac Practice	25	105-109	2014
上岡 亮、 森田 宏	合併症のある高血圧症例のB遮断薬：不整脈・心臓突然死	血圧	21	764-767	2014
中川晃志、永瀬 聰、和田匡史、田中正道、西井伸洋、寒川睦子、河野晋久、中村一文、 森田 宏 、草野研吾、伊藤 浩、湯本晃久、向原直木、大江透	左室側壁心外膜側に不整脈基質が存在すると考えられたJ波症候群の1例。	臨床心臓電気生理	37	127-135	2014
林 研至 、山岸正和	家族性心房細動	循環器科	75	499	2014