

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Yokoyama H, Sugiyama H, Narita I, Saito T, Yamagata K, Nishio S, Fujimoto S, Mori N, Yuzawa Y, Okuda S, Maruyama S, Sato H, Ueda Y, Makino H, Matsuo S.	Outcomes of primary nephrotic syndrome in elderly Japanese: retrospective analysis of the Japan Renal Biopsy Registry (J-RBR).	Clin Exp Nephrol.			2014 Sep 18. [Epub ahead of print]
Fujimoto K, Imura J, Atsumi H, Matsui Y, Adachi H, Okuyama H, Yamaya H, Yokoyama H.	Clinical significance of serum and urinary soluble urokinase receptor (suPAR) in primary nephrotic syndrome and MPO-ANCA-associated glomerulonephritis in Japanese.	Clin Exp Nephrol.			2014 Dec 13. [Epub ahead of print]
Yonekura Y, Goto S, Sugiyama H, Kitamura H, Yokoyama H, Nishi S.	The influences of larger physical constitutions including obesity on the amount of urine protein excretion in primary glomerulonephritis: research of the Japan Renal Biopsy Registry.	Clin Exp Nephrol.			2014 Jun 11. [Epub ahead of print]
Hayashi N, Akiyama S, Okuyama H, Matsui Y, Adachi H, Yamaya H, Maruyama S, Imai E, Matsuo S, Yokoyama H.	Clinicopathological characteristics of M-type phospholipase A2 receptor (PLA2R)-related membranous nephropathy in Japanese.	Clin Exp Nephrol.			2014 Dec 10. [Epub ahead of print]
横山仁	日本における腎臓病の疫学	医学のあゆみ	249(9)	751-756	2014
Nakagawa N, Matsuki M, Yao N, Hirayama T, Ishida H, Kikuchi K, Hasebe N	Impact of Metabolic Disturbances and Malnutrition-Inflammation on 6-Year Mortality in Japanese Patients Undergoing Hemodialysis	Ther Apher Dial	19(1)	30-39	2015
Hattori M, Sako M, Kaneko T, Ashida A, Matsunaga A, Igarashi T, Itami N, Ohta T, Gotoh Y, Satomura K, Honda M, Igarashi T	End-stage renal disease in Japanese children: a nationwide survey during 2006-2011.	Clinical and Experimental Nephrology			2014 DOI:10.1007/s10157-014-1077-8
Yamagata K, Yagisawa T, Nakayama M, Imai E, Hattori M, Iseki K, Takashi A	Prevalence and incidence of chronic kidney disease stage G5 in Japan.	Clinical and Experimental Nephrology			2014. DOI 10.1007/s10157-014-0978-x
Ishikura K, Uemura O, Hamasaki Y, Ito S, Wada N, Hattori M, Ohashi Y, Tanaka R, Nakanishi K, Kaneko T, Honda M and on behalf of the Pediatric CKD Study Group in Japan in conjunction with the Committee of Measures for Pediatric CKD of the Japanese Society of Pediatric Nephrology	Progression to end-stage kidney disease in Japanese children with chronic kidney disease: results of a nationwide prospective cohort study	Nephrology Dialysis Transplantation	29	878-84	2014
Kouichi Hirayama, Masaki Kobayashi, Joichi Usui, Yoshihiro Arimura, Hitoshi Sugiyama, Kousaku Nitta, Eri Muso, Takashi Wada, Seiichi Matsuo, Kunihiro Yamagata; on behalf of the Japanese RPGN Study Group of Progressive Renal Disease.	Pulmonary involvements of anti-neutrophil cytoplasmic autoantibody-associated renal vasculitis in Japan.	Nephrol Dial Transplant			Epub 2015 Jan 22
臼井丈一、山縣邦弘	急速進行性糸球体腎炎	日本内科学会雑誌	103(10)	2587-2593	2014
臼井丈一、山縣邦弘	日本のガイドラインと世界のガイドライン(3):急速進行性糸球体腎炎の治療	医学のあゆみ	249(9)	812-816	2014

Nakajima A, Lu Y, Kawano H, Horie S, Muto S.	Association of arginine vasopressin surrogate marker urinary copeptin with severity of autosomal dominant polycystic kidney disease (ADPKD).	Clin Exp Nephrol				2015 Feb 27 [Epub ahead of print]
Muto S, Kawano H, Higashihara E, Narita I, Ubara Y, Matsuzaki T, Ouyang J, Torres VE, Horie S.	The effect of tolvaptan on autosomal dominant polycystic kidney disease patients: a subgroup analysis of the Japanese patient subset from TEMPO 3:4 trial.	Clin Exp Nephrol				2015 Feb 7. [Epub ahead of print]
Isotani S, Shimoyama H, Yokota I, Noma Y, Kitamura K, China T, Saito K, Hisasue S, Ide H, Muto S, Yamaguchi R, Ukimura O, Gill IS, Horie S.	Novel prediction model of renal function after nephrectomy from automated renal volumetry with preoperative multidetector computed tomography (MDCT).	Clin Exp Nephrol				2015 Jan 25. [Epub ahead of print]
Kawano H, Muto S, Ohmoto Y, Iwata F, Fujiki H, Mori T, Yan L, Horie S.	Exploring urinary biomarkers in autosomal dominant polycystic kidney disease.	Clin Exp Nephrol				2014 Dec 28. [Epub ahead of print]
Kurashige M, Hanaoka K, Imamura M, Udagawa T, Kawaguchi Y, Hasegawa T, Hosoya T, Yokoo T, Maeda S.	A comprehensive search for mutations in the PKD1 and PKD2 in Japanese subjects with autosomal dominant polycystic kidney disease.	Clin Genet	87(3)	266-72		2015
Horie S, Ito S, Okada H, Kikuchi H, Narita I, Nishiyama T, Hasegawa T, Mikami H, Yamagata K, Yuno T, Muto S.	Japanese guidelines of the management of hematuria 2013.	Clin Exp Nephrol	18(5)	679-89		2014
Nakazawa D, Shida H, Tomaru U, Yoshida M, Nishio S, Atsumi T, Ishizu A.	Enhanced formation and disordered regulation of NETs in myeloperoxidase - ANCA - associated microscopic polyangiitis.	J Am Soc Nephrol.	25(5)	990-7		2014
Muto S, Horie S.	The cutting-edge of medicine; the pathology and new treatment of ADPKD.	日本腎臓学会誌	103(4)	978-82		2014
Miyazaki Y, Kawamura T, Joh K, Okonogi H, Koike K, Utsunomiya Y, Ogura M, Matsushima M, Yoshimura M, Horikoshi S, Suzuki Y, Furusu A, Yasuda T, Shirai S, Shibata T, Endoh M, Hattori M, Akioka Y, Katafuti R, Hashiguchi A, Kimura K, Matsuo S, Tomino Y.	Overestimation of the risk of progression to end-stage renal disease in the poor prognosis' group according to the 2002 Japanese histological classification for immunoglobulin A nephropathy.	Clin Exp Nephrol.	18(3)	475-80		2014
川村哲也、宮崎陽一、横尾隆	IgA 腎症における扁桃・ステロイドパルス療法 のランダム化比較試験の結果	Annual Review 腎臓 2015		108 - 15		2015
Suzuki Y, Suzuki H, Yasutake J, Tomino Y.	Paradigm shift in activity assessment of IgA nephropathy—optimizing the next generation of diagnostic and therapeutic maneuvers via glycan-targeting.	Expert Opinion on Biological Therapy				in press
鈴木祐介、鈴木 仁、富野康 己	病因に基づくバイオマーカーを用いた IgA 腎症の早期発見・診断・治療の試み	Annual Review 腎臓 2015				in press
鈴木 仁、鈴木祐介	IgA 腎症早期発見のための新規バイオマ ーカーを用いた血尿の 2 次スクリーニング の試み	腎・高血圧の最新治療				in press
Nakata J, Suzuki Y, Suzuki H, Sato D, Kano T, Yanagawa H, Matsuzaki K, Horikoshi S, Novak J, Tomino Y.	Changes in Nephritogenic Serum Galactose-Deficient IgA1 in IgA Nephropathy following Tonsillectomy and Steroid Therapy.	PLoS One		e89707		2014
Suzuki Y, Suzuki H, Makita Y, Takahata A, Takahashi K, Muto M, Sasaki Y, Kelimu A, Matsuzaki K, Yanagawa H,	Diagnosis and activity assessment of IgA nephropathy: current perspectives on non-invasive testing with aberrantly glycosylated IgA-related biomarkers.	Int J Nephrol Renovasc Dis.	30(7)	409-14		2014

Okazaki K, Tomino Y.						
Suzuki Y, Matsuzaki K, Suzuki H, Okazaki K, Yanagawa H, Ieiri N, Sato M, Sato T, Taguma Y, Matsuoka J, Horikoshi S, Novak J, Hotta O, Tomino Y.	Serum levels of galactose deficient IgA1 and related immune complex are associated with disease activity of IgA nephropathy.	Clin Exp Nephrol.	18(5)	770-7	2014	
Yanagawa H, Suzuki H, Suzuki Y, Kiryluk K, Gharavi AG, Matsuoka K, Makita Y, Julian BA, Novak J, Tomino Y.	A panel of serum biomarkers differentiates IgA nephropathy from other renal diseases.	PLoS One	9(5)	e98081	2014	
鈴木祐介, 鈴木仁, 柳川宏之, 松崎慶一, 牧田郁子, 高畑暁子, 富野康日己	IgA 腎症の新しいバイオマーカー	腎と透析	76	31-35	2014	
Suzuki Y, Suzuki H, Yasutake J, Tomino Y.	Paradigm shift in activity assessment of IgA nephropathy—optimizing the next generation of diagnostic and therapeutic maneuvers via glycan-targeting.	Expert Opinion on Biological Therapy				in press
鈴木祐介, 鈴木 仁, 富野康日己	病因に基づくバイオマーカーを用いた IgA 腎症の早期発見・診断・治療の試み	Annual Review 腎臓 2015				in press
鈴木 仁, 鈴木祐介	IgA 腎症早期発見のための新規バイオマーカーを用いた血尿の 2 次スクリーニングの試み	腎・高血圧の最新治療				in press
Sato R, Joh K, Komatsuda A, Ohtani H, Okuyama S, Togashi M, Omokawa A, Nara M, Nagata D, Kusano E, Sawada K, Wakui H.	Validation of the Japanese histologic classification 2013 of immunoglobulin A nephropathy for prediction of long-term prognosis in a Japanese single-center cohort.	Clin Exp Nephrol.				Epub 2015
Ito T, Watanabe S, Tsuruga K, Aizawa T, Hirono K, Joh K, Ito E, Tanaka H.	Severe intrinsic acute kidney injury associated with therapeutic dose of acetaminophen.	Pediatrics International				Epub 2015
Akiyama S, Akiyama M, Imai E, Ozaki T, Matsuo S, Maruyama S.	Prevalence of anti-phospholipase A2 receptor antibodies in Japanese patients with membranous nephropathy.	Clin Exp Nephrol				Epub 2014
Yamaguchi M, Ando M, Yamamoto R, Akiyama S, Kato S, Katsuno T, Kosugi T, Sato W, Tsuboi N, Yasuda Y, Mizuno M, Ito Y, Matsuo S, Maruyama S.	Patient age and the prognosis of idiopathic membranous nephropathy.	PLoS One.	9(10)	e110376	2014	
Yamaguchi M, Ando M, Yamamoto R, Akiyama S, Kato S, Katsuno T, Kosugi T, Sato W, Tsuboi N, Yasuda Y, Mizuno M, Ito Y, Matsuo S, Maruyama S.	Smoking is a risk factor for the progression of idiopathic membranous nephropathy.	PLoS One.	9(6)	e100835	2014	