

1) 書籍

班員	著者氏名	論文タイトル名	書籍全体の 編集者名	書籍名	出版社名	出版年	ページ
筒井裕之	筒井裕之	慢性心不全	堀正二	循環器疾患最新の治療	南江堂	2014	242-247
	筒井裕之	循環器疾患 最近 の動向	福井次矢 高木誠 小室一成	今日の治療指針	医学書院	2015	350
	筒井裕之	心筋症	泉孝英	今日の診療のために ガ イドライン外来診療 2015	日経メデ ィカル開 発	2015	460-462
下川宏明	坂田泰彦 下川宏明	わが国における心 不全の疫学. -ど のような患者がど のくらい外来を訪 れるか-	絹川弘一郎	Medical Practice 31	文光堂	2014	377-382
	坂田泰彦 下川宏明	臨床医学の展望 2014. 循環器病学	猿田享男	日本医事新報 4686	日本医事 新報社	2014	28-34
	坂田泰彦 下川宏明	心不全の実態と未 来予想図	猪又孝元	臨床雑誌内科 113	南江堂	2014	419-424
永井良三	永井良三	循環器研究におけ る要素研究とシス テム研究	-	臨床病理	日本臨床 検査医学 会	2015	in press
	今井靖ほか	心不全のすべて	今井靖	診断と治療	診断と治 療社	2015	3
磯部光章	手塚大介 磯部光章	心臓サルコイドー シスの現状	西岡安彦	呼吸と循環	医学書院	2013	681 - 686
	手塚大介 磯部光章	孤発性心サルコイ ドーシス	寺崎文生	医学のあゆみ	医歯薬出 版	2013	183 - 188
	手塚大介 磯部光章	心筋症について	北風政史	心不全診療 Q&A	中外医学 社	2012	375-377, 391-396,

後藤雄一	後藤雄一	ミトコンドリア病	一瀬泊帝 鈴木宏治	図説分子病態学	中外医学社	2014	267-271
室原豊明	坂東泰子 室原豊明	ACE 阻害剤と DPP-4 阻害剤の相 互作用について教 えてください	伊藤浩	実はすごい！ACE 阻害剤- エキスパートからの 50 のアドバイス	南江堂	2015	in press
山岸正和	林 研至 山岸正和	WPW 症候群におけ る遺伝子変異の関 与	池田隆徳 清水渉 高橋尚彦	不整脈症候群	南江堂	2015	178
北風政史	北風政史	拘束型心筋症、不 整脈原生（催不整 脈性）右室心筋症	福井次矢 高木誠 小室一成	今日の治療指針 - 私はこ う治療してしる - TODAY'S THERAPY 2014	医学書院	2014	402-403
	浅沼博司 北風政史	心筋梗塞後の心不 全と利尿薬	北風政史	ここが知りたい利尿薬の 選び方、使い方	中外医学社	2014	199-207
	浅沼博司 北風政史	肥大型心筋症（拡 張相含む）におけ る利尿薬の使い方	北風政史	ここが知りたい利尿薬の 選び方、使い方	中外医学社	2014	219-228
斎藤能彦	西田卓	拘束型心筋症、不 整脈原性（催不整 脈性）右室心筋症	福井次矢 高木誠 小室一成	今日の治療指針	医学書院	2015	422-423
	川上利香 斎藤能彦	最新の急性心不全 治療 体液性因子 ～RAS, AVP, NP な ど～	安村良男	臨床循環器 CIRCULATION	医学出版	2014	3: 20-6
	川田啓之 斎藤能彦	慢性心不全におけ る利尿薬の使い方 心臓が悪いとなぜ 腎臓が悪くなるの か？	北風政史	ここが知りたい利尿薬の 選び方、使い方	中外医学社	2014	263-268
矢野雅文	小林茂樹 矢野雅文	心拍数と心機能	福本義弘	循環器科 Vol77	科学評論社	2015	103-109
	小林茂樹 矢野雅文	遮断薬のなぜ? どうして?	宮本伸二	ハートナーシング 28	メディカ出版	2015	88-93

	奥田真一 矢野雅文	特集 内科疾患最新の治療 大動脈弁狭窄症	南江堂編集部	内科 113	南江堂	2014	1236-1237
竹石恭知	Takeishi Y	Role of resistin in heart failure in the elderly.	Jugdutt B	AGING AND HEART FAILURE. MECHANISMS AND MANAGEMENT	Springer, Inc.	2014	243-247
	Suzuki S, Takeishi Y	SMP-30 and aging related cardiac remodeling and heart failure.	Jugdutt B	AGING AND HEART FAILURE. MECHANISMS AND MANAGEMENT	Springer, Inc.	2014	457-463
志賀剛	志賀剛	心不全における不整脈の治療.	堀 正二 永井良三	循環器疾患 最新の治療 2014-2015	南江堂	2014	255-257
	志賀剛	第4章 循環器.	今井博久 福島紀子	これだけは気をつけたい 高齢者への薬剤処方	医学書院	2014	80-147
木村彰方	木村彰方	循環器疾患	一瀬白帝 鈴木宏治	図説 分子病態学	中外医学社	2014	227-235
	木村彰方	肥大型心筋症	松原洋一 吳繁夫 佐合治彦	こどもの病気 遺伝について聞かれたら	診断と治療社	2015	28-29
	木村彰方	心筋症のゲノミクス	山本一博	医学のあゆみ 心筋症 Update	医歯薬出版	2015	1005-1014
吉村道博	吉野拓哉 名越智古 吉村道博	減塩-温故知新 食塩と心不全	綾織誠人	臨床栄養	医歯薬出版(株)	2014	423-427
	小武海公明 吉村道博	最新肥満症学-基礎・臨床研究の最前線- 心不全患者における obesity paradox	中尾一和	日本臨床	(株)日本臨床社	2014	688-691

2 ) 雜誌

班員	著者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
筒井裕之	Hamaguchi S, Kinugawa S, Tsuchihashi-Makaya M, Goto D, Tsutsui H	Weekend versus weekday hospital admission and outcomes during hospitalization for patients due to worsening heart failure: a report from Japanese Cardiac Registry of Heart Failure in Cardiology (JCARE-CARD).	Heart Vessels	29(3)	328-35	2014
	Hamaguchi S, Kinugawa S, Tsuchihashi-Makaya M, Matsushima S, Sakakibara M, Ishimori N, Goto D, Tsutsui H	Hyponatremia is an independent predictor of adverse clinical outcomes in hospitalized patients due to worsening heart failure.	J Cardiol	63(3)	182-8	2014
	Hamaguchi S, Kinugawa S, Matsushima S, Fukushima A, Yokota T, Sakakibara M, Yokoshiki H, Tsuchihashi-Makaya M, Tsutsui H	Clinical characteristics and CHADS2 score in patients with heart failure and atrial fibrillation.	Int J Cardiol	176(1)	239-42	2014
	Hirabayashi K, Kinugawa S, Yokota T, Takada S, Fukushima A, Suga T, Takahashi M, Ono T, Morita N, Omokawa M, Harada K, Oyama-Manabe N, Shirato H, Matsushima S, Okita K, Tsutsui H	Intramyocellular lipid is increased in the skeletal muscle of patients with dilated cardiomyopathy with lowered exercise capacity.	Int J Cardiol	176(3)	1110-2	2014

久保田功	Narumi T, Shishido T, Kubota I et al.	High-mobility group box 1-mediated heat shock protein beta 1 expression attenuates mitochondrial dysfunction and apoptosis.	J Mol Cell Cardiol	82	1-12	2015
	Yashiro Y, Kubota I et al.	Predictors of left atrial coagulation activity among paroxysmal atrial fibrillation patients.	Circ J	79(1)	22525	2015
	Otaki Y, Kubota I et al.	Association of renal tubular damage with cardio-renal anemia syndrome in patients with heart failure.	Int J Cardiol	173(2)	222-8	2014
下川宏明	Ushigome R, Sakata Y, Nochioka K, Miyata S, Miura M, Tadaki S, Yamauchi T, Sato K, Onose T, Tsuji K, Abe R, Takahashi J, Shimokawa H; CHART-2 Investigators.	Improved Long-Term Prognosis of Dilated Cardiomyopathy With Implementation of Evidence-Based Medication - Report From the CHART Studies.	Circ J	-	in press	2015
	Onose T, Nochioka K, Sakata Y, Miura M, Tadaki S, Ushigome R, Yamauchi T, Sato K, Tsuji K, Abe R, Miyata S, Takahashi J, Shimokawa H; CHART-2 Investigators.	Predictors and prognostic impact of post-traumatic stress disorder after the great East Japan earthquake in patients with cardiovascular disease.	Circ J	79(3)	664-7	2015
	Nochioka K, Sakata Y, Miyata S, Miura M, Takada T, Tadaki S, Ushigome R, Yamauchi T, Takahashi J, Shimokawa H; CHART-2 Investigators'.	Prognostic impact of statin use in patients with heart failure and preserved ejection fraction.	Circ J	79(3)	574-82	2015

	永井良三	循環器研究における要素研究とシステム研究	臨床病理	-	in press	2015
永井良三	Nishimura S et al.	ENPP2 contributes to adipose tissue expansion and insulin resistance in diet-induced obesity	Diabetes	63(12)	4154-64	2014
	Ozeki E et al.	Effect of add-on aliskiren to type 1 angiotensin receptor blocker therapy on endothelial function and autonomic nervous system in hypertensive patients with ischemic heart disease.	J Clin Hypertens	16(8)	591-8	2014
	Kuga K et al.	Prognosis of myocardial infarction with left ventricular dysfunction in the coronary revascularization era. Subanalysis of the Japanese Coronary Artery Disease (JCAD) Study.	Circ J	78(10)	2483-91	2014
	Fujii K et al.	Fibroblast-mediated pathways in cardiac hypertrophy.	J Moll Cell Cardiol	70	64-73	2014
	Sano M, et al.	Genome-wide association study of electrocardiographic parameters identifies a new association for PR interval and confirms previously reported associations.	Human Molecular Genetics	23(24)	6668-76	2014

	Isobe M, Tezuka D	Isolated cardiac sarcoidosis: Clinical characteristics, diagnosis and treatment	Int J Cardiol	182	132 - 40	2015
磯部光章	Daisuke Tezuka, Mitsuaki Isobe, et al.	Clinical characteristics of definite or suspected isolated cardiac sarcoidosis: application of cardiac MRI and FDG-PET/CT	J Card Fail	21(4)	313-22	2015
	磯部光章	心臓限局性サルコイドーシスの臨床像	日本内科学会雑誌		120-7	2015
	Bando YK, Murohara T	Diabetes-related heart failure - Does diabetic cardiomyopathy exist? –	Circ J	78(3)	576-83	2014
室原豊明	Yamada T, Hirashiki A, Okumura T, Adachi S, Shimazu S, Shimizu S, Morimoto R, Takeshita K, Naganawa S, Kondo T, Murohara T	Prognostic impact of combined late gadolinium enhancement on cardiovascular magnetic resonance and peak oxygen consumption in ambulatory patients with nonischemic dilated cardiomyopathy	J Card Fail	20(11)	825-32	2014
	坂東泰子 室原豊明	心不全患者に対する糖尿病治療法 基礎及び臨床データから考察する	Cardiovascular Contemporary	3(1)	32-7	2014

山岸正和	Konno T, Hayashi K, Fujino N, Nagata Y, Hodatsu A, Masuta E, Sakata K, Nakamura H, Kawashiri MA, Yamagishi M.	High sensitivity of late gadolinium enhancement for predicting microscopic myocardial scarring in biopsied specimens in hypertrophic cardiomyopathy.	PLoS One	9	e101465	2014
	Nomura A, Konno T, Fujita T, Tanaka Y, Nagata Y, Tsuda T, Hodatsu A, Sakata K, Nakamura H, Kawashiri MA, Fujino N, Yamagishi M, Hayashi K.	Fragmented QRS predicts heart failure progression in patients with hypertrophic cardiomyopathy	Circ J	79	136-43	2014
	Hodatsu A, Konno T, Hayashi K, Funada A, Fujita T, Nagata Y, Fujino N, Kawashiri MA, Yamagishi M.	Compound heterozygosity deteriorates phenotypes of hypertrophic cardiomyopathy with founder MYBPC3 mutation: evidence from patients and zebrafish models	Am J Physiol Heart Circ Physiol	307(11)	H1594-604	2014
北風政史	Imazu M, Takahama H, Asanuma H, Funada A, Sugano Y, Ohara T, Hasegawa T, Asakura M, Kanzaki H, Anzai T, Kitakaze M	Pathophysiological impact of serum fibroblast growth factor 23 in patients with nonischemic cardiac disease and early chronic kidney disease.	Am J Physiol Heart Circ Physiol	307(10)	H1504-11	2014
	Sasaki H, Nagayama T, Blanton RM, Seo K, Zhang M, Zhu G, Lee DI, Bedja D, Hsu S, Tsukamoto O, Takashima S, Kitakaze M, Mendelsohn ME, Karas RH, Kass DA, Takimoto E	PDE5 inhibitor efficacy is estrogen dependent in female heart disease.	J Clin Invest	124(6)	2464-2471	2014
	Zeng Z, Shen L, Li XX, Luo T, Wei X, Zhang JW, Cao SP, Huang XB, Fukushima Y, Bin JP, Kitakaze M, Xu DL, Liao YL	Disruption of histamine H-2 receptor slows heart failure progression through reducing myocardial apoptosis and fibrosis	Clin Sci	127(7)	435-48	2014

中谷武嗣	中谷武嗣	補助人工心臓治療と心臓移植 - 現状と展望 -	Medical Practice	31(3)	415-21	2014
	Saito S, Yamazaki K, Nishinaka T, Ichihara Y, Ono M, Kyo S, Nishimura T, Nakatani T, Toda K, Sawa Y, Tominaga R, Tanoue T, Saiki Y, Matsui Y, Takemura T, Niinami H, Matsumiya G and the J-MACS Research Group.	Post-approval study of a highly pulsed, low-shear-rate, continuous-flow, left ventricular assist device, EVAHEART: a Japanese multicenter study using J-MACS.	J Heart Lung Transplant	33(6)	599-608	2014
	Nakatani T, Fukushima N, Ono M, Saiki Y, Matsuda H, Yozu R, Isobe M	The registry report of heart transplantation in Japan.	Circ J	78(11)	Sep-04	2014
	Ishibashi-Ueda H, Ikeda Y, Matsuyama T, Ohta-Ogo K, Sato T, Seguchi O, Yanase M, Fujita T, Kobayashi J and Nakatani T	The pathological implications of heart transplantation: Experience with 50 cases in a single center.	Pathol Int	64(9)	423-31	2014
	Hata H, Fujita T, Ishibashi-Ueda H, Nakatani T and Kobayashi J	Pathological analysis of the aortic valve after long-term left ventricular assist device support.	Eur J Cardio Surg	46	193-7	2014
	Nakajima S, Seguchi O, Murata Y, Fujita T, Hata H, Yamane T, Hieda M, Watanabe T, Sato T, Sunami H, Yanase M, Kobayashi J, Nakatani T.	Left coronary artery occlusion caused by a large thrombus on the left coronary cusp in a patient with a continuous-flow ventricular assist device.	J Artif Organs	17	197-201	2014
	Fujita T, Kobayashi J, Hata H, Murata Y, Seguchi O, Yanase M, Shimahara Y, Sato S, Nakatani T.	Off-pump coronary artery bypass grafting for a left main lesion due to cardiac llograt vasculopathy in Japan: first report of a case.	Surg Today	44	1949-52	2014

	Watanabe T, Kotani J, Murata Y, Seguchi O, Yanase M and Nakatani T	Tissue characterization of progressive cardiac allograft vasculopathy in patients with everolimus therapy compared with donor-transmitted atherosclerosis assessed using serial intravascular imaging: a case report.	Transplant Proceedings	46	2456-61	2014
	中谷武嗣、佐藤琢真、小口泰尚、松本 学、水木満佐央、植田初江	心臓移植後に移植後リンパ増殖性疾患を発症した1剖検例。	循環器病研究の進歩	15(1)	81-93	2014
	Nohara R, Adachi H, Goto Y, Hasegawa E, Ishihara S, Itoh H, Kimura Y, Mahara K, Makita S, Matsuo H, Momomura S, Musha H, Nagayama M, Nakatani T, Takura T, Ueshima K, Watanabe K, Yamada S, Yamashina A, Ikegami T, Kohzuki M, Nakane E, Origuchi H, Sato S, Takahashi T, Tanaka K, Tanaka N, Yoshida T, Doba N, Izumi T, Kambara H, Saito M, Tei C.	Guidelines for rehabilitation in patients with cardiovascular disease (JCS 2012)	Circ J	78(8)	2022-93	2014

	Suwa H, Seguchi O, Fujita T, Murata Y, Hieda M, Watanabe T, Sato T, Sunami H, Yanase M, Hata H, Nakatani T.	Paracorporeal ventricular assist device as a bridge to transplant candidacy in the era of implantable continuous-flow ventricular assist device.	J Artif Organs	17(1)	16-22	2014
斎藤能彦	尾上健児、中野知哉、斎藤能彦	「心筋症；診断と治療の進歩」治療法の選択に結び付く診断法；バイオマーカー	日本内科学会雑誌	103(2)	345-52	2014
	Mizuno R, Fujimoto S, Saito Y, Okamoto Y.	Detection of latent anthracycline-induced cardiotoxicity using left ventricular end-systolic wall stress-velocity of circumferential fiber-shortening relationship.	Heart Vessels	29(3)	384-9	2014
	Nakagawa H, Okayama S, Kamon D, Nakano T, Onoue K, Kawakami R, Horii M, Sakaguchi Y, Uemura S, Takemura G, Saito Y.	Refractory high output heart failure in a patient with primary mitochondrial respiratory chain disease.	Intern Med	53(4)	315-9	2014
矢野雅文	Yano M, Okuda S	Does a Ripple of Ca <sup>2+</sup> Leak Develop Into a Rogue Wave That Can Trigger Pathological Hypertrophy?	J Am Coll Cardiol	63(15)	1580-2	2014
	Kobayashi S, Susa T, Ishiguchi H, Myoren T, Murakami W, Kato T, Fukuda M, Hino A, Suetomi T, Ono M, Uchinoumi H, Tateishi H, Mochizuki M, Oda T, Okuda S, Doi M, Yamamoto T, Yano M	A low-dose $\beta$ 1-blocker in combination with milrinone improves intracellular Ca <sup>2+</sup> handling in failing cardiomyocytes by inhibition of milrinone-induced diastolic Ca <sup>2+</sup> leakage from the sarcoplasmic reticulum	PLoS One	10	e0114314	2015

	Masakazu Fukuda, Takeshi Yamamoto, Shigehiko Nishimura, Takayoshi Katoh, Wakako Murakami, Akihiro Hino, Makoto Ono, Hiroki Tateishi, Tetsuro Oda, Shinichi Okuda, Shigeki Kobayashi, Noritaka Koseki, Hiroyuki Kyushiki, Masafumi Yano	Enhanced binding of calmodulin to RyR2 corrects arrhythmogenic channel disorder in CPVT-associated myocytes	Biochem Biophys Res Commun	448(1)	1-7	2014
竹石恭知	Nakamura Y, Takeishi Y, et al.	High-sensitivity cardiac troponin T predicts non-cardiac mortality in heart failure.	Circ J	78(4)	890-5	2014
	Abe S, Takeishi Y, et al.	Liver dysfunction assessed by model for end-stage liver disease excluding INR (MELD-XI) scoring system predicts adverse prognosis in heart failure.	PLoS One	9	e100618	2014
	Takiguchi M, Takeishi Y, et al.	Impact of body mass index on mortality in heart failure patients.	Eur J Clin Invest	44(12)	1197–205	2014
志賀剛	Suzuki T, Shiga T, Kuwahara K, Kobayashi S, Suzuki S, Nishimura K, Suzuki A, Minami Y, Ishigooka J, Kasanuki H, Hagiwara N	Impact of clustered depression and anxiety on mortality and rehospitalization in patients with heart failure.	J Cardiol	64(6)	456-62	2014
	Maruyama K, Shiga T, Iijima M, Moriya S, Mizuno S, Toi S, Arai K, Ashihara K, Abe K, Uchiyama S	Brain natriuretic peptide in acute ischemic stroke.	J Stroke and Cerebrovasc Dis	23(5)	967-72	2014

	Ogiso M, Suzuki A Shiga T, Nakai K, Shoda M, Hagiwara N	Effect of intravenous amiodarone on QT and T paeak-T end dispersions in patients with nonischemic heart failure treated cardiac resynchronization-defibrillator therapy and electrical storm.	J Arrythm	31	1-5	2015
	南雄一郎、志賀 剛.	肥大型心筋症.	Medicina	52(1)	84-7	2015
木村彰方	Pinós T, Fuku N, Cámara Y, Arai Y, Abe Y, Rodríguez-Romo G, Garatachea N, Santos-Lozano A, Miro-Casas E, Ruiz-Meana M, Otaegui I, Murakami H, Miyachi M, Garcia-Dorado D, Hinohara K, Andreu AL, Kimura A, Hirose N, Lucia A	The rs1333049 polymorphism on locus 9p21.3 and extreme longevity in Spanish and Japanese cohorts	Age	36(2)	933-43	2014
	Okada S, Suzuki Y, Arimura T, Kimura A, Narumi H, Hasegawa S	A novel de novo mutation of beta-cardiac myosin heavy chain gene found in a 12-year-old boy with hypertrophic cardiomyopathy	J Genet	93(2)	557-60	2014

	Makita N, Yagihara N, Crotti L, Johnson CN, Beckmann BM, Roh MS, Shigemizu D, Lichtner P, Ishikawa T, Aiba T, Homfray T, Behr ER, Klug D, Denjoy I, Mastantuono E, Theisen D, Tsunoda T, Satake W, Toda T, Nakagawa H, Tsuji Y, Tsuchiya T, Yamamoto H, Miyamoto Y, Endo N, Kimura A, Ozaki K, Motomura H, Suda K, Tanaka T, Schwartz PJ, Meitinger T, Kääb S, Guichney P, Bhuiyan ZA, Shimizu W, Watanabe H, Chazin WJ, George AL	Novel calmodulin (CALM2) mutations associated with congenital arrhythmia susceptibility.	Circ Cardiovasc Genet	7(4)	466-74	2014
吉村道博	福本梨沙，吉村道博	うつ血性心不全 1.急性心不全	循環器疾患 最新の治療 2014-2015	-	235-41	2014
	Imanaka-Yoshida K, Aoki H.	Tenascin-C and mechanotransduction in the development and diseases of cardiovascular system	Front Physiol	5	283	2014
今中恭子	Machino-Ohtsuka T, Tajiri K, Kimura T, Sakai S, Sato A, Yoshida T, Hiroe M, Yasutomi Y, Aonuma K, Imanaka-Yoshida K	Tenascin-C aggravates autoimmune myocarditis via dendritic cell activation and Th17 cell differentiation	J Am Heart Assoc	3(6)	e001052	2014

	<p>Yamanaka K, Nakanishi T, Saito H, Maruyama J, Isoda K, Yokochi A, Imanaka-Yoshida K, Tsuda K, Kakeda M, Okamoto R, Fujita S, Iwakura Y, Suzuki N, Ito M, Maruyama K, Gabazza EC, Yoshida T, Shimaoka M, Mizutani H</p>	<p>Persistent Release of IL-1s from Skin Is Associated with Systemic Cardio-Vascular Disease, Emaciation and Systemic Amyloidosis: The Potential of Anti-IL-1 Therapy for Systemic Inflammatory Diseases.</p>	<p>PLoS One</p>	<p>9</p>	<p>e104479</p>	<p>2014</p>
石坂信和	<p>Okamoto Y, Fujita SI, Morita H, Kizawa S, Ito T, Sakane K, Sohmiya K, Hoshiga M, Ishizaka N</p>	<p>Association between circulating FGF23, <math>\alpha</math>-Klotho, and left ventricular diastolic dysfunction among patients with preserved ejection fraction.</p>	<p>Heart Vessels</p>	<p>-</p>	<p>in press</p>	<p>2015</p>
	<p>Ozeki M, Fujita S, Kizawa S, Morita H, Sohmiya K, Hoshiga M, Ishizaka N</p>	<p>Association of serum levels of FGF23 and <math>\alpha</math>-Klotho with glomerular filtration rate and proteinuria among cardiac patients.</p>	<p>BMC Nephrol</p>	<p>15</p>	<p>147</p>	<p>2014</p>
植田初江	<p>Ishibashi-Ueda H, Ikeda Y, Matsuyama TA, Ohta-Ogo K, Sato T, Seguchi O, Yanase M, Fujita T, Kobayashi J, Nakatani T</p>	<p>The pathological implications of heart transplantation: experience with 50 cases in a single center.</p>	<p>Pathol Int</p>	<p>64(9)</p>	<p>423-431</p>	<p>2014</p>