

## 研究成果の刊行に関する一覧表（論文）

執筆者氏名	論文題名	雑誌名	巻(号)	ページ	発行年
Nishikawa Y, Tsuji Y, Isoda H, <u>Kodama Y</u> , <u>Chiba T</u>	Perfusion in the tissue surrounding pancreatic cancer and the patient's prognosis.	Biomed Res Int	(in press)		2015
Ikeda A, Aoki N, Kido M, Iwamoto S, Nishiura H, Maruoka R, <u>Chiba T</u> , Watanabe N	Progression of autoimmune hepatitis is mediated by IL-18-producing dendritic cells and hepatic CXCL9 expression in mice.	Hepatology	60	224-236	2014
Ikeura T, Miyoshi H, Uchida K, Fukui T, Shimatani M, Fukui Y, Sumimoto K, Matsushita M, Takaoka M, <u>Okazaki K</u> .	Relationship between autoimmune pancreatitis and pancreatic cancer: A single-center experience.	Pancreatology	14(5)	373-9	2014
<u>Okazaki K</u> , Yanagawa M, Mitsuyama T, Uchida K.	Recent Advances in the Concept and Pathogenesis of IgG4-Related Disease in the Hepato-Bilio-Pancreatic System.	Gut Liver	8(5)	462-470	2014
<u>Okazaki K</u> , Uchida K, Koyabu M, Miyoshi H, Ikeura T, Takaoka M.	IgG4 cholangiopathy - current concept, diagnosis, and pathogenesis.	J Hepatol	61(3)	690-695	2014
Fukui Y, Uchida K, Sakaguchi Y, Fukui T, Nishio A, Shikata N, Sakaida N, Uemura Y, Satoi S, <u>Okazaki K</u> .	Possible involvement of Toll-like receptor 7 in the development of type 1 autoimmune pancreatitis.	J Gastroenterol	[Epub ahead of print]		2014
Ikeura T, Manfredi R, Zamboni G, Negrelli R, Capelli P, Amodio A, Caliò A, Colletta G, Gabbrielli A, Benini L, <u>Okazaki K</u> , Vantini T, Frulloni L.	Application of international consensus diagnostic criteria to an Italian series of autoimmune pancreatitis. United European	J Gastroenterol	1(4)	276-84	2013
Sumimoto K, Uchida K, Kusuda T, Mitsuyama T, Sakaguchi Y, Fukui T, Matsushita M, Takaoka M, Nishio A, <u>Okazaki K</u> .	The role of CD19+ CD24high CD38high and CD19+ CD24high CD27+ regulatory B cells in patients with type 1 autoimmune pancreatitis.	Pancreatology.	14(3)	193-200	2014
<u>Okazaki K</u> , Uchida K, Sumimoto K, Mitsuyama T, Ikeura T, Takaoka M.	Autoimmune pancreatitis: pathogenesis, latest developments and clinical guidance.	Ther Adv Chronic Dis.	5(3)	104-11	2014
<u>Okazaki K</u> , <u>Kawa S</u> , <u>Kamisawa T</u> , Ito T, Inui K, Irie H, Nishino T, Notohara K, Nishimori T, Tanaka S, Nishiyama T, Suda K, Shiratori K, Tanaka M, <u>Shimosegawa T</u> .	The Working Committee of the Japan Pancreas Society and the Research Committee for Intractable Pancreatic Disease supported by the Ministry of Health, Labour and Welfare of Japan. Amendment of the Japanese Consensus Guidelines for Autoimmune Pancreatitis, 2013 I. Concept and diagnosis of autoimmune pancreatitis.	J Gastroenterol	49(4)	567-88	2014
Kanno A, Masamune A, <u>Shimosegawa T</u> .	Endoscopic approaches for the diagnosis of autoimmune pancreatitis.	Dig Endosc	27(2)	250-8	2015

正宗 淳、濱田 晋、 菊田和宏、廣田衛久、 下瀬川徹。	膵炎の疫学-全国調査より-	胆と膵	35	1011-4	2014
菅野 敦、正宗 淳、 下瀬川徹。	自己免疫性膵炎の疫学調査	消化器内科	59	456-461	2014
Kamisawa T, Zen Y, Pillai S, Stone JH.	IgG4-related disease	Lancet	on-line first	on-line first	2014
Iwasaki S, Kamisawa T, Koizumi S, Chiba K, Tabata T, Kuruma S, Kuwata G, Fujiwara T, Koizumi K, Arakawa T, Momma K, Hara S, Igarashi Y.	Characteristic findings of endoscopic retrograde cholangiopancreatography in autoimmune pancreatitis.	Gut Liver	9 (1)	113-117	2015
Song TJ, Kim MH, Kim MJ, Moon SH, Han JM, Chari ST, Frulloni L, Kamisawa T, Kim MH, Lee JK, Lerch MM, Notohara K, Okazaki K, Ryu JK, Shimosegawa T.	Clinical validation of the international consensus diagnostic criteria and algorithms for autoimmune pancreatitis: combined IAP and KPBA meeting 2013 report.	Pancreatology	14 (4)	233-237	2014
Chiba K, Kamisawa T, Kuruma S, Iwasaki S, Tabata T, Koizumi S, Endo Y, Kuwata G, Fujiwara T, Arakawa T, Koizumi K, Momma K.	Major and minor duodenal papillae in autoimmune pancreatitis.	Pancreas	43 (8)	1299-130 2	2014
Kamisawa T, Ohara H, Kim MH, Kanno A, Okazaki K, Fujita.	Role of endoscopy in the diagnosis of autoimmune pancreatitis and immunoglobulin G4-related sclerosing cholangitis.	Dig Endosc	26 (5)	627-635	2014
Kamisawa T, Okazaki K, Kawa S, Ito T, Tnui K, Irie H, Nishino T, Notohara K, Nishimori T, Tanaka S, Nishiyama T, Suda K, Shiratori K, Tanaka M, Shimosegawa T; Working Committee of the Japan Pancreas Society and the Research Committee for Intractable Pancreatic Disease supported by the Ministry of Health, Labour and Welfare of Japan.	Amendment of the Japanese Consensus Guidelines for Autoimmune Pancreatitis, 2013 III. Treatment and prognosis of autoimmune pancreatitis.	J Gastroenterol	49 (6)	961-970	2014
Kuruma S, Kamisawa T, Tabata T, Chiba K, Iwasaki S, Fujiwara T, Kuwata G, Egarashira H, Koizumi K, Koizumi S, Endo Y, Fujiwara J, Arakawa T, Momma K.	Allergen-specific IgE antibody serologic assays in patients with autoimmune pancreatitis	Intern Med	53 (6)	541-543	2014
Kamisawa T, Chari ST, Lerch MM, Kim MH, Gress TM, Shimosegawa T.	Republished: recent advances in autoimmune pancreatitis: type 1 and type 2	Postgrad Med J	90 (1059)	18-25	2014

神澤輝実、来間佐和子、田畑拓久、千葉和朗、岩崎将、小泉理美	自己免疫性膵炎の膵内外分泌 相関 - 組織・機能から -	胆と膵	35 (4)	361-364	2014
神澤輝実、来間佐和子、田畑拓久、千葉和朗、岩崎将、小泉理美	自己免疫性膵炎の概念	消化器内科	59 (5)	451-455	2014
神澤輝実、田畑拓久、来間佐和子、千葉和朗、岩崎将、小泉理美	IgG4 関連硬化性胆管炎の進展 と改善	肝胆膵	68 (5)	689-694	2014
神澤輝実、来間佐和子、田畑拓久、千葉和朗、岩崎将、小泉理美	PSC と IgG4 関連硬化性胆管炎との鑑別	臨床消化器内科	29 (11)	1435-144 1	2014
Watanabe T, Maruyama M, Ito T, Maruyama M, Muraki T, Hamano H, Hasebe O, Kawa S.	Mechanisms of Lower Bile Duct Stricture in Autoimmune Pancreatitis.	Pancreas	43	255-260	2014
Kawa S, Okazaki K, Kamisawa T, Kubo K, Ohara H, Hasebe O, Fujinaga Y, Irisawa A, Notohara K, Ito T, Inui K, Irie H, Nishino T, Nishimori I, Tanaka S, Nishiyama T, Suda K, Shiratori K, Tanaka M, Shimosegawa T; The Working Committee of the Japan Pancreas Society and the Research Committee for Intractable Pancreatic Disease supported by the Ministry of Health, Labour and Welfare of Japan.	Amendment of the Japanese Consensus Guidelines for Autoimmune Pancreatitis, 2013 II. Extrapancreatic lesions, differential diagnosis.	J Gastroenterol	49	765-84	2014
Uehara T, Hamano H, Suga T, Kawa S, Yoshizawa A, Kobayashi Y, Murata K, Oki K, Sano K, Onodera R, Ota H.	Inflammation of colon adenoma in the setting of type 1 autoimmune pancreatitis.	Pathol Int	64	67-74	2014
Uehara T, Hamano H, Kawa S, Kobayashi Y, Yoshizawa A, Oki K, Nakata R, Kobayashi A, Sano K, Ota H.	Comparison of histopathological features of pancreatic carcinoma and type 1 autoimmune pancreatitis.	Pathol Int	64	51-7	2014
Maruyama M, Watanabe T, Kanai K, Oguchi T, Asano J, Ito T, Ozaki Y, Muraki T, Hamano H, Arakura N, Kawa S.	Autoimmune pancreatitis can develop into chronic pancreatitis.	Orphanet J Rare Dis	21	77(on line journal)	2014
Watanabe T, Muraki T, Arakura N, Kawa S.	Reply to Intrapancreatic Biliary Stricture in Autoimmune Pancreatitis Should Not Be Included in IgG4-Related Sclerosing Cholangitis.	Pancreas	43	1123	2014

Kawa S, Okazaki K, Notohara K, Watanabe M, Shimosegawa T; Study Group for Pancreatitis Complicated with Inflammatory Bowel Disease organized by The Research Committee for Intractable Pancreatic Disease (Chairman: Tooru Shimosegawa) and The Research Committee for Intractable Inflammatory Bowel Disease (Chairman: Mamoru Watanabe), both of which are supported by the Ministry of Health, Labour, and Welfare of Japan.	Autoimmune pancreatitis complicated with inflammatory bowel disease and comparative study of type 1 and type 2 autoimmune pancreatitis.	J Gastroenterol	16-Nov	s00535-014-1012-5	2014
Ohkubo Y, Sekido T, Takeshige T, Ishi H, Takei M, Nishio S, Yamazaki M, Komatsu M, Kawa S, Suzuki S.	Occurrence of IgG4-related hypophysitis lacking IgG4 bearing plasma cell infiltration during steroid therapy.	Intern Med	53	753-7	2014
Furukawa S, Moriyama M, Tanaka A, Maehara T, Tsuboi H, Iizuka M, Hayashida JN, Ohta M, Saeki T, Notohara K, Sumida T, Nakamura S.	Preferential M2 macrophages contribute to fibrosis in IgG4-related dacryoadenitis and sialoadenitis, so-called Mikulicz 's disease.	Clin Immunol	156	9-18	2014
Moriyama M, Furukawa S, Kawano S, Goto Y, Kiyoshima T, Tanaka A, Maehara T, Hayashida JN, Ohta M, Nakamura S.	The diagnostic utility of biopsies from the submandibular and labial salivary glands in IgG4-related dacryoadenitis and sialoadenitis, so-called Mikulicz 's disease.	Int J Oral Maxillofac Surg	43	1276-81	2014
Furukawa S, Moriyama M, Kawano S, Tanaka A, Maehara T, Hayashida JN, Goto Y, Kiyoshima T, Shiratsuchi H, Ohyama Y, Ohta M, Imabayashi Y, Nakamura S.	Clinical relevance of Küttner tumour and IgG4-related dacryoadenitis and sialoadenitis.	Oral Dis		in press	2014
Moriyama M, Tanaka A, Maehara T, Furukawa S, Nakashima H, Nakamura S.	T helper subsets in Sjögren 's syndrome and IgG4-related dacryoadenitis and sialoadenitis: A critical review.	J Autoimmun	51	81-88	2014

Nakatsuka Y, Handa T, Nakamoto Y, Nobashi T, Yoshihujii H, Tanizawa K, Ikezoe K, Sokai A, Kubo T, Hirai T, Chin K, Togashi K, <u>Mimori T, Mishima M.</u>	Total lesion glycolysis as an IgG4-related disease activity marker.	Mod Rheumatol.	in press		2014
Kuroda N, Nao T, Fukuhara H, Karashima T, Inoue K, Taniguchi Y, Takeuchi M, Zen Y, Sato Y, <u>Notohara K, Yoshino T.</u>	IgG4-related renal disease: clinical and pathological characteristics.	Int J Clin Exp Pathol	7 (9)	6379-6385	2014
Miyabe K, <u>Notohara K, Nakazawa T, Hayashi K, Naitoh I, Shimizu S, Kondo H, Yoshida M, Yamashita H, Umemura S, Horii Y, Kato A, Takahashi S, Ohara H, Joh T.</u>	Comparison study of immunohistochemical staining for the diagnosis of type 1 autoimmune pancreatitis.	J Gastroenterol	Epub ahead of print		2014
Miyabe K, <u>Notohara K, Nakazawa T, Hayashi K, Naitoh I, Okumura F, Shimizu S, Yoshida M, Yamashita H, Takahashi S, Ohara H, Joh T.</u>	Histological evaluation of obliterative phlebitis for the diagnosis of autoimmune pancreatitis.	J Gastroenterol	49 (4)	715-726	2014
能登原憲司	AIP 膵病変の病理	肝胆膵	70 (2)	221-226	2015
Nakazawa T, Ikeda Y, Kawaguchi Y, Kitagawa H, Takada H, Takeda Y, Makino I, Makino N, Naitoh I, <u>Tanaka A</u>	Isolated intrapancreatic IgG4-related sclerosing cholangitis.	World J Gastroenterol	21(4)	1334-43	2015
<u>Tanaka A, Tazuma S, Okazaki K, Tsubouchi H, Inui K, Takikawa H.</u>	Clinical profiles of patients with primary sclerosing cholangitis in the elderly	J Hepatobiliary Pancreat Sci	Nov 19. doi: 10.1002/jhb p.194.		2014
Matsuoka K, <u>Kanai T.</u>	Gut microbiota and inflammatory bowel disease.	Seminars in Immunopathol.	37(1)	47-55	2014
Saigusa K, Hisamatsu T, Handa T, Sujino T, Mikami Y, Hayashi A, Mizuno S, Takeshita K, Sato T, Matsuoka K, <u>Kanai T.</u>	Classical Th1 cells obtain colitogenicity by co-existence of ROR t-expressing T cells in experimental colitis.	Inflamm Bowel Dis.	20(10)	1820-7	2014
Miyoshi J, Hisamatsu T, Matsuoka K, Naganuma M, Maruyama Y, Yoneno K, Mori K, Kiyohara H, Nanki K, Okamoto S, Yajima T, Iwao Y, Ogata H, Hibi T, <u>Kanai T.</u>	Early intervention with adalimumab may contribute to favorable clinical efficacy in patients with Crohn's disease.	Digestion	90(2)	130-6	2014

Kanai T, Matsuoka K, Naganuma M, Hayashi A, Hisamatsu T.	Diet, microbiota, and inflammatory bowel disease: lessons from Japanese foods.	Korean J Intern Med.	29(4)	409-15	2014
Khosroshahi A, Wallace ZS, Akamizu T, Azumi A, Carruthers MN, Chari S, Della-Torre E, Frulloni L, Goto H, Hart P, Kamisawa T, Kawa S, Kawano M, Kim MH, Kodama Y, Kubota K, Lerch MM, Lohr M, Masaki Y, Matsui S, Mimori T, Nakamura S, Nakazawa T, Ohara H, Okazaki K, Ryu JH, Saeki T, Schleinitz N, Shimatsu A, Shimosegawa T, Takahashi H, Takahira M, Tanaka A, Topazian M, Umehara H, Webster GJ, Witzig T, Yamamoto M, Zhang W, Chiba T, Stone JH.	International consensus guidance statement on the management and treatment of IgG4-related disease.	Arthr Rheum	(in press)		2015
<u>三森 経世</u>	ステロイドの副作用と対策	臨床と研究	91	73-78	2014
Takahashi H, Tsuboi H, Ogishima H, Yokosawa M, Takahashi H, Yagishita M, Abe S, Hagiwara S, Asashima H, Hirota T, Umeda N, Kondo Y, Suzuki T, Matsumoto I, and <u>Sumida T.</u>	FDG-PET/CT can reveal subclinical prostatitis in a patient with IgG4-related disease.	Rheumatol. (Oxf ord)		in press	
Asanuma YF, Mimura T, Tsuboi H, Noma H, Miyoshi F, Yamamoto K, and <u>Sumida T.</u>	Nationwide epidemiological survey of 169 patients with adult Still's disease in Japan.	Mod. Rheumatol.	10-Nov	1-8	2014
Ebe H, Tsuboi H, Hagiya C, Takahashi H, Yokosawa M, Hagiwara S, Hirota T, Kurashima Y, Takai C, Miki H, Asashima H, Umeda N, Kondo Y, Ogishima H, Suzuki T, Chino Y, Matsumoto I, and <u>Sumida T.</u>	Clinical features of patients with IgG4-related disease complicated with perivascular lesions.	Mod. Rheumatol.	25(1)	105-9	2015

Tsuboi H, Nakai Y, Iizuka M, Asashima H, Hagiya C, Tsuzuki, S., Hirota T, Miki H, Hagiwara S, Kondo Y, Tanaka A, Moriyama M, Matsumoto I, Nakamura S, Yoshihara T, Abe K, and Sumida T.	DNA microarray analysis of labial salivary glands in IgG4-related disease. Comparison with Sjögren's syndrome.	Arthritis Rheum.	66(10)	Sep-92	2014
Hagiya C, Tsuboi H, Yokosawa M, Hagiwara S, Takai C, Hirota T, Asashima H, Miki H, Umeda N, Horikoshi M, Kondo Y, Sugihara M, Ogishima H, Suzuki T, Hiraoka T, Kaji Y, Matsumoto I, Osika T, and Sumida T.	Clinicopathological features of IgG4-related disease complicated with orbital involvements.	Mod. Rheumatol.	24(3)	471-6	2014
Takeuchi M, Sato Y, Ohno K, Tanaka S, Takata K, Gion Y, Orita Y, Ito T, Tachibana T, Yoshino T.	T helper 2 and regulatory T cell cytokine production by mast cells: A key factor in the pathogenesis of IgG4-related disease.	Mod Pathol.	27(8)	1126-1136	2014
Takeuchi M, Sato Y, Yasui H, Ozawa H, Ohno K, Takata K, Gion Y, Orita Y, Tachibana T, Itoh T, Asano N, Nakamura S, Swerdlow SH, Yoshino T.	Epstein-Barr virus-infected cells in IgG4-related lymphadenopathy with comparison to extranodal IgG4-related disease.	Am J Surg Pathol.	38(7)	946-955	2014
Takeuchi M, Ohno K, Takata K, Gion Y, Tachibana T, Orita Y, Yoshino T, Sato Y.	Interleukin 13-positive mast cells are increased in immunoglobulin G4-related sialadenitis.	Sci Rep	5	7696	2015
Kawano M, Saeki T.	IgG4-related kidney disease - an update.	Curr Opin Nephrol Hypertens	24(2)	193-201	2015
Mizushima I, Inoue D, Yamamoto M, Yamada K, Saeki T, Ubara Y, Matsui S, Masaki Y, Wada T, Kasashima S, Harada K, Takahashi H, Notohara K, Nakanuma Y, Umehara H, Yamagishi M, Kawano M.	Clinical course after corticosteroid therapy in IgG4-related aortitis/periaortitis and periarteritis: a retrospective multicenter study.	Arthritis Res Ther	16(4)	R156	2014
Umehara H, Nakajima A, Nakamura T, Kawanami T, Tanaka M, Dong L, Kawano M.	IgG4-related disease (IgG4-RD) and its pathogenesis-Crosstalk between Innate and Acquired immunity.	Int Immunol	26(11)	585-95	2014

Ito N, Yagi K, Kawano M, Mori Y, Okazaki S, Chujo D, Takeda Y, Kobayashi J, Yamagishi M	Analysis of pancreatic endocrine function in patients with IgG4-related diseases, in whom autoimmune pancreatitis was ruled out by diagnostic imaging.	Endocr J	61(8)	765-72	2014
Hara S, Kawano M, Mizushima T, Yamada K, Fujita K, Harada K, Matsumura M, Yamagishi M, Sato Y, Yamaguchi Y, Nakanuma Y, Nagata M.	A condition closely mimicking IgG4-related disease despite the absence of serum IgG4 elevation and IgG4-positive plasma cell infiltration.	Mod Rheumatol	online first		2014
Aga M, Kondo S, Yamada K, Wakisaka N, Yagi-Nakanishi S, Tsuji A, Endo K, Murono S, Ito M, Muramatsu M, Kawano M, Yoshizaki T.	Immunoglobulin class switching to IgG4 in Warthin tumor and analysis of serum IgG4 levels and IgG4-positive plasma cells in the tumor.	Hum Pathol	45(4)	793-801	2014
Iwata S, Nakayamada S, Fukuyo S, Kubo S, Yunoue N, Wang S-P, Yoshikawa M, Saito K, Tanaka Y.	Activation of Syk in peripheral blood B cells in patients with rheumatoid arthritis: A potential target for abatacept therapy.	Arthritis Rheum	[Epub ahead of print]		2014
Iwata S, Yamaoka K, Niino H, Jabbarzadeh-Tabrizi S, Wang S-P, Kondo M, Yoshikawa M, Akashi K, Tanaka Y.	Increased Syk phosphorylation leads to overexpression of TRAF6 in peripheral B cells of patients with systemic lupus erythematosus.	Lupus	(in press)		2014
Kondo M, Yamaoka K, Sakata K, Sonomoto K, Lin L, Nakano K, Tanaka Y.	IL-6/STAT3 signaling pathway contributes to chondrogenic differentiation of human mesenchymal stem cells.	Arthritis Rheum	[Epub ahead of print]		2014
Tanaka Y, Hirata S, Kubo S, Fukuyo S, Hanami K, Sawamukai N, Nakano K, Nakayamada S, Yamaoka K, Sawamura F, Saito K.	Discontinuation of adalimumab after achieving remission in patients with established rheumatoid arthritis: 1-year outcome of the HONOR study.	Ann Rheum Dis	[Epub ahead of print]		2014
Ishizaki J, Saito K, Nawata M, Mizuno Y, Tokunaga M, Sawamukai N, Tamura M, Hirata S, Yamaoka K, Hasegawa H, Tanaka Y.	Low complements and high titer of anti-Sm antibody as predictors of histopathologically proven silent lupus nephritis without abnormal urinalysis in patients with systemic lupus erythematosus.	Rheumatology	[Epub ahead of print]		2014
Tanaka Y, Martin Mola E.	IL-6 targeting compared to TNF targeting in rheumatoid arthritis: studies of olokizumab, sarilumab and sirukumab.	Ann Rheum Dis	73	1395-1397	2014
Kubo S, Yamaoka K, Kondo M, Yamagata K, Zhao J, Iwata S, Tanaka Y.	The JAK inhibitor tofacitinib reduces the T cell stimulatory capacity of human monocyte-derived dendritic cells.	Ann Rheum Dis	73	2192-2198	2014

Wang S-P, Iwata S, Nakayama S, Sakata K, Yamaoka K, Tanaka Y.	Tofacitinib, a Jak inhibitor, inhibits human B cell activation in vitro.	Ann Rheum Dis	73	2213-2215	2014
Yamamoto M, Nojima M, Takahashi H, Yokoyama Y, Ishigami K, Yajima H, Shimizu Y, Tabeya T, Matsui M, Suzuki C, Naishiro Y, Takano K, Himi T, Imai K, Shinomura Y.	Identification of relapse predictors in IgG4-related disease using multivariate analysis of clinical data at the first visit and initial treatment.	Rheumatology (Oxford)	54(1)	45-49	2015
Takano K, Yajima R, Seki N, Abe A, Yamamoto M, Takahashi H, Himi T.	A study of infraorbital nerve swelling associated with immunoglobulin G4 Mikulicz ' s disease.	Mod Rheumatol .	24 ( 5 )	798-801	2014
Abe A, Takano K, Seki N, Jitsukawa S, Yamamoto M, Takahashi H, Himi T.	The clinical characteristics of patients with IgG4-related disease with infiltration of labial salivary gland by IgG4-positive cells.	Mod Rheumatol .	24 ( 6 )	949-952	2014
Tabeya T, Yamamoto M, Naishiro Y, Ishigami K, Simizu Y, Yajima H, Suzuki C, Seki N, Takano K, Himi T, Imai K, Takahashi H, Shinomura Y.	The role of cytotoxic T cells in IgG4-related dacryoadenitis and sialadenitis, the so-called Mikulicz ' s disease.	Mod Rheumatol .	24(6)	953-960	2014
Takano K, Keira Y, Seki N, Abe A, Yamamoto M, Takahashi H, Himi T.	Evaluation of submandibular versus labial salivary gland fibrosis in IgG4-related disease.	Mod Rheumatol .	24 ( 6 )	1023-1025	2014
Yamamoto M, Takahashi H, Shinomura Y.	Mechanisms and assessment of IgG4-related disease: lessons for the rheumatologist.	Nat Rev Rheumatol .	10 ( 3 )	148-159	2014
Yamamoto M, Hashimoto M, Takahashi H, Shinomura Y.	IgG4 Disease.	J Neuroophthalmol	34 ( 4 )	393-399	2014
山本元久, 清水悠以, 高橋裕樹, 篠村恭久 .	IgG4 関連疾患における早期治療の必要性 .	リウマチ科	51 ( 3 )	314-319	2014
高橋裕樹, 山本元久 .	IgG4 関連疾患の臨床的意義 .	日本医事新報	4694	18-21	2014
高橋裕樹, 山本元久, 篠村恭久	IgG4 関連疾患.	細胞	46 ( 10 )	464-468	2014
高橋裕樹, 山本元久, 篠村恭久 .	IgG4 関連疾患.	日本内科学会雑誌	103 ( 10 )	2520-2526	2014
山本元久, 高橋裕樹, 篠村恭久 .	IgG4 関連疾患における血清 IgG4 値の有用性 .	Rheumatology Clinical Research	3 ( 3 )	202-2016	2014
Yamamoto M, Takahashi H, Shinomura Y.	Are Sjögren ' s syndrome and IgG4-related disease able to coexist?	Mod Rheumatol .	online first		2014

Yamamoto M, Shimizu Y, Takahashi H, Yajima H, Yokoyama Y, Ishigami K, Tabeya T, Suzuki C, Matsui M, Naishiro Y, Imai K, Shinomura Y.	CCAAT/enhance binding protein (C/EBP )+ M2 macrophages contribute to fibrosis in IgG4-related disease?	Mod Rheumatol.	online first		2014
Yamamoto M, Yajima H, Takahashi H, Yokoyama Y, Ishigami K, Shimizu Y, Tabeya T, Suzuki C, Naishiro Y, Takano K-I, Yamashita K, Hashimoto M, Keira Y, Honda S, Abe T, Suzuki Y, Mukai M, Himi T, Hasegawa T, Imai K, Shinomura Y.	Everyday clinical practice in IgG4-related dacryoadenitis and/or sialadenitis: results from the SMART database.	Mod Rheumatol.	online first		2014
Goto H, Takahira M, Azumi A; Japanese Study Group for IgG4-Related Ophthalmic Disease.	Diagnostic criteria for IgG4 related ophthalmic disease.	Jpn J Ophthalmol	59	1-7	2015
松井祥子、山本 洋、源 誠三郎、早稲田 優子、三嶋理晃、久保恵嗣	IgG4 関連呼吸器疾患の診断基準	日本呼吸器学会誌	4	129-132	2015