

【書籍】

No	著者氏名	論文タイトル	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
1	桑名正隆	好酸球性筋膜炎	山口徹、北原光夫、福井次矢、高木誠、小室一成	今日の治療指針 2014 年版-私はこう治療している	医学書院	東京	2014	798-799
2	桑名正隆	全身性硬化症(強皮症)	久保恵嗣、藤田次郎	間質性肺疾患診療マニュアル(改訂第2版)	南江堂	東京	2014	286-291
3	桑名正隆	全身性強皮症	門脇孝、宮地良樹、小室一成	診療ガイドライン UP-TO-DATE2014-2015	メディカルレビュー社	大阪	2014	581-589
4	桑名正隆	間質性肺疾患の評価と治療	三森経世、桑名正隆、松本功、保田晋	リウマチ・膠原病診療ハイグレード(1巻)分子標的 / Bio 時代のリウマチ・膠原病治療ストラテジー	文光堂	東京		印刷中
5	桑名正隆	混合性結合組織病	山口徹、北原光夫、福井次矢、高木誠、小室一成	今日の治療指針 2015 年版-私はこう治療している	医学書院	東京		印刷中
6	桑名正隆	膠原病および類縁疾患に伴う肺病変	高橋和久、児玉裕三	EBM を活かす 呼吸器診療	メジカルビュー社	東京		印刷中
7	長谷川稔	皮膚硬化	宮地良樹、永井良三、木村健二郎、上村直実、桑島巖、今井靖、名郷直樹	今日の臨床サポート(改訂第2版)	エルゼビア・ジャパン		2014	
8	長谷川稔	レイノー現象をみたときの対処法の決め手ー意味のあるレイノーか？診断の解決法は？		苦手な外来皮膚疾患 100 の解決法 ~ そのとき達人はどのように苦手皮膚疾患を克服したか？ ~	メディカルレビュー社		2014	92-93
9	長谷川稔	強皮症の治療はどこまで進歩したか？		WHAT'S NEW in 皮膚科学 2014-2015	メディカルレビュー社		2014	116-117

10	波多野将	強皮症に合併する肺高血圧症の鑑別 - 肺動脈性と強皮症心に合併する左心不全によるPH	代田浩之	循環器疾患 治療過程で遭遇する諸問題の解決法	日本医事新報社	東京	2014	82-90
11	波多野将	肺高血圧症	門脇孝、小室一成、宮地良樹	診療ガイドライン UP-TO-DATE	メディカルレビュー社	東京	2014	184-190
12	波多野将	腫瘍塞栓性肺動脈微小血管症による肺高血圧症	小室一成、佐地勉、坂田隆造、赤坂隆史	Annual Review 循環器 2014	中外医学社	東京	2014	240-246
13	波多野将	膠原病、内分泌疾患に伴う心疾患	山口徹、北原光夫、福井次矢、高木誠、小室一成	今日の治療指針 私はこう治療している 2014	医学書院	東京	2014	405-406

【雑誌】

No.	発表者氏名	論文タイトル	発表誌名	巻号	ページ	出版年
1	Fukushima S, Morita E, Tanioka M, Miyachi Y, Murakami Y, Matsunaka H, Ihn H.	Clinical evaluation of moisturizers with physiological analysis of stratum corneum TARC and TSLP.	J Cosmetics, Dermatological Sciences and Applications	4	37-43	2014
2	Sugaya M, Tokura Y, Hamada T, Tsuboi R, Moroi Y, Nakahara T, Amano M, Ishida S, Watanabe D, Tani M, Ihn H, Aoi J, Iwatsuki K	Phase II study of i.v. interferon-gamma in Japanese patients with mycosis fungoides.	J Dermatol	41	50-56	2014
3	Inoue Y, Menzies SW, Fukushima S, Nishi-Kogushi H, Miyashita A, Masuguchi S, Muchemwa F, Kageshita T, Ihn H	Dots/ globules on dermoscopy in nail-apparatus melanoma.	Int J Dermatol	53	88-92	2014
4	Hasegawa M, Asano Y, Endo H, Fujimoto M, Goto D, Ihn H, Inoue K, Ishikawa O, Kawaguchi Y, Kuwana M, Ogawa F, Takahashi H, Tanaka S, Sato S, Takehara	Serum adhesion molecule levels as prognostic markers in patients with early systemic sclerosis: a multicenter, prospective, observational study	PLoS One	9	e88150	2014

	K.					
5	Kajihara I, Jinnin M, Yamada S, Ichihara A, Makino T, Igata T, Masuguchi S, Fukushima S, Ihn H	Successful treatment of skin fistulas in systemic sclerosis patients with the combination of topical negative pressure therapy and split-thickness skin grafting.	Mod Rheumatol	24	374-376	2014
6	Aoi J, Endo M, Kadomatsu T, Miyata K, Ogata A, Horiguchi H, Odagiri H, Matsuda T, Fukushima S, Jinnin M, Hirakawa S, Sawa T, Akaike T, Ihn H, Oike Y	Angiopoietin-like protein 2 accelerates carcinogenesis by activating chronic inflammation and oxidative stress.	Mol Cancer Res	12	239-249	2014
7	Kanemaru H, Jinnin M, Asao A, Ichihara A, Makino K, Kajihara I, Fujisawa A, Fukushima S, Ihn H.	A case of psoriasis accompanied by arthritis after delivery.	BioScience Trends	8	64-67	2014
8	Okada Y, Jinnin M, Makino T, Kajihara I, Makino K, Honda N, Nakayama W, Inoue K, Fukushima S, Ihn H.	MIRSNP rs2910164 of miR-146a is associated with the muscle involvement in polymyositis/ dermatomyositis.	Int J Dermatol	53	300-304	2014
9	Ikeda I, Ohno T, Ohno H, Miyazaki Y, Nishimoto K, Makino T, Ihn H.	Case of Fusarium paronychia successfully treated with occlusive dressing of antifungal cream.	J Dermatol	41	340-342	2014
10	Ichihara A, Wang Z, Jinnin M, Isono Y, Shimozone N, Yamane K, Fujisawa A, Moriya C, Fukushima S, Inoue Y, Ihn H.	Upregulation of miR-18a contributes to the epidermal necrolysis in severe drug eruptions.	J Allergy Clin Immunol	133	1065-1074	2014
11	Koga Y, Jinnin M, Ichihara A, Fujisawa A, Moriya C, Sakai K, Fukushima S, Inoue Y, Ihn H.	Analysis of expression pattern of serum microRNA levels in patients with psoriasis.	J Dermatol Sci	74	170-171	2014
12	Kajihara I, Jinnin M, Harada M, Makino K, Honda N, Makino T, Igata T, Masuguchi S, Fukushima S, Ihn H.	miR-205 down-regulation promotes proliferation of dermatofibrosarcoma protuberans tumor cells by regulating LRP-1 and ERK phosphorylation.	Arch Dermatol Res	306	367-374	2014
13	Tamaki Z, Asano Y, Kubo M, Ihn H, Tada Y, Sugaya M, Kadono T, Sato S.	Effects of the immunosuppressant rapamycin on the expression of human a2(I) collagen and matrix metalloproteinase 1 genes in scleroderma dermal fibroblasts.	J Dermatol Sci	74	251-259	2014
14	Tsuru Y, Jinnin M, Ichihara	miR-424 levels in hair shaft are	J Dermatol	41	382-	2014

	A, Fujisawa A, Moriya C, Sakai K, Fukushima S, Ihn H.	increased in psoriasis patients.			385	
15	Ichihara A, Jinnin M, Fukushima S, Inoue Y, Ihn H	Case of disseminated cutaneous Mycobacterium chelonae infection mimicking cutaneous vasculitis.	J Dermatol	41	414-417	2014
16	Makino K, Jinnin M, Aoi J, Kajihara I, Makino T, Fukushima S, Sakai K, Nakayama K, Emoto N, Yanagisawa M, Ihn H.	Knockout of endothelial cell-derived endothelin-1 attenuates skin fibrosis but accelerate cutaneous wound healing	PLoS One	9	e97972	2014
17	Kudo H, Jinnin M, Asano Y, Trojanowska M, Nakayama W, Inoue K, Honda N, Kajihara I, Makino K, Fukushima S, Ihn H.	Decreased IL-20 expression in scleroderma skin contributes to cutaneous fibrosis.	Arthritis Rheumatol	65	1636-1647	2014
18	Fukushima S, Masuguchi S, Igata T, Harada M, Aoi J, Miyashita A, Nakahara S, Inoue Y, Jinnin M, Shiraishi S, Yamashita Y, Ishihara T, Ihn H.	Evaluation of sentinel node biopsy for cutaneous squamous cell carcinoma.	J Dermatol	41	539-541	2014
19	Kajihara I, Makino K, Ichihara A, Fukushima S, Jinnin M, Hirooka S, Kojima K, Kouroggi H, Ihn H.	Immunoglobulin G4-related disease in a psoriasis vulgaris patient treated with ustekinumab.	J Dermatol	41	670-671	2014
20	Makino K, Jinnin M, Makino T, Kajihara I, Fukushima S, Inoue Y, Ihn H.	Serum levels of soluble carbonic anhydrase IX are decreased in patients with diffuse cutaneous systemic sclerosis compared to those with limited cutaneous systemic sclerosis.	Biosci Trends	8	144-148	2014
21	Kuriyama H, Jinnin M, Kanemaru H, Ichihara A, Fujisawa A, Moriya C, Fukushima S, Ihn H.	Clinical significance of serum vascular endothelial-cadherin levels in inflammatory skin diseases	Ann Dermatol	26	536-538	2014
22	Asano Y, Ihn H, Jinnin M, Tamaki Z, Tamaki K, Sato S.	Serum levels of matrix metalloproteinase-13 in patients with eosinophilic fasciitis.	J Dermatol	41	746-748	2014
23	Miyashita A, Fukushima S, Makino T, Yoshino Y, Yamashita J, Honda N, Aoi J, Ichihara A, Jinnin M, Inoue Y, Ihn H.	The proportion of lymphocytic inflammation with CD123-positive cells in lupus erythematosus profundus predict a clinical response to treatment.	Acta Derm Venereol	94	563-567	2014

24	Kobayashi D, Hirayama M, Komohara Y, Mizuguchi S, Wilson Morifuji M, Ihn H, Takeya M, Kuramochi A, Araki N	Transcriptionally controlled tumor protein is a novel biologic target for neurofibromatosis type I (NF-1)-associated tumors.	J Biol Chem	289	2631-2632	2014
25	Makino T, Jinnin M, Etoh M, Yamane K, Kajihara I, Makino K, Ichihara A, Igata T, Sakai K, Fukushima S, Ihn H.	Down-regulation of microRNA-196a in the sera and involved skin of localized scleroderma patients.	Eur J Dermatol	24	470-476	2014
26	Ohyoshi Y, Makino T, Jinnin M, Nakayama W, Fukushima S, Inoue Y, Ihn H.	Serum levels of leptin receptor in patients with systemic sclerosis.	Intractable Rare Dis Res	2	55-58	2014
27	Aoi J, Nagatomo E, Masuguchi S, Fukushima S, Jinnin M, Ihn H.	A simple and effective reconstructive technique for repairing defects of the upper lip using a hatchet flap.	J Dermatol	41	1025-1026	2014
28	Kubo Y, Jono T, Makino T, Sakai K, Masuguchi S, Fukushima S, Jinnin, Inoue Y, Ihn H.	A case of anaplastic large cell lymphoma of skeletal muscle.	J Dermatol	41	999-1002	2014
29	Aoi J, Masuguchi S, Fukushima S, Jinnin M, Ihn H.	Aesthetic reconstruction of defects in the lateral side wall of the nose using a local V-Y flap	J Dermatol	41	1026-1028	2014
30	Sakoguchi A, Nakayama W, Jinnin M, Wang Z, Yamane K, Aoi J, Makino K, Kajihara I, Ichihara A, Makino T, Fukushima S, Sakai K, Inoue Y, Ihn H	The expression profile of the toll-like receptor family in scleroderma dermal fibroblasts.	Clin Exp Rheumatol	86	4-9	2014
31	Kanemaru H, Kajihara I, Yamanaka K, Igata T, Makino T, Masuguchi S, Fukushima S, Jinnin M, Ihn H	Platelet-rich plasma therapy is effective for the treatment of refractory skin ulcers in patients with systemic sclerosis.	Mod Rheumatol		1-2	2014
32	Asano Y, Sato S	New criteria for SSc improve the recognition of early disease.	Nat Rev Rheumatol	in press		
33	Noda S, Asano Y, Nishimura S, Taniguchi T, Fujii K, Manabe I, Nakamura K, Yamashita T, Saigusa R, Akamata K, Takahashi T, Ichimura Y, Toyama T,	Simultaneous downregulation of KLF5 and Fli1 is a key feature underlying systemic sclerosis.	Nat Commun	in press		

	Tsuruta D, Trojanowska M, Nagai R, Sato S.			
34	Taniguchi T, Asano Y, Akamata K, Noda S, Takahashi T, Ichimura Y, Toyama T, Trojanowska M, Sato S	Fli1 haploinsufficiency induces fibrosis, vascular activation and immune abnormalities resembling systemic sclerosis in bleomycin-treated mice.	Arthritis Rheumatol	in press
35	Akamata K, Asano Y, Taniguchi T, Yamashita T, Saigusa R, Nakamura K, Noda S, Aozasa N, Toyama T, Takahashi T, Ichimura Y, Sumida H, Tada Y, Sugaya M, Kadono T, Sato S	Increased expression of chemerin in endothelial cells due to Fli1 deficiency may contribute to the development of digital ulcers in systemic sclerosis.	Rheumatology (Oxford)	in press
36	Saigusa R, Asano Y, Taniguchi T, Yamashita T, Takahashi T, Ichimura Y, Toyama T, Tamaki Z, Tada Y, Sugaya M, Kadono T, Sato S	A possible contribution of endothelial CCN1 downregulation due to Fli1 deficiency to the development of digital ulcers in systemic sclerosis.	Exp Dermatol	in press
37	Takahashi T, Asano Y, Ichimura Y, Toyama T, Taniguchi T, Noda S, Akamata K, Tada Y, Sugaya M, Kadono T, Sato S.	TLR4 knockout ameliorates tissue fibrosis in the murine models of systemic sclerosis.	Arthritis Rheumatol	in press
38	Taniguchi T, Asano Y, Tamaki Z, Akamata K, Aozasa N, Noda S, Takahashi T, Ichimura Y, Toyama T, Sugita M, Sumida H, Kuwano Y, Miyazaki M, Yanaba K, Sato S.	Histological features of localized scleroderma 'en coup de sabre': a study of 16 cases.	J Eur Acad Dermatol Venereol	in press
39	Sumida H, Asano Y, Hatano M, Aozasa N, Toyama T, Akamata K, Miyazaki M, Taniguchi T, Takahashi T, Ichimura Y, Noda S, Kuwano Y, Yanaba K, Sato S	Effect of ambrisentan on peripheral circulation in patients with systemic sclerosis.	Mod Rheumatol	in press
40	Yanaba K, Asano Y, Akamata K, Noda S, Aozasa N, Taniguchi T, Takahashi T, Toyama T, Ichimura Y,	Circulating galectin-1 concentrations in systemic sclerosis: potential contribution to digital vasculopathy.	Int J Rheum Dis	in press

	Sumida H, Kuwano Y, Miyazaki M, Sato S					
41	Taniguchi T, Asano Y, Tamaki Z, Takahashi T, Ichimura Y, Toyama T, Kagami S, Mitsui H, Sato S	Late-onset anaphylactic reactions following i.v. cyclophosphamide pulse in a patient with systemic sclerosis and systemic lupus erythematosus overlap syndrome.	J Dermatol	41	912-914	2014
42	Kudo H, Jinnin M, Asano Y, Trojanowska M, Nakayama W, Inoue K, Honda N, Kajihara I, Makino K, Fukushima S, Ihn H	Decreased interleukin-20 expression in scleroderma skin contributes to cutaneous fibrosis.	Arthritis Rheumatol	66	1636-1647	2014
43	Takahashi T, Asano Y, Sunaga R, Ichimura Y, Taniguchi T, Yamamoto M, Tamaki Z, Takekoshi T, Mitsui H, Sugaya M, Ohse T, Sato S	Successful use of intravenous cyclophosphamide pulse therapy for interstitial lung disease in a patient with systemic sclerosis on hemodialysis.	J Dermatol	41	533-535	2014
44	Sumida H, Asano Y, Tamaki Z, Aozasa N, Taniguchi T, Takahashi T, Toyama T, Ichimura Y, Noda S, Akamata K, Miyazaki M, Kuwano Y, Yanaba K, Sato S	Successful experience of rituximab therapy for systemic sclerosis-associated interstitial lung disease with concomitant systemic lupus erythematosus.	J Dermatol	41	418-420	2014
45	Akamata K, Asano Y, Aozasa N, Noda S, Taniguchi T, Takahashi T, Ichimura Y, Toyama T, Sato S	Bosentan reverses the pro-fibrotic phenotype of systemic sclerosis dermal fibroblasts via increasing DNA binding ability of transcription factor Fli1.	Arthritis Res Ther	16	R86	2014
46	Tamaki Z, Asano Y, Kubo M, Ihn H, Tada Y, Sugaya M, Kadono T, Sato S	Effects of the immunosuppressant rapamycin on the expression of human $\alpha 2(I)$ collagen and matrix metalloproteinase 1 genes in scleroderma dermal fibroblasts.	J Dermatol Sci	74	251-259	2014
47	Ichimura Y, Asano Y, Akamata K, Takahashi T, Noda S, Taniguchi T, Toyama T, Aozasa N, Sumida H, Kuwano Y, Yanaba K, Tada Y, Sugaya M, Sato S, Kadono T	Fli1 deficiency contributes to the suppression of endothelial CXCL5 expression in systemic sclerosis.	Arch Dermatol Res	306	331-338	2014
48	Akamata K, Asano Y, Aozasa N, Noda S, Taniguchi T,	Serum levels of mannose-binding lectin in systemic sclerosis: a possible	Eur J Dermatol	24	123-125	2014

	Takahashi T, Ichimura Y, Toyama T, Sumida H, Kuwano Y, Yanaba K, Tada Y, Sugaya M, Kadono T, Sato S	contribution to the initiation of skin sclerosis in the diffuse cutaneous subtype.				
49	Masui Y, Asano Y, Akamata K, Aozasa N, Noda S, Taniguchi T, Takahashi T, Ichimura Y, Toyama T, Sumida H, Kuwano Y, Yanaba K, Tada Y, Sugaya M, Sato S, Kadono T	Serum resistin levels: a possible correlation with pulmonary vascular involvement in patients with systemic sclerosis.	Rheumatol Int	34	1165-1170	2014
50	Ichimura Y, Asano Y, Akamata K, Aozasa N, Noda S, Taniguchi T, Takahashi T, Toyama T, Sumida H, Kuwano Y, Yanaba K, Tada Y, Sugaya M, Sato S, Kadono T	Serum Angiopoietin-like Protein 3 Levels: Possible Correlation with Progressive Skin Sclerosis, Digital Ulcers and Pulmonary Vascular Involvement in Patients with Systemic Sclerosis.	Acta Derm Venereol	94	157-162	2014
51	Takahashi T, Asano Y, Amiya E, Hatano M, Tamaki Z, Takata M, Ozeki A, Watanabe A, Kawarasaki S, Taniguchi T, Ichimura Y, Toyama T, Watanabe M, Hirata Y, Nagai R, Komuro I, Sato S	Clinical correlation of brachial artery flow-mediated dilation in patients with systemic sclerosis.	Mod Rheumatol	24	106-111	2014
52	Motegi S, Toki S, Yamada K, Uchiyama A, Ishikawa O	Elevated plasma homocysteine level is possibly associated with skin sclerosis in a series of Japanese patients with systemic sclerosis	Journal of Dermatology	41	986-991	2014
53	Motegi S, Okada E, Uchiyama A, Yamada K, Ogino S, Yokoyama Y, Takeuchi Y, Monma F, Suzuki T, Ishikawa O	Role of endothelin-1/endothelin receptor signaling in fibrosis and calcification in nephrogenic systemic fibrosis	Experimental Dermatology	23	664-669	2014
54	Motegi S, Toki S, Hattori T, Yamada K, Uchiyama A, Ishikawa O	No association of atherosclerosis with digital ulcers in Japanese patients with systemic sclerosis: Evaluation of carotid intima-media thickness and plaque characteristics.	Journal of Dermatology	41	604-608	2014
55	Motegi S, Uchiyama A,	Skin sclerosis with elevation of serum	Annals of	26	766-	2014

	Yamada K, Uehara A, Toki S, Ishikawa O	IL-6 possibly associated with IgG4-related disease	Dermatology		777	
56	Motegi S, Ishikawa O	Methotrexate-induced accelerated nodulosis in a patient with rheumatoid arthritis and scleroderma.	Acta Dermato-Venereologica	94	357-358	2014
57	Toki S, Motegi S, Yamada K, Uchiyama A, Ishikawa O	Demographic and clinical features of autoimmune thyroid disorder in Japanese patients with systemic sclerosis.	Journal of Dermatology	41		2014
58	茂木 精一郎, 石川 治	皮膚科医からみた強皮症の皮膚病変の診療 - 特に digital ulcer に対する対策について -	月刊リウマチ科	52	290-298	2014
59	茂木 精一郎	全身性強皮症における皮膚潰瘍治療	医学のあゆみ	251	625-631	2014
60	川口鎮司	膠原病性肺高血圧症診療の最前線—早期診断と早期治療の重要性とデュアルエンドセリン拮抗薬の意義	Ther Res	35	81-89	2014
61	川口鎮司	注目される間質性肺炎の依存症 肺高血圧症	日本医師会雑誌	143	970	2014
62	川口鎮司	膠原病に伴う神経障害 強皮症	日本臨床別冊 神経症候群		572-576	2014
63	川口鎮司	混合性結合組織病	日本内科学会雑誌	103	2501-2506	2014
64	Kaji K, Noreen F, Medsger TA Jr, Satoh T, Hoshino K, Hamaguchi Y, Hasegawa M, Lucas M, Schnure A, Ogawa F, Sato S, Takehara K, Fujimoto M, and Kuwana M.	Autoantibodies to RuvBL1 and RuvBL2: a novel systemic sclerosis-related antibody associated with diffuse cutaneous and skeletal muscle involvement.	Arthritis Care Res.	66(4)	575-584	2014
65	Saketkoo LA,OMERACT Connective Tissue Disease–Interstitial Lung Diseases Working Group, and Delphi Process Collaborators.	Reconciling healthcare professional and patient perspectives in the development of disease activity and response criteria in connective tissue disease-related interstitial lung diseases.	J. Rheumatol.	41(4)	792-798	2014
66	Saketkoo LA, Seibold JR and Dephi co-authors.	Connective tissue disease related interstitial lung diseases and idiopathic pulmonary fibrosis: provisional core sets of domains and instruments for use in clinical trials.	Thorax.	69(5)	436-444	2014
67	Kuwana M, and Okazaki Y.	Impaired in vivo neovascularization capacity of endothelial progenitor cells in patients with systemic sclerosis.	Arthritis Rheumatol.	66(5)	1300-1305	2014
68	Shirai Y, Tamura Y, Yasuoka	IgG4-related disease in pulmonary	Eur. Respir. J.	43(5)	1516-	2014

	H, Satoh T, and Kuwana M.	arterial hypertension on longterm epoprostenol treatment.			1519	
69	Washio M, Fujii T, Kuwana M, Kawaguchi Y, Mimori A, Horiuchi T, Tada Y, Takahashi H, Mimori T, and Japan MCTD study group	Lifestyle and other related factors for the development of mixed connective tissue disease among Japanese females in comparison with systemic lupus erythematosus.	Mod. Rheumatol.	24(5)	788-792	2014
70	Hatano M, Yamada H, Fukuda K, Yoshioka K, Funauchi M, Kuwana M, Sata M, Taniguchi M, Nakanishi N, Saito T, Saji T, and Sasayama S.	Effects of the endothelin receptor antagonist bosentan on hemodynamics and exercise capacity in Japanese patients with mildly symptomatic pulmonary arterial hypertension.	Heart Vessels.			in press
71	Shirai Y, Okazaki Y, Inoue Y, Tamura Y, Yasuoka H, Takeuchi T, and Kuwana M.	Elevated pentraxin 3 in systemic sclerosis: associations with vascular manifestations and defective vasculogenesis.	Arthritis Rheumatol.			in press
72	桑名正隆	膠原病における免疫抑制薬の適応と使い方; シクロホスファミド	リウマチ科	51(1)	1-8	2014
73	桑名正隆	強皮症に伴う血管病変としての肺高血圧症	日本呼吸器学会誌	3(4)	498-504	2014
74	桑名正隆	解説. 強皮症の新分類基準	リウマチ科	52(2)	218-255	2014
75	桑名正隆	強皮症の病態と最新治療 (仮)	medicina	印刷中		
76	桑名正隆	混合性結合組織病と肺高血圧症	呼吸器内科	26(4)	257-262	2014
77	桑名正隆	全身性硬化症; 高齢者のリウマチ・膠原病はこう診る	内科	印刷中		
78	Hatta Y, Hasegawa M, Matsushita T, Hamaguchi Y, Fujimoto M, Takehara K	The clinical characteristics of juvenile-onset systemic sclerosis in Japanese patients.	Mod Rheumatol	24	377-379	2014
79	Le Huu D, Kimura H, Date M, Hamaguchi Y, Hasegawa M, Hau KT, Fujimoto M, Takehara K, Matsushita T.	Blockade of Syk ameliorates the development of murine sclerodermatous chronic graft-versus-host disease.	J Dermatol Sci.	74	214-221	2014
80	濱口儒人, 竹原和彦	新しい検査法と診断法 膠原病の病型・予後判定に有用な新しい特異的自己抗体検査	臨床皮膚科	68	58-61	2014
81	長谷川稔	【最新関節リウマチ学 寛解・治癒を目指す研究と最新治療】 全身性強皮症	日本臨床	72 増刊 号3	320-324	2014
82	長谷川稔	皮膚科医による膠原病診療ー強皮症と	皮膚科の臨床	56(10)	1455-	2014

		皮膚筋炎についてー			1463	
83	小村一浩, 佐久間純, 長谷川稔	レイノー現象、皮膚潰瘍	リウマチ科	51(5)	493-499	2014
84	長谷川稔	自己抗体と皮膚病変からみていく膠原病診療	Journal of Environmental Dermatology and Cutaneous Allergology	8(4)	231-238	2014
85	波多野将	Sequential combination therapy を行うも救命できなかった lcSSc-PAH の 1 例	心臓	46(6)	801-804	2014
86	波多野 将	心筋炎後に PAH を発症し、後に弁膜症による PH の合併も認めた Overlap 症候群の 1 例	心臓	46(8)	1163-1166	2014
87	中村祥子, 田辺真彦, 波多野将, 高橋俊二, 岩瀬拓士, 伊藤良則	乳癌骨転移治療中の低酸素血症で PTM(pulmonary tumor thrombotic microangiopathy) の診断に至った 1 例	乳癌の臨床	29(2)	185-190	2014
88	波多野将	海外主要文献紹介「肺動脈性肺高血圧症における新たなチャネル異常」	Cardio-Renal Diabetes	3(1)	40-43	2014
89	波多野 将	全身性強皮症における肺高血圧症の診断と治療の進歩	医学のあゆみ	251(8)	632-638	2014
90	百村伸一, 川口鎮司, 田村雄一, 波多野将	肺高血圧症の最近の話題 - Report from PH Forum -	Pharma Medica	32(7)	51-58	2014
91	波多野 将	肺高血圧症に期待される新しい治療法 新たな肺高血圧症治療薬としての riociguat	循環器専門医	22(2)	177-182	2014
92	波多野 将, 藤山 直人, 中島 康夫, 早田 悟	肺動脈性肺高血圧症治療における診療実態調	呼吸と循環	62(8)	805-813	2014
93	Hatano M, Yamada H, Fukuda K, Yoshioka K, Funauchi M, Kuwana M, Sata M, Taniguchi M, Nakanishi N, Saito T, Saji T, Sasayama S	Effects of the endothelin receptor antagonist bosentan on hemodynamics and exercise capacity in Japanese patients with mildly symptomatic pulmonary arterial hypertension	Heart Vessels	In Press		
94	Fukada I, Araki K, Minatsuki S, Fujino T, Hatano M, Numakura S, Abe H, Ushiku T, Iwase T, Ito Y	Imatinib Alleviated Pulmonary Hypertension Caused by Pulmonary Tumor Thrombotic Microangiopathy in a Patient With Metastatic Breast Cancer	Clin Breast Cancer	In Press		
95	Imamura T, Kinugawa K, Nitta D, Fujino T, Inaba T, Maki H, Hatano M, Kinoshita	Is the Internal Jugular Vein or Femoral Vein a Better Approach Site for Endomyocardial Biopsy in Heart	Int Heart J	In Press		

	O, Nawata K, Yao A, Kyo S, Ono M.	Transplant Recipients?				
96	Fujino T, Kinugawa K, Hatano M, Imamura T, Muraoka H, Minatsuki S, Inaba T, Maki H, Kinoshita O, Nawata K, Yao A, Ono M, Komuro I.	Low blood pressure, low serum cholesterol and anemia predict early necessity of ventricular assist device implantation in patients with advanced heart failure at the time of referral from non-ventricular assist device institutes.	Circ J	78(12)	2282-2289	2014
97	Imamura T, Kinugawa K, Fujino T, Inaba T, Maki H, Hatano M, Kinoshita O, Nawata K, Kyo S, Ono M.	Aortic Insufficiency in Patients With Sustained Left Ventricular Systolic Dysfunction After Axial Flow Assist Device Implantation.	Circ J	In Press		
98	Imamura T, Kinugawa K, Nitta D, Fujino T, Inaba T, Maki H, Hatano M, Kinoshita O, Nawata K, Kyo S, Ono M.	Lower rotation speed stimulates sympathetic activation during continuous-flow left ventricular assist device treatment.	J Artif Organs	In Press		
99	Imamura T, Kinugawa K, Fujino T, Inaba T, Maki H, Hatano M, Kinoshita O, Nawata K, Kyo S, Ono M.	Recipients with shorter cardiopulmonary bypass time achieve improvement of parasympathetic reinnervation within 6 months after heart transplantation.	Int Heart J	55(5)	440-444	2014
100	Kimura M, Kinoshita O, Nawata K, Nishimura T, Hatano M, Imamura T, Endo M, Kagami Y, Kubo H, Kashiwa K, Kinugawa K, Kyo S, Komuro I, Ono M.	Midterm outcome of implantable left ventricular assist devices as a bridge to transplantation: Single-center experience in Japan.	J Cardiol	In Press		
101	Imamura T, Kinugawa K, Hatano M, Fujino T, Inaba T, Maki H, Kinoshita O, Nawata K, Kyo S, Ono M, Komuro I.	Low cardiac output stimulates vasopressin release in patients with stage d heart failure.	Circ J	78(9)	2259-2267	2014
102	Imamura T, Kinugawa K, Fujino T, Inaba T, Maki H, Hatano M, Yao A, Komuro I.	Increased urine aquaporin-2 relative to plasma arginine vasopressin is a novel marker of response to tolvaptan in patients with decompensated heart failure.	Circ J	78(9)	2240-2249	2014
103	Imamura T, Kinugawa K, Hatano M, Fujino T, Inaba T, Maki H, Kinoshita O, Amiya E, Nawata K, Yao A, Kyo S, Ono M, Komuro I.	Status 2 patients had poor prognosis without mechanical circulatory support.	Circ J	78(6)	1396-1404	2014
104	Imamura T, Kinugawa K, Murasawa T, Kagami Y,	Cardiac allograft vasculopathy can be distinguished from donor-transmitted	Int Heart J	55(2)	178-180	2014

	Endo M, Muraoka H, Fujino T, Inaba T, Maki H, Hatano M, Kinoshita O, Nawata K, Kyo S, Komuro I, Ono M.	coronary atherosclerosis by optical coherence tomography imaging in a heart transplantation recipient: double layered intimal thickness.				
105	Imamura T, Kinugawa K, Minatsuki S, Muraoka H, Kato N, Inaba T, Maki H, Hatano M, Yao A, Komuro I.	Urine sodium excretion after tolvaptan administration is dependent upon baseline serum sodium levels: a possible explanation for the improvement of hyponatremia with scarce chance of hypernatremia by a vasopressin receptor antagonist.	Int Heart J	55(2)	131-137	2014
106	藤本学、浅野善英、石井貴之、小川文秀、川上民裕、小寺雅也、浅井 純、岩田洋平	膠原病・血管炎に伴う皮膚潰瘍の治療アルゴリズム	デルマ	印刷中		
107	Toshiyuki Yamamoto	Reactive oxygen species and scleroderma.	Systems biology of free radicals and anti-oxidants (Springer)		3737-3752	2014
108	井上なつみ 清水正樹 田崎優子 石川さやか 上野和之 横山忠史 谷内江昭宏 麦井直樹	若年性皮膚筋炎/全身性強皮症における Nailfold Video Capillaroscopy の臨床的有用性	小児リウマチ	5	21-25	2014