

研究成果の刊行に関する一覧表(平成26年度)

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Seror R, Theander E, Brun JG, Ramos-Casals M, Valim V, Dorner T, Bootsma H, Tzioufas A, Solans Laque R, Mandl T, Gottenberg JE, Hachulla E, Moser K, Ng WF, Fauchais AL, Bombardieri S, Valesin G, Gerli R, Bartoloni E, Saraux A, Praprotnik S, Tomsic M, <u>Sumida T</u> , Nishiyama S, Caporali R, Kruize AA, Vollenweider C, Ravaud P, Vitali C, Mariette X, Bowman SJ.	Validation of EULAR primary Sjögren's syndrome disease activity and patient indexes.	Ann Rheum Dis		Epub ahead of print	2014
Tsuboi H, Matsumoto I, Hagiwara S, Hirota T, Takahashi H, Ebe H, Yokosawa M, Hagiya C, Asashima H, Takai C, Miki H, Umeda N, Kondo Y, Ogishima H, Suzuki T, Hirata S, Saito K, Tanaka Y, Horai Y, Nakamura H, Kawakami A, <u>Sumida T</u> .	Efficacy and safety of abatacept for patients with Sjögren's syndrome associated with rheumatoid arthritis: Rheumatoid Arthritis with Orenica Trial toward Sjögren's syndrome Endocrinopathy (ROSE) trial-an open-label, one-year, prospective study-Interim analysis of 32 patients for 24 weeks.	Mod Rheumatol		Epub ahead of print	2014
Tsuboi H, Asashima H, Takai C, Hagiwara S, Hagiya C, Yokosawa M, Hirota T, <u>Umeshira H</u> , Kawakami A, Nakamura H, Sano H, <u>Tsubota K</u> , Ogawa Y, <u>Takamura E</u> , <u>Saito I</u> , Inoue H, Nakamura S, Moriyama M, <u>Takeuchi T</u> , <u>Tanaka Y</u> , Hirata S, <u>Mimori T</u> , Yoshifiji H, <u>Ohta A</u> , Matsumoto I, <u>Sumida T</u> .	Primary and secondary surveys on epidemiology of Sjögren's syndrome in Japan.	Mod Rheumatol	24(3)	464-70	2014
Okada Y, et al(+94人), <u>Yamamoto K</u> and Plenge RM.	Genetics of rheumatoid arthritis contributes to biology and drug discovery	Nature	506	376-381	2014
Kochi Y, Suzuki A, <u>Yamamoto K</u> .	Genetic basis of rheumatoid arthritis: a current review.	Biochem Biophys Res Commun	452	254-62	2014
<u>Yamamoto K</u> , Okada Y, Suzuki A and Kochi Y.	Genetics of rheumatoid arthritis in Asia present and future	Nat.Rev.Rheumatol		in press	
Yoshimoto K, Kurasawa T, Suzuki K, <u>Takeuchi T</u> .	Involvement of E 7 (CD103) in the pathogenesis of autoimmune diseases.	Nihon Rinsho Meneki Gakkai Kaishi.	37(3)	171-5	2014
Suzuki K, Yoshimoto K, Takeshita M, Kurasawa T, <u>Takeuchi T</u> .	IDENTIFICATION OF A TRANSCRIPTOME-WIDE GENE EXPRESSION SIGNATURE ON PERIPHERAL BLOOD FROM PATIENTS WITH SYSTEMIC LUPUS ERYTHEMATOSUS AND RHEUMATOID ARTHRITIS BY HIGH-THROUGHPUT DNA SEQUENCING.	Ann Rheum Dis	73(Suppl 2)	347	2014
Yoshimoto K, Ishioka E, Nishikawa A, Suzuki K, Kameda H, T. Abe T, <u>Takeuchi T</u> .	BAFF-INDUCED IL-6 SIGNALING PLAYS A PIVOTAL ROLE IN INTERACTIONS BETWEEN MONOCYTES AND B CELLS THAT ACCELERATE IgG OVERPRODUCTION IN PATIENTS WITH PRIMARY SJÖGREN'S SYNDROME.	Ann Rheum Dis	73(Suppl 2)	367	2014
Ishizaki J, Saito K, Nawata M, Mizuno Y, Tokunaga M, Sawamukai N, Tamura M, Hirata S, Yamaoaka K, Hasegawa H, <u>Tanaka Y</u> .	Low complements and high titer of anti-Sm antibody as predictors of histopathologically proven silent lupus nephritis without abnormal urinalysis in patients with systemic lupus erythematosus.	Rheumatology (Oxford)		in press	
Iwata S, Yamaoaka K, Niilo H, Jabbarzadeh-Tabrizi S, Wang S-P, Kondo M, Yoshikawa M, Akashi K, <u>Tanaka Y</u> .	Increased Syk phosphorylation leads to overexpression of TRAF6 in peripheral B cells of patients with systemic lupus erythematosus.	Lupus		in press	
Iwata S, Nakayama S, Fukuyo S, Kubo S, Yunoue N, Wang S-P, Yoshikawa M, Saito K, <u>Tanaka Y</u> .	Activation of Syk in peripheral blood B cells in patients with rheumatoid arthritis: A potential target for abatacept therapy.	Arthritis Rheum		Epub ahead of print	2014
Kurita T, Yasuda S, Oba K, Odani T, Kono M, Otomo K, Fujieda Y, Oku K, Bohgaki T, Amengual O, Horita T, <u>Atsumi T</u> .	The efficacy of tacrolimus in patients with interstitial lung diseases complicated with polymyositis or dermatomyositis.	Rheumatology (Oxford)	54(1)	39-44	2015
Devreese KM, Pierangeli SS, de Laat B, Tripodi A, <u>Atsumi T</u> .	Testing for antiphospholipid antibodies with solid phase assays: guidance from the SSC of the ISTH.	J Thromb Haemost	12(5)	792-795	2014
Oku K, Amengual O, <u>Atsumi T</u> .	Antiphospholipid scoring: significance in diagnosis and prognosis.	Lupus	23	1269-1272	2014
Bannai E, Yamashita H, Kaneko S, Ueda Y, Ozaki T, Tsuchiya H, Takahashi Y, Kaneko H, Kano T, <u>Mimori A</u> .	Successful tocilizumab therapy in seven patients with refractory adult-onset Still's disease	Mod Rheumatol		Epub ahead of print	2014
Tsuchiya H, Tsuno H, Inoue M, Takahashi Y, Yamashita H, Kaneko H, Kano T, <u>Mimori A</u> .	Mycophenolate mofetil therapy for rapidly progressive interstitial lung disease in a patient with clinically amyopathic dermatomyositis	Mod Rheumatol	24(4)	694-696	2014
Tsuchiya H, Haga S, Takahashi Y, Kano T, Ishizaka Y, <u>Mimori A</u> .	Identification of novel autoantibodies to GABA(B) receptors in patients with neuropsychiatric systemic lupus erythematosus.	Rheumatology (Oxford)	53(7)	1219-1228	2014
Terao C, <u>Yamada R</u> , <u>Mimori T</u> , Yamamoto K, <u>Sumida T</u> .	A nationwide study of SLE in Japanese identified subgroups of patients with clear signs patterns and associations between signs and age or sex	Lupus	23	1435-1442	2014
Terao,C., Ohmura,K., <u>Yamada,R.</u> , Kawaguchi,T., Shimizu,M., Tabara,Y., <u>Takahashi,M.</u> , Setoh,K., Nakayama,T., Kosugi,S., Sekine,A., Matsuda,F., <u>Mimori,T.</u> , on behalf of the Nagahama Study Group	Association between antinuclear antibodies and the HLA class II locus and heterogeneous characteristics of staining patterns: the Nagahama study.	Arthritis Rheumatol	66	3395-3403	2014
Narahara,M., Higasa,K., Nakamura,S., Tabara,Y., Kawaguchi,T., Ishii,M., Matsubara,K., Matsuda,F., and <u>Yamada,R.</u>	Large-scale East-Asian eQTL mapping reveals novel candidate genes for LD mapping and the genomic landscape of transcriptional effects of sequence variants	PLoS one	9	e100924	2014
Kaneko T, Amano H, Kawano S, Minowa-K, Ando S, Watanabe T, Nakano S, Suzuki J, Morimoto S, Tokano Y, Takasaki Y.	Increased serum concentration of BAFF/APRIL and IgA2 subclass in patients with mixed connective tissue disease complicated by interstitial lung disease.	Mod Rheumatol	24	310-315	2014

Doe K, Nozawa K, Hiruma K, Yamada Y, Matsuki Y, Nakano S, Ogasawara M, Nakano H, Ikeda T, Ikegami T, Fujishiro M, Kawasaki M, Ikeda K, Amano H, Morimoto S, Ogawa H, Takamori K, Sekigawa I, Takasaki Y.	Antibody against chromatin assembly factor-1 is a novel autoantibody specifically recognized in systemic lupus erythematosus.	Lupus	23	1031-1041	2014
Sampei,S., Watanabe, R., Ishii, T., Harigae, H.	Granulomatosis with polyangiitis preceded by central diabetes insipidus.	Internal Medicine	53(15)	1725-1726	2014
Watanabe, R., Ishii, T., Kobayashi, H., Asahina, I., Takemori, H., Izumiya, T., Oguchi, Y., Urata, Y., Nishimaki, T., Chiba, K., Komatsuda, A., Chiba, N., Miyata, M., Takagi, M., Kawamura, O., Kanno, T., Hirabayashi, Y., Konta, T., Ninomiya, Y., Abe, Y., Murata, Y., Saito, Y., Ohira, H., Harigae, H., Sasaki, T.	Prevalence of hepatitis B virus infection in patients with rheumatic diseases in Tohoku area: a retrospective multicenter survey.	The Tohoku Journal of Experimental Medicine	233(2)	129-133	2014
Watanabe, R., Fujii, H., Shirai, T., Saito, S., Hatakeyama, A., Sugimura, K., Fukumoto, Y., Ishii, T., Harigae, H.	Successful use of intensive immunosuppressive therapy for treating simultaneously occurring cerebral lesions and pulmonary arterial hypertension in a patient with systemic lupus erythematosus.	Internal Medicine	53(6)	627-631	2014
Nakashima R, Imura Y, Hosono Y, Seto M, Murakami A, Watanabe K, Handa T, Mishima M, Hirakata M, Takeuchi T, Fujio K, Yamamoto K, Kohsaka H, Takasaki Y, Enomoto N, Suda T, Chida K, Hisata S, Nukiwa T, Mimori T.	The multicenter study of a new assay for simultaneous detection of multiple anti-aminoacyl-tRNA synthetases in myositis and interstitial pneumonia	PLoS One	9	e85062	2014
Shimizu, F., Sawai, S., Sano, Y., Beppu, M., Misawa, S., Nishihara, H., Koga, M., Kuwabara, S., <u>Kanda, T.</u>	Severity and patterns of blood-nerve barrier breakdown in patients with chronic inflammatory demyelinating polyradiculoneuropathy: correlations with clinical subtypes.	PLoS One	9	e104205	2014
Shimizu, F., Omoto, M., Sano, Y., Mastui, N., Miyashiro, A., Tasaki, A., Maeda, T., Koga, M., Kaji, R., <u>Kanda, T.</u>	Sera from patients with multifocal motor neuropathy disrupt the blood-nerve barrier.	J Neurol Neurosurg Psychiatry	85	526-537	2014
Oishi K, Hamaguchi Y, Matsushita T, Hasegawa M, Okiyama N, Dernedde J, Weinhardt M, Haag R, Tedder TF, Takehara K, Kohsaka H, <u>Fujimoto M.</u>	A crucial role of L-selectin in C protein-induced experimental polymyositis of mice.	Arthritis Rheumatol.	66	1464-71	2014
Fujimoto N, Takayama S, Hamaguchi Y, <u>Fujimoto M.</u> , Tanaka T.	Pemphigus foliaceous associated with anti-NXP2 autoantibody-positive dermatomyositis.	Acta Derm Venereol	94	478-9	2014
Yamaoka T, Doi C, Yokomi A, Tanemura A, Murota H, Saburah H, Hamaguchi Y, <u>Fujimoto M.</u> , Katayama I.	Anti-MDA5 antibody-positive dermatomyositis with lethal progressive interstitial lung disease and advanced gastric cancer.	Eur J Dermatol	24	490-1	2014
Takayama K, Noguchi Y, Aoki S, Takayama S, Yoshida M, Asari T, Yakushiji F, Nishimatsu S, Ohsawa Y, Itoh F, Negishi Y, <u>Sunada Y</u> , Hayashi Y.	Identification of the minimum peptide from mouse myostatin prodomain for human myostatin inhibition.	J Med Chem	58(3)	1544-9	2015
Gono T, Kaneko H, Kawaguchi Y, Hanaoka M, Kataoka S, Kuwana M, Takagi K, Katsumata Y, Ota Y, Kawasumi H, Yamanaka H.	Cytokine profiles in polymyositis and dermatomyositis complicated with rapidly progressive or chronic interstitial lung disease.	Rheumatology (Oxford)	53	2196-2203	2014
Suzuki S, Yonekawa, Kuwana M, Hayashi Y, Oka, <u>Kawaguchi Y</u> , Suzuki N, Nishino I.	Clinical and histological findings associated with autoantibodies detected by RNA immunoprecipitation in inflammatory myopathies.	J Neuroimmunol	274	202-208	2014
Sugiura T, <u>Kawaguchi Y</u> , Goto K, Hayashi Y, Gono T, Furuya T, Nishino I, Yamanaka H.	Association between a C8orf13-BLK polymorphism and polymyositis/dermatomyositis in the Japanese population: an additive effect with STAT4 on disease susceptibility.	PLoS One	9	e90019	2014
Muro Y, Nakashima R, Hosono Y, Sugiura K, <u>Mimori T</u> , Akiyama M.	Autoantibodies to DNA mismatch repair enzymes in polymyositis/dermatomyositis and other autoimmune diseases: A possible marker of favorable prognosis.	Arthritis Rheumatol	66	3457-62	2014
Hane H, <u>Muro Y</u> , Watanabe K, Ogawa Y, Sugiura K, Akiyama M.	Establishment of an ELISA to detect anti-glycyl-tRNA synthetase antibody (anti-EJ), a serological marker of dermatomyositis/polymyositis and interstitial lung disease.	Clin Chim Acta	431	9-14	2014
Sugiura K, <u>Muro Y</u> , Akiyama M.	Annular erythema associated with Sjögren's syndrome preceding overlap syndrome of rheumatoid arthritis and polymyositis with anti-PL-12 autoantibodies.	Acta Derm Venereol	94	470-1	2014
Muro Y, Nakashima R, Hosono Y, Sugiura K, <u>Mimori T</u> , Akiyama M.	Autoantibodies to DNA mismatch repair enzymes in polymyositis/dermatomyositis and other autoimmune diseases: A possible marker of favorable prognosis.	Arthritis Rheumatol	66	3457-62	2014
Hane H, <u>Muro Y</u> , Watanabe K, Ogawa Y, Sugiura K, Akiyama M.	Establishment of an ELISA to detect anti-glycyl-tRNA synthetase antibody (anti-EJ), a serological marker of dermatomyositis/polymyositis and interstitial lung disease.	Clin Chim Acta	431	9-14	2014
Ohta A, Nagai M, Nishina M, Tomimitsu H, Kohsaka H.	Prevalence and Incidence of Polymyositis and Dermatomyositis in Japan.	Mod Rheumatol	24	477-480	2014
Inoue M, <u>Jinnin M</u> , Wang Z, Nakamura K, Inoue K, Ichihara A, Moriya C, Sakai K, Fukushima S, Ihn H.	microRNA level is raised in the hair shafts of the patients with dermatomyositis in comparison with the normal subjects and sclerodermic patients	Int J Dermatol		in press	
Nakamura H, Takahashi Y, Yamamoto-Fukuda T, Horai Y, Nakashima Y, Arima K, Nakamura T, Koji T, <u>Kawakami A.</u>	Direct infection of primary salivary gland epithelial cells by HTLV-I that induces the niche of the salivary glands of Sjögren's syndrome patients.	Arthritis & Rheumatology		Epub ahead of print	2014
Takagi Y, Sumi M, Nakamura H, Iwamoto N, Horai Y, <u>Kawakami A.</u> , Nakamura T.	Ultrasoundography as an additional item in the American College of Rheumatology classification of Sjögren's syndrome.	Rheumatology (Oxford)		Epub ahead of print	2014
Horai Y, Koga T, Fujikawa K, Takatani A, Nishino A, Nakashima Y, Suzuki T, Kawashiri SY, Iwamoto N, Ichinose K, Tamai M, Nakamura H, Ida H, Kakugawa T, Sakamoto N, Ishimatsu Y, Mukae H, Hamaguchi Y, Fujimoto M, Kuwana M, Origuchi T, Kohno S, <u>Kawakami A.</u>	Serum interferon- β is a useful biomarker in patients with anti-melanoma differentiation-associated gene 5 (MDA5) antibody-positive dermatomyositis.	Mod Rheumatol		Epub ahead of print	2014

Nakashima Y, Nakamura H, Horai Y, Hayashi T, Takagi Y, Nakamura T, <u>Kawakami A.</u>	Comorbid case of IgG4-related disease and primary Sjögren's syndrome.	Mod Rheumatol	Epub ahead of print	2014
Azuma N, Katada Y, Kitano S, Sekiguchi M, Kitano M, Nishioka A, Hashimoto N, Matsui K, Iwasaki T, <u>Sano H.</u>	Correlation between salivary epidermal growth factor levels and refractory intraoral manifestations in patients with Sjögren's syndrome.	Mod Rheumatol	24	626-632
Imada, T., Nakamura, S., Kitamura, N., Shibuya, I., <u>Tsubota, K.</u>	Oral administration of royal jelly restores tear secretion capacity in rat blink-suppressed dry eye model by modulating lacrimal gland function.	PLoS One	9	e106338
Inaba, T., Hisatsune, C., Sasaki, Y., Ogawa, Y., Ebisu, E., Ogawa, N., Matsui, M., Takeuchi, T., Mikoshiba, K., <u>Tsubota, K.</u>	Mice lacking inositol 1,4,5-trisphosphate receptors exhibit dry eye.	PLoS One	9	e99205
Tatematsu, Y., Ogawa, Y., Abe, T., Kamoi, M., Uchino, M., Saijyo-Ban, Y., Yaguchi, S., Mukai, S., Mori, T., Okamoto, S., <u>Tsubota, K.</u>	Grading criteria for chronic ocular graft-versus-host disease: Comparing the NIH eye score, Japanese dry eye score, and DEWS 2007 score	Sci Rep	4	6680
Takahashi A., Inoue H., Mishima K., Ide F., Nakayama R., Hasaka A., Ryo K., Ito Y., Sakurai T., Hasegawa Y., <u>Saito I.</u>	Evaluation of the effects of quercetin on damaged salivary secretion.	PLoS One	10	e0116008.1-e0116008.15
Ryo K., Takahashi A., Nimi A., Tamaki Y., Ohnishi-Kameyama M., Inoue H., <u>Saito I.</u>	Therapeutic effects of isoflavones on impaired salivary secretion.	J Clin Biochem Nutr	55	168-173
Niikura A.J., Yamachika S., Yamamoto K., Okamoto M.R., Ikeda Y. F., Nakamura S., Oda E., Imamura T.K., <u>Saito I.</u> , Nakagawa Y.	Efficient diagnosis of Sjögren's syndrome to reduce the burden on patients.	Mod Rheumatol	12	1-5
Ohyama K, Moriyama M, Hayashida JN, Tanaka A, Maehara T, Ieda S, Furukawa S, Ohta M, Imabayashi Y, <u>Nakamura S.</u>	Saliva as a potential tool for diagnosis of dry mouth including Sjögren's syndrome.	Oral Dis	21(2)	224-31
Hayashida JN, Minami S, Moriyama M, Toyoshima T, Shinozaki S, Tanaka A, Maehara T, <u>Nakamura S.</u>	Differences of stimulated and unstimulated salivary flow rates in the patients with dry mouth.	J Oral Maxillofac Surg Med Pathol	27	96-101
Moriyama M, Tanaka A, Maehara T, Furukawa S, Nakashima H, <u>Nakamura S.</u>	T helper subsets in Sjögren's syndrome and IgG4-related dacryoadenitis and sialoadenitis: A critical review.	J Autoimmun	51	81-88
Sugimoto N, Shido O, Matsuzaki K, Katakura M, Hitomi Y, Tanaka M, Sawaki T, Fujita Y, Kawanami T, Masaki Y, Okazaki T, Nakamura H, Koizumi S, Yachie A, Umehara H.	Long-term heat exposure prevents hypoxia-induced apoptosis in mouse fibroblast cells.	Cell Biochem Biophys	70 (1)	301-7
Asanuma YF, Mimura T, Tsuboi H, Noma H, Miyoshi F, <u>Yamamoto K</u> , Sumida T.	Nationwide epidemiological survey of 169 patients with adult Still's disease in Japan.	Mod Rheumatol	10	1-8